



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

### Publications scientifiques reçues ou cataloguées en 2001 au Centre chauves-souris

### *Scientific publications received or catalogued at the Swiss bat center in 2001*

La direction et la bibliothèque du Centre chauves-souris remercient chaleureusement les auteurs qui ont envoyé leurs publications sur les chauves-souris  
*The management and the library of Swiss Bat Center warmly thank all the authors who sent their bat publications.*

- ABDULLAH, M.T. & HALL, L.S. 1997. Abundance and distribution of fruit bats and other mammals in the tropical forest canopy in Borneo. *Sarawak Mus. J.* 51 (72): 63-74.
- ABDULLAH, M.T., HALL, L.S., RAHMAN, M.A., KETOL, B., MARNI, W. & SAIT, I. 2000.1 A note on the rare *Pipistrellus vordermanni* in Sarawak, Malaysian Borneo. *Malayan Nature Journal* 54 (4): 375-376.
- ABUL-HAB, J.K 1997. Further survey for the ectoparasites of bats in Iraq. In: Jeannin, P.-Y. [Ed.]. *Proc. 12th International Congress of Speleology, La Chau-de-Fonds, Switzerland, 10-17.08.1997. Vol. 3. Speleo Projects, Basel: 369-370.*
- ACKER, E. 2000. Amy Fesnock, wildlife biologist, Pinnacles National Monument. *Bats* 18 (4): 12-13.
- ADAM, M.D. & HAYES, J.P. 2000. Use of bridges as night roosts by bats in the Oregon Coast Range. *J. Mammal.* 81 (2): 402-407.
- ADES, G.W. 1999. The species composition, distribution and population size of Hong Kong bats. *Mem. Hong Kong Nat. Hist. Soc.* 22: 183-209.
- AELLEN, V. 1998. Contribution à la connaissance des chauves-souris du sud-est de la France (Mammalia, Chiroptera). *Le Rhinolophe* 13: 53-56.
- AGUIAR, L. 1998. Official Brazilian list of threatened bats species. *Chiroptera Neotropical* 4 (1): 92-93.
- AGUIAR, L.M. de S. 1998. Workshop for the list of faunal species of Sao Paulo State threatened with extinction. *Chiroptera Neotropical* 4 (1): 90-91.
- AGUIRRE-MENDI, P.T. 2000. Recaptura de un *Nyctalus leisleri* (Kuhl, 1817) anillado en Alemania. *Barbastella* 1: 13.
- AHLEN, I. & BAAGOE, H.J. 1999. Use of ultrasound detectors for bat studies in Europe: experiences from field identification, surveys, and monitoring. *Acta Chiropterologica* 1 (2): 137-150.
- AIHARTZA, J.R. 2000. Una corrección sobre *M. bechsteinii* en Navarra. *Barbastella* 1: 12.
- AIHARTZA, J.R. 2000. *Vespertilio murinus* en Gipuskoa ? *Barbastella* 1: 14.
- ALBAYRAK, I. & ASAN, N. 2000. Distributional status of the bats from Turkey (Mammalia: Chiroptera). *Comm. Fac. Sci. Univ. Ankara, C*, 17 (1-2): 59-68.
- ALBAYRAK, I. & COSKUN, S. 2000. Geographic variations and taxonomic status of *Miniopterus schreibersi* (Kuhl, 1819) in Turkey (Chiroptera: Vespertilionidae). *Turkish J. Zool.* 24 (2): 125-133.
- ALBERICO, M., CADENA, A., HERNANDEZ-CAMACHO, J. & MUNOZ-SABA, Y. 2000. Mamíferos (Synapsida: Theria) de Colombia. *Biota Colombiana* 1 (1): 43-75.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ALCALDE, J.T. & ESCALA, M.C. 1999. Hibernation of bats in Navarre (Northern Spain). *Myotis* 37: 89-98.
- ALCALDE DIAZ DE CERIO, J.T. 2000. Desaparece una importante colonia arboricola. *Barbastella* 1: 10-11.
- ALTRINGHAM, J.D. 2000. Comments on the proposed designation of neotypes for the nominal species *Vespertilio pipistrellus* Schreber, 1774 and *V. pygmaeus* Leach, 1825 (currently *Pipistrellus pipistrellus* and *P. pygmaeus*; Mammalia, Chiroptera). *Bull. Zool. Nomenclature* 57 (1): 49-50.
- ALVAREZ, T., SANCHEZ-CASAS, N. & VILLALPANDO, J.A. 1999. Registro de los movimientos de *Leptonycteris yerbabuenae* en el centro de Mexico. *An. Esc. nac. Cienc. biol. Mexico* 45 (1-4): 9-15.
- ALYOUSIF, M.S. 1999. *Eimeria kuhliensis* sp. n. (Apicomplexa: Eimeriidae) from pipistrelle bat, *Pipistrellus kuhlii*. *Acta Protozoologica* 38 (4): 313-316.
- ANGELICI, F.M., WARIBOKO, S.M., LUISELLI, L. & POLITANO, E. 2000. A long-term ecological survey of bats (Mammalia, Chiroptera) in the eastern Niger Delta (Nigeria). *It. J. Zool., Modena* 67 (2): 169-174.
- ARBEITSKREIS FLEDERMAUSE SACHSEN ANHALT. 1999. Eine Region wird vorgestellt: Sachsen-Anhalt. *Flattermann* 21: 2-3.
- ARLETTAZ, R., BAERISWYL, P.-A., CHRISTE, P. & LUGON, A. 1998. A female vespertilionid bat (*Myotis blythii*) lactating in October at 46°N latitude. *Le Rhinolophe* 13: 17-22.
- ARLETTAZ, R., BERTHOUD, G. & DESFAYES, M. 1998. Tendances démographiques opposées chez deux espèces sympatriques de chauves-souris, *Rhinolophus hipposideros* et *Pipistrellus pipistrellus*: un possible lien de cause à effet. *Le Rhinolophe* 13: 35-41.
- ARLETTAZ, R., CHRISTE, P., LUGON, A., PERRIN, N. & VOGEL, P. 2001. Food availability dictates the timing of parturition in insectivorous mouse-eared bats. *Oikos* 95: 105-111.
- ARMSTRONG, K.N. 2000. Roost microclimates of the bat *Rhinonictes aurantius* in a limestone cave in Geike Gorge, Western Australia. *Australian Mammalogy* 22 (1): 69-70.
- ARMSTRONG, K.N. & ANSTEE, S.D. 2000. The ghost bat in the Pilbara: 100 years on. *Australian Mammalogy* 22 (2): 93-101.
- ARMSTRONG, K.N. & NORBURY, G.L. 2001. The distribution and roost habitat of the orange leaf-nosed bat, *Rhinonictes aurantius*, in the Pilbara region of Western Australia. *Wildlife Research* 28 (1): 95-104.
- ARNOLD, A., BRAUN, M., BECKER, N. & STORCH, V. 2000. Zur Nahrungsökologie von Wasser- und Raauhautfledermaus in den nordbadischen Rheinauen. *Carolina* 58: 257-263.
- ARRINGTON, D.A. & ARRINGTON, J.L. 2000. *Hyla boans* (rusty tree frog). Diet. *Herpetological Review* 31 (83): 170.
- ARROYO-CABRALES, J. 1992. Sinopsis de los murciélagos fósiles de Mexico. *Rvta Soc. Mex. Paleont. A.C.* 5 (1): 1-14.
- ASHIHARA, N., TADDEI, V.A., HONDO, E., KITAMURA, N., PAI, V.D., CAMPOS, V.J.D.M., CHOLIQ, C.N. & YAMADA, J. 1999. An immunohistochemical study of gut endocrine cells in nectarivorous and frugi-nectarivorous phyllostomid bats (Chiroptera: Anoura caudifer and *Carollia perspicillata*). *Japan. J. Zoo & Wildl. Med.* 4 (2): 125-133.
- AUGEE, M.L. & FORD, D. 1999. Radio-tracking studies of grey-headed flying-foxes, *Pteropus poliocephalus*, from the Gordon Colony, Sydney. *Proc. Linn. Soc. N.S.W.* 121: 61-70.
- AULAGNIER, S. 2000. Noms vernaculaires des chiroptères d'Europe dans les principaux ouvrages francophones. *Arvicola* 12 (1): 6-11.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- AULAGNIER, S. & DENYS, C. 2000. Présence du taphien à ventre nu, *Taphozous nudiventris*, (Chiroptera, Emballonuridae) au Maroc. *Mammalia* 64 (1): 116-118.
- AULAGNIER, S., HAFFNER, P., ISSARTEL, G., LÉBOULENGER, F., MASSON, D., MOUTOU, R. & ROUE, S. 2000. The French bat mapping project. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRs*, vol. 1, Approaches to Biogeography and Ecology of Bats: 159-154.
- BAKER, R.J., PORTER, C.A., PATTON, J.C. & VAN DEN BUSSCHE, R.A. 2000. Systematics of bats of the family Phyllostomidae based on RAG2 DNA sequences. *Occ. Pap. Mus. Texas Tech Univ.* 202: 1-16.
- BAKER, A.J., WHITACRE, D.F., AGUIRRE-BARRERA, O.A., AVILA, J.L. & WHITE, C.M. 1999. Observation of a double-toothed kite (*Harpagus bidentatus*) hawking bats. *J. Raptor Res.* 33 (4): 343-344.
- BAKKA, A.I. & BAKKA, S.V. 1999. Bats of Nizhny Novgorod Region. *Plecotus et al.* 2: 44-59.
- BALASINGH, J., SUTHAKAR ISAAC, S., SINGARAVEL, M., GOPUKUMAR NAIR, N. & SUBBARRAJ, R. Parturition and mother-infant relations in the Indian false vampire bat *Megaderma lyra*. *Behavioural Processes* 44 (1): 45-49.
- BALMORI, A. & QUETGLAS, J. 2000. Análisis de los daños por anillamiento en murciélagos. *Barbastella* 1: 22-26.
- BANI, L., DE CARLI, E., FARINA, F. & GIARDINO, C. 2000. Indagine sulla distribuzione e l'abbondanza dei chiroterti in Umbria. *Natura Bresciana* 32: 153-170.
- BARANAUSKAS, K. 1999. Serotine bat *Eptesicus serotinus* breeding under enclosure conditions. *Acta Zoologica Lituanica* 9 (1): 209-210.
- BARATAUD, M. 1998. Nouvelles données sur le comportement d'auto-léchage pendant l'hypothermie chez *Myotis emarginatus* (Geoffroy, 1806). *Le Rhinolophe* 13: 59.
- BARATAUD, M., JOULOT, C. & DEMONTOUX, D. 1998. Synthèse des données sur la répartition en France d'*Eptesicus nilssonii* (Keyserling & Blasius, 1839) et de *Vespertilio murinus* (Linnaeus, 1758). *Le Rhinolophe* 13: 23-28.
- BARATTI, N., DEBERNARDI, P. & PATRIARCA, E. 1995. I chiroterti della Valle d'Aosta. Aggiornamento delle conoscenze sulle species presenti e i siti di rifugio. *Revue valdotaine d'Histoire naturelle* 48: 43-61.
- BASHTA, A.-T. 2000. *Pipistrellus nathusii* (Keyserling et Blasius, 1839) in Western part of Ukraine. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 4.
- BASHTA, A.T. 2000. Observation of rare bat species (Mammalia, Chiroptera) in the Beskids (Ukrainian Carpathians). *Vestnik Zoologii* 34 (3): 66.
- BASHTA, A.T. 2000. The lesser horseshoe bat *Rhinolophus hipposideros* in Ukraine: distribution and present status. *Plecotus et al.* 3: 77-81.
- BATULEVICIUS, D., PAUZIENE, N. & PAUZA, D.H. 2001. Dental incremental lines in some small species of the European vespertilionid bats. *Acta Theriol.* 46 (1): 33-42.
- BAUDINETTE, R.V., CHURCHILL, S.K., CHRISTIAN, K.A., NELSON, J.E. & HUDSON, P.J. 2000. Energy, water balance and the roost microenvironment in three Australian cave-dwelling bats (Microchiroptera). *J. Comp. Physiol. B*, 170 (5-6): 439-446.
- BAUER, E.E., KLUG, A. & POLLAK, G.D. 2000. Features of contralaterally evoked inhibition in the inferior colliculus. *Hearing Research* 141: 80-96.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BEAUCOURNU, J.-C. & NOBLET, J.-F. 1998. Les puces de chauves-souris dans les Alpes et les Pré-Alpes françaises (Insecta - Siphonaptera - Ischnopsyllidae). *Le Rhinolophe* 13: 29-34.
- BEAUCOURNU, J.-C., NOBLET, J.-F., GILOT, B. & DEGEILH, B. 1999. Les tiques de chauves-souris dans les Alpes et les Préalpes françaises (Acarina, Ixodoidea, Ixodidae and Argasidae). *Bull. Soc. ent. France* 104 (3): 299-306.
- BECK, A. & GEBHARD, J. 2000. Riesenabendsegler (*Nyctalus lasiopterus*) im Schloss Hallwyl, Kanton Aargau, gefunden. *Pro Chiroptera* 1: 32-34.
- BENDA, P. 1999. [Three notes on the taxonomy of *Myotis brandtii* (Chiroptera: Vespertilionidae) and on the history of its recognition in the western part of Europe.] *Lynx (Praha)* 30: 5-26.
- BENDA, P. 2000. Record of *Hipposideros doriae* (Mammalia: Chiroptera) from Sabah (east Malaysia) and remarks to species status of *Hipposideros sabanus*. *Acta societatis Zoologicae Bohemicae* 64 (2): 143-152.
- BENDA, P. & SADLOVA, J. 1999. New records of small mammals (Insectivora, Chiroptera, Rodentia, Hyracoidea) from Jordan. *Casopsis Narodniho Muzea rada Prirodovedna* 168 (1-4): 25-36.
- BENZAL, J. 1991. Population dynamics of the brown long eared bat (*Plecotus auritus*) occupying bird boxes in a pine forest plantation in central Spain. *Neth. J. Zool.* 41 (4): 241-249.
- BENZAL, J. 1994. Informe sobre la campana de anillamiento de murcielagos en Espana. Ano 1993. *Ecologia (Madrid)* 8: 359-361.
- BENZAL, J. 1995. Informe sobre la campana de anillamiento de murcielagos en Espana. Ano 1994. *Ecologia (Madrid)* 9: 339-341.
- BENZAL, J. 1996. Informe sobre la campana de anillamiento de murcielagos en Espana. Ano 1995. *Ecologia (Madrid)* 10: 425-428.
- BERNARD, E. 1997. Folivory in *Artibeus concolor* (Chiroptera: Phyllostomidae): a new evidence. *Chiroptera Neotropical* 3 (2): 77-79.
- BERNARD, E. & LEFFLER, A.J. 2001. Vertical stratification of bat communities in primary forests of Central Amazon, Brazil. *J. Trop. Ecol.* 17 (1): 115-126
- BERND, D., EPPLER, G. & KAPPES, D. 2000. Vertreibung von Fortpflanzungskolonien des Grossen Mausohrs (*Myotis myotis*) durch die Schleiereule (*Tyto alba*) sowie Vorschlaege zur Vermeidung dieses Kohabitations-Problems. *Collurio* 18: 113-124.
- BIHARI, Z. 1999. Examination of bats straying into rooms. *Myotis* 37: 99-102.
- BIHARI, Z. 2001. Characteristics of the northernmost population of *Rhinolophus ferrumequinum* in the Carpathian Basin. *Acta Theriologica* 46 (1): 13-21.
- BIRT, P. & MARKUS, N. 1999. Notes on the temporary displacement of *Pteropus alecto* and *P. poliocephalus* by *P. scapulatus* within a daytime campsite. *Aust. Mammal.* 21 (1): 107-110.
- BLOOD, B.R. & CLARK, M.K. 1998. *Myotis vivesi*. *Mammalian Species* 588: 1-5.
- BOBKOVA, O. 2000. Bat ectoparasites of Western Ukraine. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 5.
- BOLES, W.E. 1999. Avian prey of the Australian ghost bat *Macroderma gigas* (Microchiroptera: Megadermatidae): prey characteristics and damage from predation. *Aust. Zool.* 31 (1): 82-91.
- BOLSHAKOV, V.N. & ORLOV, O.L. 2000. The species composition of bats hibernating in caves in the central Ural region. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 175-180.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BONTADINA, F., ARLETTAZ, R., FANKHAUSER, T., LUTZ, M., MUHLETHALER, E., THEILER, A. & ZINGG, P. 2000. The lesser horseshoe bat *Rhinolophus hipposideros* in Switzerland: present status and research recommendations. *Le Rhinolophe* 14: 69-83.
- BORDA, D. 2000. The protection of bats in Romania. In: Onac, B.P. & T. Tamas (Eds). *Karst studies and problems: 2000 and beyond*. Proc. of the Friends of Karst, theoretical and applied karstology and IGCP 448, July 14-22, 2000, Cluj-Napoca, Romania: 163.
- BRANT, J.G. & DOWLER, R.C. 2000. Noteworthy records of the seminole bat, *Lasiurus seminolus* (Chiroptera : Vespertilionidae in Val Verde county, Texas. *Tax. J. Sci.* 44 (1): 121-123.
- BRANT, S.V. 2000. Phylogeny of species of the genus *Litomosoides* (Nematatoda [Nematoda]: Onchocercidae): evidence of rampant host switching. *J. Parasitol.* 86 (3): 545-554.
- BRAUN, J.K. & DIAZ, M.M. 1999. Key to the native mammals of Catamarca Province, Argentina. *Occasional Papers of the Oklahoma Museum of natural History* 4: 1-16.
- BRAUN, M. & HAUSSLER, U. 1999. Funde der Zwergfledermaus-Zwillingsart *Pipistrellus pygmaeus* (Leach, 1825) in Nordbaden. *Carolinea* 57: 111-120.
- BREDT, A. ET AL. 1998. Morcegos em áreas urbanas e rurais: Manual de manejo e controle. Ministério da Saude, Fundação nacional de Saude: 117 p.
- BREDT, A., UIEDA, W. & DIAS MAGALHAES, E. 1999. Morcegos cavernícolas da região do Distrito Federal, centro-oeste do Brasil (Mammalia, Chiroptera). *Revta bras. Zool.* 16 (83): 731-770.
- BRITTINGHAM, M.C. & WILLIAMS, L.M. 2000. Bat boxes as alternative roosts for displaced bat maternity colonies. *Wildl. Soc. Bull.* 28 (1): 197-207.
- BRITZKE, E.R. & MURRAY, K.L. 2000. A quantitative method for selection of identifiable search-phase calls using the Anabat System. *Bat Research News* 41 (2): 33-36.
- BROWN, C.R. 1999. Metabolism and thermoregulation of individual and clustered long-fingered bats, *Miniopterus schreibersii*, and the implications for roosting. *S. Afr. J. Zool.* 34 (4): 166-172.
- BULLEJOS, M., SANCHEZ, A., BURGOS, M. JIMENEZ, R. & DIAZ DE LA GUARDIA, R. 2000. The SRY gene HMG-box in micro- and megabats. *Cytogenetics & Cell Genetics* 88 (1-2): 30-34.
- BURGER, R.M. & POLLAK, G.D. 1998. Analysis of the role of inhibition in shaping responses to sinusoidally amplitude-modulated signals in the inferior colliculus. *J. Neurophysiol., Bethesda* 80 (4): 1686-1701.
- BURGESS, N.D., KOCK, D., COCKLE, A., FITZ GIBBON, C., JENKINS, P. & HONESS, P. 2000. 4.3. Mammals. In: Burgess, N.D. & Clarke, G.P. (ed.). *Coastal forests of Eastern Africa*. IUCN - the World conservation Union: 173-190, 401-406.
- BURLAND, T.M., BARATT, E.M., NICHOLS, R.A., RACEY, P.A., GEBUREK, T., JEANDROZ, S. & SENN, J. 2001. Mating patterns, relatedness and the basis of natal philopatry in the brown long-eared bat, *Plecotus auritus*. *Molecular Ecology* 10 (5): 1309-1321.
- BURNETT, S.C. & MASTERS, W.M. 2001. A Laptop computer system for recording and analyzing echolocation calls. *Bat Research News* 42 (2): 41-43.
- BUYS, J. & LIMPENS, H. 2000. [More and more international cooperation on bat research; a symposium report.] *Zoogdier* 11 (1): 7-11.
- CADENA, A., ALVAREZ, J., SANCHEZ, F., ARIZA, C. & ALBESIANO, A. 1999. Dieta de los murciélagos frugívoros en la zona árida del Río Chicamocha (Santander, Colombia). *Bol. Soc. Biol. Concepcion* 69: 47-53.
- CALAME, V., MAHLER, N. & SIMON, C. 1989. La chauve-souris. *Études pédagogiques*: 11 p.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CAMPRODON, J., MALUQUER MARGALEF, J., ORDEIX, M. & PAUNE, F. 1999. Sobre un caso de necrofagia en *Rana perezi*. Bol. Asoc. Herpetologica Esp. 10: 20.
- CARDINAL, B.R. & CHRISTIDIS, L. 2000. Mitochondrial DNA and morphology reveal three geographically distinct lineages of the large bentwing bat (*Miniopterus schreibersii*) in Australia. Aust. J. Zool. 48 (1): 1-19.
- CARTER, T.C., MENZEL, M.A., CHAPMAN, B.R., MILLER, K.V. & LEE, J.R. 1999. A new method to study bat activity patterns. Wildl. Soc. Bull. 27 (3): 598-602.
- CASSEDAY, J.H., EHRLICH, D. & COVEY, E. 2000. Neural measurement of sound duration: control by excitatory-inhibitory interactions in the inferior colliculus. Journal of Neurophysiology (Bethesda) 84 (3): 1475-1487.
- CASTELLA, V., RUEDI, M., EXCOFFIER, L., IBANES, C., ARLETTAZ, R. & HAUSSER, J. 2000. Is the Gibraltar Strait a barrier to gene flow for the bat *Myotis myotis* (Chiroptera: Vespertilionidae)? Molecular Ecology 9: 1761-1772.
- CERVENY, J. & BUFKA, L. 1999. First records and long-distance migration of the Nathusius's bat (*Pipistrellus nathusii*) in western Bohemia (Czech Republic). Lynx (Praha) 30: 121-122.
- CERVENY, J. & OBUCH, J. 1999. The diet of the eagle owl (*Bubo bubo*) in southwestern Bohemia (Czech Republic), in relation to mammals (Mammalia). Lynx (Praha) 30: 35-60.
- CHAG, M. 1996. Give your bats grenades. The Shape of Enrichment 5 (4): 1-2.
- CHARLES-DOMINIQUE, P., BROSSET, A. & JOUARD, S. 2001. Atlas des chauves-souris de Guyane. Patrimoines Naturels 49: 172 p.
- CHAVEZ-TAPIA, C.B., VARGAS-YANEZ, R., RODRIGUEZ-ARELLANES, G., PENA-SANDOVAL, G.R., FLORES-ESTRADA, J.J., REYES-MONTES, M.R. & TAYLOR, M.L. 1998. I. El murciélago como reservorio y responsable de la dispersión de *Histoplasma capsulatum* en la naturaleza. II. Papel de los marcadores moleculares del hongo aislado de murciélagos infectados. Rev. Inst. Nat. Enf. Resp. Mex. 11 (3): 187-191.
- CHILDS, J. & ALDHOUS, T. 1997. A history of bat recording in Bedfordshire. Bedfordshire Nat. 51 (1): 36-48.
- CHILDS, J. & ALDHOUS, T. 1997. Mammals - bats. Report of the recorders. Bedfordshire Nat. 51 (1): 31-35.
- CHILDS, J. & ALDHOUS, T. 1998. Mammals - bats. Report of the recorders. Bedfordshire Nat. 52 (1): 29-35.
- CHILDS, J. & ALDHOUS, T. 1999. Mammals - bats. Bedfordshire Nat. 53 (1): 20-26.
- CHILTON, G., VONHOF, M.J., PETERSON, B.V. & WILSON, N. 2000. Ectoparasitic insects of bats in British Columbia, Canada. J. Parasitol. 86 (1): 191-192.
- CHISTYAKOV, D.V. 1999. Estimation of the present state of bat's winterings in Leningrad Region. Vestnik Sankt-Peterburgskogo Univ. Ser. 3, 1(3): 41-47, 139-140 (en russe, résumé anglais).
- CHISTYAKOV, D.V. 2000. Records of bats in the south-west of Pskov Region. Plecotus et al 3: 82-84.
- CHRISTE, P., ARLETTAZ, R. & VOGEL, P. 2000. Variation in intensity of a parasitic mite (*Spinturnix myoti*) in relation to the reproductive cycle and immunocompetence of its bat host (*Myotis myotis*). Ecology Letters 3 (3): 207-212.
- CHOWDHURY, S.A. & SUGA, N. 2000. Reorganization of the frequency map of the auditory cortex evoked by cortical electrical stimulation in the big brown bat. J. Neurophysiol. (Bethesda) 83 (4): 1856-1863.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- CHRISTESEN, L.S. & NELSON, J. 2000. Vocal communication in the grey-headed flying-fox *Pteropus poliocephalus* (Chiroptera: Pteropodidae). *Australian Zoologist* 31 (3): 447-457.
- CIECHANOWSKI, M. & JARZEMBOWSKI, T. 1999. A winter roost of bats (Chiroptera) in a sea cliff. *Przeład Zoologiczny* 43 (3-4): 219-221 (en polonais, résumé anglais).
- CLAGUE, C.I., COLES, R.B., WHYBIRD, O.J., SPENCER, H.J. & FLEMONS, P. 1999. The occurrence and distribution of the tube-nosed insectivorous bat (*Murina florium*) in Australia. *Proc. Linn. Soc. New South Wales* 121: 175-191.
- CLARK, D.R., Jr. 2001. DDT and the decline of free-tailed bats (*Tadarida brasiliensis*) at Carlsbad Cavern, New Mexico. *Archives of environmental Contamination and Toxicology* 40 (4): 537-543.
- CLARK, M.K. 2000. Swamp bats. *Bats* 18 (3): 9-11.
- CLARK, M.K. & LEE, D.S. 1999. New records of bats from the Bahamas. *Bahamas J. Sci.* 6 (2): 49-54.
- CLAWSON, R.L. & DROBNEY, R.D. 2000. Should bat conservation issues alone dictate forest management policy? *Transactions of the North American Wildlife and natural Resources Conferences* 65: 212-224.
- CODD, J.R., SLOCOMBE, N.C., DANIELS, C.B., WOOD, P.G. & ORGEIG, S. 2000. Periodic fluctuations in the pulmonary surfactant system in Gould's wattled bat (*Chalinolobus gouldii*). *Physiological and Biochemical Zoology* 73 (5): 605-612.
- CODERO, A. & SCHREUR, G. 2000. La campaña divulgativa "Los murciélagos, un mundo de sorpresas". *Barbastella* 1: 27-29.
- COELHO, D.C. 1998. Population ecology and natural history of *Lonchophylla dekeyseri*, a Cerrado's endemic bat. *Chiroptera Neotropical* 4 (2): 100-101.
- COPE, J.B., WHITAKER, J.O. Jr. & GUMMER, S.L. 1991. Duration of bat colonies in Indiana. *Proc. Indiana Acad. Sci.* 99: 199-201.
- COSSON, J.-F., PONS, J.-M. & MASSON, D. 1999. Effects of forest fragmentation on frugivorous and nectarivorous bats in French Guiana. *J. Trop. Ecol.* 15 (4): 515-534.
- COSSON, J.-F., RINGUET, S., CLAESSENS, O., DE MASSARY, J.C., DALECKY, A., VILLIERS, J.F., GRANJON, L. & PONS, J.M. 1999. Ecological changes in recent land-bridge islands in French Guiana, with emphasis on vertebrate communities. *Biological Conservation* 91: 213-222.
- COURTS, S.E. 1999. Dietary studies of Livingstone's fruit bat *Pteropus livingstonii*: feeding behaviour, diet evaluation and modification. *Dodo* 35: 26-47.
- COVEY, E. 2000. Neural population coding and auditory temporal pattern analysis. *Physiol. & Behav.* 69 (1-2): 211-220.
- CRAIK, J.D. & MARKOVICH, D. 2000. Rapid GLUT-1 mediated glucose transport in erythrocytes from the grey-headed fruit bat (*Pteropus poliocephalus*). *Comp. Biochem. Physiol. A*, 126A (1): 45-55.
- CRAMER, M.J., WILLIG, M.R. & JONES, C. 2001. *Trachops cirrhosus*. *Mammalian Species* 656: 1-6.
- CRYAN, P.M., BOGAN, M.A. & ALTENBACH, J.S. 2000. Effect of elevation on distribution of female bats in the Black Hills, South Dakota. *J. Mammal.* 81 (3): 719-725.
- CUARTAS-CALLE, C. & MUNOZ-ARANGO, J. 1999. Nematodos en la cavidad abdominal y el tracto digestivo de algunos murciélagos colombianos. *Caldasia* 21 (1): 10-25.
- CZAPLEWSKI, N.J. & MORGAN, G.S. 2000. A new Vespertilionid bat (Mammalia: Chiroptera) from the Early Miocene (Hemingfordian) of Florida, USA. *J. Vertebrate Paleont.* 20 (4): 736-742.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CSORBA, G. 1997. Type specimens of recently described bat taxa in the Hungarian Natural History Museum. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 65-66 (en hongrois, résumé anglais).
- DALESZCZYK, K. 2000. New data on bats (Chiroptera) hibernating in the Polish part of Bialowieza Primeval Forest. *Myotis* 38: 47-50.
- DE BOER, H. 2000. [Daubenton's bats and current speeds.] *Amoeba* 74 (4): 146-149.
- DE BOER, H. 2001. [Research to why Daubenton's bats skip current speeds.] *Mammalaar* 1: 11-14.
- DE OLIVEIRA, M.C. 1998. Towards standardized descriptions of the echolocation calls of microchiropteran bats: pulse design terminology for seventeen species from Queensland. *Aust. Zool.* 30 (4): 405-411.
- DE OLIVEIRA, M.C., SMITH, G.C. & HOGAN, L.D. 1999. Current limitations in the use of bat detectors to assess the impact of logging - a pilot study in south-east Queensland. *Aust. Zool.* 31 (1): 110-117.
- DE PAZ, O. & ALCALDE, J.T. 2000. Catálogo Nacional de especies amenazadas: Propuestas. *Barbastella* 1: 17-21.
- DELPIETRO, H.A. 1989. Case reports on defensive behaviour in equine and bovine subjects in response to vocalization of the common vampire bat (*Desmodus rotundus*). *Applied Animal Behaviour Science* 22: 377-380.
- DELPIETRO, H.A., CONTRERAS, J.R. & KONOLAISEN, J.F. 1992. Algunas observaciones acerca del murcielago carnívoro *Chrotopterus auritus australis* (Thomas, 1905) en el noreste argentino (Mammalia: Chiroptera, Phyllostominae). *Notulas Faunisticas* 26: 1-7.
- DELPIETRO, H.A., FABREGAS, F. & DIAZ, M. 1987. Riesgo de transmisión rabica en la predación de quiropteros por carnívoros domésticos. *Vet. Arg.* 4 (32): 119-124.
- DELPIETRO, H.A., KONOLSAISEN, F., MARCHEVSKY, N. & RUSSO, G. 1994. Domestic cat predation on vampire bats (*Desmodus rotundus*) while foraging on goats, pigs, cows and human beings. *Applied Animal Behaviour Science* 39: 141-150.
- DELPIETRO, H.A., MARCHEVSKY, N. & SIMONETTI, E. 1992. Relative population densities and predation of the common vampire bat (*Desmodus rotundus*) in natural and cattle-raising areas in north-east Argentina. *Preventive Veterinary Medicine* 14: 13-20.
- DELPIETRO, H.A. & RUSSO, R.G. 2000. Homing ability of the common vampire bat (*Desmodus rotundus*). *Z. Säugetierk.* 65 (1): 1-5.
- DELPIETRO, H.A., RUSSO, R.G. & SCHWIETERS, H.H.G. s.d. Observaciones sobre el ataque del vampiro común *Desmodus rotundus* al ganado en el norte de la Argentina. *Revista de Medicina Veterinaria* 80 (6): 460-464.
- DIERENFELD, E.S. & SEYJAGAT, J. 2000. Plasma fat-soluble vitamin and mineral concentrations in relation to diet in captive pteropodid bats. *Journal of Zoo & Wildlife Medicine* 31 (83): 315-321.
- DOBROSI, D. 1997. National survey program of house-dwelling bat species. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 16-20 (en hongrois, résumé anglais).
- DOBROSI, D. & GULYAS, J. 1997. Cave-dwelling bats in Bihar-Mountain. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 34-36 (en hongrois, résumé anglais).





## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DOMBI, I. 1997. Survey of bat habitats and fauna at Danube flood plain. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 44-48 (en hongrois, résumé anglais).
- DONDINI, G. & VERGARI, S. 2000. Carnivory in the greater noctule bat (*Nyctalus lasiopterus*) in Italy. *J. Zool., Lond.* 251 (2): 233-236.
- DOUMA, M. 2000. [Leisler's bat (*Nyctalus leisleri*) in batbox in Staphorst (Holland).] *Zoogdier* 11 (83): 29.
- DOWLER, R.C., DAWKINS, R.C. & MAXWELL, T.C. 1999. Range extensions for the evening bat (*Nycticeius humeralis*) in west Texas. *Texas J. Sci.* 51 (2): 193-195.
- DRESCHER, Ch. 2000. Woodsmen or farmers ? The diet of the greater mouse-eared bat *Myotis myotis* Borkh., 1797 (Chiroptera: Vespertilionidae) in an intensively used agricultural landscape. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats: 243-252.*
- DUCUMMON, S. 2000. The Great Lakes Initiative. *Bats* 18 (4): 6-11.
- DUFFY, A.M., LUMSDEN, L.F., CADDLE, C.R., CHICK, R.R. & NEWELL, G.R. 2000. The efficacy of Anabat ultrasonic detectors and harp traps for surveying microchiropterans in south-eastern Australia. *Acta Chiropterologica* 2 (2): 127-144.
- DUMONT, E.R., ETZEL, K. & HEMPEL, D. 1999. Bat salivary proteins segregate according to diet. *Mammalia* 63 (2): 159-166.
- DUMOULIN, R. 2000. Une chauve-souris poursuivie par des mouettes rieuses (*Larus ridibundus*). *Aves* 35 (3-4): 234.
- DUVERGE, P.L. 1996. Foraging activity, habitat use, development of juveniles, and diet of the greater horseshoe bat (*Rhinolophus ferrumequinum* - Schreber 1774) in south-west England. Thesis Univ. Bristol, School of Biological Sciences: 310 p.
- DUVERGE, P.L., JONES, G., RYDELL, J. & RANSOME, R.D. 2000. Functional significance of emergence timing in bats. *Ecography* 23 (1): 32-40.
- ELANGO VAN, V., MARIMUTHU, G. & KUNZ, T.H. 1999. Temporal patterns of individual and group foraging behaviour in the short-nosed fruit bat, *Cynopterus sphinx*, in south India. *J. trop. Ecol.* 15 (5): 681-687.
- ELANGO VAN, V., MARIMUTHU, G. & KUNZ, T.H. 2000. Nectar feeding behavior in the short-nosed fruit bat *Cynopterus sphinx* (Pteropodidae). *Acta Chiropterologica* 2 (1): 1-5.
- ELANGO VAN, V., MARIMUTHU, G. & KUNZ, T.H. 2001. Temporal patterns of resource use by the short-nosed fruit bat, *Cynopterus sphinx* (Megachiroptera: Pteropodidae). *Journal of Mammalogy* 82 (1): 161-165.
- ENTWISTLE, A.C., HARRIS, S., HUTSON, A.M., RACEY, P.A., WALSH, A., GIBSON, S.D., HEPBURN, I. & JOHNSTON, J. 2001. Habitat management for bats. A guide for land managers, land owners and their advisors. Joint Nature Conservation Committee: 48 p.
- ESTEBAN, J.G., BOTELLA, P., TOLEDO, R. & OLTRA-FERRERO, J.L. 1999. Helminthfauna of bats in Spain. IV. Parasites of *Rhinolophus ferrumequinum* (Schreber, 1774) (Chiroptera: Rhinolophidae). *Research and Reviews in Parasitology* 59 (1-2): 57-68.
- FABIAN, M.E., RUI, A.M. & PINTO DE OLIVEIRA, K. 1999. Distribuição geográfica de morcegos Phyllostomidae (Mammalia: Chiroptera) no Rio Grande do Sul, Brasil Iheringia, Sér. Zool., Porto Alegre 87: 143-156.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- FAIRON, J. & LEFEVRE, A. 1991. Centre de Recherche Chiroptérologique de Belgique 11: Les réserves chiroptérologiques en Belgique. Documents de travail de l'I.R.Sc.N.B. 68: 173 p.
- FAURE, P.A. & HOY, R.R. 2000. Neuroethology of the katydid T-cell: II. Responses to acoustic playback of conspecific and predatory signals. *Journal of experimental Biology* 203 (21): 3243-3254.
- FAURE, P.A. & HOY, R.R. 2000. The sounds of silence: cessation of singing and song pausing are ultrasound-induced acoustic startle behaviors in the katydid *Neoconocephalus ensiger* (Orthoptera; Tettigoniidae). *J. comp. Physiol. A*, 186 (2): 129-142.
- FAURE, P.A. & HOY, R.R. 2000. Neuroethology of the katydid T-cell: I. Tuning and responses to pure tones. *Journal of experimental Biology* 203 (21): 3225-3242.
- FAVI, M., YUNG, V., PAVLETIC, C., RAMIREZ, E., DE MATTOS, C.C. & DE MATTOS, C.A. 1999. Rol de los murciélagos insectívoros en la transmisión de la rabia en Chile. *Arch. Med. Vet. (Valdivia)* 31 (2): 157-165.
- FELDMAN, R., WHITAKER, J.O. Jr. & YOM-TOV, Y. 2000. Dietary composition and habitat use in a desert insectivorous bat community in Israel. *Acta chiropterologica* 2 (1): 15-22.
- FENG, J., ZHANG, S.Y., LI, Z.X., SHENG, L.X. & WANG, L.X. 2000. Echolocation calls of greater horseshoe bat at different behaviour. *Acta Zool. Sin.* 46 (2): 230-232.
- FENN, P. 2001. Conserving bats living in buildings. *British bats and building construction*. *Bats* 19 (3): 7.
- FENTON, M.B., BERNARD, E., BOUCHARD, S., HOLLIS, L., JOHNSTON, D.S., LAUSEN, C.L., RATCLIFFE, J.M., RISKIN, D.K., TAYLOR, J.R. & ZIGOURIS, J. 2001. The bat fauna of Lamanai, Belize: roosts and trophic roles. *Journal of Tropical Ecology* 17: 511-524.
- FENTON, M.B., SHALMON, B. & MAKIN, D. 1999. Roost switching, foraging behavior, and diet of the vespertilionid bat, *Otonycteris hemprichii*. *Israel J. Zool.* 45 (4): 501-506.
- FENTON, M.B., VONHOF, M.J., BOUCHARD, S., GILL, S.A., JOHNSTON, D.S., REID, F.A., RISKIN, D.K., STANDING, K.L., TAYLOR, J.R. & WAGNER, R. 2000. Roosts used by *Sturnira lilium* (Chiroptera: Phyllostomidae) in Belize. *Biotropica* 32 (4a): 729-733.
- FENTON, M.B., WHITAKER, J.O. Jr., VONHOF, M.J., WATERMAN, J.M., PEDRO, W.A., AGUIAR, L.M.S., BAUMGARTEN, J.E., BOUCHARD, S., FARIA, D.M., PORTFORS, C.V., RAUTENBACH, N.I.L., SCULLY, W. & ZORTEA, M. 1999. The diet of bats from Southeastern Brazil: the relation to echolocation and foraging behaviour. *Revta bras. Zool.* 16 (4): 1081-1085.
- FERNANDEZ, M.K., SMITH, S.A. & ESCAMILLA, R. 2000. New county record for the Mexican long-tongued bat (*Choeronycteris mexicana*) from Texas. *Tex. J. Sci.* 52 (1): 68-69.
- FEYERABEND, F. & SIMON, M. 2000. Use of roosts and roost switching in a summer colony of 45 kHz phonic type pipistrelle bats (*Pipistrellus pipistrellus* Schreber, 1774). *Myotis* 38: 51-59.
- FIELD, H., McCALL, B. & BARRETT, J. 1999. Australian bat lyssavirus infection in a captive juvenile black flying fox. *Emerging Infectious Diseases* 5 (3): 438-440.
- FIEDLER, W. 1999. Nachweise der Weissrandfledermaus (*Pipistrellus kuhli*) in Deutschland: eine Geschichte mit Ecken und Kanten ... *Der Flattermann* 22: 13-14.
- FITZPATRICK, D.C., OLSEN, J.F. & SUGA, N. 1998. Connections among functional areas in the mustached auditory cortex. *J. Comp. Neurol.* 391 (3): 366-396.
- FITZPATRICK, D.C., SUGA, N. & OLSEN, J.F. 1998. Distribution of response types across entire hemispheres of the mustached bat's auditory cortex. *J. Comp. Neurol.* 391 (3): 353-365.
- FLAVIN, D.A., BIGGANE, S.S., SHIEL, C.B., SMIDDY, P. & FAIRLEY, J.S. 2001. Analysis of the diet of Daubenton's bat *Myotis daubentonii* in Ireland. *Acta Theriologica* 46 (1): 43-52.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- FORNASARI, L., BANI, L., DE CARLI, E. & MORELLI, C. 2000. A new Italian recovery of fringed Nathusius' bat. *Natura Bresciana* 32: 249-251.
- FOSTER, R.W. & KURTA, A. 1999. Roosting ecology of the northern bat (*Myotis septentrionalis*) and comparisons with the endangered Indiana bat (*Myotis sodalis*). *J. Mammal.* 80 (2): 659-672.
- FORTH, G. 2000. Eastern Sumbanese bird classification. *Journal of Ethnobiology* 20 (2): 161-192.
- FRANCIS, C.M., KOCK, D. & HABERSETZER, J. 1999. Sibling species of *Hipposideros ridleyi* (Mammalia, Chiroptera, Hipposideridae). *Senckenberg. Biol.* 79 (2): 255-270.
- FRENCH, B. 2001. Conserving bats living in buildings. *Bats in American buildings.* *Bats* 19 (3): 6.
- FUHRMANN, M. & GODMANN, O. 1999. "Mückenfledermaus" (*Pipistrellus pygmaeus/mediterraneus*) - eine neue Art in Deutschland. *Jahrbücher des nassauischen Vereins für Naturkunde* 120: 175-177.
- FUHRMANN, M. & KIEFER, A. 1996. Fledermausschutz bei einer Strassenneubauplanung: Ergebnisse einer zweijährigen Untersuchung an einem Wochenstubenquartier von Grossen Mausohren (*Myotis myotis borkhausen*, 1797). *Fauna Flora Rhld.-Pf.* 21: 133-140.
- FUJIMOTO, T. 2001. The observation records of *Myotis daubentonii* in tree cavity. *Rishiri Studies* 20: 35-37 (en japonais, résumé anglais).
- FULEKY, C. 1997. Conservation of bats at international level. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 67-69(en hongrois, résumé anglais).
- FULLARD, J.H. 2000. Day-flying butterflies remain day-flying in a Polynesian, bat-free habitat. *Proceeding Royal Society of London, B*, 267 (1459): 2295-2300.
- FUNAKOSHI, K. & KUNISAKI, T. 2000. On the validity of *Tadarida latouchei*, with reference to morphological divergence among *T. latouchei*, *T. insignis* and *T. teniotis* (Chiroptera, Molossidae). *Mammal Study* 25 (2): 115-123.
- FURMANKIEWICZ, J. & TELATYNSKI, S. 2000. New sites of the Geoffroy's bat *Myotis emarginatus* (Geoffroy, 1806) in Lower Silesia. *Przegląd Przyrodniczy* 11 (4): 106-108.
- FURMANKIEWICZ, J. & ZAJAC, K. 1999. Schutz der in Niederschlesien grössten Fortpflanzungskolonie der Grossmausohr-Fledermaus (*Myotis myotis*) in Lähn (Wlen). *Przyroda Sudetow Zachodnich* 2: 89-92.
- GAISLER, J. 2000. Bats of Stranska skala (Brno, Czech Republic) - roosting in spite of disturbance. *Lynx (Prague)* 31: 33-40.
- GALAZYUK, A.V. & FENG, A.S. 2001. Oscillation may play a role in time domain central auditory processing. *J. Neurosci.* 21: RC147 (1-5).
- GALAZYUK, A.V., LLANO, D. & FENG, A.S. 2000. Temporal dynamics of acoustic stimuli enhance amplitude tuning of inferior colliculus neurons. *J. Neurophysiol. (Bethesda)* 83 (1): 128-138.
- GALLEGO, L. & SANCHEZ, A. 2000. La craneometria de los quiropteros en el trabajo de G. S. Miller 1912. *Boletín de la Real Sociedad española de Historia natural, sec. Biologica* 96 (1-2): 139-145.
- GANNON, M.R. & WILLIG, M.R. 1998. Long-term monitoring protocol for bats: lessons from the Luquillo Experimental Forest of Puerto Rico. In: Dallmeier, F. & J. Comiskey (Eds). *Forest diversity in North, Central, and South America, and the Caribbean: Research and monitoring. Man and the Biosphere* 21: 271-291.
- GAO, E. & SUGA, N. 1998. Experience-dependent corticofugal adjustment of midbrain frequency map in bat auditory system. *Proc. Nat. Acad. Sci. USA* 95 (21): 12663-12670.
- GAO, E. & SUGA, N. 2000. Experience-dependent plasticity in the auditory cortex and the inferior colliculus of bats: role of the corticofugal system. *Proc. Nat. Acad. Sci. USA* 97 (14): 8081-8086.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- GARNETT, S., WHYBIRD, O. & SPENCER, H. 1999. The conservation status of the spectacled flying fox *Pteropus conspicillatus* in Australia. *Aust. Zool.* 31 (1): 38-54.
- GARRIDO-GARCIA, J.A. 1999. New altitude record for Chiroptera in Europe. *Myotis* 37: 103.
- GEBHARD, J. 2000. Grosses Mausohr (*Myotis myotis*) mit zwei Jungen in der Wochenstuben-Kolonie bei Zwingen, Kanton Baselland. *Pro Chiroptera* 1: 4.
- GEBHARD, J. 2000. Die Robinie (*Robinia pseudacacia*) ist ein guter Quartierbaum für Fledermäuse. *Pro Chiroptera* 1: 11-15.
- GEBHARD, J. 2000. Zwergfledermaus (*Pipistrellus pipistrellus*) mit Zeckenlarven (*Argas vespertilionis*). *Pro Chiroptera* 1: 16-17.
- GEBHARD, J. 2000. Klebende Fliegenfänger in Stall sind eine Todesfalle für Fledermäuse. *Pro Chiroptera* 1: 22-25.
- GEBHARD, J. 2000. Sturm "Lothar" schädigt Abendseglerbäume in der Region Basel nur geringfügig. *Pro Chiroptera* 1: 28-30.
- GEBHARD, J. 2000. Die Sonnenfinsternis beeindruckte die Grossen Abendsegler (*Nyctalus noctula*) in der Station "Hofmatt" nicht. *Pro Chiroptera* 1: 31.
- GEBHARD, J. & LANDERT, R. 2000. Eine aussergewöhnliche Wochenstubenkolonie des Grossen Mausohrs (*Myotis myotis*) in Ziefen, Kanton Baselland. *Pro Chiroptera* 1: 5-10.
- GECZI, I. 1997. Results and experiences of 6 years' work in Zemplén and Abaú. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 11-15 (en hongrois, résumé anglais).
- GEISELMAN, C. & ACKER, E. 2001. BCI research scholars: making a difference for bat conservation. *Bats* 19 (3): 1-5.
- GELLMAN, S.T. & ZIELINSKI, W.J. 1996. Use by bats of old-growth redwood hollows on the north coast of California. *J. Mammal.* 77 (1): 255-265.
- GHATAK, S., BANERJEE, R., AGARWAL, R.K. & KAPOOR, K.N. 2000. Zoonoses and bats: A look from human health viewpoint. *Journal of communicable Diseases* 32 (1): 40-48.
- GLAS, G. 2000. [Large mouse-eared bat near Arnhem.]. *Zoogdier* 11 (2): 29-30 (en hollandais).
- GODINEZ ALVAREZ, H. & VALIENTE BANUET, A. 2000. Fruit-feeding behavior of the bats *Leptonycteris curasoae* and *Choeronycteris mexicana* in flight cage experiments: Consequences for dispersal of columnar cactus seeds. *Biotropica* 32 (3): 552-556.
- GODLEWSKY, L. 2000. Research of Kyiv's region bat fauna: past and present. *Studia Chiropterologica* 1: 9-12.
- GONZALEZ, E. & CLOSE, R. 1999. The maternal behaviour and development of a little red flying-fox *Pteropus scapulatus* in captivity. *Aust. Zool.* 31 (1): 175-180.
- GONZALEZ, J.C. 2000. Morcegos da área urbana de Porto Alegre, Rio Grande do Sul, Brasil. *Divul. Mus. Ciênc. Tecnolo.-UBEA/PUCRS, Porto Alegre* 5: 53-82.
- GONZALEZ-RUIZ, N. & ALVAREZ, T. 1999. Nota adicional sobre la dieta del murciélago pescador *Noctilio leporinus* (Chiroptera: Noctilionidae) en los estados de Jalisco y Oaxaca, Mexico. *Anales Escuela Nacional Ciencias Biologicas Mexico* 45: (1-4): 71-75.
- GORY, G. & JEANTET, R. 1999. Eléments de biométrie de huit espèces de chiroptères capturées en région Méditerranéenne. *Bull. Soc. Et. Sci. nat. Nîmes et Gard* 62: 75-79.
- GOTTARDI, D. & HELDENER, C. 1988. Découverte et analyse des différents moyens d'enseignement à travers l'étude d'un animal: la chauve-souris. *Etudes pédagogiques, 1ère année*: 22 p.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GOYMANN, W., LEIPPERT, D. & HOFER, H. 1999. Parturition, parental behaviour, and pup development in Indian false vampire bats, *Megaderma lyra*. *Z. Säugetierk.* 64 (6): 321-331.
- GOYMANN, W., LEIPPERT, D. & HOFER, H. 2000. Sexual segregation, roosting, and social behaviour in a free-ranging colony of Indian false vampires (*Megaderma lyra*). *Z. Säugetierk.* 65 (3): 138-148.
- GRACIOLLI, G., BORDIGNON, M.O. & MOURA, M.O. 1999. Ocorrência de *Latrocimex spectans* Lent (Hemiptera, Cimicidae, Latrocimicinae) no Paraná, Brasil. *Revta bras. Zool.* 16 (3): 913.
- GRAY, P.A., FENTON, M.B. & VAN CAKENBERGHE, V. 1999. *Nycteris thebaica*. *Mammalian Species* 612: 1-8.
- GREENFIELD, M.D. & WEBER, T. 2000. Evolution of ultrasonic signalling in wax moths: discrimination of ultrasonic mating calls from bat echolocation signals and the exploitation of an anti-predator receiver bias by sexual advertisement. *Ethol. Ecol. Evol.* 12 (3): 259-279.
- GREGORIN, R. 1998. Extending geographic distribution of *Chiroderma doriae* Thomas, 1891 (Phyllostomidae, Stenodermatinae). *Chiroptera Neotropical* 4 (2): 98-99.
- GREGORIN, R. 1998. Notes on the geographic distribution of *Neoplatymops mattogrossensis* (Vieira, 1942) (Chiroptera, Molossidae). *Chiroptera Neotropical* 4 (1): 88-90.
- GREGORIN, R. 2001. Second record of *Eumops hansae* (Molossidae) in Southeastern Brazil. *Bat Research News* 42 (2): 50-51.
- GRIFFIN, D.R. 2001. "Buzzless" insect-catching ? *Bat Research News* 42 (2): 47-48.
- GRIGORYEV, A.K. & VASSILYEV, A.V. 1999. On the distribution of Leisler's bat *Nyctalus leisleri* (Kuhl, 1817). *Plecotus et al* 2: 117-118 (en russe, résumé anglais).
- GUARDIOLA GOMEZ, A. 2000. Una nueva especie de murciélago para la fauna europea. *Barbastella* 1: 3-5.
- HAMON, B., LAFFORGUE, P. & JEANDEAU, N. 2000. La réserve naturelle du Rudemont (Moselle): milieu d'accueil de chauves-souris. *Le Bièvre* 17: 57-62.
- HARLEY, E.H. & MILLER-BUTTERWORTH, C.M. 2000. A software assistant for measuring bat wings. *Bat Research News* 41 (4): 99-102.
- HARMATA, W. 2000. Phenological dynamic of hibernating lesser horseshoe bats *Rhinolophus hipposideros* (Bechst.) (Chiroptera, Rhinolophidae) in a limestone cavern. *Studia Chiropterologica* 1: 13-28.
- HATTORI, T. & SUGA, N. 1997. The inferior colliculus of the mustached bat has the frequency-vs-latency coordinates. *J. Comp. Physiol. A*, 180 (3): 271-284.
- HAUSSLER, U., NAGEL, A., BRAUN, M. & ARNOLD, A. 1999. External characters discriminating sibling species of European pipistrelles *Pipistrellus pipistrellus* (Schreber, 1774) and *P. pygmaeus* (Leach, 1825). *Myotis* 37: 7-26.
- HEANEY, L.R., BALETE, D.S., RICKART, E.A., UTZURRUM, R.C.B. & GONZALES, P.C. 1999. Mammalian diversity on Mount Isarog, a threatened center of endemism on southern Luzon Island, Philippines. *Fieldiana Zoology* 95, Publ. 95 (1504): 1-62.
- HECKEL, G., ACHMANN, R. & MAYER, F. 2000. Highly polymorphic microsatellite markers in the white-lined bat (*Saccopteryx bilineata*). *Mol. Ecol.* 9 (2): 242-244.
- HECKER, K.R. & BRIGHAM, R.M. 1999. Does moonlight change vertical stratification of activity by forest-dwelling insectivorous bats? *J. Mammal.* 80 (4): 1196-1201.
- HEDDERGOTT, M. 2000. Nachweise von Grossen Abendsegler (*Nyctalus noctula*) aus Untertagequartieren während der Sommer- und Wintermonate. *Pro Chiroptera* 1: 18-21.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HEDDERGOTT, M. 2000. Breitflügel-Fledermaus (*Eptesicus serotinus*) überwintert bei tiefen Temperaturen. *Pro Chiroptera* 1: 26-27.
- HEISE, G. 1999. Zur sozialen Organisation des Abendseglers, *Nyctalus noctula* (Schreber, 1774), in der Uckermark. *Säugetierkd. Mitt.* 43 (4): 175-185.
- HENDRICKS, P., GENTER, D.L. & MARTINEZ, S. 2000. Bats of Azure Cave and the Little Rocky Mountains, Montana. *Can. Fld. Nat.* 114 (1): 89-97.
- HENSON, O.W., Jr., XIE, D.H., KEATING, A.W. & HENSON, M.M. 1995. The effect of contralateral stimulation on cochlear resonance and damping in the mustached bat: the role of the medial efferent system. *Hearing Research* 86 (1-2): 111-124.
- HERMANN, U. & MATTHES, H. 1999. Die Tier- und Pflanzenwelt im Hutter Wohld. Beitrag zur Fledermausfauna (Chiroptera) des "Hutter Wohldes", Landkreis Bad Doberan. *Arch. Freunde Naturg. Mecklenb.* 38: 265-272.
- HERR, A., KLUMP, N.I. & LUMSDEN, L.F. 2000. Variability in measurements of microchiropteran bats caused by different investigators. *Z. Säugetierk.* 65 (1): 51-54.
- HERRERA M., L.G. 1999. Sugar composition of fruit and nectar and preferences of bats: causes and consequences. *Acta Chiropterologica* 1 (2): 201-208.
- HERRERA M., L.G., HOBSON, K.A., MIRON M., L., RAMIREZ P., N., MENDEZ C., G. & SANCHEZ-CORDERO, V. 2001. Sources of protein in two species of phytophagous bats in a seasonal dry forest: evidence from stable-isotope analysis. *J. Mammal.* 82 (2): 352-361.
- HERRERA M., L.G., LEBLANC, D. & NASSAR, J. 2000. Sugar discrimination and gustatory thresholds in captive-born frugivorous Old World bats *Mammalia* 64 (2): 135-143.
- HERZIG, G. 1999. Die Fledermäuse im größten hessischen Naturschutzgebiet "Kuhkopf-Knoblochsaue". *Jb. nass. Ver. Naturkde.* 120: 119-140.
- HICKEY, M.B.C. & FENTON, M.B. 1996. Behavioural and thermoregulatory responses of female hoary bats, *Lasiurus cinereus*, Chiroptera: Vespertilionidae, to variations in prey availability. *Ecoscience* 3 (4): 414-422.
- HICKEY, M.B.C., FENTON, M.B., MACDONALD, K.C. & SOULLIERE, C. 2001. Trace elements in the fur of bats (Chiroptera: Vespertilionidae) from Ontario and Quebec, Canada. *Bull. Environ. Contam. Toxicol.* 66: 699-706.
- HINKEL, A. 2000. Sven Dijkgraaf (1908-1995) und seine Experimente mit Fledermäusen. *Lutra* 43 (1): 51-60.
- HOFF, M. & DASZKIEWICZ, P. (coord.). 2001. Index faunistique de Guyane française. I: les vertébrés. *Patrimoines naturels* 35: 66 p.
- HOLLOWAY, G.L. & BARCLAY, R.M.R. 2000. Importance of prairie riparian zones to bats in southeastern Alberta. *Ecoscience* 7 (2): 115-122.
- HOOPER, P.T. 2001. Identification and eradication of Menangle virus from pigs. *Aust. Vet. J.* 79 (3): 190-191.
- HORACEK, I., HANAK, V. & GAISLER, J. 2000. Bats of the Palearctic Region: a taxonomic and biogeographic review. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 11-158.
- HUANG, W., ZHANG, H., GONG, H. et al. 2000. Isolation of Japanese encephalitis virus from bat sera in Yunnan Province. *Chin. J. Vector Bio. & Control* 11 (1): 48-50.
- HUBNER, G. 1999. Fledermäuse an Jagdkanzeln - Nutzung und Eignung neu eingerichteter Spaltenquartiere. *Landschaftspflege und Naturschutz in Thüringen* 36 (2): 57-58.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- HUBNER, G. 2000. Wasserdurchlässe einer stillgelegten historischen Bahnlinie als Fledermaus-Winterquartiere. *Nyctalus* 7 (3): 243-250.
- HUBNER, G. 2000. Besiedlungsmuster künstlicher Gebäudespaltenquartiere für Fledermäuse ausserhalb von Siedlungsgebieten - Ergebnisse aus zwei Jagdrevieren in Nordbayern und Südthüringen. *Nyctalus* 7 (4): 351-359.
- HUBNER, G. 2000. Fledermausschutz im Jagdrevier. *Jagd in Bayern* 4: 26.
- HUBNER, G. 2001. Phänologische Beobachtungen an einem Wochenstubenstandort der Kleinen Bartfledermaus (*Myotis mystacinus*). *Nyctalus* 7 (6): 603-610.
- HUBNER, G. & PAPADOPOULOS, D. 1997. Optimierung von Fledermaus-Winterquartieren. Hohlblocksteine als Hangeplatz: Auswahlkriterien, Befestigung und Erfolg. *Naturschutz und Landschaftsplanung* 29 (1): 17-20.
- HUBNER, G. & PAPADOPOULOS, D. 1998. Jagdkanzeln als Sommerquartiere für spaltenbewohnende Fledermäuse. *AFZ der Wald* 53 (6): 309-311.
- HUBNER, G. & PAPADOPOULOS, D. 2000. Quartierverbund für "Gebäudefledermäuse" im Wald. Belegung gezielt eingerichteter Spaltenquartiere entlang der Langen Berge. *Naturschutz & Landschaftsplanung* 32 (1): 5-8.
- HUBNER, G. & PAPADOPOULOS, D. 2001. Occupancy patterns of hollow blocks as artificial shelters in bat hibernacula in the country of Coburg (Northern Bavaria). *Z. Ökologie u. Naturschutz* 9: 175-180.
- HUTCHINSON, J.T. 2001. Observations on use of coastal scrub habitat by evening bats (*Nycticeius humeralis*) in Florida. *Bat Research News* 42 (2): 44-46.
- HUTCHINSON, J.T. & LACKI, M.J. 2000. Roosting behavior and foraging activity of a female red bat with nonvolant young. *Bat Research News* 41 (2): 36-38.
- HUTCHINSON, J.T. & LACKI, M.J. 2000. Selection of day roosts by red bats in mixed mesophytic forests. *J. Wildl. Mgmt* 64 (1): 87-94.
- HUTSON, A.M., MICKLEBURGH, S.P. & RACEY, P.A. (comp.) 2001. Microchiropteran bats: global status survey and conservation action plan. IUCN/SSC Chiroptera Specialist Group. IUCN, Gland, Switzerland and Cambridge, UK. x + 258 p.
- IBANEZ, C., JUSTE, J., GARCIA-MUDARRA, J.L. & AGIRRE-MENDI, P.T. 2001. Bat predation on nocturnally migrating birds. *PNAS* 98 (17): 9700-9702
- IBANEZ, C., PEREZ JORDA, J.L., JUSTE B., J. & GUILLEN, A. 1997. Los mamíferos terrestres del Parque Nacional de Coiba (Panama). In: Castroviejo, S. [Ed.]. *Flora y fauna del Parque Nacional de Coiba (Panama): inventario preliminar*. Agencia Española de Cooperación Internacional (AECI), Madrid: 469-484.
- IBANEZ ULARGUI, C. 2000. Los casos de rabia en murciélagos de Sevilla en 1999. *Barbastella* 1: 6-9.
- JACOBS, D.S. 1999. The diet of the insectivorous Hawaiian hoary bat (*Lasiurus cinereus semotus*) in an open and a cluttered habitat. *Can. J. Zool.* 77 (10): 1603-1608.
- JARZEMBOWSKI, T., CIECHANOWSKI, M. & PRZEMSMYCKA, A. 2000. Bats hibernating at the Gdansk Pomerania in years 1989-1999. *Studia Chiropterologica* 1: 29-42.
- JEN, P.H.-S. & FENG, R.B. 1999. Bicuculline application affects discharge pattern and pulse-duration tuning characteristics of bat collicular neurons. *J. Comp. Physiol. A*, 184 (2): 185-194.
- JI, W., GAO, E. & SUGA, N. 2001. Effects of acetylcholine and atropine on plasticity of central auditory neurons caused by conditioning in bats. *The Journal of Neurophysiology* 86: 211-225.
- JONES, G. 1999. Scaling of echolocation call parameters in bats. *J. exp. Biol.* 202 (23): 3359-3367.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- JONES, G. 2000. Uncommon discoveries about of Europe's most common bats. *Bats* 18 (4): 1-4.
- JOZA, M. 1999. [Longevity age of bats at hibernaculum Bila Desna in the Jizerske hory Mts]. *Sbornik Severoceskeho Muzea Prirodni Vedy Scientiae Naturles* 21: 241.
- JOZA, M. 1999. [Research of bats on underground hibernaculum near Nove Mesto pod Smrkem in Jizerske hory Mts. in the years 1981/82-1997/98: faunistics and results of ringing]. *Sbornik Severoceskeho Muzea Prirodni Vedy Scientiae Naturles* 21: 229-240.
- JUNG, T.S., THOMPSON, I.D., TITMAN, R.D. & APPLEJOHN, A.P. 1999. Habitat selection by forest bats in relation to mixed-wood stand types and structure in central Ontario. *J. Wildl. Mgmt* 63 (4): 1306-1319.
- JUSTE, J. 2000. Fastididos pero anillados. *Barbastella* 1: 15.
- JUSTE, J. 2000. Flores con atractivos acústicos (para murciélagos). *Barbastella* 1: 16.
- KALKO, E.K.V. 1998. Organisation and diversity of tropical bat communities through space and time. *Zoology (Jena)* 101 (4): 281-297.
- KALKO, E.K.V. & CONDON, M.A. 1998. Echolocation, olfaction and fruit display: how bats find fruit of flagellichorous cucurbits. *Functional Ecology* 12 (3): 364-372.
- KALKO, E.K.V., FRIEMEL, D., HANDLEY, C.O., Jr. & SCHNITZLER, H.U. 1999. Roosting and foraging behavior of two Neotropical gleaning bats, *Tonatia silvicola* and *Trachops cirrhosus* (Phyllostomidae). *Biotropica* 31 (2): 344-353.
- KALKO, E.K.V., SCHNITZLER, H.U., KAIPF, I. & GRINNELL, A.D. 1998. Echolocation and foraging behavior of the lesser bulldog bat, *Noctilio albiventris*: preadaptations for piscivory? *Behav. Ecol. Sociobiol.* 42 (5): 305-319.
- KANWAL, J.S. 1999. Processing species-specific calls by combination-sensitive neurons in an echolocating bat. In: Hauser, M. D. & Konishi, M. [Eds]. *The design of animal communication*. MIT Press, Cambridge, Mass. & London: 133-157.
- KANWAL, J.S., FITZPATRICK, D.C. & SUGA, N. 1999. Facilitatory and inhibitory frequency tuning of combination-sensitive neurons in the primary auditory cortex of mustached bats. *J. Neurophysiol.* (Bethesda) 82 (5): 2327-2345.
- KAPITONOV, V.I. & ABRAMOVA, L.V. 1999. Nathusius' pipistrelle (*Pipistrellus nathusii*) in the Viatka-Kama interfluve. *Plecotus et al* 2: 60-66 (en russe, résumé anglais).
- KAPITONOV, V.I., DERYUGIN, A.A. & VASSILYEVA, M.V. 1999. The first record of a nursery colony of the parti-coloured bat (*Vespertilio murinus* L.) from Udmurtia. *Plecotus et al* 2: 119-120 (en russe, résumé anglais).
- KEDROV, B. Yu & SHESHURAK, P.N. 1999. First record of *Pipistrellus kuhlii* (Chiroptera, Vespertilionidae) in the Chernigiv [Chernigov] Region (Ukraine). *Vestnik Zoologii* 33 (3): 66.
- KENNEDY, M. 2000. Comments on the proposed conservation of usage of the names *Mystacina* Gray, 1843, *Chalinolobus* Peters, 1866, *M. tuberculata* Gray, 1843 and *C. tuberculatus* (J.R. Forster, 1844) (Mammalia, Chiroptera). *Bull. zool. Nomen.* 57 (2): 117.
- KENNEDY, M., PATERSON, A.M., MORALES, J.C., PARSONS, S., WINNINGON, A.P. & SPENCER, H.G. 1999. The long and short of it: branch lengths and the problem of placing the New Zealand short-tailed bat, *Mystacina*. *Mol. Phylogen. Evol.* 13 (2): 405-416.
- KERTH, G. & KONIG, B. 1999. Fission, fusion and nonrandom associations in female Bechstein's bats (*Myotis bechsteinii*). *Behaviour* 136 (9): 1187-1202.
- KERTH, G., MAYER, F. & KONIG, B. 2000. Mitochondrial DNA (mtDNA) reveals that female Bechstein's bats live in closed societies. *Mol. Ecol.* 9 (6): 793-800.





## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KERTH, G., WEISSMANN, K. & KONIG, B. 2001. Day roost selection in female Bechstein's bats (*Myotis bechsteinii*): a field experiment to determine the influence of roost temperature. *Oecologia* 126: 1-9.
- KERVYN, T. 2001. Ecologie et éthologie de la sérotine commune, *Eptesicus serotinus* (Chiroptera, Vespertilionidae): perspectives en vue de la conservation des chiroptères. Thèse Univ. Liège, Fac. Sci., Unité de Recherches Zoogéographiques: 164 p.
- KIEFER, A. 1996. Frostschäden an den Ohren und andere Verletzungen bei Fledermäusen (Mammalia, Chiroptera) aus dem Regierungsbezirk Koblenz (BRD, Rheinland-Pfalz). *Fauna Flora Rhld.-Pf.* 21: 77-86.
- KIRKEGAARD, M. & JORGENSEN, J.M. 2000. Continuous hair cell turnover in the inner ear vestibular organs of a mammal, the Daubenton's bat (*Myotis daubentonii*). *Naturwissenschaften* 87 (2): 83-86.
- KIRKLAND, P.D., LOVE, R.J., PHILBEY, A.W., ROSS, A.D., DAVIS, R.J. & HART, K.G. 2001. Epidemiology and control of menangle virus in pigs. *Aust. Vet. J.* 79 (3): 199-206.
- KISSELIUK, A. 2000. Modern state and prospects of researches of bats on northeast slopes of the Ukrainian Carpathians. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 7.
- KLUG, A., BAUER, E.E. & POLLAK, G.D. 1999. Multiple components of ipsilaterally evoked inhibition in the inferior colliculus. *J. Neurophysiol. (Bethesda)* 82 (2): 593-610.
- KOCK, D. 1999. Die Fledermausfliegen Bayerns. *Entomol. Z.* 109 (11): 444-447.
- KOCK, D. 2000. On some bats (Chiroptera) from southern Cambodia with a preliminary checklist. *Z. Säugetierk.* 65 (4): 199-208.
- KOCK, D. 2000. Korrekte Schreibweisen wissenschaftlicher Namen und Bezeichnung europäischer Fledermausarten. *Nyctalus* 7 (4): 451-455.
- KOCK, D., ALTMANN, J. & PRICE, L. 2000. A fruit bat new to West Malaysia: *Rousettus leschenaultii* (Desmarest 1820) in Batu Caves. *Malayan Nature J.* 54 (1): 63-67.
- KOCK, D., CSORBA, G. & HOWELL, K.M. 2000. *Rhinolophus maendeleo* n. sp. from Tanzania, a horseshoe bat noteworthy for its systematics and biogeography. *Senckenbergiana biologica* 80 (1/2): 233-239.
- KOCK, D. & DOBAT, K. 2000. The bat fauna of Bali and Nusa penida, Lesser Sunda Islands: corrections and additions (Mammalia: Chiroptera). *Acta Chiropterologica* 2 (81): 83-96.
- KOCK, D. & KOVAC, D. 2000. *Eudiscopus denticulus* (Osgood 1932) in Thailand with notes on its roost (Chiroptera: Vespertilionidae). *Z. Säugetierk.* 65 (2): 121-123.
- KOCK, D. & LUFT, S. 2000 (1998). Streblidae and Nycteribiidae (Insecta: Diptera) of Philippine Megachiroptera (Mammalia) mainly from Panay and Boracay Islands National Museum Papers 8 (1): 1-16.
- KOEHLER, C.E. & BARCLAY, R.M.R. 2000. Post-natal growth and breeding biology of the hoary bat (*Lasiurus cinereus*). *J. Mammal.* 81 (1): 234-244.
- KOMENO, C.A. & LINHARES, A.X. 1999. Batflies parasitic on some phyllostomid bats in southeastern Brazil: parasitism rates and host-parasite relationships. *Mem. Inst. Oswaldo Cruz Rio de Janeiro* 94 (2): 151-156.
- KOMORI, M., TADDEI, V.A., HONDO, E., KITAMURA, N., PAI, V.D., CHOLIQU, C.N. & YAMADA, J. 2000. An immunohistochemical study of gut endocrine cells in piscivorous bat (Chiroptera: Noctilio leporinus). *Japanese J. Zoo. Wildl. Med.* 5 (1): 45-54.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KONIG, H. & KONIG, W. 1999. Zum Vorkommen des grossen Mausohrs (*Myotis myotis* Borkhausen, 1797) in Nistkasten der Nordpfalz (Rheinland-Pfalz, Bundesrepublik Deutschland). *Fauna Flora Rheinland-Pfalz* 9 (1): 113-120.
- KONIG, H. & MAUS, H. 2000. Fledermausgerechte Mauerwerkinstandsetzung am Beispiel der Hardenburg bei Bad Dürkheim (Bundesrepublik Deutschland, Rheinland-Pfalz). *Nyctalus* 7 (4): 360-372.
- KONIG, H. & WISSING, H. 2000. Waldbewohnende Fledermäuse (Mammalia: Chiroptera) in der Pfalz (BRD, Rheinland-Pfalz). *Fauna Flora Rheinland-Pfalz* 9 (2): 557-582.
- KORINE, C. & ARAD, Z. 1999. Changes in milk composition of the Egyptian fruit bat, *Rousettus aegyptiacus* (Pteropodidae), during lactation. *J. Mammal.* 80 (1): 53-59.
- KORINE, C., KALKO, E.K.V. & HERRE, E.A. 2000. Fruit characteristics and factors affecting fruit removal in a Panamanian community of strangler figs. *Oecologia* (Berlin) 123 (4): 560-568.
- KORINE, C., ZINDER, O. & ARAD, Z. 1999. Diurnal and seasonal changes in blood composition of the free-living Egyptian fruit bat (*Rousettus aegyptiacus*). *J. Comp. Physiol. B* 169 (4-5): 280-286.
- KOVALYOVA, I. 2000. The discriminant role of echolocation in bats evolution: morpho-ecological aspects. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 8.
- KRISHNAN, R. 2000. Fruit bats and their management in orchards. *Bat Net* 1 (2): 4.
- KRISHNAN, R. 2000. Note on *Otomops wroughtonii*. *Bat Net* 1 (2): 7.
- KROCHKO, Yu. 2000. Rare bat species of the South-western megaslopes of the Ukrainian Carpathians. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 9.
- KRUSKOP, S.V. 1999. Ecomorphological diversity of plain-nosed bats (Vespertilionidae, Chiroptera). *Folia Theriol. Estonica* 4: 1-33.
- KRUSKOP, S.V. & ANISSIMOVA, S.S. 1999. Bat records from Tuapse river valley. *Plecotus et al* 2: 84-87.
- KRYSTUFEK, B. & HUDOKLIN, A. 1999. Bats in hibernaculas of Slovenia 1994-1996. *Annals for Istran and Mediterranean Studies* 17: 315-322.
- KUBBER-HEISS, A. & REIFINGER, M. 1999. Kardiopulmonale Filariose bei Fledermausen (Microchiroptera) in Österreich. *Erkrankungen der Zootiere* 39: 423-427.
- KUNZ, T.H., BICER, E., HOOD, W.R. & AXTELL, M.J. 1999. Plasma leptin decreases during lactation in insectivorous bats. *J. Comp. Physiol. B*, 169 (1): 61-66.
- KUNZ, T.H. & EBENSPERGER, L.A. 1999. Why does non-parental infanticide seem so rare in bats? *Acta Chiropterologica* 1 (1): 17-29.
- KUNZ, T.H., ROBSON, S.K. & NAGY, K.A. 1998. Economy of harem maintenance in the greater spear-nosed bat, *Phyllostomus hastatus*. *J. Mammal.* 79 (2): 631-642.
- KURTA, A. & WHITAKER, J.O. Jr. 1998. Diet of the endangered Indiana bat (*Myotis sodalis*) on the northern edge of its range. *Am. Midl. Nat.* 140 (2): 280-286.
- KWIECINSKI, G.G. & GRIFFITHS, T.A. 1999. *Rousettus aegyptiacus*. *Mammalian Species* 611: 1-9.
- LACKI, M.J. 1999. Communities of bats (Chiroptera) in the Grayson Lake Region, northeastern Kentucky. *J. Kentucky Acad. Sci.* 60 (1): 9-14.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LAINSON, R. & NAIFF, R.D. 2000. On *Eimeria bragancaensis* n. sp. (Apicomplexa: Eimeriidae) and tissue-cysts of an unidentified protozoan in the bat *Peropteryx macrotis* (Chiroptera: Emballonuridae) from Amazonian Brazil. *Parasite* 7 (2): 123-129.
- LAW, B.S. & ANDERSON, J. 1999. A survey for the southern myotis *Myotis macropus* (Vespertilionidae) and other bat species in the river red gum *Eucalyptus camaldulensis* forests of the Murray River, New South Wales. *Aust. Zool.* 31 (1): 166-174.
- LAW, B.S. & ANDERSON, J. 2000. Roost preferences and foraging ranges of the eastern forest bat *Vespadelus pumilus* under two disturbance histories in northern New South Wales, Australia. *Aust. Ecol.* 25 (4): 352-367.
- LAW, B.S. & LEAN, M. 1999. Common blossom bats (*Syconycteris australis*) as pollinators in fragmented Australian tropical rainforest. *Biol. Cons.* 91 (2-3): 201-212.
- LAW, B.S. & URQUHART, C.A. 2000. Diet of the large-footed Myotis *Myotis macropus* at a forest stream roost in northern New South Wales. *Aust. Mammal.* 22: 121-124.
- LEBLANC, D. 1997. Gift of flowers to a bevy of megabats. The shape of enrichment 6 (4): 10-11.
- LEBLANC, D. 1998. Horticultural options for fruit bat enrichment. Proc. 1998 joint conference AAZK EMA AZH, Indianapolis 1998. Indianapolis Zoological Society, Inc., Indianapolis: 205-212.
- LEBLANC, D. 1999. Bat enrichment survey. *Animal Keepers' Forum* 26 (7): 267-285.
- LEBLANC, D. 2000. Gravity feeders for Old World fruit bats. The shape of enrichment 9 (3): 11.
- LEBLANC, D. 2000. Landing platforms for flying foxes. The shape of enrichment 9 (3): 12.
- LEBLANC, D. 2001. Creating a complex captive environment for fruit bats. The shape of enrichment 10 (2): 8-9.
- LEFEVRE, A. & VAN DEN BOSSCE, W. 2001. Conserving bats living in buildings. Historic structures: safe havens for Belgium's bats. *Bats* 19 (3): 8-9.
- LEIPPERT, D., GOYMANN, W. & HOFER, H. 2000. Between-litter siblicide in captive Indian false vampire bats (*Megaderma lyra*). *J. Zool., Lond.* 251 (4): 537-540.
- LEIPPERT, D., GOYMANN, W., HOFER, H., MARIMUTHU, G. & BALASINGH, J. 2000. Roost-mate communication in adult Indian false vampire bats (*Megaderma lyra*): an indication of individuality in temporal and spectral pattern. *Anim. cogn.* 3: 99-106.
- LEON-GALVAN, M.A., FONSECA, T., LOPEZ-WILCHIS, R. & ROSADO, A. 1999. Prolonged storage of spermatozoa in the genital tract of female Mexican big-eared bats (*Corynorhinus mexicanus*): the role of lipid peroxidation. *Can. J. Zool.* 77 (1): 7-12.
- LEROY, S.A. & WENSTRUP, J.J. 2000. Spectral integration in the inferior colliculus of the mustached bat. *J. Neurosci.* 20 (22): 8533-8541.
- LESINSKI, G., FUSZARA, E. & KOWALSKI, M. 2000. Foraging areas and relative density of bats (Chiroptera) in differently human transformed landscapes. *Z. Säugetierk.* 65 (3): 129-137.
- LI, M., LIANG, B. & ZHANG, S. 1999. Comparative study of kinship among hibernation groups of greater tube-nosed bats (*Murina leucogaster*) in north and northeast of China. *Acta Theriol. Sin.* 19 (1): 56-61.
- LICHAWSKY, D., PERL, S., YAKOBSON, B. & ORGAD, U. 1998. Bat rabies - the Israeli experience. *Israel J. vet. Med.* 53 (4): 79-80, 154-155.
- LIE, A. & SKATAN, J.E. 1999. Northern bat *Eptesicus nilssonii* in the high mountains. *Fauna* 52: 212-213.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LIM, B.K. & ENGSTROM, M.D. 2001. Species diversity of bats (Mammalia: chiroptera) in Iwokrama Forest, Guyana, and the Guianan subregion: implications for conservation. *Biodiversity and conservation* 10: 613-657.
- LIM, B.K., ENGSTROM, M.D., TIMM, R.M., ANDERSON, R.P. & WATSON, L.C. 1999. First records of 10 bat species in Guyana and comments on diversity of bats in Iwokrama Forest. *Acta Chiropterologica* 1 (2): 179-190.
- LIMPENS, H.J.G.A., LINA, P.H.C. & HUTSON, A.M. 2000. Action plan for the conservation of the pond bat in Europe (*Myotis dasycneme*). *Council of Europe Nature and Environment* 108: 1-50.
- LINDHE NORBERG, U.M., BROOKE, A.P. & TREWHELLA, W.J. 2000. Soaring and non-soaring bats of the family Pteropodidae (flying foxes, *Pteropus* spp.): wing morphology and flight performance. *J. exp. Biol.* 203 (3): 651-664.
- LINHARES, A.X. & KOMENO, C.A. 2000. *Trichobius joblingi*, *Aspidoptera falcata*, and *Megistopoda proxima* (Diptera: Streblidae) parasitic on *Carollia perspicillata* and *Sturnira lillium* (Chiroptera: Phyllostomidae) in Southeastern Brazil: sex ratios, seasonality, host site preference, and effect of parasitism on the host. *J. Parasitol* 86 (1): 167-170.
- LIU, W. & SUGA, N. 1997. Binaural and commissural organization of the primary auditory cortex of the mustached bat. *J. Comp. Physiol. A*, 181 (6): 599-605. *J. Comp. Physiol. A*, 181 (6): 599-605.
- LLOYD, B.D. & MCQUEEN, S.M. 2000. An assessment of the probability of secondary poisoning of forest insectivores following an aerial 1080 possum control operation. *New Zealand J. Ecol.* 24 (1): 47-56.
- LOVE, R.J., PHILBEY, A.W., KIRKLAND, P.D., ROSS, A.D., DAVIS, R.J., MORRISSEY, C. & DANIELS, P.W. 2001. Reproductive disease and congenital malformations caused by menangle virus in pigs. *Aust. Vet. J.* 79 (3): 192-198.
- LUDLOW, M.E. & GORE, J.A. 2000. Effects of a cave gate on emergence patterns of colonial bats. *Wildl. Soc. Bull.* 28 (1): 191-196.
- LYONS, S.K. & WILLIG, M.R. 1997. Latitudinal patterns of range size: methodological concerns and empirical evaluations for New World bats and marsupials. *Oikos* 79 (3): 568-580.
- LYONS, S.K. & WILLIG, M.R. 1999. A hemispheric assessment of scale dependence in latitudinal gradients of species richness. *Ecology (Wash.)* 80 (8): 2483-2491.
- MA, X. & SUGA, N. 2001. Plasticity of bat's central auditory system evoked by focal electric stimulation of auditory and/or somatosensory cortices. *The Journal of Neurophysiology* 85: 1078-1087.
- MAC ARTHUR, C.W.P. 2000. Louis Jurine's papers on the hearing of bats and on their parasites: a retrospect with new information. *Le Rhinolophe* 14: 1-35.
- MAEDA, K. & AKAZAWA, Y. 1999. An attempt to estimate the population size of passing bats. *Honyurui Kagaku* 39 (2): 221-228 (en japonais, résumé anglais).
- MARTINOLI, A., PREATONI, D.G. & TOSI, G. 2000. Does *Nathusius' pipistrelle* *Pipistrellus nathusii* (Keyserling & Blasius, 1839) breed in northern Italy? *J. Zool., Lond.* 250 (2): 217-220.
- MASEFIELD, W. 1999. Forage preferences and enrichment in a group of captive Livingstone's fruit bats *Pteropus livingstonii*. *Dodo* 35: 48-56.
- MASING, M., POOTS, L., RANDLA, T. & LUTSAR, L. 1999. 50 years of bat-ringing in Estonia: methods and the main results. *Plecotus et al.* 2: 20-35 (en russe, résumé anglais).
- MASTERS, W.M. & RAVER, K.A.S. 2000. Range discrimination by big brown bats (*Eptesicus fuscus*) using altered model echoes: implications for signal processing. *J. acoust. Soc. Am.* 107 (1): 625-637.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MATHIAS, M.L. 1993. Historical and recent data on the mammals of the Madeira Islands Courier Forsch.-Inst. Senckenberg 159: 445-450.
- MATHIAS, M.L., RAMALHINHO, M.G., SANTOS-REIS, M., PETRUCCI-FONSECA, F., LIBOIS, R., FONS, R., FERRAZ DE CARVALHO, G., OOM, M.M. & COLLARES-PEREIRA, M. 1998. Mammals from the Azores islands (Portugal): an updated overview. Mammalia 62 (3): 397-407.
- MATTOS, C.A. de, FAVI, M., YUNG, V., PAVLETIC, C. & MATTOS, C.C. de. 2000. Bat rabies in urban centers in Chile. J. Wildl. Diseases 36 (2): 231-240.
- MAYER, F. & VON HELVERSEN, O. 2001. Cryptic diversity in European bats. Proc. R. soc. Lond. B 268: 1825-1832.
- MAYER, G.C. & KIRSCH, J.A.W. 2000. Comments on the proposed conservation of usage of the names *Mystacina* Gray, 1843, *Chalinolobus* Peters, 1866, *M. tuberculata* Gray, 1843 and *C. tuberculatus* (J.R. Forster, 1844) (Mammalia, Chiroptera). Bull. zool. Nomen. 57 (3): 172-176.
- MAYER, G.C., KIRSCH, J.A.W., HUTCHEON, J.M., LAPOINTE, F.J. & GINGRAS, J. 1999. On the valid name of the lesser New Zealand short-tailed bat (Mammalia: Chiroptera). Proc. biol. Soc. Wash. 112 (3): 470-490.
- MCANEY, K. 1999. Mines as roosting sites for bats - their potential and protection. Biol. Environ. 99B: 63-65.
- MCCOLL, K.A., TORDO, N. & AGUILAR SETIEN, A. 2000. Bat lyssavirus infections. Rev. sci. tech. Off. int. Epiz. 19 (1): 177-196.
- MCGEE, B.K. & MANNING, R.W. 2000. Mammals of Lost Maples State Natural Area, Texas. Occ. Pap. Mus. Texas Tech Univ. 198: 1-22.
- MEDELLIN, R.A. 1993. Estructura y diversidad de una comunidad de murciélagos en el tropico humedo mexicano. In : Medellin, R.A. & Ceballos, G. (Ed.) : Avances en el Estudio de los Mamiferos de Mexico : 333-354.
- MENZEL, M.A., CHAPMAN, B.R., FORD, W.M., MENZEL, J.M. & LAERM, J. 2000. A review of the distribution and roosting ecology of bats in Georgia. Georgia J. Sci. 58 (3): 143-178.
- MENZEL, M.A., JOHNSON, J.B., MENZEL, J.M., EDWARDS, J.W. & FORD, W.M. 2000. Possible ground roost of the silver-haired bat *Lasionycteris noctivagans*. Bat Research News 41 (4): 103.
- MENZEL, M.A., KRISHON, D.M., CARTER, T.C. & LAERM, J. 1999. Notes on tree roost characteristics of the northern yellow bat (*Lasiurus intermedius*), the seminole bat (*L. seminolus*), the evening bat (*Nycticeius humeralis*), and the eastern pipistrelle (*Pipistrellus subflavus*). Florida Scientist 62 (3-4): 185-193.
- MICKEVICIENE, I., MICKEVICIUS, E. & BARANAUSKAS, K. 1999. Notes on summer distribution of bats in Lithuania. Acta Zoologica Lituanica 9 (1): 16-19.
- MILLWOOD, A. 1997. Effectiveness of Elizabethan collars on flying foxes. Am. Zoo. Aquar. Assoc. reg. Conf. Proc. 1997: 90-91.
- MISAWA, H. & SUGA, N. 2001. Multiple combination-sensitive neurons in the auditory cortex of the mustached bat. Hearing Research 151: 15-29.
- MOLNAR, V. & RUSVAI, M. 1997. Role of bats in the epidemiology of rabies. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 60-64 (en hongrois, résumé anglais).
- MOLNAR, Z. 1997. Bat-fauna examination in Pilis-, Visegrádi- and Gerecse Mountains 1992-97. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 26-33 (en hongrois, résumé anglais).



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- MOMMER, L., WILLEMSE, J. & LA HAYE, M. 2000. [Daubenton's bat over the Dommel.] *Zoogdier* 11 (2): 29.
- MONADJEM, A. 1998. Reproduction in the little free-tailed bat *Chaerephon pumila* (Microchiroptera: Molossidae) in Swaziland. *Durban Museum Novitates* 23: 39-41.
- MORGAN, G.S. & CZAPLEWSKI, N.J. 1999. First fossil record of *Amorphochilus schnablii* (Chiroptera: Furipteridae), from the late Quaternary of Peru. *Acta Chiropterologica* 1 (1): 75-79.
- MORRELL, T.E., RABE, M.J., DEVOS, J.C., Jr., GREEN, H. & MILLER, C.R. 1999. Bats captured in two ponderosa pine habitats in north-central Arizona. *Swest. Nat.* 44 (4): 501-506.
- MOURET, C. 1997. Sorties crépusculaires massives de chauves-souris en Thaïlande. In: Jeannin, P.-Y. [Ed.]. *Proc. 12th International Congress of Speleology, La Chaux-de-Fonds, Switzerland, 10-17.08.1997*. Vol. 3. *Speleo Projects*, Basel: 363-366.
- MUNOZ-SABA, Y., BAPTISTE, L.-G. & ANDRADE, G.I. 1999. Reseña histórica de la espeleología en Colombia. *Rev. Acad. Colomb. Cienc.* 23 (suppl. esp.) 527-530.
- MUNOZ-SABA, Y., CADENA-G., A. & RANGEL-CH., J.O. s.d. Mamíferos. *Fauna*: 599-611.
- MUNOZ-SABA, Y., LOPEZ AREVALO, H.F. & CADENA-G., A. 2000. Aportes al conocimiento de la ecología de los murciélagos de los afloramientos de marmoles y calizas, sector de Rio Claro (Antioquia, Colombia). *Revista de la Academia colombiana de Ciencias exactas físicas y naturales* 23: 651-658.
- MYERS, P., SMITH, J.D., LAMA, H., LAMA, B. & KOOPMAN, K.F. 2000. A recent collection of bats from Nepal, with notes on *Eptesicus dimissus*. *Z. Säugetierk.* 65 (3): 149-156.
- NAGY, Z. & SZANTO, L. 2000. Hibernating *Pipistrellus pipistrellus* in Romanian caves. Review. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 10.
- NAGY, Z. & SZANTO, L. 2000. Hibernating *Pipistrellus pipistrellus* in Romanian caves. Review. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 10.
- NAGY, Z., SZANTO, L. & SZODORAY-PARADI, F. 2000. Cave dwelling bats in Bihor and in the Padurea Craiului Mountains. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 11.
- NARITA, Y., ODA, S., TAKENAKA, O. & KAGEYAMA, T. 2000. Gastric digestive proteinases of the greater horseshoe bat, *Rhinolophus ferrumequinum*. *Mammal Study* 25 (1): 17-26.
- NELSON, S.L., MILLER, M.A., HESKE, E.J. & FAHEY, G.C., Jr. 2000. Nutritional consequences of a change in diet from native to agricultural fruits for the Samoan fruit bat. *Ecography* 23 (4): 393-401.
- NELSON, S.L., MILLER, M.A., HESKE, E.J. & FAHEY, G.C., Jr. 2000. Nutritional quality of leaves and unripe fruit consumed as famine foods by the flying foxes of Samoa. *Pacific Science* 54 (4): 301-311.
- NEMCIK, L. 1998. Target training Malayan flying foxes (*Pteropus vampyrus*): a beginners perspective. *Proc. 1998 joint conference AAZK EMA AZH, Indianapolis 1998*. Indianapolis Zoological Society, Inc.: 115-119.
- NILL, D. & SIEMERS, B. 2001. *Fledermäuse, eine Bildreise in die Nacht*. BLV Verlagsgesellschaft mbH, München: 161 p.
- NOBILI, G., FORNASARI, L., VIOLANI, C. & ZAVA, B. 1999. Indagine sulla chiropterofauna del Boscone della Mesola (Ferrara). *Boll. Mus. civ. Stor. nat. Venezia* 49: 341-351.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- NORMAN, A.P., JONES, G. & ARLETTAZ, R. 1999. Noctuid moths show neural and behavioural responses to sounds made by some bat-marking rings. *Anim. Behav.* 57 (4): 829-835.
- NOWAK, J. & KOZAKIEWICZ, K. 2000. Winter bat censuses in the Kraków Upland in years 1993-1999. *Studia Chiropterologica* 1: 43-56.
- NUNEZ, H.A. & DE VIANA, M.L. 1997. Comparación de métodos para la determinación de edad en el vampiro común *Desmodus rotundus* (Chiroptera: Phyllostomidae). *Rev. Biol. Trop.* 45 (3): 1237-1242.
- NUNEZ, H.A. & DE VIANA, M.L. 1997. Estacionalidad reproductiva en el vampiro común *Desmodus rotundus* (Chiroptera, Phyllostomidae) en el Valle de Lerma (Salta, Argentina). *Rev. Biol. Trop.* 45 (3): 1231-1235.
- NUNEZ, H.A. & DE VIANA, M.L. 1999. Abundancia y proporción sexual en el vampiro común *Desmodus rotundus* (Chiroptera, Phyllostomatidae): un problema de muestreo? *Bol. Soc. Biol. Concepcion* 69: 171-174.
- O'CONNOR, K.I. 2000. Mealworm dispensers as environmental enrichment for captive Rodrigues fruit bats (*Pteropus rodricensis*). *Animal Welfare* 9 (2): 123-137.
- O'DONNELL, C.F.J. 2000. Cryptic local populations in a temperate rainforest bat *Chalinolobus tuberculatus* in New Zealand. *Animal Conservation* 3: 287-297.
- O'DONNELL, C.F.J. 2000. Home range and use of space by *Chalinolobus tuberculatus*, a temperate rainforest bat from New Zealand. *J. Zool., Lond.* 253: 253-264.
- O'DONNELL, C.F.J. 2000. Conservation status and causes of decline of the threatened New Zealand Long-tailed bat *Chalinolobus tuberculatus* (Chiroptera: Vespertilinidae). *Mammal Rev.* 2: 89-106.
- O'DONNELL, C.F.J., CHRISTIE, J., CORBEN, C., SEDGELEY, J.A. & SIMPSON, W. 1999. Rediscovery of short-tailed bats (*Mystacina* sp.) in Fiordland, New Zealand: preliminary observations of taxonomy, echolocation calls, population size, home range, and habitat use. *New Zealand Journal of Ecology* 23 (1): 21-30.
- O'DONNELL, C.F.J. & SEDGELEY, J.A. 1999. Use of roosts by the long-tailed bat, *Chalinolobus tuberculatus*, in temperate rainforest in New Zealand. *J. Mammal* 80 (3): 913-923.
- O'SHEA, T.J. & VAUGHAN, T.A. 1999. Population changes in bats from central Arizona: 1972 and 1997. *SWest. Nat* 44 (4): 495-500.
- OCHMAN, K. & WOLOSZYN, B.W. 2000. Analysis of the Holocene bat fauna (Chiroptera) from Pod Sokola Góra Cave. *Studia Chiropterologica* 1: 57-72.
- OELOFSEN, M.J. & VAN DER RYST, E. 1999. Could bats act as reservoir hosts for Rift Valley fever virus? *Onderstepoort J. vet. Res.* 66 (1): 51-54.
- OHLENDORF, B. 1999. Monitoring Rauhhaufledermaus (*Pipistrellus nathusii*) in Sachsen-Anhalt. *Nyctalus* 7 (2): 196-202.
- OHLENDORF, B. 2001. Quartiere der Nordfledermaus *Eptesicus nilssonii* im Harz. *Abh. Ber. Mus. Heineanum* 5: 125-133.
- OHLENDORF, B., BUSSE, P., LEUTHOLD, E., HECHT, B. & LEUPOLD, D. 2000. Reproduktion des Abendseglers (*Nyctalus noctula*) in Sachsen-Anhalt. *Nyctalus* 7 (3): 279-286.
- OHLENDORF, B., HECHT, B. & STRASSBURG, D. 2000. Beobachtungen an einer Tagesschlafgesellschaft von *Nyctalus leisleri*/*Nyctalus noctula* während der Sonnenfinsternis am 11. August 1999. *Nyctalus* 7 (4): 437-440.
- OHLENDORF, B., HECHT, B., STRASSBURG, D. & AGIRRE-MENDI, P.T. 2000. Fernfund eines Kleinabendseglers (*Nyctalus leisleri*) in Spanien. *Nyctalus* 7 (3): 2739-242.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- OLIVEIRA MIRANDA, M., GARAGNA, S., PEREZ ZAPATA, A., AGUILERA, M., REDI, C.A. & CAPANNA, E. 1997. Genome size of Neotropical Chiroptera: a preliminary report. *Rend. Fis. Acc. Lincei* 8 (4), Ser. 9: 265-272.
- OSTAN, L., RIONDEL, F. & PORTIER, C. 1987. Découverte et analyse des moyens pédagogiques à travers l'étude d'un animal: la chauve-souris. *Etudes pédagogiques*, 1ère année: 44 p.
- OWEN, J.A., LANE, A.C. & GEORGE, R.S. 2000. *Lithostygnus* (*Metophtalmus*) *serripennis* Broun (Col.: Latridiidae) from a living bat. *Entom. Rec. J. Var.* 112 (3): 125-126.
- ÖZGÜL, A., BILGIN, R. & FURMAN, A. 2000. Cave-dwelling bats (Mammalia: Chiroptera) of Çatalca-Kocaeli region, northwestern Turkey. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS*, vol. 1, *Approaches to Biogeography and Ecology of Bats*: 191-198.
- PAILLEY, M. & PAILLEY, P. 1999. Etat des connaissances sur les chiroptères en Maine-et-Loire après douze années de recherches (hors reproduction). *Crex* 4: 63-72.
- PAILLEY, M. & PAILLEY, P. 2000. Le régime alimentaire de la Chouette effraie *Tyto a. alba* en Maine-et-Loire. *Crex* 5: 41-53.
- PAILLEY, P. & PAILLEY, M. 2000. Les chiroptères dans la région Pays-de-Loire. *Bull. Soc. Sci. nat. Ouest France* 21 (4): 179-186.
- PALAKAL, M.J. & WONG, D. 1999. Cortical representation of spatiotemporal pattern of firing evoked by echolocation signals: population encoding of target features in real time. *J. acoust. Soc. Am.* 106 (1): 479-490.
- PALMER, C. & WOINARSKI, J.C.Z. 1999. Seasonal roosts and foraging movements of the black flying fox (*Pteropus alecto*) in the Northern Territory: resource tracking in a landscape mosaic. *Wildlife Research* 26 (6): 823-838.
- PANDURSKA, R. 2000. Present distribution, status and site preferences of *Myotis emarginatus* Geoffroy, 1806 (Chiroptera: Vespertilionidae) in Bulgaria. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS*, vol. 1, *Approaches to Biogeography and Ecology of Bats*: 165-174.
- PANDURSKA, R. & SHANOV, S. 1997. Seasonal changes of the body mass of some cave-dwelling bat species (Chiroptera) from Bulgaria. In: Jeannin, P.-Y. [Ed.]. *Proc. 12th International Congress of Speleology, La Chaux-de-Fonds, Switzerland, 10-17.08.1997*. Vol. 3. *Speleo Projects*, Basel: 367.
- PAPE, W.J., FITZSIMMONS, T.D. & HOFFMAN, R.E. 1999. Risk for rabies transmission from encounters with bats, Colorado, 1977-1996. *Emerging Infectious Diseases* 5 (3): 433-437.
- PARDINAS, U.F.J. & TONNI, E.P. 2000. A giant vampire (Mammalia, Chiroptera) in the Late Holocene from the Argentinean pampas: paleoenvironmental significance. *Palaeogeography, Palaeoclimatology, Palaeoecology* 160 (3-4): 213-221.
- PAPP, K. 1997. New records on the house-dwelling bat fauna in Győr-Moson-Sopron county. *Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997*: 21-25 (en hongrois, résumé anglais).
- PASSOS, E.C., CARRIERI, M.L., FAVORETTO, S.R., SILVA, M.M.S, WASSERSTEIN, T.A.M. & WALENDY, C.H. 1997. Isolamento do vírus rabico em morcego insetivoro, *Myotis nigricans*, do Município de Maua, Sao Paulo, em 1997. *Arquivos do Instituto Biologico Sao Paulo* 64 (82): 139-142. (en portugais, résumé anglais).
- PATRIARCA, E. & DEBERNARDI, P. 1997. Insectivora, Chiroptera, Lagomorpha, Rodentia and Carnivora of the Gran Paradiso National Park: Checklist and preliminary ecological characterization. *Ibex J.M.E.* 4: 17-32.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PAUZIENE, N., PAUZA, D.H. & STROPUS, R. 2000. Morphological study of the heart innervation of bats *Myotis daubentoni* and *Eptesicus serotinus* (Microchiroptera: Vespertilionidae) during hibernation. *European Journal of Morphology* 38 (3): 195-205.
- PEDRO, W.A., CARVALHO, C.D., HAYASHI, M.M., BREDT, A., ARMANI, N.M.S., SILVA, M.M.S., GOMES, L., GONCALVES, C.A. & PERES, N.F. 1997. Notes on *Vampyressa pusilla* (Wagner, 1843) in the south of São paulo State. *Chiroptera Neotropical* 3 (2): 79-80.
- PEDRO, W.A. & TADDEI, V.A. 1997. Taxonomic assemblage of bats from Panga Reserve, southeastern Brazil: abundance patterns and trophic relations in the Phyllostomidae (Chiroptera). *Bol. Mus. Biol. Mello Leitao* 6: 3-21.
- PEDRO, W.A. & TADDEI, V.A. 1998. Bats from southwestern Minas Gerais, Brazil (Mammalia: Chiroptera). *Chiroptera Neotropical* 4 (1): 85-88.
- PENICAUD, P. 2000. Chauves-souris arboricoles en Bretagne (France): typologie de 60 arbres-gîtes et éléments de l'écologie des espèces observées. *Le Rhinolophe* 14: 37-68.
- PETIT, E., BALLOUX, F. & GOUDET, J. 2001. Sex-biased dispersal in a migratory bat: a characterization using sex-specific demographic parameters.
- PETRUSHENKO, Ya. 2000. Fauna of hibernating bats in the caves of Central Podolia. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 12.
- PHILBEY, A.W., KIRKLAND, P.D., ROSS, A.D., DAVIS, R.J., GLEESON, A.B., LOVE, R.J., DANIELS, P.W., GOULD, A.R. & HYATT, A.D. 1998. An apparently new virus (family Paramyxoviridae) infectious for pigs, humans, and fruit bats. *Emerging Infectious Diseases* 4 (2): 269-271.
- PIKSA, K. & NOWAK, J. 2000. The bat fauna of the Polish Tatra caves. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 181-190.
- PIKSA, K. & NOWAK, J. 2000. Winter bat censuses in the Polish Tatra Mountains. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 13.
- PODVYAZNAYA, I.M. 1996. The fine structure of the male reproductive system and genital atrium of bat parasite *Allassogonoporus amphoraeformis*, Trematoda : Allassogonoporidae. *Parazitologiya* 30 (3): 229-235. (en russe, résumé anglais).
- PODVYAZNAYA, I.M. 1999. Structural peculiarities of the male reproductive system of trematodes of the genus *Prosthodendrium* (Trematoda: Lecithodendriidae). *Parazitologiya* 33 (1): 7-12. (en russe, résumé anglais).
- POKYNCHEREDA, V. 2000. Spatial structure of winter bat colonies of the Ukrainian Carpathians. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 16-17.
- POKYNCHEREDA, V. & DOVHANYCH, Ya. 2000. From the history of bat investigations in the Carpathian Biosphere Reserve. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 18.
- POKYNCHEREDA, V. & POKYNCHEREDA, V. 2000. Seasonal dynamic of winter bat colonies in caves of the Ukrainian Carpathians. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 14-15.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- POPE, B., KIRKPATRICK, M. & LEBLANC, D. 1997. Fruit bats, sticks, flight, and nonfood enrichment. *The Shape of Enrichment* 6 (3): 3.
- PORTFORS, C.V., FENTON, M.B., AGUIAR, L.M. de S., BAUMGARTEN, J.E., VONHOF, M.J., BOUCHARD, S., DE FARIA, D.M., PEDRO, W.A., RAUNTENBACH, N.I.L. & ZORTEA, M. 2000. Bats from Fazenda Intervals, southeastern Brazil - species account and comparison between different sampling methods. *Revta bras. Zool.* 17 (2): 533-538.
- PORTFORS, C.V. & WENSTRUP, J.J. 1999. Delay-tuned neurons in the inferior colliculus of the mustached bat: implications for analyses of target distance. *J. Neurophysiol.* 82: 1326-1338.
- POSTAWA, T. 2000. A cave microclimate as modelled by external climatic conditions and its effect on a hibernating bat assemblage: a case of the Jaskinia Pod Sokila Góra cave. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 199-218.
- POSTAWA, T., POKYNCHEREDA, W. & ZAGORODNIUK, I. 2000. Summer bat fauna of the Carpathian biosphere Reserve (the Mala and Velka Uholka Valleys). *Studia Chiropterologica* 1: 73-82.
- POSTAWA, T. & ZYGMUNT, J. 2000. Changes of bat numbers in Czestochowska Upland caves between 1975 and 1999. *Studia Chiropterologica* 1: 83-114.
- PROKOPH, S. & ZAHN, A. 2000. Phenology, emerging behaviour and group composition of *Nyctalus noctula* (Chiroptera: Vespertilionidae) in Southern Bavaria. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 219-230.
- QI CAI CHEN & JEN, P.H.-S. 2000. Bicuculline application affects discharge pattern, rate-intensity functions, and frequency tuning characteristics of bat auditory cortical neurons. *Hearing Research* 150: 161-174.
- QIU, Z. & STORCH, G. 2000. The early Pliocene micromammalian fauna of Bilike, Inner Mongolia, China (Mammalia: Lipotyphla, Chiroptera, Rodentia, Lagomorpha). *Senckenbergiana Lethaea* 80 (1): 173-229.
- RABEDER, G. 1998. Säugetiere (Mammalia) aus dem Karpat des Korneuburger Beckens. 1. Insectivora, Chiroptera und Marsupialia. *Beitr. Paläont.* 23: 347-362.
- RAJAN, K.E. & MARIMUTHU, G. 1999. Localization of prey by the Indian false vampire bat *Megaderma lyra*. *Mammalia* 63 (2): 149-157.
- RATNAM, R., CONDON, C.J. & FENG, A.S. 1996. Neural ensemble coding of target identity in echolocating bats. *Biol. Cybernetics* 72 (2): 153-162.
- REID, F.A. 2001. Why paint bats ? *Bats* 19 (3): 10-11.
- RHODES, M.P. & AMEY, A.P. 2000. New locality for the endangered sheath-tail bat, *Taphozous troughtoni* Tate, 1952. *Memoirs of the Queensland Museum* 45 (2): 284.
- RIAD, Z.M., MAZHAR, F.M. & ZAATAR, N.H.M. 2000. Cytogenetic classification of some common bats from Egypt. *Egyptian Journal of Zoology* 34: 181-204.
- RICKART, E.A., HEANEY, L.R. & ROSENFELD, M.J. 1989. Chromosomes of ten species of Philippine fruit bats (Chiroptera : Pteropodidae). *Proc. Biol. Soc. Wash.* 102 (2): 520-531.
- RICKART, E.A., MERCIER, J.A. & HEANEY, L.R. 1999. Cytogeography of Philippine bats (Mammalia: Chiroptera). *Proc. Biol. Soc. Wash.* 112 (3): 453-469.
- RICKLEFS, R.E. & LOVETTE, I.J. 1999. The roles of island area per se and habitat diversity in the species-area relationships of four Lesser Antillean faunal groups. *J. anim. Ecol.* 68 (6): 1142-1160.
- RINEHART, J.B. & KUNZ, T.H. 2001. Preparation and deployment of canopy mist nets made by Avinet. *Bat Research News* 42 (3): 85-88.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- RITZI, C.M. 1999. Utilization of cliff swallow (*Petrochelidon pyrrhonata*) nests in west Texas by cave myotis (*Myotis velifer*). *Swest. Nat.* 44 (3): 414-415.
- ROBINSON, M.F. & MARSHALL, J. 1999. A record of *Chelisoches bimammatus* (Dermaptera: Chelisochidae) on the fruit bat *Eonycteris spelaea* (Chiroptera: Pteropodidae) in Thailand. *Nat. Hist. Bull. Siam Soc.* 47 (1): 121-123.
- ROBINSON, M.F. & WEBBER, M. 2000. Survey of bats (Mammalia: chiroptera) in the Khammouan Limestone National Biodiversity Conservation Area, Lao P.D.R. *Nat. Hist. Bull. Siam Soc.* 48 : 21-45.
- ROBINSON, M.F., WEBBER, M. & STEBBINGS, R.E. 2000. Dispersal and foraging behaviour of greater horseshoe bats, Brixham, Devon. *English Nature Research Reports* 344: 1-56.
- RODRIGUE, J.L., SCHULER, T.M. & MENZEL, M.A. 2001. Observations of bat activity during prescribed burning in West Virginia. *Bat Research News* 42 (2): 48-49.
- RODRIGUEZ-DURAN, A. 1999. First record of a reproductive *Lasiurus borealis minor* (Miller) from Puerto Rico (Chiroptera). *Caribbean J. Sci.* 35 (1-2): 143-144.
- RODRIGUEZ-H., B. & HOPKINS, M.J.G. 2000. *Ametrida centurio* visiting flowers of *Parkia pendula* (Mimosaceae) in Brazil. *Bat Research News* 41 (3): 70-71.
- RODRIGUEZ-H., B., RODRIGUEZ-BRENES, S. & SAGOT, M. 2001. Tents in *Pentagonia donnel-smithii* (Rubiaceae) used by *Vampyressa pusilla* (Phyllostomidae) in Costa Rica. *Bat Research News* 42 (2): 49.
- ROMA, S. & ROSSETTI, M. 1999. Ulteriori osservazioni sul lodolaio, Falco subbuteo, che preda chiroterri. *Uccelli d'Italia* 23 (1-2): 38.
- ROMAGNOLI, M.L. & SPRINGER, M.S. 2000. Evolutionary relationships among Old World fruitbats (Megachiroptera: Pteropodidae) based on 12S rRNA, tRNA valine, and 16S rRNA gene sequences. *J. Mammal. Evol.* 7 (4): 259-284.
- ROSA, M.G.P. 1999. Topographic organisation of extrastriate areas in the flying fox: implications for the evolution of mammalian visual cortex. *J. Comp. Neurol.* 411 (3): 503-523.
- ROSA, M.G.P. & KRUBITZER, L.A. 1999. The evolution of visual cortex: where is V2 ? *Trends in Neurosciences* 6: 242-248.
- ROSSITER, S.J., BURLAND, T.M., JONES, G. & BARRATT, E.M. 1999. Characterization of microsatellite loci in the greater horseshoe bat *Rhinolophus ferrumequinum*. *Mol. Ecol.* 8 (11): 1959-1960.
- ROSSITER, S.J., JONES, G., RANSOME, R.D. & BARRATT, E.M. 2000. Genetic variation and population structure in the endangered greater horseshoe bat *Rhinolophus ferrumequinum*. *Molecular Ecology* 9: 1131-1135.
- ROSSITER, S.J., JONES, G., RANSOME, R.D. & BARRATT, E.M. 2000. Parentage, reproductive success and breeding behaviour in the greater horseshoe bat (*Rhinolophus ferrumequinum*). *Proc. Roy. Soc. Lond. B*, 267 (1443): 545-551.
- ROSSITER, S.J., JONES, G., RANSOME, R.D. & BARRATT, E.M. 2001. Outbreeding increases offspring survival in wild greater horseshoe bat (*Rhinolophus ferrumequinum*). *Proc. R. Soc. Lond. B*, 268: 1055-1061.
- ROUE, S.Y. & BARATAUD, M. (Coord.). 1999. Habitats et activité de chasse des chiroptères menacés en Europe: synthèse des connaissances actuelles en vue d'une gestion conservatrice. *Le Rhinolophe*, vol. spéc. 2: 136 p.
- RUCZYNSKI, I. & RUCZYNSKA, I. 1999. Roosting sites of Leisler's bat *Nyctalus leisleri* in Bialowieza Forest - preliminary results. *Myotis* 37: 55-60.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RUFINO, N. & BERNARDI, J.A.R. 1999. *Pseustes sulphureus sulphureus* (papa-ovo). Diet. *Herpetological Review* 30 (2): 103-104.
- RUI, A.M. 1997. Quirópteros de la familia Phyllostomidae (Mammalia, Chiroptera) en selvas del estado de Rio Grande do Sul, Brasil. *Chiroptera Neotropical* 3 (2): 75-77.
- RUI, A.M., FABIAN, M.E. & MENEGHETTI, J.O. 1999. Distribuição geográfica e análise morfológica de *Artibeus lituratus* Olfers e de *Artibeus*. *Revta Bras. Zool.* 16 (2): 447-460.
- RYAN, P.A. & KAY, B.H. 1997. Ross River virus ecology is complex. *Arbovirus Research in Australia* 7: 247-251.
- RYDELL, J. & LANCASTER, W.C. 2000. Flight and thermoregulation in moths were shaped by predation from bats. *Oikos* 88 (1): 13-18.
- RYDELL, J., ROININEN, H. & PHILIP, K.W. 2000. Persistence of bat defence reactions in high Arctic moths (Lepidoptera). *Proc. Roy. Soc. Lond., B*, 267 (1443): 553-557.
- SAKAI, M. & SUGA, N. 2001. Plasticity of the cochleotopic (frequency) map in specialized and nonspecialized auditory cortices. *PNAS* 98 (6): 3507-3512.
- SANCHEZ, F. 2000. Inventario de mamíferos en un bosque andino del departamento de Caldas, Colombia. *Bol. cient. Centro de Museos, Museo de Historia natural* 4: 9 p.
- SANCHEZ, F. & CADENA, A. 1999. Migración de *Leptonycteris curasoae* (Chiroptera: Phyllostomidae) en las zonas áridas del norte de Colombia. *Rev. Acad. Colomb. Cienc., suppl. esp.* 23: 683-686.
- SANCHEZ-HERNANDEZ, C. s.d. Los mamíferos del estado de Michoacán su importancia social y económica. Primer simposio sobre Protección en áreas naturales. *La Investigación para la Protección de los recursos naturales*: 407-415.
- SANCHEZ-HERNANDEZ, C., ROMERO-ALMARAZ, M.L., OWEN, R.D., NUNEZ-GARDUNO, A. & LOPEZ WILCHIS, R. 1999. Noteworthy records of mammals from Michoacan, Mexico. *SWest. Nat.* 44 (2): 231-235.
- SANDERSON, K. 1999. Onset and completion of bat flight linked to civil twilight in Adelaide, South Australia. *Aust. Mammal.* 21: 147-149.
- SANDERSON, K.J. 1998. Activity of *Chalinolobus gouldii* (Gould's wattled bat) during the night at Glenalta (Adelaide Hills), South Australia. *South Australian Naturalist* 72 (3-4): 40-41.
- SANDERSON, K. & KIRKLEY, D. 1998. Yearly activity patterns of bats at Belair National Park, in Adelaide, South Australia. *Aust. Mammal.* 20 (3): 369-375.
- SANDERSON, M.I. 2000. Neural responses to overlapping FM sounds in the inferior colliculus of echolocating bats. *J. Neurophysiol., Bethesda* 83 (4): 1840-1855.
- SANO, A. 2000. Postnatal growth and development of thermoregulative ability in the Japanese greater horseshoe bat, *Rhinolophus ferrumequinum nippon*, related to maternal care. *Mammal Study* 25 (1): 1-15.
- SANO, A. 2000. Regulation of creche size by intercolonial migrations in the Japanese greater horseshoe bat, *Rhinolophus ferrumequinum nippon*. *Mammal Study* 25: 95-105.
- SANO, A. & AKITA, K. 2001. Burrowing behavior of the Japanese large-footed Bat, *Myotis macrodactylus*. *Honyurui Kagaku (Mammalian Science)* 41 (1): 83-86.
- SANTOS, N. & DE SOUZA, M.J. 1998. Characterization of the constitutive heterochromatin of *Carollia perspicillata* (Phyllostomidae, Chiroptera) using the base-specific fluorochromes, CMA3 (GC) and DAPI (AT). *Caryologia* 51 (1): 51-60.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SANTOS, N. & DE SOUZA, M.J. 1998. Use of fluorochromes chromomycin A3 and DAPI to study constitutive heterochromatin and NORs in four species of bats (Phyllostomidae). *Caryologia* 51 (3-4): 265-278.
- SASSE, D.B. & PEKINS, P.J. 2000. Ectoparasites observed on northern Long-eared bats, *Myotis septentrionalis*. *Bat Research News* 41 (3): 69.
- SAWADA, I. 1997. A world checklist of cestode species from Chiroptera. Published by the author: 18 p.
- SAWADA, I. & HARADA, M. 1998. Redescription of *Vampirolepis multihamata* Sawada (Cestoda: Hymenolepididae) from the noctule bat, *Nyctalus aviator*. *Bull. biogeo. Soc. Japan* 53 (1): 49-51.
- SAWADA, I., HARADA, M. & LIN L-K. 1996. Further studies on cestode parasites of Taiwanese bats. *Japanese J. Parasit.* 45 (5): 361-367.
- SAWADA, I., HARADA, M. & WU, Y. 1998. Cestode parasites of some bats from the People's Republic of China. *Parasitol. Int.* 47 (2): 149-156.
- SCHLIEMANN, H. & KOCK, D. 2000. Notes on the rare vespertilionid bat *Eudiscopus denticulus* (Osgood, 1932) (Chiroptera, Vespertilionidae). *Mitt. hamb. zool. Mus. Inst.* 97: 131-134.
- SCHLITTER, D.A. & QUMSIYEH, M.B. 1996. *Rhinopoma microphyllum*. *Mammalian Species* 542: 1-5.
- SCHORR, K. 1999. Bemerkenswerte Detektonachweise von Fledermausen (Mammalia: Chiroptera) im Landkreis Kaiserslautern (Rheinland-Pfalz). *Fauna Flora Rheinland-Pfalz* 9 (1): 159-168.
- SEDGELEY, J.A. & O'DONNELL, C.F.J. 1999. Roost selection by the long-tailed bat, *Chalinolobus tuberculatus*, in temperate New Zealand rainforest and its implications for the conservation of bats in managed forests. *Biol. Cons.* 88 (2): 261-276.
- SEDGELEY, J.A. & O'DONNELL, C.F.J. 1999. Factors influencing the selection of roost cavities by a temperate rainforest bat (Vespertilionidae: *Chalinolobus tuberculatus*) in New Zealand. *J. Zool., Lond.* 249: 437-446.
- SEGUN, M., LEBLANC, D., CRUZ, M., ROSENBERG, A., MARSH, C., POPPELL, P. & DAMPLER, L. 2000. Reaching out for enrichment. *The shape of enrichment* 9 (4): 8-9.
- SHANAHAN, D. 1995. Merlin preys on bat. *Ontario Birds* 13 (3): 101-102.
- SHARMA, R.S.K., VIDYADARAN, M.K., AZLAN, J.M., SUMITA, S., SHANTI, G., AZILAH, A.J. & HO, O.K. 1997. Scanning electron microscopic observations on the dorsal lingual surface of the lesser dog-faced fruit bat, *Cynopterus brachyotis* (Megachiroptera, Pteropodidae): adaptations to frugivory. *J. Veterinar Malaysia* 9 (2): 67-77.
- SHARMA, R.S.K., VIDYADARAN, M.K., ZULKIFLI, I., MOHD-AZLAN, J., SUMITA, S., AZILAH, A.J. & HO, O.K. 1999. Ecomorphological implications of the microstructures on the tongue of the fawn roundleaf bat, *Hipposideros cervinus* (Chiroptera: Hipposideridae). *Aust. J. Zool.* 47 (4): 405-409.
- SHEELER-GORDON, L.L. & OWEN, R.D. 1999. Host tracking or resource tracking? The case of *Periglischrus* wing mites (Acarina: Spinturnicidae) of leaf-nosed bats (Chiroptera: Phyllostomidae) from Michoacan, Mexico. *Acta Zool. Mex., N.S.* 76: 85-102.
- SHEN, H.-P. & LEE, L.-L. 2000. Mother-young interactions in a maternity colony of *Myotis formosus*. *J. Mammal.* 81: 726-733.
- SHEN, H.P. & LEE, L.L. 2000. Mother-young interactions in a maternity colony of *Myotis formosus*. *J. Mammal.* 81 (3): 726-733.
- SHIEL, C.B. & FAIRLEY, J.S. 1999. Observations at two nursery roosts of Leisler's bats *Nyctalus leisleri* (Kuhl, 1817) in Ireland. *Myotis* 37: 7-26.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SHILTON, L.A., ALTRINGHAM, J.D., COMPTON, S.G. & WHITTAKER, R.J. 1999. Old World fruit bats can be long-distance seed dispersers through extended retention of viable seeds in the gut. *Proc. Roy. Soc. Lond. B*, 266 (1416): 291-223.
- SIRUGUE, D. & DUPUY, G. 1998. Première mention d'*Eptesicus nilssonii* (Keyserling & Blasius, 1839) dans le Massif central de la France. *Le Rhinolophe* 13: 57-58.
- SKERRATT, L.F., SPEARE, R., BERGER, L. & WINSOR, H. 1998. Lyssaviral infection and lead poisoning in black flying foxes from Queensland. *J. Wildl. Dis.* 34 (2): 355-361.
- SKIBA, R. 1999. Zur Verbreitung der Nordfledermaus, *Eptesicus nilssonii* (Keyserling & Blasius, 1839), im Nordosten von Frankreich. *Myotis* 37: 77-88.
- SLEEMAN, D.P. & SMIDDY, P. 1999. Bats mist-netted on rivers in Co Cork. *Irish Naturalists' Journal* 26 (5-6): 204-206.
- SMITH, G.M. & WALDIEN, D.L. 1999. First records of Brazilian free-tailed bats (*Tadarida brasiliensis*) in the Willamette Valley, Oregon. *NWest. Nat.* 80 (3): 113-114.
- SNITKO, V.P. 1999. Bat hibernaculæ in caves of Cheliabinsk [Chelyabinsk] Region. *Plecotus et al* 2: 121-122.
- SOLMSEN, E.H. 1998. New World nectar-feeding bats: biology, morphology and craniometric approach to systematics. *Bonner zoologische Monographien* 44: 1-118.
- SPEAKMAN, J.R. 1991. The impact of predation by birds on bat populations in the British Isles. *Mammal Revue* 21 (3): 123-142.
- SPEAKMAN, J.R. 1999. The evolution of flight and echolocation in pre-bats: an evaluation of the energetics of reach hunting. *Acta Chiropterologica* 1 (1): 3-15.
- SPEAKMAN, J.R., IRWIN, N., TALLACH, N. & STONE, R. 1999. Effect of roost size on the emergence behaviour of pipistrelle bats. *Anim. Behav.* 58 (4): 787-795.
- SPEAKMAN, J.R. & RYDELL, J. 2000. Avoidance behaviour of bats and moths: when is it predator defence? *Oikos* 88 (1): 221-223.
- SPEAKMAN, J.R., RYDELL, J., WEBB, P.I., HAYES, J.P., HAYS, G.C., HULBERT, I.A.R. & MCDEVITT, R.M. 2000. Activity patterns of insectivorous bats and birds in northern Scandinavia (69° N), during continuous midsummer daylight. *Oikos* 88 (1): 75-86.
- SPEAKMAN, J.R. & WARD, S. 1998. Infrared thermography: principles and applications. *Zoology (Jena)* 101 (3): 224-232.
- SPEARE, R., SKERRATT, L., FOSTER, R., BERGER, L., HOOPER, P., LUNT, R., BLAIR, D., HANSMAN, D., GOULET, M. & COOPER, S. 1997. Australian bat lyssavirus infection in three fruit bats from north Queensland. *Communicable Diseases Intelligence* 21 (9): 117-120.
- SPENCER, H.G. & LEE, D.E. 1999. Case 3095. *Mystacina* Gray, 1843, *Chalinolobus* Peters, 1866, *M. tuberculata* Gray, 1843 and *Vespertilio tuberculatus* J.R. Forster, 1844 (currently *C. tuberculatus*) (Mammalia, Chiroptera): proposed conservation of usage of the names. *Bull. Zool. Nomen.* 56 (4): 250-254.
- SPITZENBERGER, F., PIALEK, J. & HARING, E. 2001. Systematics of the genus *Plecotus* (Mammalia, Vespertilionidae) in Austria based on morphometric and molecular investigations. *Folia Zoologica* 50 (3): 161-172.
- SPRINGER, M.S., TEELING, E.C., MADSEN, O., STANHOPE, M.J. & JONG, W.W. de. 2001. Integrated fossil and molecular data reconstruct bat echolocation. *PNAS* 98 (11): 6241-6246.
- START, A.N. 1998. Do rainbow lorikeets evict bats? *West. Aust. Nat.* 22 (2): 123-124.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- STEINDEL, M., GRISARD, E.C., DE CARVALHO PINTO, C.J., DRUMOND CORDEIRO, F., RIBEIRO RODRIGUES, R. & ROMANHA, A.J. 1998. Characterization of trypanosomes from the subgenus *Schizotrypanum* isolated from bats, *Eptesicus* sp. (Chiroptera: Vespertilionidae), captured in Florianopolis, Santa Catarina State, Brazil. *J. Parasitol.* 84 (3): 601-607.
- STONER, K.E. 2000. Leaf selection by the tent-making bat *Artibeus watsoni* in *Asterogyne martiana* palms in southwestern Costa Rica. *J. trop. Ecol.* 16 (1): 151-157.
- STORCH, G. 1999. Order Chiroptera. In: Rossner, G. E. & Heissig, K. [Eds]. *The Miocene land mammals of Europe*. Verlag Dr. Friedrich Pfeil, Munchen: 81-90.
- STORZ, J.F., BALASINGH, J., BHAT, H.R., NATHAN, P.T, SWAMI DOSS, D.P., PRAKKASH, A.A. & KUNZ, T.H. 2001. Clinal variation in body size and sexual dimorphism in an Indian fruit bat, *Cynopterus sphinx* (Chiroptera: Pteropodidae). *Biological Journal of the Linnean society* 72: 17-31.
- STORZ, J.F., BALASINGH, J., NATHAN, P.T., EMMANUEL, K. & KUNZ, T.H. 2000. Dispersion and site fidelity in a tent-roosting population of the short-nosed fruit bat (*Cynopterus sphinx*) in southern India. *J. trop. Ecol.* 16 (1): 117-131.
- STORZ, J.F., BHAT, H.R. & KUNZ, T.H. 2000. Social structure of a polygynous tent-making bat, *Cynopterus sphinx* (Megachiroptera). *J. Zool., Lond.* 251 (2): 151-165.
- STORZ, J.F., BHAT, H.R. & KUNZ, T.H. 2000. Genetic consequences of polygyny and social structure in an Indian fruit bat, *Cynopterus sphinx*. I. Inbreeding, outbreeding, and population subdivision. *Evolution* 55 (6): 1215-1223.
- STRELKOV, P.P. 1999. Eco-faunistical investigations of bats. *Plecotus et al.* 2: 3-9.
- STRELKOV, P.P. 1999. Seasonal distribution of migratory bat species (Chiroptera, Vespertilionidae) in eastern Europe and adjacent territories. *Myotis* 37: 5-6.
- STRELKOV, P.P. 1999. The sex ratio in adult migratory bats (Chiroptera, Vespertilionidae) from eastern Europe and adjacent territories during the reproductive season. *Russian Journal of Zoology* 3 (4): 616-629.
- STRELKOV, P.P. & ABRAMOV, A.V. 2001. Sexual proportion and age of males in different parts of range in migratory bat species (Chiroptera, Vespertilionidae) from eastern Europe and adjacent territories during nursing period. *80 (2):* 222-229.
- STROO, A. 2000. Pollen morphological evolution in bat pollinated plants. *Plant Syst. Evol.* 222 (1-4): 225-242.
- SUGA, N. 1996. Basic acoustic patterns and neural mechanisms shared by humans and animals for auditory perception: a neuroethologist's view. In: Ainsworth, W. & Greenberg, S. (Eds). *Auditory basis of speech perception*: 21-38.
- SUGA, N. 1997. Parallel-hierarchical processing of complex sounds for specialized auditory function. In: Crocker, M.J. (Ed.). *Encyclopedia of Acoustics*, John Wiley & Sons, Inc.: 1409-1418.
- SUGA, N. 1997. Tribute to Yasuji Katsuki's major findings: sharpening of frequency tuning in the central auditory system. *Acta Otolaryngol (Stockh), Suppl.* 532: 9-12.
- SUGA, N. & CONDON, C.J. 1996. Echolocation. *Encyclopedia of Neuroscience* 547: 1-5.
- SUGA, N., GAO, E., MA, X., SAKAI, M. & CHOWDHURY, S.A. 2001. Corticofugal system and processing of behaviorally relevant sounds: perspective. *Acoust. Sci. & Tech.* 22 (2): 85-91
- SUGA, N., GAO, E., ZHANG, Y., MA, X. & OLSEN, J.F. 1997. The corticofugal system for hearing: recent progress. *PNAS* 97 (22): 11808-11814.
- SUGA, N., YAN, J. & ZHANG, Y. 1997. Cortical maps for hearing and egocentric selection for self-organization. *Trends in Cognitive Sciences* 1 (1): 13-20.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SUGA, N., YAN, J. & ZHANG, Y. 1998. The processing of species-specific complex sounds by the ascending and descending auditory systems. In: Poon & Brugge (Ed.). Central auditory processing and neural modeling, Plenum Press, N.Y.: 55-70.
- SUGA, N., ZANG, Y. & YAN, J. 1997. Sharpening of frequency tuning by inhibition in the thalamic auditory nucleus of the mustached bat. *J. Neurophysiol. (Bethesda)* 77 (4): 2098-2114.
- SYME, D.M., FENTON, M.B. & ZIGOURIS, J. 2001. Roosts and food supplies ameliorate the impact of a bad summer on reproduction by the bat, *Myotis lucifugus* LeConte (Chiroptera: Vespertilionidae). *Ecoscience* 8 (1): 18-25.
- SYVERTSEN, P.O. 1999. The pipistrelle is two species. *Fauna* 52: 200-207.
- SZANTO, L. 2000. Study of bat communities of the water cave of Lesxu (Piatra Craiului Mountains, Romania). State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 19.
- SZATYOR, M. 1997. Survey of bat fauna in the Sopron-Hill and Hanság (Fertő-Hanság National Park). Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 49-51 (en hongrois, résumé anglais).
- SZODORAY-PARADI, F. & SZODORAY-PARADI, A. 2000. The survey of the building dwelling bats in Satu Mare County, Romania. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 6.
- TABOGA, S.R., DE SOUZA, R.S., DOS SANTOS, D.C. & OLIANI, S.M. 1999. Spontaneous germ cell death by apoptosis in epididymis of the adult bat *Artibeus lituratus*. *Cytobios* 99 (390): 39-45.
- TANDLER, B., TOYOSHIMA, K., SETA, Y. & PHILLIPS, C.J. 1997. Ultrastructure of the salivary glands in the midtongue of the common vampire bat, *Desmodus rotundus*. *Anat. Rec.* 249 (2): 196-205.
- TAYLOR, D. 2000. Ghana's treetop bats. *Bats* 18 (3): 1-4.
- TAYLOR, M.L., CHAVEZ TAPIA, C.B., VARGAS YANEZ, R., RODRIGUEZ ARELLANES, G., PENA SANDOVAL, G.R., TORIELLO, C., PEREZ, A. & REYES MONTES, M.R. 1999. Environmental conditions favoring bat infection with *Histoplasma capsulatum* in Mexican shelters. *Am. J. trop. Med. Hyg.* 61 (6): 914-919.
- TAYLOR, M.L., CHAVEZ-TAPIA, C.B. & REYES MONTES, M.R. 2000. Molecular typing of *Histoplasma capsulatum* isolated from infected bats, captured in Mexico. *Fungal Genetics and Biology* 30: 207-212.
- TAYLOR, M.L., REYES MONTES, M.R., CHAVEZ-TAPIA, C.B., CURIEL-QUESADA, E., DUARTE-ESCALANTE, E., RODRIGUEZ-ARELLANES, G., PENA-SANDOVAL, G.R. & VALENZUELA-TOVAR, F. 2000. Ecology and molecular epidemiology findings of *Histoplasma capsulatum*, in Mexico. *Res. Adv. in Microbiology* 1: 29-35
- TAYLOR, M.L., TORIELLO, C., PEREZ MEJIA, A., MARTINEZ, M.A, REYES MONTES, M.R., ESPINOSA-AVILA, L. & CHAVEZ-TAPIA, C.B. 1994. Histoplasmosis en el estado de Guerrero, Mexico: enfoque biológico. *Revista Mexicana de Micología* 10: 49-62.
- TAYLOR, P.J. 1999. Problems with the identification of southern African *Chaerephon* (Molossidae), and the possibility of a cryptic species from South Africa and Swaziland. *Acta Chiropterologica* 1 (2): 191-200.
- TAYLOR, P.J., CHENEY, C. & SAPSFORD, C. 1999. Roost habitat evaluation and distribution of bats (Chiroptera) in the Durban Metropolitan Region. *Durban Museum Novitates* 24: 62-71.





## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TAYLOR, P.J. & VAN DER MERWE, M. 1998. Taxonomic notes on dark-winged house bats of the genus *Scotoecus* Thomas 1901, in Malawi. *Durban Mus. Novitates* 23: 64-66.
- TEELING, E.C., SCALLY, M., KAO, D.J., ROMAGNOLI, M.L., SPRINGER, M.S. & STANHOPE, M.J. 2000. Molecular evidence regarding the origin of echolocation and flight in bats. *Nature*, London 403 (6766): 188-192.
- THIES, W., KALKO, E.K.V. & SCHNITZLER, H.U. 1998. The roles of echolocation and olfaction in two Neotropical fruit-eating bats, *Carollia perspicillata* and *C. castanea*, feeding on *Piper*. *Behav. Ecol. Sociobiol.* 42 (6): 397-409.
- THOMSON, S.C., BROOKE, A.P. & SPEAKMAN, J.R. 1998. Diurnal activity in the Samoan flying fox, *Pteropus samoensis*. *R. Soc. Phil. Trans. Biol. Sci.* 353 (1375): 1595-1606.
- THOMSON, S.C. & SPEAKMAN, J.R. 1999. Absorption of visible spectrum radiation by the wing membranes of living pteropodid bats. *J. Comp. Physiol. B.* 169 (3): 187-194.
- TIDEMANN, C.R. 1999. Biology and management of the grey-headed flying-fox, *Pteropus poliocephalus*. *Acta Chiropterologica* 1 (2): 151-164.
- TOPAL, G. & RUEDI, M. 2001. *Myotis blythii* (Tomes, 1857) - Kleines Mausohr. In: *Handbuch der Säugetiere Europas* 4 (I): 209-255.
- TORNO, C.S., MARTE, B.R.G. & CREUS, D.C. 1998. Blood values of the wrinkle-lipped bat (*Chaerephon plicata*). *Philippine J. Vet. Med.* 35 (1-2): 67-71.
- TSCHAPKA, M., BROOKE, A.P. & WASSERTHAL, L.T. 2000. *Thyroptera discifera* (Chiroptera: Thyropteridae): a new record for Costa Rica and observations on echolocation. *Z. Säugetierk.* 65 (4): 193-198.
- TSCHAPKA, M. & WILKINSON, G.S. 1999. Free-ranging vampire bats (*Desmodus rotundus*, Phyllostomidae) survive 15 years in the wild. *Z. Säugetierk.* 64 (4): 239-240.
- TSYTSULINA, E.A. 1999. New records of bats (Chiroptera) in the Western Caucasus. *Plecotus et al* 2: 79-83 (en russe, résumé anglais).
- TSYTSULINA, E.A. 2001. *Myotis ikonnikovi* (Chiroptera, Vespertilionidae) and its relationships with similar species. *Acta Chiropterologica* 3 (1): 11-19.
- TUBOLY, A. 1997. Survey of the bat fauna and investigation of the migratory connections in Börzsöny-Hills. *Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997*: 52-59 (en hongrois, résumé anglais).
- TUTTLE, M.D. 2000. The media blitz that threatens bats. *Bats* 18 (3): 5-8.
- TYSHCHENKO, V. 2000. In addition to methods of bat roosts detection in the forest tracts of Western Ukraine. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 20.
- TYSHCHENKO, V. & STOROZHUK, S. 2000. Leisler's bat (*Nyctalus leisleri*) under Medobory Nature Reserve conditions. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 21.
- UIEDA, W. 1998. Rabies in the insectivorous bat *Tadarida brasiliensis* in southeastern Brazil. *Rvta Saude Publica* 32 (5): 484-485.
- UIEDA, W. 2000. A review of complete albinism in bats with five new cases from Brazil. *Acta Chiropterologica* 2 (1): 97-105.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- UIEDA, W. & FERREIRA SANTOS, C. 2001. Visits of long-tongued bats, *Glossophaga soricina*, to hummingbird feeders in Southeastern Brazil. *Bat Research News* 42 (2): 52.
- UIEDA, W., HARMANI, N.M.S. & SILVA, M.M.S. 1995. Raiva em morcegos insetivoros (Molossidae) do Sudeste do Brasil. *Rvta Saude Publica* 29 (5): 393-397
- UIEDA, W., HAYASHI, M.M., HARDT GOMES, L. & SODRE SILVA, M.M. 1996. Espécies de quirópteros diagnosticadas com raiva no Brasil. *B. Inst. Pasteur, São Paulo* 1 (2): 17-35.
- VAN DEN BUSSCHE, R.A., BAKER, R.J., HUELSENBECK, J.P. & HILLIS, D.M. 1998. Base compositional bias and phylogenetic analyses: a test of the "flying DNA" hypothesis. *Mol. Phylogen. Evol.* 10 (3): 408-416.
- VAN DEN BUSSCHE, R.A. & HOOFFER, S.R. 2000. Further evidence for inclusion of the New Zealand short-tailed bat (*Mystacina tuberculata*) within Noctilionoidea. *J. Mammal.* 81 (3): 865-874.
- VAN DER KOOIJ, J. 1999. Northern bat *Eptesicus nilssonii* found in a scree. *Fauna* 52 (4): 208-211.
- VAN MANEN, W. 1999. [Mummies of noctules *Nyctalus noctula* in nestbox of tawny owl *Strix aluco*]. *Drentse Vogels* 12: 64-65 (en hollandais, résumé anglais).
- VAN WORMER, K.A. 1999. Stimulating natural protective behaviors with short term natural stress. *The Shape of Enrichment* 8 (1): 6-9.
- VANDERBERG, A. & DAVIS, M. 2001. Canadian bats: a caver's new love. *Bats* 19 (1): 8-11.
- VANTORRE, R. 1985. Vermeldenswaardige vleermuisvondsten. *Bulletin du Centre de Recherche Chiroptérologique de Belgique* 8: 57-62.
- VARDON, M.J., BROCKLEHURST, P.S., WOINARSKI, J.C.Z., CUNNINGHAM, R.B., DONNELLY, C.F. & TIDEMANN, C.R. 2001. Seasonal habitat use by flying-foxes, *Pteropus alecto* and *P. scapulatus* (Megachiroptera), in monsoonal Australia. *J. Zool., Lond.* 253: 523-535.
- VARDON, M.J. & TIDEMANN, C.R. 2000. The black flying-fox (*Pteropus alecto*) in north Australia: juvenile mortality and longevity. *Aust. J. Zool.* 48 (1): 91-97.
- VERTS, B.J., CARRAWAY, L.N. & WHITAKER, J.O. Jr. 1999. Temporal variation in prey consumed by big brown bats (*Eptesicus fuscus*) in a maternity colony. *Northwest Sciences* 73 (2): 114-120.
- VINCENT, S. 2000. Découverte du Minioptère de Schreibers *Miniopterus schreibersi* (Natterer in Kuhl, 1819) en Savoie (France). *Le Bièvre* 17: 105.
- VOIGT, C.C. & VON HELVERSEN, O. 1999. Storage and display of odour by male *Saccopteryx bilineata* (Chiroptera, Emballonuridae). *Behav. Ecol. Sociobiol.* 47: 29-40.
- VON HELVERSEN, D. & VON HELVERSEN, O. 1999. Acoustic guide in bat-pollinated flower. *Nature, Lond.* 398 (6730): 759-760.
- VON HELVERSEN, O., HELLER, K.-G., MAYER, F., NEMETH, A., VOLLETH, M. & GOMBKÖTÖ, P. 2001. Cryptic mammalian species: a new species of whiskered bat (*Myotis alcathoe* n. sp.) in Europe. *Naturwissenschaften* 88: 217-223.
- VON HELVERSEN, O., MAYER, F., KOCK, D., HUTSON, A.M. & JONES, G. 2000. Comments on the proposed designation of neotypes for the nominal species *Vespertilio pipistrellus* Schreber, 1774 and *V. pygmaeus* Leach, 1825 (currently *Pipistrellus pipistrellus* and *P. pygmaeus*; Mammalia, Chiroptera). *Bull. Zool. Nomen.* 57 (2): 113-116.
- VON HELVERSEN, O., WINKLER, L. & BESTMANN, H.J. 2000. Sulphur-containing "perfumes" attract flower-visiting bats. *J. Comp. Physiol. A*, 186 (2): 143-153.
- VONHOF, M.J. & KALCOUNIS, M.C. 1999. *Lavia frons*. *Mammalian Species* 614: 1-4.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WADDELL, P.J., CAO, Y., HAUF, J. & HASEGAWA, M. 1999. Using novel phylogenetic methods to evaluate mammalian mtDNA, including amino acid-invariant sites-LogDet plus site stripping, to detect internal conflicts in the data, with special reference to the positions of hedgehog, armadillo, and elephant. *Systematic biology* 48 (1): 31-53.
- WADSWORTH, J. & MOSS, C.F. 2000. Vocal control of acoustic information for sonar discriminations by the echolocating bat, *Eptesicus fuscus*. *J. acoust. Soc. Am.* 107 (4): 2265-2271.
- WALDIEN, D.L. & HAYES, J.P. 1999. A technique to capture bats using hand-held mist nets. *Wildl. Soc. Bull.* 27 (1): 197-200.
- WALKER, S. 1999. Conservation status of some threatened and/or endemic mammals with special reference to Indian zoological gardens - part 5 of a series - Indian Chiroptera. *Zoos' Print* 1-14 (1-10): 7-12.
- WALKER, S. 1999. Mammals in need of attention - Chiroptera (bats) of India - part 5 of a series. *Zoos' Print* 1-14 (1-10): 1-6.
- WALKER, S.M. 2001. Conservation progress in Latin America. *Bats* 19 (1): 1-7.
- WATERS, D.A., JONES, G. & FURLONG, M. 1999. Foraging ecology of Leisler's bat (*Nyctalus leisleri*) at two sites in southern Britain. *J. Zool., Lond.* 249 (2): 173-180.
- WATSON, J.P. 1998. New distributional records for three microchiropteran bats (Vespertilionidae [Vespertilionidae], Rhinolophidae) from the Free State Province, South Africa. *South African Journal of Wildlife Research* 28 (4): 127-131.
- WEBB, E.L., STANFIELD, B.J. & JENSEN, M.L. 1999. Effects of topography on rainforest tree community structure and diversity in American Samoa, and implications for frugivore and nectarivore populations. *J. Biogeogr.* 26 (4): 887-897.
- WEBSTER, W.D., HANDLEY, C.O.Jr. & SORIANO, P.J. 1998. *Glossophaga longirostris*. *Mammalian Species* 576: 1-5.
- WEIDNER, H. 2000. Sommer- und Herbstinflüge von Mopsfledermäusen (*Barbastella barbastellus*) in einen Stollenkomplex bei Berga/Elster (Thüringen). *Säugetierkd. Inf.* 4 (23/24): 505-513.
- WEIDNER, H. 2000. Zur Situation der Mopsfledermaus, *Barbastella barbastellus* (Schreber, 1774), im Kreis Greiz (Ostthüringen) unter besonderer Berücksichtigung Netzfängen und Winterquartierkontrollen. *Nyctalus* 7 (4): 423-432.
- WEIDNER, P. & ZAHN, A. 2000. Roosting ecology, population development, emergence behaviour and diet of a colony of *Rhinolophus hipposideros* (Chiroptera: Rhinolophidae) in Bavaria. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 231-242.
- WEISHAAR, M. 1998. Die Fledermausvorkommen in der Region Trier. *Dendrocopos* 25 (2): 77-100.
- WEISHAAR, M. 1999. Ergebnisse der Fledermauswinterkontrollen 1998/99 im Regierungsbezirk Trier. *Dendrocopos* 26 (2): 333-334.
- WEISHAAR, M. 2000. Ergebnisse der Fledermauskontrollen 1999/2000 in der Region Trier. *Dendrocopos* 27 (2): 231-232.
- WEN, T.H. & CORPUZ-RAROS, L.A. 1997. Notes on the sand mite genus *Diplectria* and description of a new species from the Philippines (Acariformes: Trombiculidae). *Philippine Entomologist* 11 (1): 25-31.
- WENSTRUP, J.J. 1999. Frequency organization and responses to complex sounds in the medial geniculate body of the mustached bat. *J. Neurophysiol.* 82 (5): 2528-2544.
- WENSTRUP, J.J. & GROSE, C.D. 1995. Inputs to combination-sensitive neurons in the medial geniculate body of the mustached bat: the missing fundamental. *J. Neurosci.* 15 (6): 4693-4711.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WENSTRUP, J.J., MITTMANN, D.H. & GROSE, C.D. 1999. Inputs to combination-sensitive neurons of the inferior colliculus. *J. comp. Neurol.* 409: 509-528.
- WETTERER, A.L., ROCKMAN, M.V. & SIMMONS, N.B. 2000. Phylogeny of phyllostomid bats (Mammalia: Chiroptera): data from diverse morphological systems, sex chromosomes, and restriction sites. *Bull. Am. Mus. Nat. Hist.* 248: 1-200.
- WHITAKER, J.O. Jr. 1997. Notes on a winter colony of big brown bats at Williamsport, Warren County, Indiana. *Proc. Indiana Acad. Sci.* 106: 319-325.
- WHITAKER, J.O. Jr. & GUMMER, S.L. 2000. Population structure and dynamics of big brown bats (*Eptesicus fuscus*) hibernating in buildings in Indiana. *Am. Midl. Nat.* 143: 389-396.
- WHITAKER, J.O. Jr., ISSAC, S.S., MARIMUTHU, G. & KUNZ, T.H. 1999. Seasonal variation in the diet of the Indian pygmy bat, *Pipistrellus mimus*, in southern India. *J. Mammal.* 80 (1): 60-70.
- WHITAKER, J.O. Jr. & LAWHEAD, B. 1992. Foods of *Myotis lucifugus* in maternity colony in central Alaska. *J. Mammal.* 73 (3): 646-648.
- WHITAKER, J.O. Jr. & RODRIGUEZ-DURAN, A. 1999. Seasonal variation in the diet of Mexican free-tailed bats, *Tadarida brasiliensis antillarum* (Miller) from a colony in Puerto Rico. *Caribb. J. Sci.* 35 (1-2): 23-28.
- WHITBY, J.E., JOHNSTONE, P., PARSONS, G., KING, A.A. & HUTSON, A.M. 1996. Ten-year survey of British bats for the existence of rabies. *Veterinary Record* 139 (20): 491-493.
- WHITMAN, K. & LARSEN, E. 1997. Initial survey of genetic variation of the wild population of Rodrigues fruit bats: implications for conservation and management. *Am. Zoo. Aquar. Assoc. Ann. Conf. Proc.* 1997: 558-564.
- WILKINSON, G.S. & BOUGHMAN, J.W. 1999. Social influences on foraging in bats. *Symposia Zool. Soc. Lond.* 72: 188-204.
- WILKINSON, G.S. & WENRICK BOUGHMAN, J. 1998. Social calls coordinate foraging in greater spear-nosed bats. *Anim. Behav.* 55: 337-350.
- WILKINSON, G.S. & WENRICK BOUGHMAN, J. 1999. Social influences on foraging in bats. *Symposia Zool. Soc. Lond.* 72: 188-204.
- WINKELMANN, J.R., BONACCORSO, F.J. & STRICKLER, T.L. 2000. Home range of the southern blossom bat, *Syconycteris australis*, in Papua New Guinea. *J. Mammal.* 81 (2): 408-414.
- WINTER, Y. 1999. Flight speed and body mass of nectar-feeding bats (Glossophaginae) during foraging. *J. exp. Biol.* 202 (14): 1917-1930.
- WISSING, H. & KONIG, H. 1999. Drei weitere Funde der Zweifarbfledermaus (*Vespertilio discolor* Natterer, 1818) in der Pfalz (Rheinland-Pfalz). *Fauna & Flora in Rheinland-Pfalz* 9 (1): 359-363.
- WOLOSZYN, B.W., KOZAKIEWICZ, K., PIELICHOWSKI, K., PIELICHOWSKI, J., TARKOWSKI, J. & POSTAWA, T. 2000. Physicochemical analysis of bat hair by atomic absorption spectrometry and thermal analysis techniques. In: Woloszyn, B.W. (Ed.). *Proc. VIIIth EBRS, vol. 1, Approaches to Biogeography and Ecology of Bats*: 253-266.
- WORTHINGTON-WILMER, J., HALL, L., BARRATT, E. & MORITZ, C. 1999. Genetic structure and male-mediated gene flow in the ghost bat (*Macroderma gigas*). *Evolution* 53 (5): 1582-1591.
- WOTTON, J.M. & SIMMONS, J.A. 2000. Spectral cues and perception of the vertical position of targets by the big brown bat, *Eptesicus fuscus*. *J. acoust. Soc. Am.* 107 (2): 1034-1041.
- WOUTERSEN, K. & BAFALUY ZORIGUEL, J.J. 2001. Murciélagos del Alto Aragón. Kees Woutersen Publicaciones, Huesca: 144 p.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WU, F. & CHEN, Q. 1997. The effects of GABA on the auditory information processing of bats. *Journal of Central China Normal University (Nat. Sci.)* 31 (2): 205-212.
- XIE, D.H. & HENSON, O.W., Jr. 1998. Tonic efferent-induced cochlear damping in roosting and echolocating mustached bats. *Hearing Research* 124 (1-2): 60-68.
- YACK, J.E. & FULLARD, J.H. 2000. Ultrasonic hearing in nocturnal butterflies. Hedyliids have ultrasound-sensitive ears on their wings to help them avoid bats. *Nature, London* 403 (6767): 265-266.
- YAMAUCHI, K.T. & FUNAKOSHI, K. 2000. Ticks (Acari: Ixodoidea) from Chiroptera (Mammalia) of the Kyushu Mainland, Japan. *J. acarol. Soc. Jap.* 9 (1): 51-54.
- YAN, J. & SUGA, N. 1996. The midbrain creates and the thalamus sharpens echo-delay tuning for the cortical representation of target-distance information in the mustached bat. *Hearing Research* 93 (1-2): 102-110.
- YAN, J. & SUGA, N. 1996. Corticofugal modulation of time-domain processing of biosonar information in bats. *Science* 273: 110-1103.
- YAN, J. & SUGA, N. 1999. Corticofugal amplification of facilitative auditory responses of subcortical combination-sensitive neurons in the mustached bat. *Proc. Nat. Acad. Sci. USA* 95 (21): 12663-12670.
- YAN, W. & SUGA, N. 1998. Corticofugal modulation of the midbrain frequency map in the bat auditory system. *Nature Neuroscience* 1 (1): 54-58.
- YASEEN, A.E., HASSAN, H.A. & KAWASHTI, I.S. 1997. Chromosomal studies of five Egyptian species of bats (Chiroptera: Mammalia). In: Jeannin, P.-Y. [Ed.]. *Proc. 12th International Congress of Speleology, La Chaux-de-Fonds, Switzerland, 10-17.08.1997. Vol. 3. Speleo Projects, Basel*: 371-374
- YE, R.Y. & MA, L.M. 1996. A new species of Spinturnix and a new record of Steatonyssus from China (Acari: Spinturnicidae, Macronyssidae). *Acta Zootaxonomica Sinica* 21 (4): 421-424.
- YOUNG, R.A. & FORD, G.I. 1998. Range extension of the little forest bat *Vespadelus vulturnus* (Chiroptera: Vespertilionidae) into a semi-arid area of central Queensland, Australia. *Aust. Zool.* 30 (4): 392-397.
- YOUNG, R.A. & FORD, G.I. 2000. Bat fauna of a semi-arid environment in central western Queensland, Australia. *Wildlife Research* 27: 203-215.
- ZAGORODNIUK, I. 2000. Biogeography of Plecotine bats in Europe and analysis of East-Carpathian node. State and prospects of the Carpathian bats investigations in the verge of millennium. Abstracts of the 3rd International Conference on Carpathian Bats, Rakhiv, September 8 to 12, 2000: 22.
- ZAGORODNIUK, I., TYSHCHENKO, V. & PETRUSHENKO, Y. 2000. Horseshoe bats (*Rhinolophus*) in the Dnister region as the most north-eastern part of their range in Europe. *Studia Chiropterologica* 1: 115-131.
- ZAHN, A., CHRISTOPH, C., CHRISTOPH, L., KREDLER, M., REITMEIER, A., REITMEIER, F., SCHACHENMEIER, C. & SCHOTT, T. 1999. Die Nutzung von Spaltenquartieren an Gebäuden durch Abendsegler (*Nyctalus noctula*) in Südostbayern. *Myotis* 37: 61-76.
- ZAVOCZKY, S. 1997. Survey and monitoring of house-dwelling bat species in Baranya county. Proceedings of the I. conference on the Bat conservation in Hungary, Sarród, 29th November 1997: 37-43 (en hongrois, résumé anglais).
- ZHANG, Y. & SUGA, N. 1997. Corticofugal amplification of subcortical responses to single tone stimuli in the mustached bat. *J. Neurophysiol. (Bethesda)* 78 (6): 3489-3492.
- ZHOU, X. & JEN, P.H.-S. 2000. Corticofugal inhibition compresses all types of rate-intensity functions of inferior collicular neurons in the big brown bat. *Brain Research* 881: 62-68.



**CENTRE DE COORDINATION OUEST POUR L'ETUDE  
ET LA PROTECTION DES CHAUVES-SOURIS**

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

ZHOU, X.M. & JEN, P.H.-S. 2000. Neural inhibition sharpens auditory spatial selectivity of bat inferior collicular neurons. *J. Comp. Physiol. A* 186: 389-398.

ZHUKOVA, N.F. 1999. [Specific features of digestive enzyme activity in insectivorous bats.] *Zhurnal Evolyutsionnoi Biokhimii i Fiziologii* 35 (6): 453-458.

ZIEGLER, R. 2000. The Miocene Fossil-Lagerstätte Sandelzhausen, 17. Marsupialia, Lipotyphla and Chiroptera (Mammalia). *Seckenbergiana Lethaea* 80 (1): 81-127.

ZIELINSKI, W.J. & GELLMAN, S.T. 1999. Bat use of remnant old-growth redwood stands. *Cons. Biol.* 13 (1): 160-167.

ZINGG, P.E. & BUCHER, E. 2000. Eine Beobachtung zum Jagdverhalten der Brandtfledermaus (*Myotis brandtii*). *Pro Chiroptera* 1: 2-3.

ZORTEA, M., GREGORIN, R. & DITCHFIELD, A.D. 1998. *Lichonycteris obscura* from Espirito Santo State, southeastern Brazil. *Chiroptera Neotropical* 4 (2): 95-96.