



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

### **Publications scientifiques reçues ou cataloguées en 2002 au Centre chauves-souris**

### ***Scientific publications received or catalogued at the Swiss bat center in 2002***

La direction et la bibliothèque du Centre chauves-souris remercient chaleureusement les auteurs qui ont envoyé leurs publications sur les chauves-souris  
*The management and the library of Swiss Bat Center warmly thank all the authors who sent their bat publications.*

- ABDULLAH, M.T. 2001. Report on the ecology of fruit bats. Tigerpaper (Bangkok) 28 (2): 14-17.
- AGIRRE-MENDI, P.T. 2001. Eficacia de una orden administrativa para la protección de colonias de murciélagos en La Rioja. *Barbastella* 2: 3-6.
- AGUIRRE, L.F. 1999. Estado de conservación de los murciélagos de Bolivia. *Chiroptera Neotropical* 5 (1-2): 108-112.
- AIHARTZA, J.R. 2001. *Nyctalus lasiopterus*, murciélago ornitóphago. *Barbastella* 2: 14.
- ALBAYRAK, I. & ASAN, N. 2002. Taxonomic status and karyotype of *Myotis capaccinii* (Bonaparte, 1837) from Turkey (Chiroptera: Vespertilionidae). *Mammalia* 66 (1): 63-70.
- ALBRECHT, K. & HAMMER, M. 2000. Fledermäuse. Bayerisches Landesamt für Umweltschutz, Landesbund für Vogelschutz in Bayern e.V.: 33 p.
- ALCALDE, J.T. 2000. New ecological data on the noctule bat (*Nyctalus noctula* Schreber, 1774) (Chiroptera, Vespertilionidae) in two towns of Spain. *Mammalia* 63 (3): 273-280.
- ALCALDE, J.T. 2001. Nuevos datos de la colonia arborícola desaparecida en Lodosa. *Barbastella* 2: 11.
- ALCALDE, J.T. & ESCALA, M.C. 1999. Distribución de los quiropteros en Navarra, España. *Bol. Real Soc. Esp. Hist. Nat., Biol.* 95 (1-2): 157-171.
- ALCALDE, J.T. & GOSA, A. 1998. Comprobada la presencia y reproducción del murciélago de Bechstein (*Myotis bechsteinii*) (Chiroptera: Vespertilionidae) en Navarra. *Munibe (Cienc. Nat.)* 50: 89-91.
- ALCOCER, A., ALMENAR, D. & MONSALVE, M.A. 2001. Conservación de murciélagos cavernícolas en la comunidad valenciana. *Barbastella* 2: 26-27.
- ALMENAR, D. & ALCOCER, A. 2000. Nuevas citas de murciélagos forestales en la Comunidad Valenciana. *Dugastella* 1: 35-38.
- ANGE, K.D., RHODES, S. & CRISSEY, S.D. 2001. Browse consumption and preference in the Rodrigues fruit bat (*Pteropus rodricensis*). *Animal Keepers' Forum* 28 (12): 475-482.
- ARLETTAZ, R., JONES, G. & RACEY, P.A. 2001. Effect of acoustic clutter on prey detection by bats. *Nature (London)* 414 (6865): 742-745.
- ARMSTRONG, K.N. & ANSTEE, S.D. 2001. An unusual pelage colour of the common sheath-tailed bat, *Taphozous georgianus*, from the Pilbara of Western Australia. *Western Australian Naturalist* 23 (1): 51-54.
- ARNETT, E.B. & HAYES, J.P. 2000. Bat use of roosting boxes installed under flat-bottom bridges in western Oregon. *Wildlife Society Bulletin* 28 (4): 890-894.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ARTHUR, L. 2001. Les Chiroptères de la Directive Habitats: le Murin à oreilles échancrées *Myotis emarginatus* (Geoffroy, 1806). *Arvicola* 13 (2): 38-41.
- BAAGOE, H.J. 2001. Danish bats (Mammalia: Chiroptera): Atlas and analysis of distribution, occurrence and abundance. *Steenstrupia* 26 (1): 1-117.
- BAAGOE, H.J. 2001. *Myotis bechsteinii* (Kuhl, 1818) - Bechsteinfledermaus. In: *Handbuch der Säugetiere Europas*, Aula-Verlag 4 (I): 443-471.
- BAAGOE, H.J. 2001. *Eptesicus serotinus* (Schreber, 1774) - Breitflügelfledermaus. In: *Handbuch der Säugetiere Europas*, Aula-Verlag 4 (I): 519-559.
- BAAGOE, H.J. 2001. *Vespertilio murinus* Linnaeus, 1758 - Zweifarbfledermaus. In: *Handbuch der Säugetiere Europas*, Aula-Verlag 4 (I): 473-514.
- BAAGOE, H.J. & AHLEN, I. 2001. [The common pipistrelle split into two species]. *Flora og Fauna* 107 (2-3): 47-52.
- BAFALUY, J.J. 2000. Mortandad de murciélagos por atropello en carreteras del sur de la provincia de Huesca. *Galemys* 12 (1): 15-23.
- BAIN, O., BABAYAN, S., GOMES, J., ROJAS, G. & GUERRERO, R. 2002. First account on the larval biology of a *Litomosoides filaria*, from a bat. *Parassitologia* (Rome) 44 (1-2): 89-92.
- BAKER, G.B., LUMSDEN, L.F., DETTMANN, E.B., SCHEDVIN, N.K., SCHULZ, M., WATKINS, D. & JANSEN, L. 2001. The effect of forearm bands on insectivorous bats (Microchiroptera) in Australia. *Wildlife Research* 28 (3): 229-237.
- BALMORI, A. 1999. La reproducción en los quiropteros *Galemys* 11 (2): 17-34.
- BALMORI MARTINEZ, A. 2001. Biología y organización social del Murciélago rabudo (*Tadarida teniotis*). Primeros resultados. *Barbastella* 2: 15.
- BARATAUD, M. 2001. Les chiroptères de la Directive Habitats: la barbastelle d'Europe *Barbastella barbastellus* (Schreber, 1774). *Arvicola* 13 (2): 48-51.
- BARATAUD, M. 2001. Field identification of European bats using heterodyne and time expansion detectors. *Nietoperze* 2: 157-167.
- BARCLAY, R.M.R. & BRIGHAM, R.M. 2001. Year-to-year reuse of tree-roosts by California bats (*Myotis californicus*) in southern British Columbia. *American Midland Naturalist* 146 (1): 80-85.
- BARCLAY, R.M.R., CHRUSZCZ, B.J. & RHODES, M. 2000. Foraging behaviour of the large-footed myotis, *Myotis moluccarum* (Chiroptera: Vespertilionidae) in south-eastern Queensland. *Aust. J. Zool.* 48 (4): 385-392.
- BARQUEZ, R.M., BRAUN, J.K., MARES, M.A., JAYAT, J.P. & FLORES, D. 2000. First record for Argentina for a bat in the genus *Micronycteris*. *Mammalia* 63 (3): 368-372.
- BARRAGAN, M.J.L., MARTINEZ, S., MARCHAL, J.A., BULLEJOS, M., DIAZ DE LA GUARDIA, R. & SANCHEZ, A. 2002. Highly repeated DNA sequences in three species of the genus *Pteropus* (Megachiroptera, Mammalia). *Heredity* 88 (5): 366-370.
- BATES, P.J.J., NWE, T., SWE, K.M. & HLA-BU, S.S. 2001. Further new records of bats from Myanmar (Burma), including *Craseonycteris thonglongyai* Hill 1974 (Chiroptera: Craseonycteridae). *Acta Chiropterologica* 3 (1): 33-41.
- BECK, A. 1999. Nachweis einer Fortpflanzung des grossen Abendseglers im Kanton Aargau. *Mitteilungen der aargauischen naturforschenden Gesellschaft* 35: 129-131.
- BENDA, P. & TSYTSULINA, K.A. 2000. Taxonomic revision of *Myotis mystacinus* group (Mammalia: Chiroptera) in the western Palearctic. *Acta Societatis Zoologicae Bohemicae* 64 (4): 331-398.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BERGMANS, W. 2001. Notes on distribution and taxonomy of Australasian bats. I. Pteropodinae and Nyctimeninae (Mammalia, Megachiroptera, Pteropodidae). *Beaufortia* 8 (51): 119-152.
- BERNARD, E. 2001. First capture of *Micronycteris homezi* Pirlot (Chiroptera, Phyllostomidae) in Brazil. *Revista Brasileira de Zoologia* 18 (2): 645-647.
- BERNARD, E. 2001. Species lists of bats (Mammalia, Chiroptera) of Santarem area, Para state, Brazil. *Revista Brasileira de Zoologia* 18 (2): 455-463.
- BERNARD, E., ALBERNAZ, A.L.K.M. & MAGNUSSON, W.E. 2001. Bat species composition in three localities in the Amazon Basin. *Studies on Neotropical Fauna and Environment* 36 (3): 177-184.
- BERNARD, E. & FENTON, M.B. 2002. Species diversity of bats (Mammalia: Chiroptera) in forest fragments, primary forests, and savannas in central Amazonia, Brazil. *Canadian Journal of Zoology* 80(6): 1124-1140.
- BHATNAGAR, K.P., SMITH, T.D., KRISHNA, A., SINGH, U.P. & WIBLE, J.R. 2001. The vespertilionid vomeronasal organ: an investigation on the VNO of *Scotophilus* (Chiroptera, Vespertilionidae). *Acta Chiropterologica* 3 (1): 119-128.
- BIANCHI, I., GYSIN, D. & GEBHARD, J. 2001. Die Zweifarbfledermaus (*Vespertilio murinus*) in der Region Basel. *Pro Chiroptera* 2: 26-27.
- BILLINGTON, G. 2000. Radio tracking study of greater horseshoe bats at Mells, near Frome, Somerset. June, 2000. English Nature Contract No F14/01/603. *English Nature Research Reports* 403: 1-40.
- BILLINGTON, G. 2002. Radio tracking study of greater horseshoe bats at Brockley Hall Stables. Site of Special Scientific Interest, May-August 2001. *English Nature Research Reports* 442: 1-36.
- BONATO, L. & FIORETTO, M. 2000. Comportamento e biologia riproduttiva di una nursery di *Rhinolophus hipposideros* (Bechstein, 1800) sui Lessini orientali (Nord-est Italia). *Bolletino del Museo civico di Storia naturale di Venezia* 50: 267-279.
- BONATO, V. & FACURE, K.G. 2000. Bat predation by the fringe-lipped bat *Trachops cirrhosus* (Phyllostomidae, Chiroptera). *Mammalia* 64 (2): 241-243.
- BONGERS, W. & LIMPENS, H. 2001 [Bats and bat research.] *Zoogdier* 12 (2): 21-25 (en hollandais).
- BONTADINA, F., SCHOFIELD, H. & NAEF-DAENZER, B. 2002. Radio-tracking reveals that lesser horseshoe bats (*Rhinolophus hipposideros*) forage in woodland. *Journal of Zoology, London* 258: 281-290.
- BORISSENKO, A.V. 1999. Life history models and the diversity of reproductive strategies in Vespertilionidae (Chiroptera). *Folia Theriologica Estonica* 4: 34-75.
- BORISSENKO, A.V. 1999. A mobile trap for capturing bats in flight. *Plecotus et al* 2: 10-19 (en russe, résumé anglais).
- BORISSENKO, A.V. 2000. Comparative morphology and evolution of the female reproductive system and reproductive biology of plain-nosed bats (Vespertilionidae, Chiroptera). *Zoologicheskie Issledovania* 6: 1-152.
- BORISSENKO, A.V., KRUSKOP, S.V. & KASHTALIAN, A.P. 1999. New mammal species (Chiroptera, Insectivora) in the Berezinsky Biosphere Reserve. *Vestnik Zoologii* 33 (6): 107-113 (en russe, résumé anglais).
- BORISSENKO, A.V., SESSINA, N.I., ZAKEEVA, I.R. & BUKIA, A.N. 1999. Contribution to the study of trophic biology of three bat species (Chiroptera: Vespertilionidae) in Moscow Region. *Plecotus et al* 2: 36-43 (en russe, résumé anglais).
- BOTVINKIN, A.D. 1999. Ikonnikov's bat in Baikal area (distribution, relative abundance, roost sites, behaviour). *Plecotus et al.* 2: 108-116.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BRACK, V. Jr. 1985. The foraging ecology of some bats in Indiana. *Indiana Academy of Science* 94: 231-237.
- BRACK, V. Jr. & WHITAKER, J.O. Jr. 2001. Foods of the northern myotis, *Myotis septentrionalis*, from Missouri and Indiana, with notes on foraging. *Acta Chiropterologica* 3 (2): 203-210.
- BROOKE, A.P. 2001. Population status and behaviours of the Samoan flying fox (*Pteropus samoensis*) on Tutuila Island, American Samoa. *Journal of Zoology (London)* 254 (3): 309-319.
- BROOKE, A.P., SOLEKK, C. & TUALAULELEI, A. 2000. Roosting behavior of colonial and solitary flying foxes in American Samoa (Chiroptera: Pteropodidae). *Biotropica* 32 (2): 338-350.
- BROOKS, D.M., TARIFA, T., ROJAS, J.M., VARGAS, R.J. & ARANIBAR, H. 2001. A preliminary assessment of the mammalian fauna of the eastern Bolivian panhandle. *Mammalia* 65 (4): 509-520.
- BROSSET, A., CHARLES-DOMINIQUE, P. & COCKLE, A. 2001. The bat community. *Monographiae Biologicae* 80: 115-120.
- BRUNET, A.K. & MEDELLIN, R.A. 2001. The species-area relationship in bat assemblages of tropical caves. *Journal of Mammalogy* 82(4): 1114-1122.
- BUFKA, L., BYTEL, J., HANZAL, V. & VACIK, R. 2001. The distribution of bats (Chiroptera, Mammalia) in western Bohemia: a review. *Folia Musei Rerum Naturalium Bohemiae Occidentalis Zoologica* 41: 1-30.
- BULLEJOS, M., DIAZ DE LA GUARDIA, R., BARRAGAN, M.J. & SANCHEZ, A. 2001. HMG-box sequences from microbats homologous to the human SOX30 HMG-box. *Genetica (Dordrecht)* 110 (2): 157-162.
- BULLEN, R. & MCKENZIE, N.L. 2001. Bat airframe design: Flight performance, stability and control in relation to foraging ecology. *Australian Journal of Zoology* 49 (3): 235-261.
- BURESCH, I. 1941. Die Fledermäuse ziehen wie die Zugvögel. *LXI* (2): 51-72 (résumé allemand).
- BURLAND, T.M. & WORTHINGTON WILMER, J. 2001. Seeing in the dark: molecular approaches to the study of bat populations. *Biological Reviews (Cambridge)* 76 (3): 389-409.
- CAMERON, G.N. & SCHEEL, D. 2001. Getting warmer: Effect of global climate change on distribution of rodents in Texas. *Journal of Mammalogy* 82 (3): 652-680.
- CARMENA, J.M., KAMPCHEN, N., KIM, D. & HALLAM, J.C.T. 2001. Artificial ears for a biomimetic sonarhead: From multiple reflectors to surfaces. *Artificial Life* 7(2): 147-169.
- CARTER, T., FELDHAMER, G. & KATH, J. 2001. Notes on summer roosting of Indiana bats. *Bat Research News* 42 (4): 197-198.
- CAUBERE, B. 1962. Réflexion d'un ancien. Centre de recherches sur les migrations des mammifères et des oiseaux, *Bulletin de liaison (Chiroptères)* 1: 3.
- CHAG, M. 2001. Conservation takes flight: sharing the importance of bat conservation with our guests at Disney's Animal Kingdom. *Animal Keepers' Forum* 28 (12): 465-472.
- CHARLES-DOMINIQUE, P. & COCKLE, A. 2001. Frugivory and seed dispersal by bats. *Monographiae Biologicae* 80: 207-215.
- CHEN, Q.C., JEN, P.H.S. & WU, F.J. 2001. Characteristics of column organization sharpening frequency tunings of bat auditory cortical neurons. *Zoological Research* 22 (3): 174-180.
- CHILDS, J. & ALDHOUS, T. 2001. Mammals - Bats 2000. *Bedfordshire Naturalist* 55(1): 28-36.
- CHISTYAKOV, D.V. 2001. [Materials on distribution and ecology of *Nathusius's* pipistrelle (*Pipistrellus nathusii*) in the north-west of Russia]. *Plecotus et al.* 4: 51-56 (résumé anglais).



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CHOI, I.H., LEE, Y.S., OH, Y.K., JUNG, N.P., GWAG, B.J. & SHIN, H.C. 2001. Thermogenesis and motor recruitment of the pectoral muscle during shivering in arousing bats *Murina leucogaster*. *Korean Journal of Biological Sciences* 5 (1): 31-35.
- CHOLEWA, E., VONHOF, M.J., BOUCHARD, S., PETERSON, C.A. & FENTON, M.B. 2001. The pathways of water movement in leaves modified into tents by bats. *Biological Journal of the Linnean Society* 72 (2): 179-191.
- CHRISTEN, H.R. 2001. Fledermaus-Heraldik. *Pro Chiroptera* 2: 12-14.
- CHRUSZCZ, B.J. & BARCLAY, R.M.R. 2002. Thermoregulatory ecology of a solitary bat, *Myotis evotis*, roosting in rock crevices. *Functional Ecology* 16 (1): 18-26.
- CIECHANOWSKI, M. 2001. [Occurrence of parti-coloured bat *Vespertilio murinus* Linnaeus, 1758 in the Gdansk region]. *Studia Chiropterologica* 2: 81-83.
- CLARK, W.S. 1998. Little sparrowhawk catches and eats a bat. *Journal of African Raptor Biology* 13 (1-2): 22-23.
- CLARKE, F.M. & DOWNIE, J.R. 2001. A bat (Chiroptera) survey of Mora rainforest in Trinidad's Victoria-Mayaro Forest Reserve. *Biodiversity and Conservation* 10 (5): 725-736.
- CLAUSSEN, A. 2001. Fledermäuse im Nationalpark "Hainich". *Landschaftspflege und Naturschutz in Thüringen* 38 (1): 1-10.
- COCKLE, A. 2001. The dispersal and recruitment of *Cyclanthaceae* and *Philodendron* (Arcaceae) understorey root-climbing vines. *Monographiae Biologicae* 80: 251-263.
- CODD, J.R., DANIELS, C.B. & ORGEIG, S. 2000. Thermal cycling of the pulmonary surfactant system in small heterothermic mammals. In: Heldmaier, G. & Klingenspor, M. *Life in the cold: eleventh International Hibernation Symposium*. Springer-Verlag, Berlin, Heidelberg & New York: 187-197.
- CODD, J.R., SLOCOMBE, N.C., DANIELS, C.B., WOOD, P.G. & ORGEIG, S. 2000. Periodic fluctuations in the pulmonary surfactant system in Gould's wattled bat (*Chalinolobus gouldii*). *Physiological and Biochemical Zoology* 73 (5): 605-612.
- COOPER, S.J.B., REARDON, T.B. & SKILINS, J. 1998. Molecular systematics of Australian rhinolophid bats (Chiroptera: Rhinolophidae). *Aust. J. Zool.* 46 (3): 203-220.
- COSSON, E. 2001. Les chiroptères de la Directive Habitats: le murin de capaccini, *Myotis capaccinii* (Bonaparte, 1837). *Arvicola* 13 (2): 31-35.
- CRICHTON, E.G. 2000. Sperm storage and fertilization. In: Crichton, E.G. & Krutzsch, P. H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc.: 295-320.
- CRUZ-NETO, A.P., GARLAND, T. Jr. & ABE, A.S. 2001. Diet, phylogeny, and basal metabolic rate in phyllostomid bats. *Zoology (Jena)* 104 (1): 49-58.
- CRYAN, P.M., BOGAN, M.A. & YANEGA, G.M. 2001. Roosting habits of four bat species in the Black Hills of South Dakota. *Acta Chiropterologica* 3 (1): 43-52.
- CZAPLEWSKI, N.J. s.d. The fossil record of bats from the Mojave Desert and surrounding region. *SBCMA Quarterly* 43 (1): 59-60.
- CZAPLEWSKI, N.J. & MORGAN, G.S. 2001. A new vespertilionid bat (Mammalia: Chiroptera) from the Early Miocene (Hemingfordian) of Florida, USA. *Journal of Vertebrate Paleontology* 20 (4): 736-742.
- DA SILVA, L.A.M. & GUERRA, D.Q. 2000. Bats from a remnant of Atlantic forest in Northeast Brazil. *Chiroptera Neotropical* 6 (1-2): 125-126.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- DA SILVA, S.S.P., GUEDES, P.G. & PERACCHI, A.L. 2001. Preliminary survey of the Bats from Ubajara National Park (Mammalia-Chiroptera), Ceara, Brazil. *Revista Brasileira de Zoologia* 18 (1): 139-144.
- DAHLMANN, T. 2001. The micromammals from the Lower Pliocene locality of Woelfersheim/Wetterau (Mammalia: Lipotyphla, Chiroptera, Rodentia). *Courier Forschungsinstitut Senckenberg* 227: 1-129.
- DALTON, V.M., BRACK, V. Jr. & MCTEER, P.M. 1986. Food habits of the big-eared bat, *Plecotus townsendii virginianus*, in Virginia. *Virginia Journal of Science* 37 (4): 248-254.
- DAMPIER, L. 2001. Hammocks as a management tool for bats. *Animal Keepers' Forum* 28 (12): 451-452.
- DANELL, K. & AAVA-OLSSON, B. 2002. Endemic mammalian genera: are they really unique? *Journal of Biogeography* 29(4): 457-464.
- DAVALOS, L.M., GUERRERO, J.A. 1999. The bat fauna of Tambito, Colombia. *Chiroptera Neotropical* 5 (1-2): 112-115.
- DE CORNULIER, T. & CLERGEAU, P. 2001. Bat diversity in French urban areas. *Mammalia* 65 (4): 540-543
- DE PAZ, O. & ALCALDE, J.T. 2001. Catálogo nacional de especies amenazadas. *Propuestas* (2). *Barbastella* 2: 16-20.
- DELPIETRO, H.A., LARGHI, O.P. & RUSSO, R.G. 2001. Virus isolation from saliva and salivary glands of cattle naturally infected with paralytic rabies. *Preventive Veterinary Medicine* 48: 223-228.
- DELPIETRO, H.A. & RUSSO, R.G. 2002. Observations of the common vampire bat (*Desmodus rotundus*) and the hairy-legged vampire bat (*Diphylla ecaudata*) in captivity. *Mammalian Biology* 67(2): 65-78.
- DENZINGER, A., SIEMERS, B., SCHAUB, A. & SCHNITZLER, H.U. 2001. Echolocation by the barbastelle bat, *Barbastella barbastellus*. *Journal of Comparative Physiology A*, 187(7): 521-528.
- DIAZ, M.M. 2000. Key to the native mammals of Jujuy Province, Argentina. *Occasional Papers of the Oklahoma Museum of Natural History* 7: 1-29.
- DIAZ, M.M., BRAUN, J.K., MARES, M.A. & BARQUEZ, R.M. 1997. Key to mammals of Salta Province, Argentina. *Occasional Papers of the Oklahoma Museum of natural History* 2: 1-10.
- DIEHL, D.A. 2000. Zur Situation der Fledermäuse im Odenwaldkreis. *Collurio* 18: 1-23.
- DIERENFELD, E.S., DEMPSEY, J., MASLANKA, M. & DELORME, M. 2000. Eclectic chiropteran cuisine: from fruits, fish & flowers to blood & bugs! *American Zoo and Aquarium Association Annual Conference Proceedings*. 2000: 353-358.
- DIETZ, D. & SCHUNGER, I. 2001. Historische Nachweise der Grossen Hufeisennase, *Rhinolophus ferrumequinum*, im Nordschwarzwald. *Carolinea* 59: 139-142.
- DIETZ, D. & SCHUNGER, I. 2001. Fund eines albinotischen jungen Mausohrs (*Myotis myotis*), Flügelspitzenalbinismus bei weiteren Mausohren und fehlende Pigmentierung bei einer Fransenfledermaus (*Myotis nattereri*). *Carolinea* 59: 139-142.
- DIETZ, D., SCHUNGER, I., NILL, D., SIEMERS, B.M. & IVANOVA, T. 2002. First record of *Pipistrellus pygmaeus* (Leach, 1825) (Chiroptera: Vespertilionidae) for Bulgaria. *Historia naturalis bulgarica* 14: 117-121.
- DITCHFIELD, A.D. 2000. The comparative phylogeography of Neotropical mammals: patterns of intraspecific mitochondrial DNA variation among bats contrasted to nonvolant small mammals. *Molecular Ecology* 9 (9): 1307-1318.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DITCHFIELD, A.D. & BURNS, K. 1998. DNA sequences reveal phylogeographic similarities of Neotropical bats and birds. *J. Comp. Biol.* 3 (2): 165-170.
- DUCHAMP, L. 1998. Bilan des connaissances sur les populations de chauves-souris (Chiroptera) du souterrain d'Ingwiller (Bas-Rhin) entre 1983 et 1997. *Annales scientifiques de la Réserve Biosphère des Vosges du Nord* 6: 121-133.
- DUCHAMP, L. 2000. Inventaire faunistique et propositions de gestion des combles et clochers des bâtiments publics de la Réserve de Biosphère des Vosges du Nord. *Annales scientifiques de la Réserve Biosphère des Vosges du Nord* 7: 93-101.
- DUCHAMP, L., SCHNEIDER, J.-F. & HAMON, B. 1999. Biodiversité et gestion forestière. L'exemple des Vosges du Nord: étude des chauves-souris. *Annales scientifiques de la Réserve Biosphère des Vosges du Nord* 7: 93-101.
- DURIEUX, B. 2002. Les Chiroptères de la Directive Habitats: le Murin des marais *Myotis dasycneme* (Boie, 1825) *Arvicola* 14 (1): 20-23.
- DZERZHINSKIY, V.A. 1998. Eimeria of the Chiroptera: Vespertilionidae and the Insectivora: Soricidae in Kazakhstan. *Izvestiya Ministerstva Nauki-Akad. nauk Respubliki Kazakhstan, Ser. Biol.* 4: 50-53. (en russe, résumé anglais).
- EGER, J.L. 2001. Emendation of *Glauconycteris curryi*. *Acta Chiropterologica* 3 (2): 248.
- EGER, J.L. & SCHLITTER, D.A. 2001. A new species of *Glauconycteris* from West Africa (Chiroptera: Vespertilionidae). *Acta Chiropterologica* 3 (1): 1-10.
- EGER, J.L. & THEBERGE, M.M. 1999. *Thainycteris aureocollaris* (Chiroptera, Vespertilionidae) in Vietnam. *Mammalia* 63 (2): 237-240.
- EKLÖF, J., TRANEFORS, T. & VAZQUEZ, L.B. 2002. Precedence of visual cues in the emballonurid bat *Balantiopteryx plicata*. *Mammalian Biology* 67: 42-46.
- ELANGO VAN, V. & MARIMUTHU, G. 2001. Effect of moonlight on the foraging behaviour of a megachiropteran bat *Cynopterus sphinx*. *Journal of Zoology (London)* 253 (3): 347-350.
- ELLIOTT, P. 2001. Bats and biodiversity education in Bulgaria. *Bats* 19 (2): 4-6.
- ELLIS, M. 2001. The first record of the hairy-nosed freetail bat in New South Wales. *Australian Zoologist* 31(4): 608-609.
- EMURA, S., HAYAKAWA, D., CHEN, H., SHOUMURA, S., ATOJI, Y. & AGUNGPRIYONO, S. 2001. SEM study on the dorsal lingual surface of the lesser dog-faced fruit bat, *Cynopterus brachyotis*. *Okajimas Folia Anatomica Japonica* 78(4): 123-128.
- ENGLAND, A. 2002. Members in action: Texas cavers apply TLC to Bracken bat cave. *Bats* 20 (1): 13.
- ENTWISTLE, A. & CORP, N. 1997. Zum Status und Schutz des Pemba-Flughundes (*Pteropus voeltzkowi*). *Zool. Ges. Arten- und Populationsschutz Mitt.* 13 (1): 18-19.
- ENTWISTLE, A., RACEY, P.A. & SPEAKMAN, J.R. 2000. Social and population structure of a gleaning bat, *Plecotus auritus*. *Journal of Zoology (London)* 252 (1): 11-17.
- ERKERT, H.G. 2000. Bats - flying nocturnal mammals. *Ecological Studies* 141: 253-272.
- ERKERT, H.G. 2002. Aktivitätsperiodik der Chiroptera. In: Fischer, M.S., J. Niethammer, H. Schliemann & D. Starck. *Handbuch der Zoologie*. Walter de Gruyter, Berlin, New York 8 (2): 83-129.
- ERWIN, H.R., WILSON, W.W. & MOSS, C.F. 2001. A computational sensorimotor model of bat echolocation. *Journal of the Acoustical Society of America* 110 (2): 1176-1187.
- ESBERARD, C.E.L. 2000. Diversity of Chiroptera in protected areas from Tijuca Massif, Rio de Janeiro city, RJ. *Chiroptera Neotropical* 6 (1-2): 126-127.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ESBERARD, C.E.L. & DAEMON, C. 1999. Metodo para maracao de morcegos. *Chiroptera Neotropical* 5 (1-2): 116-117.
- ESTEBAN, J.G., AMENGUAL, B. & COBO, J.S. 2001. Composition and structure of helminth communities in two populations of *Pipistrellus pipistrellus* (Chiroptera: Vespertilionidae) from Spain. *Folia Parasitologica (Ceske Budejovice)* 48 (2): 143-148.
- ESTRADA, A. & COATES-ESTRADA, R. 2001. Bat species richness in live fences and in corridors of residual rain forest vegetation at Los Tuxtlas, Mexico. *Ecography* 24 (1): 94-102.
- EVERETTE, A.L., O'SHEA, T.J., ELLISON, L.E., STONE, L.A. & MCCANCE, J.L. 2001. Bat use of a high-plains urban wildlife refuge. *Wildlife Society Bulletin* 29 (3): 967-973.
- FABER, T. 1978. Bilan provisoire du recensement des populations de chauves-souris au Grand Duché de Luxembourg. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 5: 68-73.
- FAIRON, J. 1978. Révision des pipistrelles de la faune belge conservées dans les collections de l'I.R.S.N.B. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 5: 52-67.
- FAIRON, J. 1978. La Hulotte (*Strix aluco*) prédateur accidentel des chéiroptères ? *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 5: 96-97.
- FAIRON, J. 1980. Révision des "Plecotus" de la faune belge. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 6: 42-61.
- FAIRON, J. 1980. Le statut des Cheiroptères de la faune Belgo-Luxembourgeoise doit passer par une cartographie dynamique. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 6: 63-65.
- FAIRON, J., GILSON, R., JOORIS, R. & LEBRUN, M. 1978. Les réserves chéiroptérologiques en Belgique. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 5: 13-51.
- FANKHAUSER, T. 2001. Fledermausschutz im nördlichen Alpenvorland des Kantons Bern/Schweiz. *Nyctalus* 7 (5): 493-499.
- FEISTNER, A.T.C. & MALLINSON, J.J.C. 2000. A recipe for species conservation: multidisciplinary ingredients. *Conservation Biology Series (Cambridge)* 3: 309-323.
- FELLERS, G.M. & WAKE, T.A. 2000. Predation on *Corynorhinus townsendii* by *Rattus rattus*. *Southwestern Naturalist* 45 (4): 524-527.
- FENG, J., LI, Z.X., ZHU, J., ZHAO, H.H. & ZHANG, S.Y. 2001. Echolocation calls analysing of great evening bat (*Ia io*). *Zoological Research* 22 (3): 250-252.
- FENTON, M.B. 2000. Choosing the 'correct' bat detector. *Acta Chiropterologica* 2 (2): 215-224.
- FENTON, M.B. 2002. Sound wars. *Bats* 20 (1): 1-4.
- FENTON, M.B. & BOGDANOWICZ, W. 2002. Relationships between external morphology and foraging behaviour: bats in the genus *Myotis*. *Can. J. Zool.* 80: 1004-1013.
- FENTON, M.B., BUCHARD, S., VONHOF, M.J. & ZIGOURIS, J. 2001. Time-expansion and zero-crossing period meter systems present significantly different views of echolocation calls of bats. *Journal of Mammalogy* 82 (3): 721-727.
- FERRER P., A., LEW, D. & LASSO A., C.A. 2000. Note on predation by *Trachops cirrhosus* Spix, 1823 (Chiroptera, Phyllostomidae) in Venezuela. *Memoria de la Sociedad de Ciencias naturales La Salle* 58 (149): 145-147.
- FILIPPOV, A.G. & TIUNOV, M.P. 1999. Bat remains in caves of Irkutsk Region. *Plecotus et al.* 2: 100-107.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- FISCHER, F., GROSS, M. & LINSENMAIR, K.E. 2002. Updated list of the larger mammals of the Comoe National Park, Ivory Coast. *Mammalia* 66(1): 83-92.
- FLEMING, G.J. 2001. Common medical problems of megachiropterans in captivity. In: Baer, C. K. & Willette, M. M. [Eds]. *Proceedings American Association of Zoo Veterinarians*. Orlando, Florida September 18-23, 2001. American Association of Zoo Veterinarians: 305-310.
- FLEMING, T.H. 2001. The short-tailed fruit bat *Carollia perspicillata*. *Bats* 19 (4): 5-6.
- FOELLER, E. & KOESSL, M. 2000. Mechanical adaptations for echolocation in the cochlea of the bat *Hipposideros lankadiva*. *Journal of comparative Physiology A*, 186 (9): 859-870.
- FÖHR, G., FÖHR, B. & HINKEL, A. 2002. Zur Geschichte künstlicher Bruthöhlen und Ausstellung von Fledermaus-Ansiedlungshilfen im ersten Nistkasten- und Vogelschutzmuseum in Biberach-Ringschnait (Bayern). *Nyctalus* 8 (3): 223-230.
- FORD, W.M., MENZEL, M.A., MENZEL, J.M. & WELCH, D.J. 2002. Influence of summer temperature on sex ratios in eastern red bats (*Lasiurus borealis*). *American Midland Naturalist*:147 (1): 179-184.
- FORGET, F. 2001. La sérotine bicolore (*Vespertilio murinus*), une nouvelle espèce de mammifère en region wallonne. *Aves Contact* 37 (3): 8-9.
- FORGET, F., BORREMANNS, H. & BOUSSON, E. 2002. Des nichoirs pour les chauves-souris. *Aves Contact* 38(1): 27-30.
- FRANCIS, C.M. & HILL, J.E. 1998. New records and a new species of *Myotis* (Chiroptera, Vespertilionidae) from Malaysia. *Mammalia* 62 (2): 241-252.
- FRANK, J. 2001. Fledermausjagender Wanderfalke *Falco peregrinus* in Brunei. *Abhandlungen und Berichte aus dem Museum Heineanum* 5: 135.
- FRENCH, B. 2001. Winter records in Texas for *Lasionycteris noctivagans*, *Lasiurus borealis*, *Lasiurus cinereus*, and *Nycticeius humeralis*. *Bat Research News* 42 (4): 198.
- FRENCH, B. 2001. Captive longevity record for *Eptesicus fuscus*. *Bat Research News* 42 (4): 198.
- FULLARD, J.H. 2001. Auditory sensitivity of Hawaiian moths (Lepidoptera: Noctuidae) and selective predation by the Hawaiian hoary bat (Chiroptera: *Lasiurus cinereus semotus*). *Proceeding Royal Society of London Series B*, 268 (1474): 1375-1380.
- FUNAKOSHI, K. & FUKUE, Y. 2001. Prenatal and postnatal growth in the greater horseshoe bat, *Rhinolophus ferrumequinum*, in the Kyushu District, Japan. *Honyurui Kagaku* 41 (2): 171-186.
- FUNAKOSHI, K. & YAMAMOTO, T. 2001. The first record of the roosts of the Oriental free-tailed bat, *Tadarida insignis* on the islet of Biroujima, Kochi Prefecture. *Honyurui Kagaku* 41 (1): 87-92.
- FUSZARA, E. & FUSZARA, M. 1996. [Reproductive behaviour and parental care in bats (Chiroptera).] *Kosmos* (Warsaw) 45 (2-3): 523-532 (en polonais).
- GAISLER, J. 2001. A mammal species new to the Czech Republic: Savi's pipistrelle *Hypsugo savii*. *Folia Zoologica* 50 (3): 231-233.
- GAISLER, J. & CHYTIL, J. 2002. Mark-recapture results and changes in bat abundance at the cave of Na Turoldu, Czech Republic. *Folia-Zoologica* 51 (1): 1-10.
- GALAMBOS, R. 1942. The avoidance of obstacles by flying bats: Spallanzani's ideas (1794) and later theories. *Isis* 34: 132-140.
- GALAN, P. 2000. Primeros datos sobre el murcielago bigotudo *Myotis mystacina* (Kuhl, 1817) en Galicia. *Galemus* 12 (1): 41-47.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GALAZ, J.L., TORRES MURA, J.C. & YANEZ, J. 1999. Platalina genovensium (Thomas, 1928), un quiroptero nuevo para la fauna de Chile (Phyllostomatidae: Glossophaginae). Noticiario mensual Mus. Nac. Hist. nat. (Santiago) 337: 6-12 (résumé anglais).
- GANNON, W.L. & BOGDANOWICZ, W. 2000. Contributions to the study of bats: field use of acoustic detectors. Acta Chiropterologica 2 (2): 127-236.
- GANNON, W.L., SHERWIN, R.E., DE CARVALHO, T.N. & O'FARRELL, M.J. 2001. Pinnae and echolocation call differences between Myotis californicus and M. ciliolabrum (Chiroptera: Vespertilionidae). Acta Chiropterologica 3 (1): 77-91.
- GARCIA, Q.S., REZENDE, J.L.P. & AGUIAR, L.M.S. 2000. Seed dispersal by bats in a disturbed area of southeastern Brazil. Revista de Biologia Tropical 48 (1): 125-128.
- GARRIDO GARCIA, J.A. 1992. Distribución de los Quirópteros (Mammalia) en la depresión de Guadix (Granada, España). Zoologica Baetica 3: 147-157.
- GARRIDO GARCIA, J.A. 1997. La alimentación de Myotis myotis Borkh. 1797 (Chiroptera, Vespertilionidae) en la cuenca del río Guadix (Sureste de España). Doñana Acta Vertebrata 24 (1-2): 27-38. (en espagnol, résumé anglais).
- GARRIDO GARCIA, J.A. & NOGUERAS, J. 2001. Colecciones Barbastella 2: 13.
- GAS, A. & POSTAWA, T. 2001. Bat fauna of the Stunisko Cave. Studia Chiropterologica 2: 3-16.
- GAS, A. & POSTAWA, T. 2001. [Constantine-Tuttle's harp trap]. Studia Chiropterologica 2: 84-86.
- GAVAND, M. & CHATURVEDI, N. 1999. Status of painted bat Kerivoula picta (Pallas 1767) in Maharashtra. Journal of the Bombay natural History Society 96 (2): 309.
- GAZARYAN, S.V. 1999. New data on the occurrence of Schreiber's bats (Miniopterus schreibersi) in the Western Caucasus. Plecotus et al. 2: 88-93 (en russe, résumé anglais).
- GAZARYAN, S.V. 2000. New data on the occurrence of the barbastelle in the Western Caucasus. Plecotus et al. 3: 94-102 (en russe, résumé anglais).
- GAZARYAN, S.V. 2001. [New records of rare bat species in the Western Caucasus]. Plecotus et al. 4: 57-63 (résumé anglais).
- GEBHARD, J. 2001. Wie lange fasten Grosse Abendsegler (Nyctalus noctula) im winter ? Pro Chiroptera 2: 1-5.
- GEBHARD, J. 2001. Quartier treue rettet Grossen Abendsegler (Nyctalus noctula). Pro Chiroptera 2: 8.
- GEBHARD, J. 2001. Fledermäuse im Wandel der Zeit - Mythologie, Forschung, Schutz -. Pro Chiroptera 2: 15-21.
- GEBHARD, J. 2001. So alt können Grosse Abendsegler (Nyctalus noctula) werden ! Pro Chiroptera 2: 23-24.
- GEBHARD, J. 2001. Gemeinsam im Winterquartier: Grosse Abendsegler (Nyctalus noctula) und Kleine Abendsegler (Nyctalus leisleri) in einer gefällten Buche entdeckt. Pro Chiroptera 2: 24-25.
- GEBHARD, J. 2001. Winterkolonie der Rauhhaufledermaus (Pipistrellus nathusii) beim Abriss einer Scheune entdeckt. Pro Chiroptera 2: 27-29.
- GEBHARD, J. 2001. Späte Kopulationen im Winterquartier des Grossen Abendseglers (Nyctalus noctula). Pro Chiroptera 2: 29-30.
- GEBHARD, J. 2001. Rauhhaufledermaus (Pipistrellus nathusii) lässt sich nicht beringen. Pro Chiroptera 2: 30-31.
- GEBHARD, J. 2001. Falsch gemessen: Flugrekord eines Grossen Abendseglers (Nyctalus noctula). Pro Chiroptera 2: 31-32.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GEBHARD, J. 2001. Wieder eine Drillingsgeburt beim Grossen Abendsegler (*Nyctalus noctula*). *Pro Chiroptera* 2: 33-34.
- GEHRIG, C. 2002. Analyse des captures - recaptures de Murin de Daubenton (*Myotis daubentoni*, Leisler in Kuhl, 1819) du canton de Neuchâtel. Rapport de stage, La Chaux-de-Fonds: 10 p. + annexes
- GELUSO, K. 2000. Distribution of the spotted bat (*Euderma maculatum*) in Nevada, including notes on reproduction. *Southwestern Naturalist* 45 (3): 347-352.
- GENOWAYS, H.H., FREEMAN, P.W. & GRELL, C. 2000. Extralimital records of the Mexican free-tailed bat (*Tadarida brasiliensis mexicana*) in the central United States and their biological significance. *Transactions of the Nebraska Academy of Sciences* 26: 85-96.
- GENOWAYS, H.H., PHILLIPS, C.J. & BAKER, R.J. 1998. Bats of the Antillean Island of Grenada: a new zoogeographic perspective. *Occ. Papers Mus. Texas Tech Univ.* 177: 1-28.
- GHEORGHIU, V., PETCULESCU, A. & IAVORSCHI, V. 2001. Contribution to the knowledge of the Chiroptera distribution from Romanian sector of the Carpathian mountains. *Studia Chiropterologica* 2: 17-46.
- GIANNINI, N.P. 1999. Selection of diet and elevation by sympatric species of *Sturnira* in an Andean rainforest. *J. Mammal.* 80 (4): 1186-1195.
- GIANNINI, N.P. & VILLALOBOS BRENES, F. 2001. Flight cage observations of foraging mode in *Phyllostomus discolor*, *P. hastatus*, and *Glossophaga commissarisi*. *Biotropica* 33 (3): 546-550.
- GILSON, R. 1978. Notes sur le thermopreferendum et l'emplacement préférentiel du Vespertilion des marais (*Myotis dasycneme* Boie, 1925) pendant l'hibernation. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 5: 74-95.
- GILSON, R. 1980. Observations sur les Cheiroptères de la Grande Carrière de Romont à Eben-Emael. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 6: 25-38.
- GILSON, R. 1980. Observations sur les Cheiroptères de la Carrière KOEGAT. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 6: 39.
- GIORGI, M.S., ARLETTAZ, R., CHRISTE, P. & VOGEL, P. 2001. The energetic grooming costs imposed by a parasitic mite (*Spinturnix myoti*) upon its bat host (*Myotis myotis*). *Proc. R. Soc. Lond. B* 268: 2071-2075.
- GITZEN, R.A., WEST, S.D., BAUMGARDT, J.A. 2001. A record of the spotted bat (*Euderma maculatum*) from Crescent Bar, Washington. *Northwestern Naturalist* 82 (1): 28-30.
- GODLEVSKA, L.V., PETRUSHENKO, Ya.V & KONDRATENKO, O.V. 2001. New records of Natterer's bat (*Myotis nattereri*) from eastern and southern Ukraine. *Vestnik-Zoologii, Noyabr'-Dekabr'* 35 (6): 52.
- GOEBBEL, L. 2000. The external nasal cartilages in Chiroptera: Significance for intraordinal relationships. *Journal of Mammalian Evolution* 7 (3): 167-201.
- GORNIK, J. & FURMANKIEWICZ, M. 2001. [New observation of *Myotis bechsteinii* in Sudety]. *Studia Chiropterologica* 2: 87-90.
- GOTTSCHALK, C. 2001. Zum Gedenken an den Fledermausfreund Dr. Joachim Lehmann, Pfarrer i. R. in Cospeda bei Jena. *Landschaftspflege und Naturschutz in Thüringen* 38 (1): 39.
- GRACIOLLI, G. 2001. Distribuição geográfica e hospedeiros quirópteros (Mammalia, Chiroptera) de moscas nictéribidas americanas (Diptera, Nycteribiidae). *Revista Brasileira de Zoologia* 18 (Suppl. 1): 307-322.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GRACIOLLI, G. & AGUIAR, L.S. 2002. Ocorrência de moscas ectoparasitas (Diptera, Streblidae e Nycteribiidae) de morcegos (Mammalia, Chiroptera) no Cerrado de Brasília, Distrito Federal, Brasil. *Revista Brasileira de Zoologia* 19 (1): 77-86.
- GRACIOLLI, G. & BERNARD, E. 2002. Novos registros de moscas ectoparasitas (Diptera, Streblidae e Nycteribiidae) em morcegos (Mammalia, Chiroptera) do Amazonas e Pará, Brasil. *Revista Brasileira de Zoologia* 19 (1): 77-86.
- GRACIOLLI, G. & COELHO, D.C. 2001. Streblidae (Diptera, Hippoboscoidea) sobre morcegos filostomideos (Chiroptera, Phyllostomidae) em cavernas do Distrito Federal Brasil. *Revista Brasileira de Zoologia* 18 (3): 965-970.
- GRACIOLLI, G. & DE CARVALHO, C.J.B. 2001. Moscas ectoparasitas (Diptera, Hippoboscoidea, Nycteribiidae) de morcegos (Mammalia, Chiroptera) do Estado do Parana, Brasil. I. Basílica, taxonomia e chave pictórica para as espécies. *Revista Brasileira de Zoologia* 18 (suppl. 1): 33-49.
- GRACIOLLI, G. & DE CARVALHO, C.J.B. 2001. Moscas ectoparasitas (Diptera, Hippoboscoidea, Nycteribiidae) de morcegos (Mammalia, Chiroptera) do Estado do Parana, Brasil. II. Streblidae. chave pictórica para gêneros e espécies. *Revista Brasileira de Zoologia* 18 (3): 907-960.
- GRACIOLLI, G. & LINARDI P.M. 2002. Some Streblidae and Nycteribiidae (Diptera: Hippoboscoidea) from Maracá Island, Roraima, Brazil. *Mem. Inst. Oswaldo Cruz, Rio de Janeiro* 97 (1): 139-141.
- GRACIOLLI, G. & RUI, A.M. 2001. Streblidae (Diptera, Hippoboscoidea) em morcegos (Chiroptera, Phyllostomidae) no nordeste do Rio Grande do Sul, Brasil. *Iheringia Serie Zoologia* 90: 85-92.
- GRAMS, K. & ROLETT, J. 2001. Enrichment options. *Animal Keepers' Forum* 28 (12): 458-459.
- GREENAWAY, F. 2001. The barbastelle in Britain. *British Wildlife* 12 (5): 327-334.
- GREGORIN, R. & TADDEI, V.A. 2000. New records of Molossus and Promops from Brazil (Chiroptera: Molossidae). *Mammalia* 64 (4): 471-476.
- GREMILLET, X. 2002. Les Chiroptères de la Directive Habitats: le Grand Rhinolophe *Rhinolophus ferrumequinum* (Schreber, 1774). *Arvicola* 14 (1): 10-14.
- GRIFFIN, D.R., WEBSTER, F.A. & MICHAEL, C.R. 1960. The echolocation of flying insects by bats. *Anim. Behav.* 8: 141-154.
- GRINDAL, S.D. & BRIGHAM, R.M. 1999. Impacts of forest harvesting on habitat use by foraging insectivorous bats at different spatial scales. *Ecoscience* 6 (1): 25-34.
- GRINDAL, S.D., MORISSETTE, J.L. & BRIGHAM, R.M. 1999. Concentration of bat activity in riparian habitats over an elevational gradient. *Can. J. Zool.* 77 (6): 972-977.
- GROTHER, B., COVEY, E. & CASSEDAY, J.H. 2001. Medial superior olive of the big brown bat: neuronal responses to pure tones, amplitude modulations, and pulse trains. *Journal of Neurophysiology (Bethesda)* 86 (5): 2219-2230.
- GUEDES, P.G., DA SILVA, S.S.P., CAMARDELLA, A.R., GOMES DE ABREU, M.F., BORGES-JOJOSA, D.M., DA SILVA, J.A.G. & SILVA, A.A. 2000. Diversidade de mamíferos do parque nacional de Ubajara (Ceará, Brasil). *J. Neotrop. Mammal* 7 (2): 95-100.
- HAFFNER, M. & ROBINSON, S.M.C. 2000. Structure and function of pilosebaceous units on the heads of small mammals (Insectivora, Chiroptera, Rodentia). *Acta Zoologica (Stockholm)* 81 (3): 195-203.
- HALL, D.B. 2000. Bat monitoring on the Nevada Test Site in south-central Nevada. *Transactions of the western Section of the Wildlife Society* 36: 8-14.
- HAMON, B. 2000. Contribution à la connaissance des espèces de chauves-souris (Chiroptera Mam.) identifiées dans le département de la Haute-Saône (1815-1992). *Bulletin de la Société d'Histoire naturelle du Pays de Montbéliard* 2000: 289-294.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HANAK, V., BENDA, P., RUEDI, M., HORACEK, I. & SOFIANIDOU, T.S. 2001. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 2. New records and review of distribution of bats in Greece. *Acta Soc. Zool. Bohem.* 65: 279-346.
- HARLEY, D., RITCHIE, S., PHILLIPS, D. & VAN DEN HURK, A. 2000. Mosquito isolates of Ross River virus from Cairns, Queensland, Australia. *American Journal of tropical Medicine and Hygiene* 62 (5): 561-565.
- HARLEY, D., SLEIGH, A. & RITCHIE, S. 2001. Ross River virus transmission, infection, and disease: a cross-disciplinary review. *Clinical Microbiology Reviews* 14 (4): 909-932
- HASTRITER, M.W. & GUERRERO, R. 1998. A review of the genus *Hormopsylla* (Siphonaptera: Ischnopsyllidae). *Proceedings of the entomological Society of Washington* 100 (2): 247-251.
- HASTRITER, M.W. & MENDEZ, E. 2000. A review of the flea genera *Hectopsylla* Frauenfeld and *Rhynchopsyllus* Haller (Siphonaptera: Pulicidae). *Proceedings of the entomological Society of Washington* 102 (3): 613-624.
- HAYASHI, T., UCHIDA, K. & KAWAMOTO, K. 2002. Basic properties and annual changes of follicle-stimulating hormone receptors in the testis of horseshoe bats, *Rhinolophus ferrumequinum*. *Journal of Experimental Zoology* 292 (3): 304-313.
- HAYES, J.P. & HOUNIHAN, P. 2000. Assumptions and practical considerations in the design and interpretation of echolocation-monitoring studies. *Acta Chiropterologica* 2 (2): 225-236.
- HEDDERGOTT, M. & VON RÖNN, J. 2002. Nachweise von Fledermäusen (Mammalia: Chiroptera) auf der Greifswalder Oie. *Seevögel* 23(1): 9-13.
- HEFFNER, R.S., KOAY, G. & HEFFNER, H.E. 2001. Sound localization in a new-world frugivorous bat, *Artibeus jamaicensis*: Acuity, use of binaural cues, and relationship to vision. *Journal of the acoustical Society of America* 109 (1): 412-421.
- HEIDEMAN, P.D. 2000. Environmental regulation of reproduction. In: Crichton, E.G. & Krutzsch, P.H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc.: 469-499.
- HENDRICHSEN, D.K. 2001. Recent records of bats (Chiroptera) from Cambodia. *Acta Chiropterologica* 3 (1): 21-32.
- HERDER, M.J. & JACKSON, J.G. 2000. Roost preferences of long-legged myotis in northern Arizona. *Transactions of the western Section of the Wildlife Society* 36: 1-7.
- HERMANSON, J.W. 2000. A comparative perspective on the ontogeny of flight muscles in bats. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge University Press, Cambridge, New York etc. 2000: 333-361.
- HERNANDEZ FERNANDEZ, M. & BRANDL, R. 2001. Bioclimatic discriminant capacity of terrestrial mammal faunas. *Global Ecology and Biogeography* 10 (2): 189-204.
- HERNANDEZ HUERTA, A., SOSA, V.J., ARANDA, J.M. & BELLO, J. 2000. Records of small mammals in the Calakmul Biosphere Reserve, Yucatan Peninsula. *Southwestern Naturalist* 45 (3): 340-344.
- HERRERA M., L.G., HOBSON, K.A., MANZO A., A., ESTRADA B., D., SANCHEZ CORDERO, V. & MENDEZ C., G. 2001. The role of fruits and insects in the nutrition of frugivorous bats: Evaluating the use of stable isotope models. *Biotropica* 33 (3): 520-528.
- HERRERA MONTALVO, L.G. & FLORES MARTINEZ, J.J. 2001. Conserving fishing bats in the Sea of Cortez. *Bats* 19 (2): 7-11.
- HICE, C.L. & SOLARI, S. 2002. First record of *Centronycteris maximiliani* (Fischer, 1829) and two additional records of *C. centralis* Thomas, 1912 from Peru. *Acta Chiropterologica* 4 (2): 217-220.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HIGGINBOTHAM, J.L., AMMERMAN, L.K. & DIXON, M.T. 1999. First record of *Lasiurus xanthinus* (Chiroptera: Vespertilionidae) in Texas. *SWest Nat.* 44 (3): 343-347.
- HIGGINBOTHAM, J.L., DIXON, M.T. & AMMERMAN, L.K. 2000. *Yucca* provides roost for *Lasiurus xanthinus* (Chiroptera: Vespertilionidae) in Texas. *Southwestern Naturalist* 45 (3): 338-340.
- HIGGINBOTHAM, J.L. & JONES, C. 2001. The southeastern myotis, *Myotis austroriparius* (Chiroptera: Vespertilionidae), from Comanche County, Texas. *Texas Journal of Science* 53 (2): 193-195.
- HOCH, S. 2000. Jahresbericht der Liechtensteiner Arbeitsgruppe fuer Fledermausschutz 1999. *Ber. bot. zool. Ges. Liechtenstein-Sargans-Werdenberg* 27: 335-344.
- HOFFMANN, F.G. & BAKER, R.J. 2001. Systematics of bats of the genus *Glossophaga* (Chiroptera: Phyllostomidae) and phylogeography in *G. soricina* based on the cytochrome-b gene. *Journal of Mammalogy* 82 (4): 1092-1101.
- HOLZHAIDER, J. & ZAHN, A. 2001. Bats in the Bavarian Alps: species composition and utilization of higher altitudes in summer. *Mammalian Biology* 66 (3): 144-154.
- HOOD, W.R., KUNZ, T.H., OFTDAL, O.T., IVERSON, S.J., LEBLANC, D. & SEYJAGAT, J. 2001. Interspecific and intraspecific variation in proximate, mineral, and fatty acid composition of milk in Old World fruit bats (Chiroptera: Pteropodidae). *Physiological and Biochemical Zoology* 74 (1): 134-146.
- HOSKEN, D.J., JONES, K.E., CHIPPERFIELD, K. & DIXSON, A. 2001. Is the bat os penis sexually selected? *Behav. Ecol. Sociobiol.* 50: 450-460.
- HUBART, J.-M. 1998. Essai de contribution à la cohabitation des chauves-souris et des hommes. Sept années d'observations. *Regards (Bulletin de l'UBS)* 32: 25-29.
- HUBART, J.-M. 2001. Essai de contribution à la cohabitation des chauves-souris et des hommes. Sept années d'observations. Service Géologique de Belgique, Professional Paper 295: 21-25.
- HUBNER, G., PAPADOPOULOS, R. & PAPADOPOULOS, D. 2001. Späte Fledermausfunde in Coburger Winterquartieren (Nordbayern) im April 2001. *Pro Chiroptera* 2: 6-7.
- HURLEY, L.M. & THOMPSON, A.M. 2001. Serotonergic innervation of the auditory brainstem of the Mexican free-tailed bat, *Tadarida brasiliensis*. *Journal of comparative Neurology* 435 (1): 78-88.
- HUTTMEIR, U. 1997. Der aktuelle Kenntnisstand der Fledermaus-Fauna (Chiroptera) Salzburgs: vorläufige Artenliste. *Mitt. Haus Natur* 13: 43-54.
- HUTTMEIR, U. 1999. Vorkommen und Gefährdung gebäudebewohnender Fledermäuse (Chiroptera: Rhinolophidae, Vespertilionidae) im Salzburger Anteil des Nationalparks Hohe Tauern und in den Nationalparkgemeinden des Pinzgaues. *Wiss. Mitt. Nat. Park Hohe Tauern* 5: 161-184.
- HUTTMEIR, U., REITER, G. & JERABEK, M. 2001. Fledermäuse in Salzburg: Kartierung - Monitoring - Schutz. *Sauteria* 11: 179-185.
- IBANEZ, C. 2001. Dos nuevas especies crípticas de murciélagos en Europa. *Barbastella* 2: 12.
- IBANEZ, C., LOPEZ WILCHIS, R., JUSTE B., J. & LEON GALVAN, M.A. 2000. Echolocation calls and a noteworthy record of *Pteronotus gymnotus* (Chiroptera, Mormoopidae) from Tabasco, Mexico. *Southwestern Naturalist* 45 (3): 345-347.
- ICHIDA, J.M., ROSA, M.G.P. & CASAGRANDE, V.A. 2000. Does the visual system of the flying fox resemble that of primates? The distribution of calcium-binding proteins in the primary visual pathway of *Pteropus poliocephalus*. *The Journal of comparative Neurology* 417 (1): 73-87.
- ILYIN, V.YU. 2000. Dynamics of the ranges of three bat species in south-eastern Europe. *Plecotus et al.* 3: 43-49.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- IMAZ, E., AIHARTZA, J.R. & TOTRIKA, M.J. 1999. Ectoparasites on bats (Gamasida, Ixodida, Diptera) in Biscay (N Iberian peninsula). *Miscellanea Zoologica* (Barcelona) 22 (2): 21-30.
- IVANCHEVA, E.Yu. 2000. The bats of Ryazan Region. *Plecotus et al.* 3: 85-93.
- IVANOVA, T. 1998. First data on bats of the Central Balkan Mts., Bulgaria. *Vespertilio* 3: 29-36.
- IVANOVA, T. 2000. New data on bats (Mammalia: Chiroptera) from the Eastern Rhodopes, Greece (Thrace, Evros). *Historia Naturalis Bulgarica* 11: 117-125.
- IVANOVA, T. & PETROV, B.P. 2001. [A new stage in the study of bats (Chiroptera) in Bulgaria]. *Historia Naturalis Bulgarica* 13: 88.
- IVANOVA, T. & POPOV, V.V. 1994. First record of *Pipistrellus kuhli* (Kuhl, 1819) (Vespertilionidae, Chiroptera, Mammalia) from Bulgaria. *Acta Zoologica Bulgarica* 47: 79-81.
- IVANOVA, T., STOEV, P. & PETROV, B.P. 1995. *Brachytarsina flavipennis* Macquart, 1851 (Diptera, Streblidae), member of a new family for the Bulgarian fauna. *Historia Naturalis Bulgarica* 5: 35-36.
- IZAWA, M. & MAEDA, K. 1998. Record of *Pipistrellus abramus* from Iriomote Island, southern Ryukyus, Japan. *Island Studies in Okinawa* 16: 17-18.
- JABERG, C. & GUISAN, A. 2001. Modelling the distribution of bats in relation to landscape structure in a temperate mountain environment. *Journal of Applied Ecology* 38: 1169-1181.
- JACOBS, D.S. 2000. Community level support for the allotonic frequency hypothesis. *Acta Chiropterologica* 2 (2): 197-207.
- JAHELKOVA, H., LUCAN, R. & HANAK, V. 2000. New data about Nathusius's pipistrelle (*Pipistrellus nathusii*) in Southern Bohemia (Czech Republic). *Lynx* (Prague) 31: 41-51 (en tchèque, résumé anglais).
- JANSSEN, R. & SPOELSTRA, K. 2001. [Rare bats - are they back once again in The Netherlands?]. *Zoogdier* 12 (2): 28-29 (en hollandais).
- JENSEN, M.E., MILLER, L.A. & RYDELL, J. 2001. Detection of prey in a cluttered environment by the northern bat *Eptesicus nilssonii*. *Journal of experimental Biology* 204 (2): 199-208.
- JERE, C. & DOCZY, A. 2001. Preliminary data on the house-dwelling bat fauna of Hargita County. *Collegium Biologicum* 3: 45-56 (en roumain, résumé anglais).
- JOHARA, M.Y., FIELD, H., RASHDI, A.M., MORRISSY, C., VAN DER HEIDE, B., ROTA, P., ADZHAR, A.B., WHITE, J., DANIELS, P., JAMALUDDIN, A. & KSIAZEK, T. 2001. Nipah virus infection in bats (order Chiroptera) in peninsular Malaysia. *Emerging infectious Diseases* 7 (3): 439-441.
- JOHNSTON, D.S. & FENTON, M.B. 2001. Individual and population-level variability in diets of pallid bats (*Antrozous pallidus*). *Journal of Mammalogy* 82 (2): 362-373.
- JONES, G. 2000. The ontogeny of behavior in bats: a functional perspective. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge University Press, Cambridge, New York etc.: 362-392.
- JONES, G., VAUGHAN, N. & PARSONS, S. 2000. Acoustic identification of bats from directly sampled and time expanded recordings of vocalizations. *Acta Chiropterologica* 2 (2): 155-170.
- JONES, G. & WATERS, D.A. 2000. Moth hearing in response to bat echolocation calls manipulated independently in time and frequency. *Proceedings Royal Society of London, Sér. B*, 267 (1453): 1627-1632.
- JONES, K.E. 2001. Chiroptera (Bats). *Encyclopedia of Life Sciences*. Macmillan Publishers Ltd, Nature Publishing Group.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- JONES, K.E., BARLOW, K.E., VAUGHAN, N., RODRIGUEZ-DURAN, A. & GANNON, M.R. 2001. Short-term impacts of extreme environmental disturbance on the bats of Puerto Rico. *Animal Conservation* 4 (1): 59-66.
- JONES, K.E. & MACLARNON, A. 2001. Bat life histories: testing models of mammalian life-history evolution. *Evolutionary Ecology Research* 3 (4): 465-476.
- JONES, K.E., PURVIS, A., MACLARNON, A. BININDA-EMONDS, O.R.P. & SIMMONS, N.B. 2002. A phylogenetic supertree of the bats (Mammalia: Chiroptera). *Biol. Rev.* 77: 223-259.
- JOORIS, R. 1978. Over het gebruik van ultrasonontvangers bij het veldchiropterologisch onderzoek. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 5: 98-105.
- JOORIS, R. & GOOSSENS, R. 1980. Concernant le choix d'habitat de *Myotis daubentoni* (Kuhl, 1819) et la présence d'autres Cheiroptères dans les lieux d'hibernation anthropogènes de Basse-Belgique. *Bulletin du Centre de Baguement et de Recherche Cheiroptérologique de Belgique* 6: 3-24.
- JOURDE, P. & GROUPE CHIROPTERES DE CHARENTE MARITIME. 2001. Contribution à la connaissance des chiroptères de Charente-Maritime. Bilan de quatre années d'étude. *Annales de la Société des Sciences naturelles de la Charente-Maritime* 9 (1): 69-86.
- JULLIEN, R. 1976. Les chiroptères. In: *La préhistoire française. II. civilisations paléolithiques et mésolithiques*. Ed. CNRS: 427-429.
- JURCZYSZYN, M. & BAJACZYK, R. 2001. Departure dynamics of *Myotis daubentonii* (Kuhl, 1817) (Mammalia, Chiroptera) from their hibernaculum. *Mammalia* 65 (2): 121-130.
- JUSTE, J., IBANEZ, C. & MACHORDOM, A. 2000. Morphological and allozyme variation of *Eidolon helvum* (Mammalia: Megachiroptera) in the islands of the Gulf of Guinea. *Biological Journal of the Linnean Society* 71 (2): 359-378.
- JUSTE, J., LOPEZ-GONZALEZ, C. & STRAUSS, R.E. 2001. Analysis of asymmetries in the African fruit bats *Eidolon helvum* and *Rousettus aegyptiacus* (Mammalia: Megachiroptera) from the islands of the Gulf of Guinea. II. Integration and levels of multivariate fluctuating asymmetry across a geographical range. *Journal of evolutionary Biology* 14 (4): 672-680.
- JUSTE, J., LOPEZ-GONZALEZ, C. & STRAUSS, R.E. 2001. Analysis of asymmetries in the African fruit bats *Eidolon helvum* and *Rousettus aegyptiacus* (Mammalia: Megachiroptera) from the islands of the Gulf of Guinea. I. Variance and size components of bilateral variation. *Journal of evolutionary Biology* 14 (4): 663-671.
- KABAT, A.P. & KINCADE, T.J. 2000. A portable device for restraining small bats. *Australian Mammalogy* 21 (2): 249-250.
- KAJTOCH, L. 2001. [Observation of diurnal flight of *Nyctalus* sp. over the Raba river]. *Studia Chiropterologica* 2: 91.
- KARLSSON, B.L., EKLÖF, J. & RYDELL, J. 2002. No lunar phobia in swarming insectivorous bats (family Vespertilionidae). *Journal of Zoology, London* 256: 473-477.
- KASPRZYK, K. & RUCZYNSKI, I. 2001. The structure of bat communities roosting in bird nest boxes in two pine monocultures in Poland. *Folia Zoologica* 50 (2): 107-116.
- KAUFMAN, D.M. & WILLIG, M.R. 1998. Latitudinal patterns of mammalian species richness in the New World: the effects of sampling method and faunal group. *J. Biogeogr.* 25 (4): 795-805.
- KAY, E. 2001. Observations on the pollination of *Passiflora penduliflora*. *Biotropica* 33 (4): 709-713.
- KAZIAL, K.A., BURNETT, S.C. & MASTERS, W.M. 2001. Individual and group variation in echolocation calls of big brown bats, *Eptesicus fuscus* (Chiroptera: Vespertilionidae). *Journal of Mammalogy* 82 (2): 339-351.





## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KEARNEY, T.C., VOLLETH, M., CONTRAFATTO, G. & TAYLOR, P.J. 2002. Systematic implications of chromosome GTG-band and bacula morphology for Southern African Eptesicus and Pipistrellus and several other species of Vespertilioninae (Chiroptera: Vespertilionidae). *Acta Chiropterologica* 40 (1): 55-76.
- KERTH, G., MAYER, F. & PETIT, E. 2002. Extreme sex-biased dispersal in the communally breeding, nonmigratory Bechstein's bat (*Myotis bechsteinii*). *Molecular Ecology* 11: 1491-1498.
- KERTH, G., SAFI, K. & KONIG, B. 2002. Mean colony relatedness is a poor predictor of colony structure and female philopatry in the communally breeding Bechstein's bat (*Myotis bechsteinii*). *Behavioral Ecology and Sociobiology* 52: 203-210.
- KERTH, G., WAGNER, M. & KONIG, B. 2001. Roosting together, foraging apart: Information transfer about food is unlikely to explain sociality in female Bechstein's bats (*Myotis bechsteinii*). *Behavioral Ecology and Sociobiology* 50 (3): 283-291.
- KESSLER, M. & KRÖMER, T. 2000. Patterns and ecological correlates of pollination modes among bromeliad communities of Andean forests in Bolivia. *Plant Biology (Stuttgart)* 2 (6): 659-669.
- KEULEN, A. & VERHEGGEN, L. 2002. [Summer sighting records of Geoffroy's bats.] *Zoogdier* 13(1): 31-32 (en hollandais).
- KHAN, M.A.R. 2001. Status and distribution of bats in Bangladesh with notes on their ecology. *Zoos' Print Journal* 16 (5): 479-483.
- KHRITANKOV, A.M. & OVODOV, N.D. 2001. [Longevity of Brandt's bats (*Myotis brandtii* Eversmann) in Central Siberia]. *Plecotus et al.* 4: 20-24 (résumé anglais).
- KIFUNE, T. 2000. A new species of the genus *Neoheterophyes* (Trematoda: Digenea: Heterophyidae) parasitic on a Japanese bat. *Medical Bulletin of Fukuoka University* 27 (4): 217-219.
- KIFUNE, T., SAWADA, I. & HARADA, M. 2001. Helminth fauna of bats in Japan LIV. *Medical Bulletin of Fukuoka University* 28 (1): 1-9.
- KIM, M.H., PARK, K., GWAG, B.J., JUNG, N.P., OH, Y.K., SHIN, H.C. & CHOI, I.H. 2000. Seasonal biochemical plasticity of a flight muscle in a bat, *Murina leucogaster*. *Comparative Biochemistry and Physiology A*, 126A (2): 245-250.
- KIRKEGAARD, M. & JORGENSEN, J.M. 2001. The inner ear macular sensory epithelia of the Daubenton's bat. *Journal of comparative Neurology* 438 (4): 433-444.
- KISER, M. 2002. North American bat huse research project. BCI's volunteer researchers design better homes for bats. *Bats* 20 (2): 19-21.
- KISER, M. & KISER, S. 2002. Cultivating bats. *Bats* 20 (1): 7-9.
- KLIS, T., FURMANKIEWCZ, J. & KOKUREWICZ, T. 2001. [Changes in number and species composition of bats hibernating in natural caves of Polom (Kaczawskie Mts, W Sudetes) in the years 1964-2001]. *Studia Chiropterologica* 2: 47-66.
- KOCK, D. 2001. Identity of the African *Vespertilio hesperida* Temminck 1840 (Mammalia, Chiroptera, Vespertilionidae). *Senckenbergiana biologica* 81 (1/2): 277-283.
- KOCK, D. 2001. *Rousettus aegyptiacus* (E. Geoffroy St. Hilaire, 1810) and *Pipistrellus anchietae* (Seabra, 1900), justified emendations of original spellings. *Acta Chiropterologica* 3 (2): 245-248.
- KOCK, D., AL-JUMAILY, M. & NASHER, A.K. 2001. On the genus *Rhinopoma* E. Geoffroy 1818, and a record of *Rh. muscatellum* Thomas 1903 from Yemen (Mammalia, Chiroptera, Rhinopomatidae). *Senckenbergiana biologica* 81 (1/2): 285-287.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KOMPANJE, E.J.O. & MOELIKER, C.W. 2001. Some fruit bats from remote Moluccan and West-Papuan islands, with the description of a new subspecies of *Macroglossus minimus* (Megachiroptera: Pteropodidae). *Deinsea* 8: 143-168.
- KÖNIG, H., GRIMM, F., SEILER, L. & WISSING, H. 2001. Ergebnisse der Fledermauserfassungen (Winter 1996/97-2000/01) im südlichen Rheinhessen und in der Pfalz (Bundesrepublik Deutschland; Rheinland-Pfalz). *Fauna und Flora in Rheinland Pfalz* 9 (3): 971-983.
- KÖNIG, H. & WISSING, H. 2001. Fortpflanzungsnachweise der Nordfledermaus (*Eptesicus nilssonii* Keyserling & Blasius, 1839) in der Pfalz (BRD, Rheinland-Pfalz) mit Anmerkungen zur aktuellen Verbreitung der Art im Untersuchungsgebiet. *Fauna und Flora in Rheinland Pfalz* 9 (3): 985-993.
- KONSTANTINOV, O.K., PEMA, A.I., LABZIN, V.V. & FARAFONOVA, G.V. 2000. Records of bats from Middle Guinea, with remarks on their natural history. *Plecotus et al.* 3: 129-148.
- KORDGES, T., STEPANEK, J. & GÖRLER, M. 1998. Fledermäuse in Hattingen - ein Projektbericht Stand 11.08.98. *Dortmunder Beiträge zur Landeskunde* 32: 17-34.
- KOTEJA, P., JURCZYSZYN, M. & WOLOSZYN, B.W. 2001. Energy balance of hibernating mouse-eared bat *Myotis myotis*: a study with a TOBEC instrument. *Acta Theriologica* 46 (1): 1-12.
- KOUDELKA, M. 1996. Seasonal dynamics of the bats community (Chiroptera) in the Javoricko caves (Czech Republic) in years 1989 to 1991. *Zpravy Krajskeho Vlastivedneho Muzea y Olomouci* 273: 1-18 (en tchèque, résumé anglais).
- KOZHURINA, E.I. & FILCHAGOV, A.V. 1999. The bats of Nokalakevi, Western Georgia. *Plecotus et al.* 2: 94-99 (en russe, résumé anglais).
- KOZINC, B. 1999. [Analysis of the remains of prey taken from hobby's *Falco subbuteo* nest]. *Acrocephalus (Ljubljana)* 20 (93): 50-52.
- KRETZSCHMAR, F. 2000. Zur Fledermausfauna der Trockenaue unter besonderer Berücksichtigung der Bedeutung für die Raufhautfledermaus (*Pipistrellus nathusii*). *Naturschutz Spectrum Themen* 92: 183-194.
- KRUMBHOLZ, K. & SCHMIDT, S. 1999. Perception of complex tones and its analogy to echo spectral analysis in the bat, *Megaderma lyra*. *J. acoust. Soc. Am.* 105 (2): 898-911.
- KRUSKOP, S.V. 2001. [Subspecific affiliation of Daubenton's bat, *Myotis daubentonii* (Chiroptera, Vespertilionidae) from the Altai]. *Plecotus et al.* 4: 13-19 (résumé anglais).
- KRUSKOP, S.V. & LAVRENCHEKOV, L. 2000. A new species of long-eared bat (*Plecotus*; Vespertilionidae, Mammalia) from Ethiopia. *Myotis* 38: 5-17.
- KUZMIN, I.V., BOTVINKIN, A.D. & KHABILOV, T.K. 2001. [Lissavirus has been isolated from a whiskered bat in Northern Tajikistan]. *Plecotus et al.* 4: 75-81 (résumé anglais).
- LAKIN, L. 2001. Batting along the Amazon. *Bats* 19 (4): 7-9.
- LANE, A.C. 2000. Bats of the Humber Estuary and Holderness coast. *Yorkshire Naturalists Union Bulletin* 34 (suppl.): 33-37.
- LEBLANC, D. 2001. Adoption of a lesser short-nosed fruit bat (*Cynopterus brachyotis*) in captivity. *Animal Keepers' Forum* 28 (12): 444-447.
- LEBLANC, D. 2001. Is it time for commercial bat enrichment? *Animal Keepers' Forum* 28 (12): 490-493.
- LEE, T.E., Jr, HOOFFER, S.R. & VAN DEN BUSSCHE, R.A. 2002. Molecular phylogenetics and taxonomic revision of the genus *Tonatia* (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 83 (1): 49-57.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- LEE, T.E., Jr, SCOTT, J.B. & MARCUM, M.M. 2001. *Vampyressa bidens*. *Mammalian Species* 684: 1-3.
- LEGAKIS, A., PAPADIMITRIOU, C., GAETHLICH, M. & LAZARIS, D. 2000. Survey of the bats of the Athens metropolitan area. *Myotis* 38: 41-46.
- LEWIS, N. 2001. Guidelines for using live bats in educational programs. Recommendations by the American Zoo and Aquarium Association Taxon Advisory Group for Bats. *Animal Keepers' Forum* 28 (12): 440-443.
- LEWIS, P. 2001. Observation of cooperative pup-rearing in straw-colored fruit bats (*Eidolon helvum*). *Animal Keepers' Forum* 28 (12): 494-495.
- LIM, B.K. & ENGSTROM, M.D. 2000. Preliminary survey of bats from the Upper Mazaruni of Guyana. *Chiroptera Neotropical* 6 (1-2): 119-123.
- LINDENSCHMIDT, M. & VIERHAUS, H. 2001. Bestandsveränderungen überwinternder Fledermäuse im Permer Stollen, Kreis Steinfurt. Bericht des Naturwissenschaftlichen Vereins für Bielefeld und Umgegend E. V. 41: 345-356.
- LINDHE NORBERG, U.M. 2002. The flight of bats. In: Fischer, M.S., J. Niethammer, H. Schliemann & D. Starck. *Handbuch der Zoologie*. Walter de Gruyter, Berlin, New York 8 (2): 1-27.
- LOCKE, R. 2002. The gray bat's survival. Saving a species built a firm foundation for BCI. *Bats* 20 (2): 4-9.
- LUFT, S. 2000. The use of olfactory cues in food location by Philippine fruit bats (Megachiroptera: Pteropodidae). *Myotis* 38: 111-114.
- LUGON, A. & ROUE, S.Y. 2002. Impacts d'une ligne TGV sur les routes de vol du Minioptère de Schreibers: de l'étude aux propositions d'aménagements. *Symbioses* 6: 47-48.
- LUSTRAT, P. 2000. Etude et protection des gîtes d'hibernation de chauves-souris dans le massif de Fontainebleau. *La voix de la Forêt* 2: 29-30
- MAKANYA, A.N., SELF, T.J., WARUI, C.N. & MWANGI, D.K. (Eds). 2001. Gut morphology and morphometry in the epauletted Wahlberg's fruit bat (*Epomophorus wahlbergi*, Sundevall, 1846). *Acta Biologica Hungarica* 52 (1): 75-89.
- MAKIN, D. & MENDELSSOHN, H. 1988-89. A recent mass-kill of bats: who cares ? *Israel Land & Nature* 14 (2): 82-85.
- MANCINA, C.A. & GARCIA RIVERA, L. 2000. Notes on the natural history of *Phyllops falcatus* (Gray, 1839) (Phyllostomidae: Stenodermatinae) in Cuba. *Chiroptera Neotropical* 6 (1-2): 123-125.
- MARES, M.A., BARQUEZ, R.M. & BRAUN, J.K. 1995. Distribution and ecology of some Argentine bats (Mammalia). *Annals of Carnegie Museum* 64 (3): 219-237.
- MAUNDER, L. 2001. Husbandry of Rodrigues fruit bats (*Pteropus rodricensis*). A new exhibit to Marwell Zoological Park. *Animal Keepers' Forum* 28 (12): 448-449.
- MAYER, F., SCHLÖTTERER, C. & TAUTZ, D. 2000. Polymorphic microsatellite loci in vespertilionid bats isolated from the nodule bat *Nyctalus noctula*. *Molecular Ecology* 9 (12): 2208-2212.
- MAYER, F. & VON HELVERSEN, O. 2001. Sympatric distribution of two cryptic bat species across Europe. *Biological Journal of the Linnean Society* 74 (3): 365-374.
- MCCRACKEN, G.F., WESTBROOK, J.K. & SCHLEIDER, P.G. 2002. The virtual bat. *Bats* 20 (1): 5-6.
- MEYER, I. 2001. Fledermäuse in Erfurt (Mammalia: Chiroptera). *Veröffentlichungen des Naturkundemuseums Erfurt* 20: 83-103.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- MEYER, M. 1999. Zum Vorkommen der Breitflügelfledermaus *Eptesicus serotinus* (Schreber, 1774) in Leipzig. Veröffentlichungen Naturkundemuseum Leipzig 18: 18-24.
- MICKLEBURGH, S.P., HUTSON, A.M. & RACEY, P.A. 2002. A review of the global conservation status of bats. *Oryx* 36 (1): 18-34.
- MIGENS, E., IBANEZ, C. & QUETGLAS, J. 1999. Inventario, seguimiento y conservación de refugios de murciélagos cavernícolas en Andalucía. Investigación y desarrollo medioambiental en Andalucía. Resultados de los proyectos de investigación realizados al amparo del Acuerdo Marco suscrito entre la Consejería de Medio Ambiente de la Junta de Andalucía y la Estación Biológica de Doñana (1995-1999): 61-66.
- MIGENS, E., QUETGLAS, J. & IBANEZ, C. 2000. Los murciélagos cavernícolas en Andalucía occidental y sus problemas de conservación. Actas del I Congreso Andaluz de Espeleología, Ronda, 6 al 10 de diciembre de 2000. Federación andaluza de espeleología: 47-52.
- MILLER, G.S. Jr. 1900. The systematic name of the large noctule bat of Europe. Proceedings of the biological Society of Washington 13: 156.
- MILLER, L.A. & SURLYKKE, A. 2001. How some insects detect and avoid being eaten by bats: Tactics and countertactics of prey and predator. *Bioscience* 51 (7): 570-581.
- MIRETZKI, M. & MARGARIDO, T.C.C. 1999. Morcegos da estação ecológica do Baiuá, Paraná (Sul do Brasil). *Chiroptera Neotropical* 5 (1-2): 105-108.
- MITCHELL, J.D. 2001. Early expedition leads to long-term collaboration. *Bats* 19 (4): 1-2.
- MLECZEK, T. 2001. [Bats of Mroczna Cave in Kornuty]. *Studia Chiropterologica* 2: 92-93.
- MLECZEK, T. 2001. [Winter bat censuses in Beskid Niski and Pogórze Karpackie in 2000/2001]. *Studia Chiropterologica* 2: 94-96.
- MOGI, M., MANO, T. & SAWADA, I. 2002. Records of Hippoboscidae, Nycteribiidae and Streblidae (Diptera) from Japan. *Med. Entomol. Zool* 53 (2): 141-165.
- MORETTI, M. & MADDALENA, T. 2001. I chiroteri delle Bolle di Magadino: risultati del primo inventario faunistico. Contributo alla conoscenza delle Bolle di Magadino. Fondazione Bolle di Magadino: 173-181
- MOTTE, G. & LIBOIS, R. 2002. Conservation of the lesser horseshoe bat (*Rhinolophus hipposideros* Bechstein, 1800) (Mammalia: Chiroptera) in Belgium. A case study of feeding habitat requirements. *Belgian Journal of Zoology* 132 (1): 49-54.
- MOTTE, G. & LIBOIS, R. 2002. Etude comparée de l'écologie de deux espèces jumelles de Chiroptères en Belgique : L'Oreillard roux (*Plecotus auritus*) et l'Oreillard gris (*P. austriacus*). *Premiers résultats. Symbioses* 6: 31-32.
- MUCEDDA, M. & NUVOLI, M.T. 2000. Indagine biometrica sul "grande Myotis" (Chiroptera, Vespertilionidae) della Grotta Sa Rocca Ulari (Borutta) e di altre località della Sardegna. *Sardegna Speleologica* 17: 46-51
- MULLER, R. & KUC, R. 2000. Foliage echoes: a probe into the ecological acoustics of bat echolocation. *J. acoust. Soc. Am.* 108 (2): 836-845.
- MULLER, R. & SCHNITZLER, H.U. 1999. Acoustic flow perception in cf-bats: properties of the available cues. *J. acoust. Soc. Am.* 105 (5): 2958-2966.
- MULLER, R. & SCHNITZLER, H.U. 2000. Acoustic flow perception in cf-bats: extraction of parameters. *J. acoust. Soc. Am.* 108 (3): 1298-1307.
- NEMEC, P., KOUDELKOVA, H., DRUGA, R. & HORACEK, I. 2000. [Spinal cord of Chiroptera: implications for the phylogenetic studies.] *Lynx (Prague)* 31: 81-111 (résumé anglais).



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- NOBLET, J.-F. 1995. Els quiropters del Parc Natural de S'Albufera de Mallorca. Monografies de la Societat d'Historia natural de les Balears 4: 169-173 (en catalan, résumé anglais).
- NORMAN, A.P. & JONES, G. 2000. Size, peripheral auditory tuning and target strength in noctuid moths. *Physiological Entomology* 25 (4): 346-353.
- NOWAK, J. 2001. [Geoffroy's bat *Myotis emarginatus* (Geoffroy, 1806), a new species for the Tatra Mountains fauna]. *Studia Chiropterologica* 2: 97-99.
- NOWAK, J., KOZAKIEWICZ, K. & GRZYWINSKI, W. 2001. [Greater horseshoe bat *Rhinolophus ferrumequinum* (Schreber, 1774), a new species for the Ojców National Park fauna]. *Studia Chiropterologica* 2: 100.
- PANDURSKA, R.S., BESHKOV, V.A. & PANDOURSKI, I.S. 1999. Bats (Chiroptera) from the karst region of Gintzi village (north-west Bulgaria). *Acta Zoologica Bulgarica* 51 (2-3): 69-72.
- PANDURSKA-WITCHER, R. & PANDOURSKI, I. 2002. Bats in Bulgaria, with an emphasis on Geoffroy's bat (*Myotis emarginatus*) *Bat Research News* 43 (1): 1-4.
- PARK, K.J., JONES, G. & RANSOME, R.D. 2000. Torpor, arousal and activity of hibernating greater horseshoe bats (*Rhinolophus ferrumequinum*). *Functional Ecology* 14 (5): 580-588.
- PARSONS, S. 2001. Identification of New Zealand bats (*Chalinolobus tuberculatus* and *Mystacina tuberculata*) in flight from analysis of echolocation calls by artificial neural networks. *Journal of Zoology (London)* 253 (4): 447-456.
- PARSONS, S., BOONMAN, A.M. & OBRIST, M.K. 2000. Advantages and disadvantages of techniques for transforming and analyzing chiropteran echolocation calls. *Journal of Mammalogy* 81 (4): 927-938.
- PARSONS, S. & JONES, G. 2000. Acoustic identification of twelve species of echolocating bat by discriminant function analysis and artificial neural networks. *Journal of experimental Biology* 203 (17): 2641-2656.
- PAVWOSKI, D.N. & LEWIS, S.E. 2001. Characteristics of buildings used as bat roosts in Waukesha county, Wisconsin. *Bat Research News* 42 (4): 192-196.
- PEARCE, M.J., BATES, P.J.J. & MAGIN, C. 2001. A review of the small mammal fauna of Djibouti and the results of a recent survey. *Mammalia* 65 (3): 387-410.
- PECKHAM, H. 2001. Student Research in French Guiana. *Bats* 19 (4): 3-4.
- PERRIN, P.M. 2000. Activity of pipistrelle bats (*Pipistrellus pipistrellus*) and Natterer's bats (*Myotis nattereri*) over lowland heathland. *Journal of practical Ecology and Conservation* 4 (1): 27-36.
- PESTANO, J., BROWN, R.P., SUAREZ, N.M. & FAJARDO, S. 2002. Phylogeography of pipistrelle-like bats within the Canary Islands, based on mtDNA sequences. *Molecular Phylogenetics and Evolution* 26: 56-63.
- PETROV, B. 2001. Bats (Mammalia: Chiroptera) in Kresna Gorge, SW Bulgaria. (résumé anglais). In: Beron, P. (ed.). *Biodiversity of Kresna Gorge (SW Bulgaria)*: 325-330.
- PETTERSSON, L. 2001. Bat sound. *Bats* 19 (4): 10-12.
- PETTERSSON, S. & KNUDSEN, J.T. 2001. Floral scent and nectar production in *Parkia biglobosa* Jacq. (Leguminosae: Mimosoideae). *Botanical Journal of the Linnean Society* 135 (2): 97-106.
- PIKSA, K. 1998. The chiropterofauna of the Polish Tatra Mts. *Vespertilio* 3: 93-100.
- PIKSA, K. & NOWAK, J. 2001. [Occurrence of barbastelle *Barbastella barbastellus* (Schreber, 1774) in the Polish Tatra caves]. *Studia Chiropterologica* 2: 67-73.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PIKSA, K. & NOWAK, J. 2002. Noteworthy records of northern bat *Eptesicus nilssonii* (Chiroptera: Vespertilionidae) in the Tatra Mountains. *Acta zoologica cracoviensia* 45 (2): 321-324.
- PIKSA, K. & WOLOSZYN, B.W. 2001. Postglacial bat remains from the Polish Tatra Caves. *Lynx* (Praha), n.s. 32: 301-311.
- POPE, C.R. 2000. Bats (Chiroptera) - 1999. *Proceedings of the Isle of Wight Natural History and Archaeological Society* 16: 89-90.
- POPE, C.R. 2001. Bats (Chiroptera) - 2000. *Proceedings of the Isle of Wight Natural History and Archaeological Society* 17: 33-35.
- POPE, C.R. 2002. Bats (Chiroptera) - 2002. *Proceedings of the Isle of Wight Natural History and Archaeological Society* 18: 21-22.
- PREATONI, D., MARTINOLI, A., ZILIO, A. & PENATI, F. 2000. Distribution and status of bats (Mammalia, Chiroptera) in alpine and prealpine areas of Lombardy (northern Italy). *Naturalista valtelinese* 11: 89-121.
- QUETGLAS, J. 1997. New records of bats (Chiroptera) for Minorca, Balearic Islands, Western Mediterranean Sea. *Mammalia* 61 (4): 611-614.
- QUETGLAS, J. & BEAUCOURNU, J.C. 2000. First captures of *Ischnopsyllus* (L.) *elongatus* (Curtis, 1832) (Siphonaptera: Ischnopsyllidae) in the Iberian Peninsula. *Research and Reviews in Parasitology* 60 (3-4): 139-140.
- RADULET, N. 1999. Contributions to the knowledge of chiropteran fauna from Maramures and Satu Mare (northern Romania). *Travaux du Muséum National d'Histoire Naturelle "Grigore Atipa"* 41: 539-546.
- RAKHMATULINA, I.K. 2001. [Altitudinal distribution of bats in the Eastern Transcaucasia]. *Plecotus* et al. 4: 41-50 (résumé anglais).
- REIMERS, H. 1999. Herbstaktivitäten von Fledermäusen an der Westküste Schleswig-Holsteins 1996: stichprobenartige Erfassung unter besonderer Berücksichtigung der Raauhautfledermaus (*Pipistrellus nathusii*). *Seevögel* 20 (1): 17-20.
- REITER, G., JERABEK, M. & REITER, K. 2000. Erster Fortpflanzungsnachweis der Fransenfledermaus, *Myotis nattereri* (Kuhl, 1818), in Tirol (Österreich). *Ber. nat.-med. Verein Innsbruck* 87: 327-330.
- RIGER, P. 2001. *Rousettus aegypticus* - An overview: exhibition, infant mortality, and colony management. *Animal Keepers' Forum* 28 (12): 460-464.
- RIGER, P., BEAR-HULL, D. & HARMON, L. 2001. Use of chiroptera in multi-species exhibits. *Animal Keepers' Forum* 28 (12): 434-438.
- ROBINSON-RECHAVI, M. & GAUR, D. 2001. Usage optimization of unevenly sampled data through the combination of quartet trees: A eutherian draft phylogeny based on 640 nuclear and mitochondrial proteins. *Israel Journal of Zoology* 47 (3): 259-270.
- ROCHE, N. & ELLIOTT, P. 2000. Analysis of bat (*Pipistrellus* and *Myotis* spp.) activity in deciduous woodlands in England using a nonlinear model. *Myotis* 38: 19-40.
- ROUE, S.G. 2002. Les Chiroptères de la Directive Habitats: le Petit Rhinolophe *Rhinolophus hipposideros* (Bechstein, 1800). *Arvicola* 14 (1): 7-10.
- ROUE, S.Y. 2002. Les Chiroptères de la Directive Habitats: le Minioptère de Schreibers *Miniopterus schreibersii* (Kuhl, 1817). *Arvicola* 14 (1): 23-26.
- ROUE, S.Y., SANE, R. & LEBLANC, F. 2002. Synthèse de la table ronde "Sauvetages". *Symbioses* 6: 49-52.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RUEDI, M. 2002. Le contraste entre marqueurs nucléaires et mitochondriaux révèle le comportement migratoire de la chauve-souris *Myotis myotis*. *Biosystema* 20: 141-148.
- RUEDI, M., JOURDE, P., GIOSSA, P., BARATAUD, M. & ROUE, S.Y. 2002. DNA reveals the existence of *Myotis alcathoe* in France (Chiroptera: Vespertilionidae). *Revue suisse de Zoologie* 109 (3): 643-652.
- RUEDI, M. & MAYER, F. 2001. Molecular systematics of bats of the genus *Myotis* (Vespertilionidae) suggests deterministic ecomorphological convergences. *Molecular Phylogenetics and Evolution* 21 (3): 436-448.
- RUPP, D. & LUDWIG, P. 2000. First record of *Steatonyssus noctulus* Rybin, 1992 in Central Europe (Acari, Mesostigmata, Macronyssidae). *Spixiana* 23 (3): 275-278.
- RYDELL, J., ARITA, H.T., SANTOS, M. & GRANADOS, J. 2002. Acoustic identification of insectivorous bats (order Chiroptera) of Yucatan, Mexico. *Journal of Zoology, London* 257: 27-36.
- RYDELL, J., PARKER MCNEILL, D. & EKLÖF, J. 2002. Capture success of little brown bats (*Myotis lucifugus*) feeding on mosquitoes. *Journal of Zoology, London* 256: 379-381.
- SANTI, G. 2000. Remains of Wurmian *Myotis* into *Ursus spelaeus* skull from Buco dell'Orso cave (Laglio-Como-Lombardy, Italy). *Atti Ticinensi di Scienze della Terra* 41: 41-47.
- SCARAVELLI, D. 2001. Museo naturalistico della Riserva Naturale Orientata di Onferno. Guida catalogo. Provincia di Rimini, Gemmano: 107 p.
- SCARAVELLI, D., GELLINI, S., CICOGNANI, L. & MATTEUCCI, C. 2001. Atlante dei Mammiferi della Provincia di Ravenna. *Amm. Prov. Ravenna e ST.E.R.NA.*: 119 p.
- SCHMIDT, C. 2000. Jagdgebiete und Habitatnutzung der Breitflügel-Fledermaus (*Eptesicus serotinus*) in der Teichlausitz (Sachsen). *Säugetierkundliche Informationen* 4 (23-24): 497-504.
- SCHMIDT, U. 2002. Morphologie und Funktion der sensorischen Systeme bei Chiropteren. In: Fischer, M.S., J. Niethammer, H. Schliemann & D. Starck. *Handbuch der Zoologie*. Walter de Gruyter, Berlin, New York 8 (2): 29-81.
- SCHNITZLER, H.-U. & KALKO, E.K.V. 2001. Echolocation by insect-eating bats. *Bioscience* 51 (7): 557-569.
- SENDOR, T., KUGELSCHAFTER, K. & SIMON, M. 2000. Seasonal variation of activity patterns at a pipistrelle (*Pipistrellus pipistrellus*) hibernaculum. *Myotis* 38: 91-109.
- SHAIMARDANOV, R.T. 2001. [New records (1985-1993) of bat species (Chiroptera) rare and little known for the fauna of Kazakhstan]. *Plecotus et al.* 4: 75-81 (résumé anglais).
- SHAPLEY, R. 2001. Guyanese villagers discover bats. *Bats* 19 (2): 3.
- SHARIFI, M., HEMMATI, Z. & RAHIMI, P. 2000. Distribution and conservation status of bats in Iran. *Myotis* 38: 61-68.
- SIEMERS, B., KALKO, E.K.V. & SCHNITZLER, H.-U. 2001. Echolocation behaviour and signal plasticity in the Neotropical bat *Myotis nigricans* (Schinz, 1821) (Vespertilionidae): a convergent case with European species of *Pipistrellus*? *Behav. Ecol. Sociobiol.* 50: 317-328.
- SIEMERS, B.M. 2001. Finding prey by associative learning in gleaning bats: experiments with a Natterer's bat *Myotis nattereri*. *Acta Chiropterologica* 3 (2): 211-215.
- SIEMERS, B.M., DIETZ, C., NILL, D. & SCHNITZLER, H.-U. 2001. *Myotis daubentonii* is able to catch small fish. *Acta Chiropterologica* 3 (1): 71-75.
- SIEMERS, B., STILZ, P. & SCHNITZLER, H.-U. 2001. The acoustic advantage of hunting at low heights above water: behavioural experiments on the European "trawling" bats *Myotis capaccinii*, *M. dasycneme* and *M. daubentonii*. *Journal of Experimental Biology* 204 (22): 3843-3854.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SIMMONS, J.A., SAILLANT, P.A. & DEAR, S.P. 1992. Through a bat's ear. *IEEE Spectrum* March: 46-48
- SKALS, N. & SURLYKKE, A. 2000. Hearing and evasive behaviour in the greater wax moth, *Galleria mellonella* (Pyrilidae). *Physiological Entomology* 25 (4): 354-362.
- SKIBA, R. 2001. Fledermäuse an der Wupper im Stadtgebiet von Wuppertal. *Jahresberichte des naturwissenschaftlichen Vereins in Wuppertal* 54: 50-67.
- SMIRNOV, D.G. 2001. [Records of bats from Akhshtyr cave (Krasnodar Territory)]. *Plecotus et al.* 4: 64-68 (résumé anglais).
- SMIRNOV, D.G., KURMAEVA, N.M. & VEKHNİK, V.P. 1999. Dynamics of the number and spatial distribution of bats (Chiroptera, Vespertilionidae) hibernating in a mine of Samarskaya Luka. *Plecotus et al.* 2: 67-78 (en russe, résumé anglais).
- SMIT-VIERGUTZ, J. & SIMON, M. 2000. Eine vergleichende Analyse des sommerlichen Schwärmverhaltens der Zwergfledermaus (45 kHz Ruftyp, *Pipistrellus pipistrellus* Schreber, 1774) an den Invasionsorten und am Winterquartier. *Myotis* 38: 69-89.
- SNITKO, V.P. 2001. [Long-handled grips as a device for capturing bats at their roost places]. *Plecotus et al.* 4: 3-7 (résumé anglais).
- SNITKO, V.P. 2001. [Bats (Chiroptera) of Ilmenian Reserve]. *Plecotus et al.* 4: 69-74 (résumé anglais).
- SNOWDEN, P., BATES, P.J.J., HARRISON, D.L. & BROWN, M.R. 2000. Recent records of bats and rodents from Oman including three species new to the country. *Fauna of Arabia* 18: 397-407.
- SORENSEN, U.G. & HALBEG, K. 2001. Mammoth roost of nonbreeding straw-coloured fruit bat *Eidolon helvum* (Kerr, 1792) in Zambia. *African Journal of Ecology* 39 (2): 213-215.
- STEINACKER, C. 2001. Protection des chauves-souris sur la commune de Jussy (GE). Etude et propositions d'aménagements. Etude bibliographique. Travail de diplôme, Ecole d'ingénieurs de Lullier, Filière "gestion de la Nature": 17 p. + annexes.
- STEINACKER, C. 2001. Protection des chauves-souris sur la commune de Jussy (GE). Etude et propositions d'aménagements. Etude préliminaire. Travail de diplôme, Ecole d'ingénieurs de Lullier, Filière "gestion de la Nature": 15 p. + annexes.
- STEINACKER, C. 2002. Protection des chauves-souris sur la commune de Jussy (GE). Etude et propositions d'aménagements. Travail de diplôme, Ecole d'ingénieurs de Lullier, Filière "gestion de la Nature": 71 p. + annexes.
- STEVENS, R.D. & WILLIG, M.R. 1999. Size assortment in New World bat communities. *J. Mammal.* 80 (2): 644-658.
- STEVENS, R.D. & WILLIG, M.R. 2000. Density compensation in New World bat communities. *Oikos* 89 (2): 367-377.
- STRELKOV, P.P. 2001. [Materials on wintering of migratory bats species (Chiroptera) on the territory of the former USSR and adjacent regions. Part 1. *Vespertilio murinus* L.]. *Plecotus et al.* 4: 25-40 (résumé anglais).
- STRELKOV, P.P. & SHAIMARDANOV, R.T. 2001. [Tongs for long-range seizure of bats and portable ladder designed by Butovsky. Some words about P.M. Butovsky]. *Plecotus et al.* 4: 8-12 (résumé anglais).
- SURLYKKE, A., FILSKOV, M., FULLARD, J.H. & FORREST, E. 1999. Auditory relationships to size in noctuid moths: bigger is better. *Naturwissenschaften* 86 (5): 238-241.
- SURLYKKE, A. & MOSS, C.F. 2000. Echolocation behavior of big brown bats, *Eptesicus fuscus*, in the field and the laboratory. *Journal of the acoustical Society of America* 108 (5): 2419-2429.





## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- SURLYKKE, A. & TREAT, A.E. 1995. Hearing in wintermoths. *Naturwissenschaften* 82 (8): 382-384.
- SWENGEL, F. 2001. Endangered Philippine fruit bat captive breeding project. *Animal Keepers' Forum* 28 (12): 486-489.
- SWIFT, S.M. 1997. Roosting and foraging behaviour of Natterer's bats (*Myotis nattereri*) close to the northern border of their distribution. *J. Zool., Lond.* 242 (2): 375-384.
- SWIFT, S.M. 2001. Growth rate and development in infant Natterer's bats (*Myotis nattereri*) reared in a flight room. *Acta Chiropterologica* 3 (2): 217-223.
- THOMAS, N.M. 2000. Morphological and mitochondrial-DNA variation in *Rhinolophus rouxii* (Chiroptera). *Bonner zoologische Beiträge* 49 (1-4): 1-18.
- TOME CRUZ, J.A. 2001. Situación del plan de sellado de las minas en Galicia. *Barbastella* 2: 7-10.
- TOUGAARD, J. 2000. Using echoes in orientation. Why are odontocetes and bats something special? *European Research on Cetaceans* 14: 96-100.
- TOUGAARD, J., CASSEDAY, J.H. & COVEY, E. 1998. Arctiid moths and bat echolocation: broadband clicks interfere with neural responses to auditory stimuli in the nuclei of the lateral lemniscus of the big brown bat. *J. Comp. Physiol. A* 182 (2): 203-215.
- TUPINIER, Y. 2001. *Myotis mystacinus* (Kuhl, 1817) - Kleine Bartfledermaus (Bartfledermaus). In: *Handbuch der Säugetiere Europas*, Aula-Verlag 4 (I): 322-344.
- TUPINIER, Y. & AELLEN, V. 2001. *Myotis brandtii* (Eversmann, 1845) - Grosse Bartfledermaus (Brandtfledermaus). In: *Handbuch der Säugetiere Europas*, Aula-Verlag 4 (I): 345-368.
- TURTKOVIC, N., HOLCER, D. & JALZIC, B. 2001. The pond bat *Myotis dasycneme* in Croatia. *Natura Croatica* 10 (3): 221-227.
- TUTTLE, M. 2002. Workshops for bats. BCI training builds a foundation for the future. *Bats* 20 (2): 15-18.
- TUTTLE, M.D. 1977. Gating as a means of protecting cave dwelling bats. In: Aley, T. & Rhoades, D. (eds). *National Cave Management Symposium Proceedings, 1976*, Speleobooks, Albuquerque, New Mexico: 77-82.
- TUTTLE, M.D. 2001. The Western Pipistrelle. *Bats* 19 (2): 1-2.
- UNDJIAN, E. 1998. Untersuchungen über die Wirbeltiere des Lomtales und des Naturparkes "Russenski Lom", Bezirk Russe und Rasgrad. *Ataba, Pyce*: 32 p. (résumé allemand).
- URCUN, J.-P. 2002. Les Chiroptères de la Directive Habitats: le Rhinolophe euryale *Rhinolophus euryale* (Blasius, 1853). *Arvicola* 14 (1): 14-17.
- URCUN, J.-P. 2002. Les Chiroptères de la Directive Habitats: le Rhinolophe de Mehely *Rhinolophus mehelyi* Matschie, 1901. *Arvicola* 14 (1): 18-20.
- VAN CAKENBERGHE, V., HERREL, A. & AGUIRRE, L.F. 2002. Evolutionary relationships between cranial shape and diet in bats (Mammalia: Chiroptera). In: Aerts, P., K. D' Août, A. Herrel & R. Van Damme (Eds). *Topics in functional and ecological vertebrate morphology*. Shaker Publishing: 205-236.
- VERBOOM, B. & LIMPENS, H. 2001. [Wind turbines and bats.] *Zoogdier* 12 (2): 13-17 (en hollandais).
- VERNIER, E. 1999. Presenza e consistenza delle popolazioni di chiroterri nell'area del comune di Comacchio (Ferrara, Emilia-Romagna). *Boll. Museo civ. Stor. nat. Venezia* 49: 353-356.
- VIVO, M. de & GREGORIN, R. 2001. Mamíferos. In: Leonel, C. (org.). *Intervalos*, São Paulo, Fundação Para a Conservação e a Produção Florestal do Estado de São Paulo: 116-123.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VOLOKH, A.M. 2002. Forming of the Azov Sea Part of the Kuhl's Pipistrelle (*Pipistrellus kuhlii*) Range. *Vestnik Zoologii*. 36(1): 101-104.
- VOLOKH, A.M. & KARMISHEV, Y.V. 2001. Some results of bat ringing in the Crimean mountains. *Vestnik Zoologii*. 35(2): 99-101.
- WALRAVENS, E. 1980. Proportion de Chiroptères dans des pelotes de réjection de "*Strix aluco*" en forêt de Soignes. *Bulletin du Centre de Baguement et de Recherche Chiroptérologique de Belgique* 6: 62.
- WALSH, A. 2002. Counting the bats of Britain. *Bats* 20 (1): 10-12.
- WALTER, G. & GEBHARD, J. 2001. Notizen zum Vorkommen von Parasiten an Fledermäusen aus der Region Basel. *Pro Chiroptera* 2: 9-11.
- WEBBER, D. 2001. Colonial roosting requirements of captive microbats. *Animal Keepers' Forum* 28 (12): 453-457.
- WEIDNER, H. 2001. Fransenfledermäuse, *Myotis nattereri* (Kuhl, 1817), im Zeitraum zwischen der Auflösung der Wochenstuben und der Überwinterung - eine Analyse der Quartiergesellschaften von 1999. *Nyctalus* 8 (1): 77-93.
- WHITMAN, K. 2001. Rodrigues fruit bat conservation in action. *Animal Keepers' Forum* 28 (12): 483-485.
- WILLIAMS, S.L., WILLIG, M.R. & REID, F.A. 1995. Review of the *Tonatia bidens* complex (Mammalia : Chiroptera), with descriptions of two new subspecies. *J. Mammal.* 76 (2) : 612-626.
- WILLIG, M.R. & GANNON, M.R. 1996. Mammals. In: Reagan, D.P. & Waide, R. B. [Eds]. *The food web of a tropical rain forest*. University of Chicago Press, Chicago & London: 399-431.
- WILLIG, M.R. & HOLLANDER, R.R. 1995. Secondary sexual dimorphism and phylogenetic constraints in bats : a multivariate approach. *J. Mammal.* 76 (4) : 981-992.
- WILLIG, M.R. & LYONS, S.K. 1998. An analytical model of latitudinal gradients of species richness with an empirical test for marsupials and bats in the New World. *Oikos* 81 (1): 93-98.
- WILSON, W.W. & O'NEILL, W.E. 1998. Auditory motion induces directionally dependent receptive field shifts in inferior colliculus neurons. *J. Neurophysiol.* 79 (4): 2040-2062.
- WINTER, Y. & VON HELVERSEN, O. 2001. Bats as pollinators: foraging energetics and floral adaptations. In: Chittka, L. & Thomson, J.D. [Eds]. *Cognitive ecology of pollination: Animal behavior and floral evolution*. Cambridge University Press, Cambridge, New York etc: 148-170.
- WOJTASZYN, G., STEPHAN, W. & RUTKOWSKI, T. 2001. [Bats hibernating at shelters in Kolobrzeg (1998-2001)]. *Studia Chiropterologica* 2: 75-79.
- WOLOSZYN, B.W. & BASHTA, A.-T.V. 2001. Field key to the bats of the Carpathians. Chiropterological Information Center, Poland, Platan Publishing House: 176 p.
- YUMOTO, T. 2000. Bird-pollination of three *Durio* species (Bombacaceae) in a tropical rainforest in Sarawak, Malaysia. *American Journal of Botany* 87 (8): 1181-1188.
- ZAVALOVA, L.L., BASANOVA, A.V. & BASKOVA, I.P. 2002. Fibrinogen-fibrin system regulators from bloodsuckers. *Biokhimiya* 67(1): 157-166.
- ZHANG, H., SHI, H., MI, Z. et al. 2000. Investigation of arborviruses in Jinghong City, Yunnan Province, China. *Difangbing Tongbao* 15 (3): 40-43.
- ZHUKOVA, N.F. 2001. Functional morphology of the digestive system in Insectivora and Chiroptera. In: Dutta, H.M. & Datta Munshi, J.S. [Eds]. *Vertebrate functional morphology: horizon of research in the 21st century*. Science Publishers, Inc., Enfield & Plymouth: 391-424.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- ZHUKOVA, N.F. 2001. The activity of the digestive enzymes from the viewpoint of the feeding ecology of insectivorous bats. In: Woloszyn, B. (Ed.). Proceedings of the VIIIth EBRS 2: 175-187.
- ZIEGLER, R. 1993. Die Chiroptera (Mammalia) aus dem Untermiozän von Wintershof-West bei Eichstätt (Bayern). Mitt. Bayer. Staatslg. Paläont. hist. Geol. 33: 119-154.
- ZIEGLER, R. 1993. Die Chiroptera (Mammalia) aus dem Untermiozän von Stubersheim 3 (Baden-Württemberg). Münchner Geowiss. Abh. (A) 26: 97-116.
- ZIEGLER, R. 2000. The bats (Chiroptera, Mammalia) from the Late Oligocene fissure fillings Herrlingen 8 and Herrlingen 9 near Ulm (Baden-Wuerttemberg). Senckenbergiana Lethaea 80 (2): 647-683.
- ZIEGLER, R. & MÖRS, T. 2000. Marsupialia, Lipotyphla und Chiroptera (Mammalia) aus dem Miozän des Braunkohlentagebaus Hambach (Niederrheinische Bucht, NW-Deutschland). Palaeontographica Abteilung A, 257 (1-3): 1-26.
- ZIEGLER, T., FEILER, A. & ZÖPHEL, U. 2001. New data on the genital morphology of the midge bat *Pipistrellus pygmaeus* (Leach, 1825) from Germany (Mammalia: Chiroptera: Vespertilionidae). Zoologische Abhandlungen (Dresden) 51(2): 435-444 .
- ZIMMERMAN, G.S. & GLANZ, W.E. 2000. Habitat use by bats in eastern Maine. Journal of Wildlife Management 64 (4): 1032-1040.
- ZÖPHEL, U., ZIEGLER, T., FEILER, A. & POCHA, S. 2002. Erste Nachweise der Mückenfledermaus, *Pipistrellus pygmaeus* (Leach, 1825), für Sachsen (Mammalia: Chiroptera: Vespertilionidae). Faunistische Abhandlungen Museum für Tierkunde Dresden 22 (26): 411-422.