



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

Publications scientifiques reçues ou cataloguées en 2003 au Centre chauves-souris

Scientific publications received or catalogued at the Swiss bat center in 2003

La direction et la bibliothèque du Centre chauves-souris remercient chaleureusement les auteurs qui ont envoyé leurs publications sur les chauves-souris
The management and the library of Swiss Bat Center warmly thank all the authors who sent their bat publications.

- ABHILASHA & KRISHNA, A. 1999. Ovarian steroidogenesis in the vespertilionid bat, *Scotophilus heathi*: role of melatonin. *Acta Chiropterologica* 1 (2): 223-230.
- ABRAM, D. 2003. Vampires in the house. A captive colony in New Mexico records rare births. *Bats* 21(3): 8-9.
- ADAMS, R.A., PEDERSEN, S.C., THIBAUT, K.M., JADIN, J. & PETRU, B. 2003. Calcium as a limiting resource to insectivorous bats: Can water holes provide a supplemental mineral source? *Journal of Zoology*, London 260(2): 189-194.
- ADAMS, R.A. & SIMMONS, J..A. 2002. Directionality of drinking passes by bats at water holes: is there cooperation? *Acta Chiropterologica* 4(2): 195-199.
- ADAMS, R. & THIBAUT, K.M. 1999. Growth, development, and histology of the calcar in the little brown bat, *Myotis lucifugus* (Vespertilionidae). *Acta Chiropterologica* 1 (2): 215-221.
- ADDLINE, E.P.D., VANITHARANI, J., RAJKUMAR, S. & SUNDARARAJ, T. 2003. Studies on the intestinal bacterial flora of bats. In: Annamalai, R., N. Marayanan & J. Vanitharani (eds). *Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003, Mundanthurai, Tirunelveli*: 79-80.
- AGOSTA, S.J. 2002. Habitat use, diet and roost selection by the big brown bat (*Eptesicus fuscus*) in North America: a case for conserving an abundant species. *Mammal Review* 32 (3): 179-198.
- AGOSTA, S.J., MORTON, D. & KUHN, K.M. 2003. Feeding ecology of the bat *Eptesicus fuscus*: 'Preferred' prey abundance as one factor influencing prey selection and diet breadth. *Journal of Zoology*, London 260(2): 169-177.
- AGUIRRE, L.F. 2002. Structure of a Neotropical savanna bat community. *Journal of Mammalogy* 83 (3): 775-784.
- AGUIRRE, L.F., HERREL, A., VAN DAMME, R., & MATTHYSEN, E. 2002. Ecomorphological analysis of trophic niche partitioning in a tropical savannah bat community. *Proceedings of the Royal Society, Biological Sciences Series B*, 269 (1497): 1271-1278.
- AGUIRRE, L.F., LENS, L. & MATTHYSEN, E. 2003. Patterns of roost use by bats in a neotropical savanna: implications for conservation. *Biological Conservation* 111(3): 435-443.
- AHLEN, I. 2002. [Bats and birds killed by wind power turbines.] *Fauna och Flora (Uppsala)*: 97(3): 14-21.
- AIHARTZA, J. & GARIN, I. 2002. Distribución de los murciélagos de los géneros *Pipistrellus*, *Hypsugo* y *Eptesicus* (Mammalia, Chiroptera) en el País Vasco Occidental. *Munibe* 53: 229-244.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- AIHARTZA, J. & GARIN, I. 2002. [New data on the distribution of the Bechstein's bat *Myotis bechsteinii* (Kuhl, 1817) (Mammalia, Chiroptera) in the Basque Country.] *Munibe* 53: 257-262.
- AIHARTZA, J.R., GARIN, I., GOITI, U., ZABALA, J. & ZUBEROGOITIA, I. 2003. Spring habitat selection by the Mediterranean Horseshoe Bat (*Rhinolophus euryale*) in the Urdaibai Biosphere Reserve (Basque Country). *Mammalia* 67(1): 25-32.
- AL-JUMAILY, M.M. 2002. *Chaerephon nigeriae* Thomas, 1913, an addition to the bat fauna of the Republic of Yemen (Mammalia: Chiroptera: Molossidae). *Myotis* 40: 55-58.
- ALBAYRAK, I. & ASAN, N. 2001. The structure of baculum in *Myotis myotis* and *Myotis blythi* (Chiroptera: Vespertilionidae) from Turkey. *Turkish Journal of Zoology* 25 (3): 229-233.
- ALBRECHT, K., HAMMER, M. & HOLZHAIDER, J. 2002. Telemetrische Untersuchungen zum Nahrungshabitatanspruch der Bechsteinfledermaus (*Myotis bechsteinii*) in Nadelwäldern bei Amberg in der Oberpfalz. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 109-130.
- AMMAN, B.R., OWEN, R.D. & BRADLEY, R.D. 2002. Utility of hair structure for taxonomic discrimination in bats, with an example from the bats of Colorado. *Occasional Papers Museum of Texas Tech University* 216: 1-14.
- ANDREWS, P.T. 2000. Automated monitoring of greater and lesser horseshoe bats in Wales. *CCW Contract Sci. Report* 398: 1-21.
- ANONYME. 2001. Chiroptera CAMP handbook. Planning for the Chiroptera CAMP Review. 166 p.
- ANONYME. 2002. Détermination des ossements de chauves-souris / Fledermausknochenbestimmung. *Centro Biologia Alpina Piora (TI)*, 14-15.09.2002: 72 p.
- ANTHONY, E.L.P. 2000. Endocrinology of reproduction in bats: central control. In: Crichton, E. G. & Krutzsch, P. H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc.: 1-26.
- ARAUJO AZEVEDO, A. & LINARDI, P.M. 2002. Streblidae (Diptera) of phyllostomid bats from Minas Gerais, Brazil. *Memorias do Instituto Oswaldo Cruz* 97(3): 421-422.
- ARAUJO AZEVEDO, A., LINARDI, P.M. & ZANATTA COUTINHO, M.T. 2002. Acari ectoparasites of bats from Minas Gerais, Brazil. *Journal of medical Entomology* 39 (3): 553-555.
- ARCELLI, P., FRASSONI, C., REGONDI, M.C., DE BIASI, S & SPREAFICO, R. 1997. GABAergic neurons in mammalian thalamus : a marker of thalamic complexity ? *Brain Research Bulletin* 42 (1): 27-37.
- ARCHER, M.S. & CARDINAL, B.R. 2001. Seasonal reproduction and host infestation rates for nycteribiids of the large bentwing bat. *Medical and Veterinary Entomology* 15(4): 452-454.
- ARFSTEN, D.P., WILSON, C.L. & SPARGO, B.J. 2002. Radio frequency chaff: The effects of its use in training on the environment. *Ecotoxicology and Environmental Safety* 53(1): 1-11.
- ARGUIN, P.M., MURRAY-LILLIBRIDGE, K., MIRANDA, M.E.G., SMITH, J.S., CALAOR, A.B. & RUPPRECHT, C.E. 2002. Serologic evidence of Lyssavirus infections among bats, the Philippines. *Emerging Infectious Diseases* 8(3): 258-262.
- ARITA, H.T. 1996. The conservation of cave-roosting bats in Yucatan, Mexico. *Biological Conservation* 76 (2): 177-185.
- ARITA, H.T. 1997 Species composition and morphological structure of the bat fauna of Yucatan, Mexico. *Journal of Animal Ecology* 66: 83-97.
- ARITA, H.T. & SANTOS DEL PRADO, K. 1999. Conservation biology of nectar-feeding bats in Mexico. *Journal of Mammalogy* 80 (1): 31-41.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ARKINS, A.M., WINNINGTON, A.P., ANDERSON, S. & CLOUT, M.N. 1999. Diet and nectarivorous foraging behaviour of the short-tailed bat (*Mystacina tuberculata*). *Journal of Zoology, London* 247 (2): 183-187.
- ARLETTAZ, R., CHRISTE, P. & DESFAYES, M. 2002. 33 years, a new longevity record for a European bat. *Mammalia* 66 (3): 441-442.
- ARNOLD, A. & BRAUN, M. 2002. Erhebungen zur Fledermausfauna der nordbadischen Rheinauengebiete. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 37-42.
- ARNOLD, A. & BRAUN, M. 2002. Telemetrische Untersuchungen an Rauhhauffledermäusen (*Pipistrellus nathusii* Keyserling & Blasius, 1839) in den nordbadischen Rheinauen. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 177-189.
- ARNOLD, A., BRAUN, M., BECKER, N. & STORCH, V. 2001. Contribution to the trophic ecology of bats in the Upper Rhine Valley, southwest Germany. In: Woloszyn, B.W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence*. Chiropterological Information Center, Krakow: 17-27.
- ARROYO-CABRALES, J., GREGORIN, R., SCHLITTER, D.A. & WALKER, A. 2002. The oldest African molossid bat cranium (Chiroptera: Molossidae). *Journal of Vertebrate Paleontology* 22(2): 380-387.
- ARTHUR, L., AULAGNIER, S., FAUVEL, B., GIOSSA, P., HAQUART, A., ISSARTEL, G., ROS, J., ROUE, S.G. & ROUE, S.Y. 2000. Plan de restauration des chiroptères: suivi des populations des espèces jugées prioritaires - année 1999. *Arvicola* 12 (2): 33-37.
- ASAN, N. 2001. Karyotype of *Eptesicus serotinus* (Schreber, 1774) in Turkey (Mammalia: Chiroptera). *Turkish Journal of Zoology* 25 (4): 357-360.
- ATTEYAT, M.A. 2002. The adrenal gland of the microchiropterous [microchiropterous] bat *Taphozous nudiventris*: light and electron microscopical studies. *Journal of the Egyptian German Society of Zoology* 37(C): 151-167.
- AUTINO, A.G. & CLAPS, G.L. 2000. Catalogue of the ectoparasitic insects of the bats of Argentina. *Insecta Mundi* 14 (4): 193-209.
- AVILA FLORES, R. & FLORES MARTINEZ, J.J. 2002. *Nyctinomops laticaudatus*. *Mammalian Species* 697: 1-6.
- BADE, W. 1991. Drei Winterquartiere in Neuenkirchen, Landkreis Soltau-Fallingb. In: Heckenroth, H. & B. Pott-Dörfer. *Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen* 26: 25-28.
- BAKER, R.J., SOLARI, S. & HOFFMANN, F.G. 2002. A new Central American species from the *Carollia brevicauda* complex. *Occasional Papers Museum of Texas Tech University* 217: i, 1-11.
- BALL, L. 2002. A strategy for describing and monitoring bat habitat. *Journal of Wildlife Management* 66(4): 1148-1153.
- BALL, L. 2002. A strategy for describing and monitoring bat habitat. *Journal of Wildlife Management* 66(4): 1148-1153.
- BANACK, S.A. 1998. Diet selection and resource use by flying foxes (genus *Pteropus*). *Ecology* 79 (6): 1949-1967.
- BANACK, S.A. 2001. *Pteropus samoensis*. *Mammalian Species* 661: 1-4
- BANACK, S.A. & GRANT, G.S. 2002. Spatial and temporal movement patterns of the flying fox, *Pteropus tonganus*, in American Samoa. *Journal of Wildlife Management* 66 (4): 1154-1163.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BANACK, S.A., HORN, M.H. & GAWLICKA, A. 2002. Disperser- vs. establishment-limited distribution of a riparian fig tree (*Ficus insipida*) in a Costa Rican tropical rain forest. *Biotropica* 34(2): 232-243.
- BANNIKOVA, A.A., MATVEEV, V.A. & KRAMEROV, D.A. 2002. Using inter-SINE-PCR to study mammalian phylogeny. *Genetika* 38(6): 853-864.
- BAPTISTA, M. & MELLO, M.A.R. 2001. Preliminary inventory of the bat species of the Poço das Antas Biological Reserve, RJ. *Chiroptera Neotropical* 7 (1-2): 133-135.
- BAPTISTA, T.L., RICHARDSON, C.S. & KUNZ, T.H. 2000. Postnatal growth and age estimation in free-ranging bats: a comparison of longitudinal and cross-sectional sampling methods. *Journal of Mammalogy* 81 (3): 709-718.
- BARANAUSKAS, K. 2001. Hibernation of *Barbastella* (*Barbastella barbastellus*) in Seskine bunkers in Vilnius (Lithuania). A possible bat population response to climate change. *Acta Zoologica Lituanica* 11(1): 15-19.
- BARCLAY, R.M.R. 2002. Do plants pollinated by flying fox bats (Megachiroptera) provide an extra calcium reward in their nectar? *Biotropica* 34(1): 168-171.
- BARCLAY, R.M.R., FENTON, M.B., TUTTLE, M.D. & RYAN, M.J. 1981. Echolocation calls produced by *Trachops cirrhosus* (Chiroptera: Phyllostomatidae) while hunting for frogs. *Canadian Journal of Zoology* 59 (5): 750-753.
- BARLOW, K.E. 1997. The diets of two phonic types of the bat *Pipistrellus pipistrellus* in Britain. *Journal of Zoology, London* 243 (3): 597-609.
- BARNARD, S.M. 2002. Insectivorous bats. In: Gage, L. J. [Ed.]. *Hand-rearing wild and domestic mammals*. Iowa State Press, Ames: 96-103.
- BARRIERE, P., BEAUCOURNU, J.C., MENIER, K. & COLYN, M. 2002. Une nouvelle puce du genre *Allopsylla* Beaucournu et Fain, 1982 (Siphonaptera: Ischnopsyllidae) en République Centrafricaine, sur un chiroptère molossidae méconnu. *Parasite* 9 (3): 233-237.
- BARTELS, W., LAW, B.S. & GEISER, F. 1998. Daily torpor and energetics in a tropical mammal, the northern blowworm-bat *Macroglossus minimus* (Megachiroptera). *Journal of comparative Physiology B*, 168: 233-239.
- BARTONICKA, T. 2002. Habitat use of four bat species in Jablonec n.N. revealed by bat detector. The bats of the Sudetes. *Przyroda Sudetow Zachodnich, suppl. 2*: 79-87.
- BARTONICKA, T., REHAK, Z., WOLF, P. & BRYJA, J. 2002. [Chiroptera. Small mammals of the Litovelske Pomoravi Protected Landscape Area (Czech Rep.). Part 1. Bats - Chiroptera.] *Lynx (Prague)* 33: 35-46.
- BARTONICKA, T. & ZUKAL, J. 2003. Flight activity and habitat use of four bat species in a small town revealed by bat detectors. *Folia Zoologica* 52(2): 155-166.
- BASANOVA, A.V., BAKOVA, I.P. & ZAVALOVA, L.L. 2002. Vascular-platelet and plasma hemostasis regulators from bloodsucking animals (review). *Biokhimiya, Yanvar* 67 (1): 167-176.
- BASTIAN, S.T., TANAKA, K., ANUNCIADO, R.V.P., NATURAL, N.G., SUMALDE, A.C. & NAMIKAWA, T. 2001. Phylogenetic relationships among megachiropteran species from the two major islands of the Philippines, deduced from DNA sequences of the cytochrome b gene. *Canadian Journal of Zoology* 79 (9): 1671-1677.
- BASTIAN, S.T., TANAKA, K., ANUNCIADO, R.V.P., NATURAL, N.G., SUMALDE, A.C. & NAMIKAWA, T. 2002. Evolutionary relationships of flying foxes (genus *Pteropus*) in the Philippines inferred from DNA sequences of cytochrome b gene. *Biochemical-Genetics* 40(3-4): 101-116.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BATES, P.J.J., NWE, T., PEARCH, M.J, SWE, K.M., BU, S.S.H. & TUN, T. 2000. A review of bat research in Myanmar (Burma) and results of a recent survey. *Acta Chiropterologica* 2 (1): 53-82.
- BAUER, E.E., KLUG, A. & POLLAK, G.D. 2002. Spectral determination of responses to species-specific calls in the dorsal nucleus of the lateral lemniscus. *Journal of Neurophysiology (Bethesda)* 88 (4): 1955-1967.
- BAYERISCHES LANDESAMT FÜR UMWELTSCHUTZ 2002. Artenhilfsprogramm des Bayerischen Landesamtes für Umweltschutz für Fledermäuse in Bayern zeigt erste Erfolge. *Säugetierkundliche Informationen* 5(26): 242.
- BECKER, U. & BECKER, K.-H. 1991. Beobachtungen an einer an Tollwut erkrankten Breitflügelfledermaus *Eptesicus serotinus*. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 159-160.
- BENK, A. & SCHOPPE, R. 1991. Zur Lautvariabilität von Wasserfledermaus *Myotis daubentoni*, Kuhl 1819 und Fransenfledermaus *Myotis nattereri* Kuhl 1818. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 131-140.
- BERGMANS, W. 1975. A new species of *Dobsonia* Palmer, 1898 (Mammalia, Megachiroptera) from Waigeo, with notes on other members of the genus. *Beaufortia* 23 (295): 1-13.
- BERGMANS, W. & ROZENDAAL, F.G. 1988. Notes on collections of fruit bats from Sulawesi and some off-lying islands (Mammalia, Megachiroptera). *Zoologische Verhandlungen* 248: 65-67.
- BERGMANS, W. & SARBINI, S. 1985. Fruit bats of the genus *Dobsonia* Palmer, 1898 from the islands of Biak, Owii, Numfoor and Yapen, Irian Jaya (Mammalia, Megachiroptera). *Beaufortia* 6 (34): 181-189.
- BERNARD, E. 2002. Diet, activity and reproduction of bat species (Mammalia, Chiroptera) in Central Amazonia, Brazil. *Revista Brasileira de Zoologia* 19(1): 173-188.
- BEST, T.L. & HUDSON, M.K. 1996. Movements of gray bats (*Myotis grisescens*) between roost sites and foraging areas. *Journal of the Alabama Academy of Science* 67 (1): 6-14.
- BEST, T.L., HUNT, J.L., MCWILLIAMS, L.A. & SMITH, K.G. 2001. *Eumops hansae*. *Mammalian Species* 687: 1-3.
- BEST, T.L., HUNT, J.L., MCWILLIAMS, L.A. & SMITH, K.G. 2001. *Eumops maurus* (Thomas, 1901): Thomas' mastiff bat. *Mammalian Species* 667: 1-3.
- BEST, T.L., HUNT, J.L., MCWILLIAMS, L.A. & SMITH, K.G. 2002. *Eumops auripendulus*. *Mammalian Species* 708: 1-5.
- BHATNAGAR, K.P, WIBLE, J.R. & KARIM, K.B. 1996. Development of the vomeronasal organ in *Rousettus leschenaulti* (Megachiroptera, Pteropodidae). *J. Anat.* 188 (1): 129-135.
- BHATTACHARYYA, T.P. 2002. Taxonomic status of the genus *Harpiola* Thomas, 1915 (Mammalia: Chiroptera: Vespertilionidae), with a report of the occurrence of *Harpiola grisea* (Peters, 1872) in Mizoram, India. *Proceedings of the Zoological Society (Calcutta)* 55(1): 73-76.
- BHIWGADE, D.A., TASKAR, S. & BHATNAGAR, K.P 2000. The interhemal membrane of the bats, *Rousettus leschenaulti* and *Cynopterus sphinx* (Megachiroptera): an ultrastructural investigation. *Acta Chiropterologica* 2 (1): 107-122.
- BIEDERMANN, M., GEIGER, H., SCHORCHT, W. & TRESS, J. 2001. Rote Liste der Fledermäuse (Mammalia: Chiroptera) Thüringens. 3. Fassung, Stand: 05/2001. *Naturschutzreport* 18: 33-34.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BIHARI, Z. & BAKOS, J. 2001. Roost selection of *Nyctalus noctula* (Chiroptera, Vespertilionidae) in urban habitat. In: Woloszyn, B.W. [Ed.]. Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence. Chiropterological Information Center, Krakow: 29-39.
- BIHARI, Z. & GECZI, I. 2000. Monitoring of church-dwelling bats in the territory of Zemplén Mts (Hungary) between 1989 and 1998. *Vespertilio* 4: 13-17.
- BLOSS, J. 1999. Olfaction and the use of chemical signals in bats. *Acta Chiropterologica* 1 (1): 31-45.
- BOBAKOVA, L. 2002. Quantitative and qualitative characteristics of bat fauna of the Dobsinska Ice Cave (E Slovakia). *Lynx (Prague)* 33: 47-58.
- BOGDANOWICZ, W. 2000. Comments on the proposed designation of neotypes for the nominal species *Vespertilio pipistrellus* Schreber, 1774 and *V. pygmaeus* Leach, 1825 (currently *Pipistrellus pipistrellus* and *P. pygmaeus*; Mammalia, Chiroptera). *Bulletin of zoological Nomenclature* 57 (1): 50.
- BOGDARINA, S.V. & STRELKOV, P.P. 2002. Peculiarities of distribution of bats in the north of European part of Russia. *Plecotus et al. pars specialis* : 53-55.
- BOITIER, E. 2002. Un nouveau jalon occidental pour la Sérotine bicolore *Vespertilio murinus* en France: le Massif Central. *Arvicola* 14(2): 57.
- BOLLEN, A. & VAN ELSACKER, L. 2002. Feeding ecology of *Pteropus rufus* (Pteropodidae) in the littoral forest of Sainte Luce, SE Madagascar. *Acta Chiropterologica* 4 (1): 33-47.
- BONACCORSO, F.J. & MCNAB, B.K. 1997. Plasticity of energetics in blossom bats (Pteropodidae): impact on distribution. *Journal of Mammalogy* 78 (4): 1073-1088.
- BONTDINA, F. & ARLETTAZ, R. 2003. A heap of feathers does not make a bat's diet. *Functional Ecology* 17: 141-142.
- BOONMAN, A. & JONES, G. 2002. Intensity control during target approach in echolocating bats; stereotypical sensori-motor behaviour in Daubenton's bats, *Myotis daubentonii*. *Journal of Experimental Biology* 205 (18): 2865-2874.
- BOONMAN, M. 2000. Roost selection by noctules (*Nyctalus noctula*) and Daubenton's bats (*Myotis daubentonii*). *Journal of Zoology, London* 251 (3): 385-389.
- BORDIGNON, M.O. & FRANAA, A.O. 2002. Fish consumption by *Noctilio leporinus* (Linnaeus, 1758) in Guaratuba bay, southern Brazil. *Chiroptera Neotropical* 8 (1-2): 148-150.
- BORISSENKO, A.V. & KRUSKOP, S.V. 2002. The essay of bat research in Vietnam. *Plecotus et al. pars specialis* : 108-109.
- BOSSO, A., GIL, G. & HAENE, E. 1998. Inclusion de *Tadarina* [*Tadarida*] *brasiliensis* y *Lasiurus borealis* (Chiroptera) en la mastofauna de San Juan (Argentina). *Acta Zoologica Lilloana* 44 (1): 291.
- BOTVINKIN, A.D., OSINTZEV, A.S.V., MOROZOV, O.N. & TIUNOV, M.P. 2001. Bat hibernation site in the Dolganskaya Yama Cave system (Western Transbaikalia). *Trudy Zoologicheskogo Instituta* 288: 154-162.
- BOUCHARD, S. 2001. *Chaerephon ansorgei*. *Mammalian Species* 660: 1-3
- BOUCHARD, S. 2001. Sex discrimination and roostmate recognition by olfactory cues in the African bats, *Mops condylurus* and *Chaerephon pumilus* (Chiroptera: Molossidae). *Journal of Zoology, London* 254 (1): 109-117.
- BOUCHARD, S., ZIGOURIS, J., FENTON, M.B., WIJAYRATNE, U., BUFF, J. & FRANCISCUS, V. 2001. Autumn mating and likely resorption of an embryo by a hoary bat, *Lasiurus cinereus* (Chiroptera: Vespertilionidae). *American Midland Naturalist* 145 (1): 210-212.
- BOWEN-JONES, E., ABRUTAT, D., MARKHAM, B. & BOWE, S. 1997. Flying foxes on Choiseul, Solomon Islands : the need for conservation action. *Oryx* 31 (3): 209-217.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BOYE, C., BOYE, P., EIDEN, K., MEUSEMANN, K., MEYER-CORDS, C., VON REUMONT, B.M. & SCHWEITZER, U. 2002. Die Ofenkaulen im Siebengebirge als Fledermausquartier: Die aktuell vorkommenden Arten, Bestände und Gefährdungen. *Decheniana* 155: 81-103.
- BOYE, C., MEUSEMANN, K., MEXER-CORDS, C. & VON REUMONT, B. 2002. Viele Fledermauskundler fangen viele Fledermäuse - Bericht von einer Netzfangaktion im Siebengebirge bei Bonn. *Nyctalus* 8 (3): 231-239.
- BOYE, P. 2002. Projekte im Verbund für den Fledermausschutz - die Strategie des Bundesamtes für Naturschutz zur Umsetzung des EUROBATS-Abkommens. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 279-288.
- BOYE, P., DIETZ, M. & WEBER, M. 1999. Fledermäuse und Fledermausschutz in Deutschland. Bundesamt für Naturschutz, German Federal Agency for Nature Conservation, Bonn: 1-110.
- BOYE, P. et al. 2003. Grundlagen für die Entwicklung eines Monitorings der Fledermäuse in Deutschland. *Dokumentation der Entwicklungsschritte 1996-2002*. BfN-Skripten 73: 142 p.
- BRACK, V. Jr, JOHNSON, S.A. & DUNLAP, R.K. 2003. Wintering populations of bats in Indiana, with emphasis on the endangered Indiana *Myotis*, *Myotis sodalis*. *Proceedings of the Indiana Academy of Science* 112(1): 61-74.
- BRACK, V. Jr, STIHLER, C.W., REYNOLDS, R.J., BUTCHKOSKI, C.M. & HOBSON, C.S. 2003. Effect of climate and elevation on distribution and abundance in the mideastern United States. *The Indiana Bat: Biology and management of an endangered species*: 21-28.
- BRACK, V. Jr & WHITAKER, J.O. Jr. 2001. Foods of the northern myotis, *Myotis septentrionalis*, from Missouri and Indiana, with notes on foraging. *Acta Chiropterologica* 3(2): 203-210.
- BRANT, J.G. 2002. Noteworthy record of the silver-haired bat, *Lasionycteris noctivagans* (Chiroptera: Vespertilionidae), in Presidio County, Texas. *Southwestern Naturalist* 47(4): 633-635.
- BRAUN, M. 1991. Fledermausschutz in Nordbaden - rechtlicher Rahmen bei der Umsetzung des Fledermausschutzes in die Praxis. In: Heckenroth, H. & B. Pott-Dörfer. *Beiträge zum Fledermausschutz in Niedersachsen*. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 9-12.
- BRIGGLER, J.T. & PRATHER, J.W. 2003. Seasonal use and selection of caves by the eastern pipistrelle bat (*Pipistrellus subflavus*). *American Midland Naturalist* 149(2): 406-412.
- BRIGGS, B. 1995. A survey of bats in Hertfordshire by use of bat detectors. *Trans. Hertfordshire nat. Hist. Soc. Fld Club* 32 (3): 245-258.
- BRIGGS, P. 1995. Bats in barns. *Trans. Hertfordshire nat. Hist. Soc. Fld Club* 32 (3): 237-244.
- BRIGHAM, R.M., BARCLAY, R.M.R., PSYLLAKIS, J.M., SLEEP, D.J.H. & LOWREY, K.T. 2002. Guano traps as a means of assessing habitat use by foraging bats. *Northwestern Naturalist* 83(1): 15-18.
- BRIGHT, P.W. & MORRIS, P.A. 1996. Why are Dormice rare? A case study in conservation biology. *Mammal Review* 26 (4): 157-187.
- BRINZIK, M., KURTHY, A. & KURTHYOVA, M. 2002. [Records of bats in attics of buildings in the Borska nizina lowland (W Slovakia)]. *Lynx (Prague)* 33: 59-68.
- BRIONES-SALAS, M.A. 1998. First record of *Bauerus dubiaquercus* (Vespertilionidae) in Oaxaca, Mexico. *SWest. Nat.* 43 (4): 495-496.
- BRIONES-SALAS, M. & SANTOS-MORENO, A. 2002. First record of *Tonatia brasiliense* (Chiroptera, Phyllostomidae) in Oaxaca, Mexico. *Southwestern Naturalist* 47(1): 137-138.
- BRITZKE, E.R., HARVEY, M.J. & LOEB, S.C. 2003. Indiana bat, *Myotis sodalis*, maternity roosts in the southern United states. *The Indiana Bat: Biology and management of an endangered species*.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BRODERS, H.G., MCALPINE, D.F. & FORBES, G.J. 2001. Status of the eastern pipistrelle (*Pipistrellus subflavus*) (Chiroptera: Vespertilionidae) in New Brunswick. *Northeastern Naturalist* 8 (3): 331-336.
- BROWN, W.A., UDAGAMA-RANDENIYA, P.V. & SENEVIRATNE, S.S. 2003. Two new species of chiggers (Acari: Leeuwenhoekidae and Trombiculidae) from bats (Chiroptera) collected in the Kanneliya Forest Reserve of Sri Lanka. *International Journal of Acarology* 29(1): 69-73.
- BUDEN, D.W. 1987. A guide to the identification of the bats of the Bahamas. *Caribbean Journal of Sciences* 23 (3-4): 362-367.
- BUFFENSTEIN, R., MALONEY, S.K. & BRONNER, G.N. 1999. Seasonal and daily variation in blood and urine concentrations of free-ranging Angolan free-tailed bats (*Mops condylurus*) in hot roosts in southern Africa. *South African Journal of Zoology* 34 (1): 11-18.
- BULLEN, R.D. & MCKENZIE, N.L. 2002. Scaling bat wingbeat frequency and amplitude. *Journal of Experimental Biology* 205 (17): 2615-2626.
- BURIC, Z., FURMANKIEWICZ, J. & TELATYNSKI, S. 2001. [Niedzwiedzia cave as one of the most valuable bat localities in Lower Silesia.] *Przegląd Przyrodniczy* 12 (1-2): 109-114.
- BURNETT, S.C., KAZIAL, K.A. & MASTERS, W.M. 2001. Discriminating individual big brown bat (*Eptesicus fuscus*) sonar vocalizations in different recording situations. *Bioacoustics* 11 (3): 189-210.
- BURNETT, S.E., JENNINGS, J.B., RAINEY, J.C. & BEST, T.L. 2001. *Molossus bondae* Allen, 1904: Bonda mastiff bat. *Mammalian Species* 668: 1-3.
- BUYS, J., HEIJLINGERS, H. & DORENBOSCH, M. 2002. First record of an albino long-eared bat *Plecotus auritus* in the Netherlands. *Lutra* 45(1): 49-52.
- CALBERG, C. 1997. Le Grand Banc: chronique d'une protection arrachée. *Aves Contact* 33 (6): 28-30.
- CALLAHAN, E.V., DROBNEY, R.D. & CLAWSON, R.L. 1997. Selection of summer roosting sites by Indiana bats, *Myotis sodalis*, in Missouri. *Journal of Mammalogy* 78 (3): 818-825.
- CARBONNEL, J.-P., KLEIN, D., LAMY, S., DECU, V., BACIU, F., SILVESTRU, E., CHEORGHIU, V. & GIURGINCA, A. 2000. Le 137CS des sols et guanos de Roumanie treize ans après Tchernobyl. Incidences sur le milieu karstique. *Mémoires de Biospéologie* 27: 25-36; 54.
- CARROLL, S.K., CARTER, T.C. & FELDHAMER, G.A. 2002. Placement of nets for bats: Effects on perceived fauna. *Southeastern Naturalist*. 1(2): 193-198.
- CARSTENS, B.C., LUNDRIGAN, B.L. & MYERS, P. 2002. A phylogeny of the Neotropical nectar-feeding bats (Chiroptera: Phyllostomidae) based on morphological and molecular data. *Journal of Mammalian Evolution* 9(1-2): 23-53.
- CASTELLA, V., RUEDI, M. & EXCOFFIER, L. 2001. Contrasted patterns of mitochondrial and nuclear structure among nursery colonies of the bat *Myotis myotis*. *Journal of evolutionary Biology* 14 (5): 708-720.
- CAVINESS, M.L. & JAMES, D.A. 2001. Results of a bat survey in the western Ozark National Forest. *Journal of the Arkansas Academy of Science* 55: 168-171.
- CENTRO PROTEZIONE CHIROTTERI TICINO 2002. *Pipistrellus pygmaeus*, una specie di pipistrello scoperta di recente in Europa, è presente anche in Ticino. *Bollettino della Società ticinese di Scienze naturali* 90 (1-2): 139-140.
- CHAG, M. 2003. Disney's Magic. Fruit bats become stars at Walt Disney World. *Bats* 21(2): 1-4.
- CHEN, Q.C., JEN, P.H.S. & WU, F.J. 2002. GABAergic inhibition can sharpen frequency tuning of auditory cortical neurons in big brown bat (*Eptesicus fuscus*). *Acta Zoologica Sinica* 48(3): 346-352.
- CHENG, H.C. & LEE, L.L. 2002. Postnatal growth, age estimation, and sexual maturity in the Formosan leaf-nosed bat (*Hipposideros terasensis*). *Journal of Mammalogy* 83 (3): 785-793.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CHILDS, J. & ALDHOUS, T. 2002. Mammal - bats 2001. *Bedfordshire Naturalist*. 56 (1): 29-36.
- CHIRICHELLA, R., MATTIROLI, S., PREATONI, D. & MARTINOLI, A. 2002. Uso dell'habitat del Rinolofo maggiore (*Rhinolophus ferrumequinum*) e del Rinolofo minore (*Rhinolophus hipposideros*) nel Parco Naturale Adamello Brenta. Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. *Memorie del Museo Riserva Naturale Orientata di Onferno*, suppl. 1: 5-6.
- CHISTYAKOV, D.V. 2001. Present state of the bat community hibernating in artificial caves near St. Petersburg. In: Woloszyn, B. W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence*. Chiropterological Information Center, Krakow: 41-45.
- CHISTYAKOV, D.V. 2002. Data on bats of Gdov district, Pskov region. *Plecotus et al. pars specialis* : 55-57.
- CHOQUENE, G.L. 1997. Des mammifères en ville: les chauves-souris. *Penn Ar Bed* 165-166: 58-62.
- CHOQUENE, G.L. 2000. L'ancienne mine de Glenac, réserve de chauves-souris depuis 1989. *Penn Ar Bed* 179: 14-21.
- CHRISTE, P., GIORGI, M.S., VOGEL, P. & ARLETTAZ, R. 2003. Differential species-specific ectoparasitic mite intensities in two intimately coexisting sibling bat species: Resource-mediated host attractiveness or parasite specialization? *Journal of Animal Ecology* 72(5): 866-872.
- CHRUSZCZ, B.J. & BARCLAY, R.M.R. 2002. *Chalinolobus gouldii*. *Mammalian Species* 690: 1-4.
- CHRUSZCZ, B.J. & BARCLAY, R.M.R. 2003. Prolonged foraging bouts of a solitary gleaning/hawking bat, *Myotis evotis*. *Canadian Journal of Zoology* 81: 823-826.
- CIECHANOWSKI, M. 2002. Community structure and activity of bats (Chiroptera) over different water bodies. *Mammalian Biology* 67 (5): 276-285.
- CIECHANOWSKI, M., KOZIROG, L., DURIASZ, J., PRZESMYCKA, A., SWIATKOWSKA, A., KISICKA, I. & KASPRZYK, K. 2002. Bat fauna of the Ilawa Lakeland Landscape Park (northern Poland). *Myotis* 40: 33-45.
- CLARK, B.S., CLARK, B.K. & LESLIE, D.M., Jr. 2002. Seasonal variation in activity patterns of the endangered Ozark big-eared bat (*Corynorhinus townsendii ingens*). *Journal of Mammalogy* 83 (2): 590-598.
- COBURN, D. & GEISER, F. 1996. Daily torpor and energy savings in a subtropical blossom-bat, *Syconycteris australis* (Megachiroptera). In: Geiser, F., Hulbert, A.J. & Nicol, S.C. (Eds). *Adaptations to the cold: 10th int. hibernation symp.* Univ. New England Press: 39-45.
- COBURN, D. & GEISER, F. 1998. Seasonal changes in energetics and torpor patterns in the subtropical blossom-bat *Syconycteris australis* (Megachiroptera). *Oecologia* 113: 467-473.
- CODD, J.R., SANDERSON, K.J. & BRANFORD, A.J. 2003. Roosting activity budget of the southern bent-wing bat (*Miniopterus schreibersii bassanii*). *Australian Journal of Zoology* 51: 307-316.
- COELHO, D.C. & MARINHO-FILHO, J. 2002. Diet and activity of *Lonchophylla dekeyseri* (Chiroptera, Phyllostomidae) in the Federal District, Brazil. *Mammalia* 66(3): 319-330
- COLGAN, D.J. & DA COSTA, P. 2002. Megachiropteran evolution studied with 12S rDNA and c-mos DNA sequences. *Journal of Mammalian Evolution* 9(1-2): 3-22.
- COLKET, E. & WILSON, D.E. 1998. *Taphozous hildegardeae*. *Mammalian Species* 597: 1-3
- COOPER, S.J.B., DAY, P.R., REARDON, T.B. & SCHULZ, M. 2001. Assessment of species boundaries in Australian *Myotis* (Chiroptera: Vespertilionidae) using mitochondrial DNA. *Journal of Mammalogy* 82 (2): 328-338.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CORBEN, C. & FELLERS, G.M. 2001. Choosing the 'correct' bat detector - a reply. *Acta Chiropterologica* 3(2): 253-256.
- COTTERILL, F.P.D. 2001. Further notes on large Afrotropical free-tailed bats of the genus *Tadarida* (Molossidae: Mammalia). *Arnoldia Zimbabwe* 10 (18): 199-210.
- COTTERILL, F.P.D. 2001. New distribution records of leaf-nosed bats (Microchiroptera: Hipposideridae) in Zimbabwe. *Arnoldia Zimbabwe* 10 (17): 189-198.
- COTTERILL, F.P.D. 2001. New records for two species of fruit bats (Chiroptera: Pteropodidae) in southeast Africa, with taxonomic comments. *Durban Museum Novitates* 26: 53-56.
- COTTERILL, F.P.D. 2001. New specimens of lesser house bats (Vespertilionidae: *Scotoecus*) from Mozambique and Zambia. *Arnoldia Zimbabwe* 10 (20): 219-224.
- COTTERILL, F.P.D. 2001. The first specimen of Thomas's flat-headed bat, *Mimetillus moloneyi thomasi* (Microchiroptera: Mammalia) in southern Africa from Mozambique. *Arnoldia Zimbabwe* 10 (19): 211-218.
- COTTERILL, F.P.D. 2002. A new species of horseshoe bat (Microchiroptera: Rhinolophidae) from south-central Africa: With comments on its affinities and evolution, and the characterization of rhinolophid species. *Journal of Zoology, London* 256 (2): 165-179.
- COTTERILL, F.P.D. 2002. Notes on mammal collections and biodiversity conservation in the Ikelenge pedicle, Mwinilunga district, northwest Zambia. *Occasional Publications in Biodiversity* 10: 1-18.
- CRETEKOS, C.J., RASWEILER, J.J., IV & BEHRINGER, R.R. 2001. Comparative studies on limb morphogenesis in mice and bats: a functional genetic approach towards a molecular understanding of diversity in organ formation. *Reproduction Fertility and Development* 13 (7-8): 691-695.
- CRYAN, P.M. 2003. Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* 84(2): 579-593.
- CZUPPON, B. & MOLNAR, V. 2001. Bat fly genus and species new to Hungary (Diptera: Nycteribiidae). *Folia Entomologica Hungarica* 62: 313-317.
- DAS, I. 1999. A noteworthy collection of mammals from Mount Harriet, Andaman Islands, India. *J. South Asian nat. Hist.* 4 (2): 181-185.
- DAS, P.K. 1990. Type-specimens of *Murina cyclotis* Dobson, 1872 (Chiroptera: Vespertilionidae) and their current repositories. *Records of the zoological Survey of India* 86 (2-4): 431-435.
- DAVIDSON, S.M. & WILKINSON, G.S. 2002. Geographic and individual variation in vocalizations by male *Saccopteryx bilineata* (Chiroptera: Emballonuridae). *Journal of Mammalogy* 83 (2): 526-535.
- DAVIS, R.W. & WHITAKER, J.O. Jr. 2002. Population studies on a maternity colony of little brown bats in west-central Indiana. *Proceedings of the Indiana Academy of Science* 111(2): 215-220.
- DE CARLI, E., FORNASARI, L., VIOLANI, C. & ZAVA, B. 1997. Note sulla distribuzione altitudinale e selezione dell'habitat della chiropterofauna dell'Appennino emiliano. *Atti Soc. It. Ecol.* 18: 109-111.
- DEBACA, R.S. & JONES, C. 2002. The ghost-faced bat, *Mormoops megalophylla*, (Chiroptera: Mormoopidae) from the Davis Mountains, Texas. *Texas Journal of Science* 54 (1): 89-91.
- DEBAEREMAERKER, K.R. & FENTON, M.B. 2003. Basisphenoid and basioccipital pits in microchiropteran bats. *Biological Journal of the Linnean Society* 78: 215-233.
- DECHMANN, D.K.N., GARBELY, E., KERTH, G. & GARNER, T.W.J. 2002. § Highly polymorphic microsatellites for the study of the round-eared bat, *Tonatia silvicola* (d'Orbigny). *Conservation Genetics* 3(4): 455-458.
- DELAHAYE, L. 2001. Nos chauves-souris forestières et leur conservation. *Parcs et Réserves* 56(2): 5-9.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DELAHAYE, L. & KERVYN, T. 2001. Le grand rhinolophe: analyse du régime alimentaire et implications pour sa conservation en Région wallonne. *Parcs et Réserves* 56(2): 13-18.
- DELLA TOFFOLA, R., MORETTI, M., BLANT, M. & MOREL, P. 2002. Ritrovamento di centinaia di ossa di pipistrello nella Grotta del Canalone (Monte Generoso, TI): risultati preliminari. *Bollettino della Società ticinese di Scienze naturali* 90 (1-2): 45-50.
- DENSE, C. 1991. Beobachtungen einer bisher nicht beschriebenen Lautäusserung und Verhaltensweise bei einer Bartfledermaus *Myotis brandti/mystacinus* (Chiroptera: Vespertilionidae). In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 141-142.
- DENSE, C. & RAHMEL, U. 2002. Untersuchungen zur Habitatnutzung der Grossen Bartfledermaus (*Myotis brandtii*) im nordwestlichen Niedersachsen. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 51-68.
- DENSE, C., RAHMEL, U. & MAESCHER, G. 2002. Fledermäuse im Hasbruch (Niedersachsen) - Ergebnisse der faunistischen Untersuchungen 1996 und 1997. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 43-46.
- DEVRIENT, I. & WOHLGEMUTH, R. 2002. Erste Ergebnisse der Beringung von Abendseglern (*Nyctalus noctula*) im Kreis Unna, Nordrhein-Westfalen. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 225-232.
- DI BELLA, C., LO VERDE, V., BISCARDI, S. & ZAVA, B. 1999. Note sulla microflora enterica di alcune specie di chiropteri troglodili (Chiroptera, Vespertilionidae). *Thalassia Salentina* 23: 167-171.
- DICK, C.W. 2002. Variation in the dental formula of the Ipanema bat, *Pygoderma bilabiatum*. *Southwestern Naturalist* 47(3): 505-508.
- DICKMAN, C. & FLEMING, M. 2002. Pest, or passenger pigeon? The New South Wales Scientific Committee's assessment of the status of the grey-headed flying-fox. In: Eby, P. & Lunney, D. [Eds]. *Managing the grey-headed flying-fox as a threatened species in NSW*. Royal Zoological Society of New South Wales, Masman: 20-28.
- DIJKSTRA, A.J. & HOEVE, R. 1999. [Record of a Bechstein's bat *Myotis bechsteinii* in the Dutch province of Overijssel.] *Lutra* 41 (1-2): 30-32 (en hollandais, résumé anglais).
- DOS REIS, N.R., DE LIMA, I.P. & PERACCHI, A.L. 2002. Morcegos (Chiroptera) da área urbana de Londrina, Parana, Brasil. *Revista Brasileira de Zoologia* 19 (3): 739-746.
- DOS REIS, N.R., PERACCHI, A.L., SEKIAMA, M.L. & DE LIMA, I.P. 2000. Diversidade de morcegos (Chiroptera, Mammalia) em fragmentos florestais no estado do Parana, Brasil. *Revista Brasileira de Zoologia* 17 (3): 697-704 (en portugais, résumé anglais).
- DOS SANTOS AVILLA, L., MELO DA SILVA ROZENZSTRANCH, A. & APARECIDA LEITE ABRANTES, E. 2001. First record of the South American flat-headed bat, *Neoplatus mattogrossensis* (Vieira, 1942) in southeastern Brazil (Chiroptera, Molossidae). *Boletim do Museu Nacional Rio de Janeiro Zoologia* 463: 1-6.
- DRAKE, D.R., MULDER, C.P.H., TOWNS, D.R. & DAUGHERTY, C.H. 2002. The biology of insularity: an introduction. *Journal of Biogeography* 29: 563-569.
- DUBEY, J.P., HAMIR, A.N., SONN, R.J. & TOPPER, M.J. 1998. Cryptosporidiosis in a bat (*Eptesicus fuscus*). *J. Parasitol.* 84 (3): 622-623.
- DUDLEY, R. & WINTER, Y. 2002. Hovering flight mechanics of neotropical flower bats (Phyllostomidae: Glossophaginae) in normodense and hypodense gas mixtures. *Journal of Experimental Biology* 205(23): 3669-3677.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DUNLOP, J. 1997. *Coleura afra*. Mammalian Species 566: 1-4.
- DUNLOP, J. 1999. *Mops midas*. Mammalian Species 615: 1-4.
- DURKIN, J.L. 2002. The "J.A." mammal articles 1880-Part 1; Insectivores, bats and rodents. *Vasculum* 87(1): 28-32.
- DVORAK, L. & BUFKA, L. 2002. [Present knowledge on distribution of Geoffroy's bat (*Myotis emarginatus*) in the Sumava foothills (SW Bohemia, Czech Republic)]. *Lynx* (Prague) 33: 271-272.
- DWYE, P.D. 2000. Comments on the proposed conservation of usage of the names *Mystacina* Gray, 1843, *Chalinolobus* Peters, 1866, *M. tuberculata* Gray, 1843 and *C. tuberculatus* (J.R. Forster, 1844) (Mammalia, Chiroptera). *Bulletin of zoological Nomenclature* 57 (2): 118.
- DYKYY, I. 1999. Find of the pond bat (*Myotis dasycneme*) on the territory of Western Ukraine. *Vestnik Zoologii* 33 (3): 20.
- DZERJINSKY, V.A. & SHAIMARDANOV, R.T. 2002. Protozoan parasites of Chiroptera (Vespertilionidae) in Kazakhstan. *Plecotus et al.* 5: 93-96.
- DZEVERIN, I.I. 2001. Skull size correlation with under-development of upper second premolars in mouse-eared bats, *Myotis* (Chiroptera, Vespertilionidae). *Vestnik Zoologii, Noyabr'-Dekabr'* 35(6): 53-62, 101.
- ECHENIQUE-DIAZ, L.M., YOKOYAMA, J., KAWATA, M., ABE, S. & ISHIBASHI, Y. 2002. Isolation and characterization of microsatellite loci in the Bang's leaf-nosed bat *Hipposideros turpis*. *Molecular Ecology Notes* 2(4): 396-397.
- EGER, J.L. & MITCHELL, L. 1996. Biogeography of the bats of Madagascar. In: Lourenço, W.R. *Biogéographie de Madagascar*, Editions de l'Orstom, Paris: 321-328.
- EICHSTÄDT, H. & BASSUS, W. 1995. Untersuchungen zur Nahrungsökologie der Zwergfledermaus (*Pipistrellus pipistrellus*). *Nyctalus* 5 (6): 561-584.
- ELANGO VAN, V. & MARIMUTHU, G. 2001. Comparative analysis on food, energy and nitrogen intake of a megachiropteran bat, *Cynopterus sphinx*. *Proceedings of the National Academy of Sciences India Section B (Biological Sciences)* 71(2): 115-120.
- ELIZALDE-ARELLANO, C., URÍA-GALICIA, E. & LOPEZ-VIDAL, J.C. 2002. Morfología comparada de lenguas de *Tadarida brasiliensis* (I. Geoffroy St.-Hilaire, 1824) y *Balantiopteryx plicata* (Peters, 1867) (Mammalia, Chiroptera). *Acta Zoologica Mexicana Nueva Serie* 86: 103-117.
- EMELIYANOV, A.A. 2002. Records of bats from Kurgan region. *Plecotus et al. pars specialis* : 71-74.
- ENCARNACAO, J., DIETZ, M. & KIERDORF, U. 2002. Zur Mobilität männlicher Wasserfledermäuse (*Myotis daubentonii* Kuhl, 1819) im Sommer. *Myotis* 40: 19-31.
- ENGSTROM, M.D. & REID, F.A. 2003. What's in a name? *Bats* 21 (1): 1-5.
- ERICKSON, J.L. 2003. Associations of bats with local structure and landscape features of forested stands in western Oregon and Washington. *Biological Conservation* 109(1): 95-102.
- ERICKSON, J.L. & WEST, S.D. 2002. The influence of regional climate and nightly weather conditions on activity patterns of insectivorous bats. *Acta Chiropterologica* 4 (1): 17-24.
- ESBERARD, C. 2002. Successful breeding of *Chrotopterus auritus* in captivity. *Bat Research News* 43 (3): 128.
- ESBERARD, C., MOTTA, A.G. & GONAALVES, A.C. 2002. Recria artificial de falso-vampiro (*Phyllostomus hastatus*). *Chiroptera Neotropical* 8 (1-2): 152-155.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ESTABAN, J.G., BOTELLA, P. & TOLEDO, R. 1995. Redescription of *Physaloptera brevivaginata* Seurat, 1917 (Nematoda : Physalopteridae) from the bat *Myotis blythii* (Tomes) (Chiroptera : Vespertilionidae) in Spain. *Systematic Parasitology* 32 : 107-112.
- ESTRADA, A. & COATES ESTRADA, R. 2002. Bats in continuous forest, forest fragments and in an agricultural mosaic habitat-island at Los Tuxtlas, Mexico. *Biological Conservation* 103(2): 237-245.
- FABIAN, M.E., RUI, A.M. & DE OLIVEIRA, K.P. 1999. Distribuicao geografica de morcegos Phyllostomidae (Mammalia: Chiroptera) no Rio Grande do Sul, Brasil. *Iheringia, ser. Zool.* 87: 143-156.
- FAHR, J., VIERHAUS, H., HUTTERER, R. & KOCK, D. 2002. A revision of the *Rhinolophus maclaudi* species group with the description of a new species from West Africa (Chiroptera: Rhinolophidae). *Myotis* 40: 95-126.
- FAIN, A. 2002. Notes on a small collection of mites (Acari) parasitic on bats in the Philippines. *Acarologia (Paris)* 42(1): 67-74.
- FAIN, A. & BOCHKOV, A.V. 2002. A new species of *Eudusbabekia* Jameson, 1971 (Acari: Myobiidae) parasitising *Rhinophylla pumilio* Peters (Chiroptera: Phyllostomidae) from Ecuador. *Systematic Parasitology* 52 (3): 167-169.
- FAIN, A., WALTER, G. & HEDDERGOTT, M. 2003. A new species of *Macronyssus Kolenati*, 1858 (Acari: Macronyssidae) from Leisler's bat, *Nyctalus leisleri* Kuhl, 1818 (Mammalia: Chiroptera) in Germany. *International Journal of Acarology* 29(1): 55-61.
- FAIRON, J. 2001. Chauves-souris en Wallonie. Biodiversité, dynamique, bioindicateurs, conservation - premiers résultats. *Naturalistes Belges* 82 (4): 89-112.
- FAIRON, J., BUSCH, E., PETIT, T. & SCHUITEN, M. 1996. Contribution à l'étude du problème de la cohabitation Effraies - Chiroptères *Naturalistes Belges* 77 (2): 48-50.
- FAVI, M.C., DE MATTOS, C.A., YUNG, VERONICA, CHALA, E., LOPEZ, L.R. & DE MATTOS, C.C. 2002. First case of human rabies in Chile caused by an insectivorous bat virus variant. *Emerging Infectious Diseases* 8(1): 79-81.
- FEILER, A., HAFT, J. & WIDMANN, P. 1993. Beobachtungen und Untersuchungen an Säugetieren der Insel São Tomé (Golf von Guinea) (Mammalia). *Faunistische Abhandlungen Staatliches Museum für Tierkunde Dresden* 19 (4): 21-35.
- FEJER, Z., HALDAR, C., GHOSH, M., FRANK, L.C., SZEPESSY, Z., SZEL, A., MANZANO E SILVA, M.J. & VIGH, B. 2001. Pineal organ-like organization of the retina in megachiroptean bats. *Acta Biologica Hungarica* 52 (1): 17-27.
- FELDHAMER, G.A., CARTER, T.C. & CARROLL, S.K. 2001. Timing of pregnancy, lactation, and female foraging activity in three species of bats in southern Illinois. *Canadian Field Naturalist*. 115 (3): 420-424.
- FELIX, J.S., DOS REIS, N.R., DE LIMA, I.P., COSTA, E.F. & PERACCHI, A.L. 2001. Is the area of the Arthur Thomas Park, with its 82.72 ha, sufficient to maintain viable chiropteran populations ? *Chiroptera Neotropical* 7 (1-2): 129-132.
- FELLERS, G.M. & PIERSON, E.D. 2002. Habitat use and foraging behavior of Townsend's big-eared bat (*Corynorhinus townsendii*) in coastal California. *Journal of Mammalogy* 83 (1): 167-177.
- FENTON, M.B. 2003. The mine in my life. *Bats* 21(3): 1-5.
- FENTON, M.B. & EGER, J.L. 2002. *Chaerephon chapini*. *Mammalian Species* 692: 1-2.
- FENTON, M.B., TAYLOR, P.J., JACOBS, D.S., RICHARDSON, E.J., BERNARD, E., BOUCHARD, S., DEBAEREMAERKER, K.R., TER-HOFSTEDÉ, H., HOLLIS, L., LAUSEN, C.L., LISTER, J.S.,



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RAMBALDINI, D., RATCLIFFE, J.M. & REDDY, E. 2002. Researching little-known species: The African bat *Otomops martiensseni* (Chiroptera: Molossidae). *Biodiversity and Conservation* 11(9): 1583-1606.
- FERREIRA, R.L. & MARTINS, R.P. 1999. Trophic structure and natural history of bat guano invertebrate communities, with special reference to Brazilian caves. *Tropical Zoology* 12 (2): 231-252.
- FIELD, H. 2002. The role of grey-headed flying-foxes in the ecology of Hendra virus, Menangle virus and Australian bat lyssavirus. In: Eby, P. & Lunney, D. [Eds]. *Managing the grey-headed flying-fox as a threatened species in NSW*. Royal Zoological Society of New South Wales, Masman: 139-141.
- FLECK, D.W., VOSS, R.S. & SIMMONS, N.B. 2002. Underdifferentiated taxa and sublexical categorization: an example from Matses classification of bats. *Journal of Ethnobiology* 22(1): 61-102.
- FLEMING, T.H., MAURICE, S., BUCHMANN, S. & TUTTLE, M.D. 1994. Reproductive biology and relative male and female fitness in a trioecious cactus, *Pachycereus pringlei* (Cactaceae). *American Journal of Botany* 81 (7): 858-867.
- FONDERFLICK, J., GROSSELET, M. & PADE, P. 1999. Capture méridionale de la barbastelle d'Europe (*Barbastella barbastellus*) et de la pipistrelle commune (*Pipistrellus pipistrellus*) au Maroc. *Mammalia* 62 (4): 610-611.
- FONTANEL, B. 2001. Chauves-souris. *Mango Images*: 127 p.
- FORGET, F. 2001. Des chauves-souris à Plecotus Parcs et Réserves 56(2): 32.
- FOX, G.M. 2002. *Lampropeltis pyromelana* (Sonoran mountain kingsnake). Diet. *Herpetological Review* 33(3): 214.
- FRAFJORD, K. 2001. [Distribution of the northern bat *Eptesicus nilssonii* above the Arctic Circle in Norway]. *Fauna (Oslo)* 54 (4): 124-131 (en norvégien).
- FREEMAN, P.W. 2000. Macroevolution in Microchiroptera: recoupling morphology and ecology with phylogeny. *Evol. Ecol. Research* 2 (3): 317-335.
- FRENCH, B. 2003. Bat smells. How aromas affect bat behavior. *Bats* 21(2): 12-13.
- FRENCH, B. & WHITAKER, J.O. Jr. 2002. Helping orphans survive. *Bats* 20 (4): 1-3.
- FUHRMANN, M., GODMANN, O., KIEFER, A., SCHREIBER, C. & TAUCHERT, J. 2002. Untersuchungen zu Waldfledermäusen im nördlichen Oberrheingraben. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 19-35.
- FUHRMANN, M., SCHREIBER, C. & TAUCHERT, J. 2002. Telemetrische Untersuchungen an Bechsteinfledermäusen (*Myotis bechsteinii*) und Kleinen Abendseglern (*Nyctalus leisleri*) im Oberurseler Stadtwald und Umgebung Hochtaunuskreis. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 131-140.
- FUJITA, M.S. & TUTTLE, M.D. 1994. Flying foxes (Chiroptera: Pteropodidae): threatened animals of key ecological and economic importance. *Conservation Biology* 5 (4): 455-463.
- FULLARD, J.H., MUMA, K.E. & DAWSON, J.W. 2003. Quantifying an anti-bat flight response by eared moths. *Canadian Journal of Zoology* 81(3): 395-399.
- FURMAN, A. & OZGUL, A. 2002. Distribution of cave-dwelling bats and conservation status of underground habitats in the Istanbul area. *Ecological Research* 17 (1): 69-77.
- FURMANKIEWICZ, J. 2003. The vocal activity of *Pipistrellus nathusii* (Vespertilionidae) in SW Poland. *Acta Chiropterologica* 5(1): 97-105.
- FURMANKIEWICZ, J. & FURMANKIEWICZ, M. 2002. Bat hibernating in the natural caves in the Polish part of the Sudetes. *The bats of the Sudetes. Przyroda Sudetow Zachodnich*, suppl. 2: 15-38.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- FURMANKIEWICZ, J., FURMANKIEWICZ, M. & TELATYNSKI, S. 2001. Neue Beobachtungen der Teichfledermaus *Myotis dasycneme* (Boie, 1825) im polnischen Teil der Westsudeten. *Przyroda Sudetow Zachodnich* 4 : 153-156 (en polonais, résumé allemand).
- FURMANKIEWICZ, J. & GORNIAK, J. 2002. Seasonal changes in number and diversity of bat species (Chiroptera) in the Stolec mine (SW Poland). *The bats of the Sudetes. Przyroda Sudetow Zachodnich, suppl. 2*: 49-70.
- FURMANKIEWICZ, J. & SZKUDLAREK, R. 2001. The mating roosts of Nathusius' pipistrelle males *Pipistrellus nathusii* (Keyserling et Blasius, 1839) in Wroclaw (SW Poland). In: Woloszyn, B. W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence. Chiropterological Information Center, Krakow*: 47-57.
- GALINDO-GALINDO, C., CASTRO-CAMPILLO, A., SALAME-MENDEZ, A. & AMIREZ-PULIDO, J. 2000. Reproductive events and social organization in a colony of *Anoura geoffroyi* (Chiroptera: Phyllostomidae) from a temperate Mexican cave. *Acta Zoologica Mexicana (n.s.)* 80: 51-68.
- GATHOYE, J.-L. & DE WOLF, P. 2001. Chauves-souris et natura 2000 en Région wallonne. *Parcs et Réserves* 56(2): 24-26.
- GAUCHER, P. & HARRISON, D.L. 1995. Occurrence of Bodenheimer's Pipistrelle *Pipistrellus bodenheimeri* Harrison, 1960 (Mammalia, Chiroptera : Vespertilionidae) in Saudi Arabia. *Mammalia* 59 (4): 672-673.
- GAZARYAN, S.V. 2002. Comments to the chapter ""Bats"" of the Red Data Book of Russian Federation (2001). *Plecotus et al. pars specialis* : 126-130.
- GAZARYAN, S.V. 2002. Observations on noctule bats hibernating in tree hollows in Precaucasus. *Plecotus et al.* 5: 28-34.
- GAZARYAN, S.V. & BAKHTADZE, G.B. 2002. A chimney of the boiler-house as a technogenic trap for bats. *Plecotus et al.* 5: 99-101.
- GAZARYAN, S.V. & KAZAKOV, B.A. 2002. Ecology of the noctule bat *Nyctalus noctula* in the Northern Caucasus and Precaucasus. Part 1. Pattern of occupancy, roosts, coloniality, mating behaviour. *Plecotus et al. pars specialis* : 74-82.
- GAZARYAN, S.V. & KAZAKOV, B.A. 2002. Ecology of the noctule bat *Nyctalus noctula* in the Northern Caucasus and Precaucasus. Part 2. Seasonal dynamics of sex and age composition. *Plecotus et al. pars specialis* : 83-88.
- GEBHARD, J. 2002. Auswilderung von Grossen Abendseglern (*Nyctalus noctula*). *Pro Chiroptera* 3: 47-55.
- GEBHARD, J. 2002. Blut im Winterquartier der Grossen Abendsegler (*Nyctalus noctula*). *Pro Chiroptera* 3: 26-27.
- GEBHARD, J. 2002. Erstmals Nachzucht beim Kleinen Abendsegler (*Nyctalus leisleri*). *Pro Chiroptera* 3: 56-61.
- GEBHARD, J. 2002. Fauchende Zweifarbfledermaus (*Vespertilio murinus*) hinter Fensterladen. *Pro Chiroptera* 3: 10-11.
- GEBHARD, J. 2002. Fledermäuse im Frost. *Pro Chiroptera* 3: 2-3.
- GEBHARD, J. 2002. Fledermäuse im Haarwechsel: Grosser Abendsegler (*Nyctalus noctula*). *Pro Chiroptera* 3: 16-17.
- GEBHARD, J. 2002. Grosse Abendsegler (*Nyctalus noctula*) in menschlicher Obhut geboren und aufgewachsen. *Pro Chiroptera* 3: 38-46.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GEBHARD, J. 2002. Grosse Abendsegler (*Nyctalus noctula*) von Maisprach BL sind wieder frei. *Pro Chiroptera* 3: 6-7.
- GEBHARD, J. 2002. Handaufgezogenes Grosses Mausohr (*Myotis myotis*) ist drei Jahre alt. *Pro Chiroptera* 3: 62.
- GEBHARD, J. 2002. Hochsaison für Katzen ? *Pro Chiroptera* 3: 18-19.
- GEBHARD, J. 2002. Langohren und Mausohren (*Plecotus* sp. und *Myotis* sp.) sind empfindliche Pfleglinge. *Pro Chiroptera* 3: 28-29.
- GEBHARD, J. 2002. Lebensbedrohende Krätzmilben (*Sarcoptidae*) am Grossen Abendsegler (*Nyctalus noctula*). *Pro Chiroptera* 3: 36-37.
- GEBHARD, J. 2002. Lebt die Mittelmeer-Hufeisennase (*Rhinolophus euryale*) in der Region Basel ? *Pro Chiroptera* 3: 22-23.
- GEBHARD, J. 2002. Nachwuchs bei den Grossen Mausohren (*Myotis myotis*) im Haus Lachat bei Zwingen BL. *Pro Chiroptera* 3: 32-33.
- GEBHARD, J. 2002. Putzverhalten des Grossen Abendseglers (*Nyctalus noctula*). *Pro Chiroptera* 3: 14-15.
- GEBHARD, J. 2002. Tagflug der Grossen Abendsegler (*Nyctalus noctula*). *Pro Chiroptera* 3: 34-35.
- GEBHARD, J. 2002. Zögerlicher Einflug ins Winterquartier "Hofmatt". *Pro Chiroptera* 3: 24-25.
- GEBHARD, J. 2002. Zwergfledermaus (*Pipistrellus pipistrellus*): Drama in der Ölheizung. *Pro Chiroptera* 3: 8-9.
- GEBHARD, J. & AMANN, F. 2002. Besuch bei den Kleinen Hufeisennasen (*Rhinolophus hipposideros*) im Elsass. *Pro Chiroptera* 3: 20-21.
- GEBHARD, J. & BIANCHI, I. 2002. Notfallhilfe für Fledermäuse. *Pro Chiroptera* 3: 12-13.
- GEBHARD, J. & LANDERT, R. 2002. Wochenstubenkolonie der Grossen Mausohren (*Myotis myotis*) ist umgezogen. *Pro Chiroptera* 3: 30-31.
- GEIGER, H. 1996. Einsatz der Radiotelemetrie bei Artenschutzbelangen von Fledermäusen am Beispiel der Grossen Hufeisennase (*Rhinolophus ferrumequinum*) in Nordbayern. *Schriftenreihe für Landschaftspflege und Naturschutz* 46: 131-140.
- GEISER, F. 1996. Torpor in reproductive endotherms. In: Geiser, F., Hulbert, A.J. & Nicol, S.C. *Adaptations to the cold: Tenth International Hibernation Symposium*. University of New England Press, Armidale: 81-86.
- GEISER, F. & BRIGHAM, R.M. 2000. Torpor, thermal biology, and energetics in Australian long-eared bats (*Nyctophilus*). *J. comp. Physiol. B* 170 (2): 153-162.
- GEISER, F., KÖRTNER, G. & LAW, B.S. 2001. Daily torpor in a pregnant common blossom-bat (*Syconycteris australis*: Megachiroptera). *Australian Mammalogy* 23: 53-56.
- GESSNER, B. & WEISHAAR, M. 2003. Vorläufige Ergebnisse der Beringung der Bechsteinfledermaus (*Myotis bechsteinii*) in der Region Trier. *Dendrocopos* 30: 9-16.
- GLENDALL, M. & VAUGHAN, N. 2002. Foraging activity of bats in historic landscape parks in relation to habitat composition and park management. *Animal Conservation* 5(4): 309-316.
- GLUSHKOVA, J.V. 2002. The essay of pilot study of bats in the south-west of Tver region. *Plecotus et al. pars specialis* : 57-60.
- GÖBBEL, L. 2002. Morphology of the external nose in *Hipposideros diadema* and *Lavia frons* with comments on its diversity and evolution among leaf-nosed Microchiroptera. *Cells Tissues Organs* 170 (1): 39-60.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GÖBBEL, L. 2002. Ontogenetic and phylogenetic transformations of the lacrimal-conducting apparatus among Microchiroptera. *Mammalian Biology* 67: 338-357.
- GODINEZ-ALVAREZ, H., VALIENTE BANUET, A. & ROJAS MARTINEZ, A. 2002. The role of seed dispersers in the population dynamics of the columnar cactus *Neobuxbaumia tetetzo*. *Ecology* (Washington-D-C)83(9): 2617-2629.
- GODMANN, O. & RACKOW, W. 1995. Invasionen der Zwergfledermaus (*Pipistrellus pipistrellus* Schreber, 1774) in verschiedenen Gebieten Deutschlands. *Nyctalus* 5 (5): 395-408.
- GOEHRING, H.H. 1955. Observations on hoary bats in a storm *Journal of Mammalogy* 56(1): 130-131.
- GONZALEZ-CHRISTEN, A., GAONA, S. & LOPEZ-ORTEGA, G. 2002. Registros adicionales de mamíferos para el estado de Veracruz, México. *Vertebrata Mexicana* 11: 9-16.
- GONZALEZ-RUIZ, N., NAVARRO-FRIAS, J. & ALVAREZ, T. 2000. Notas sobre algunos nuevos registros de murciélagos del estado de México, México. *Vertebrata Mexicana* 9: 1-6.
- GOPALAKRISHNA, A. & BADWAIK, N. 1994. Preferential male mortality in some Indian bats. *Mammalia* 58 (3) : 489-492
- GOPUKUMAR, N., NATHAN, P.T., DOSS, P.S., PRAKASH, A., EMMANUEL, K., BALASINGH, J., MARIMUTHU, G. & KUNZ, T.H. 2003. Early ontogeny of foraging behaviour in the short-nosed fruit bat *Cynopterus sphinx* (Megachiroptera): Preliminary results. *Mammalia* 67(1): 139-145.
- GORETOVSKAYA, O.S., RYZHKOV, D.V. & BURMISTROV, M.V. 2002. Study of the bat fauna in Altai Territory. *Plecotus et al. pars specialis* : 106-108.
- GORMAN, G. 1998. Great grey shrike (*Lanius excubitor*) hunting noctule bats. *Aquila* 103-104: 133-134, 153.
- GOUDY-TRAINOR, A. & FREEMAN, P.W. 2002. Call parameters and facial features in bats: a surprising failure of form following function. *Acta Chiropterologica* 4(1): 1-16.
- GRACIOLLI, G. 2003. Two new species of *Basilia* Miranda-Ribeiro, 1903 (Diptera: Nycteribiidae), members of the ferruginea group, from Southern Brazil. *Zootaxa* 261: 1-7.
- GRADY, F., ARROYO-CABRALES, J. & GARTON, E.R. 2002. The northernmost occurrence of the Pleistocene vampire bat *Desmodus stocki* Jones (Chiroptera: Phyllostomatidae: Desmodontinae) in Eastern North America. In: Emry, R.J. (Ed). *Cenozoic mammals of land and sea: tributes to the career of Clayton E. Ray*.
- GRANEK, E. 2002. Conservation of *Pteropus livingstonii* based on roost site habitat characteristics on Anjouan and Moheli, Comoros islands. *Biological Conservation* 108(1): 93-100.
- GRANT, G.S. & BANACK, S.A. 1994. Predation on *Pteropus tonganus* by a barn owl in American Samoa. *Australian Mammalogy* 18: 77-78.
- GRANT, G.S. & BANACK, S.A. 1999. Harem structure and reproductive behaviour of *Pteropus tonganus* in American Samoa. *Australian Mammalogy* 21 (1): 111-120.
- GRATION, R. 2003. Design and construction of a triple-bank harp trap. *Bat Research News* 44(3): 84-86.
- GREENFIELD, M.D. & BAKER, M. 2003. Bat avoidance in non-aerial insects: the silence response of signaling males in an acoustic moth. *Ethology* 109: 427-442.
- GREENHALL, A.M. & SCHUTT, W.A. Jr. 1996. *Diaemus youngi*. *Mammalian Species* 533: 1-7.
- GREGORIN, R. 2003. Comparative morphology of the tongue in free-tailed bats (Chiroptera, Molossidae). *Iheringia, Serie Zoologia* 93(2): 213-221.
- GRELLE, C.E.V. 2002. Is higher-taxon analysis an useful surrogate of species richness in studies of Neotropical mammal diversity? *Biological Conservation* 108(1): 101-106.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GREPPI, A. 2002. Ulteriori sperimentazioni con nidi artificiali in cemento-segatura per Chiroterri in Piemonte. *Picus* 28(1): 37-40.
- GROUPE D'ETUDE DES MAMMIFERES DE LORRAINE. 1993. Atlas des mammifères sauvages de Lorraine. Editions de l'Est: 153 p.
- GROZEVA, S. & NOKKALA, S. 2002. Achiasmatic male meiosis in *Cimex* sp. (Heteroptera, Cimicidae). *Caryologia* 55(3): 189-192.
- GU, X.M. 2002. The karyotype analysis of *Hipposideros armiger*. *Chinese Journal of Zoology* 37(3): 19-21.
- GUERRERO, J.A., DE LUNA, E. & SANCHEZ-HERNANDEZ, C. 2003. Morphometrics in the quantification of character state identity for the assessment of primary homology: an analysis of character variation of the genus *Artibeus* (Chiroptera: Phyllostomidae). *Biological Journal of the Linnean Society* 80: 45-55.
- GUERRERO, R., MARTIN, C., GARDNER, S.L. & BAIN, O. 2002. New and known species of *Litomosoides* (Nematoda: Filarioidea): important adult and larval characters and taxonomic changes. *Comparative Parasitology* 69 (2): 177-195.
- GUILLEN, A., IBANEZ, C. et al. 1994. Organochlorine residues in Spanish common pipistrelle bats (*Pipistrellus pipistrellus*). *Bull. Environ. Contam. Toxicol.* 52: 231-237.
- GULYAEV, V.D., ORLOVSKAYA, O.M. & DOKUCHAEV, N.E. 2002. Helminths of bats from Magadan region. *Plecotus et al.* 5: 86-92.
- GUNASEKERA, M.B., MAPATUNA, Y., GOONESEKERE, C.W. & RATNASOORIYA, W.D. 1999. A basic introduction to DNA and a proposal to study the short-nosed fruit bats of Sri Lanka. *Loris* 22 (1): 11-13.
- GUZMAN-CARNEJO, C., GARCIA-PRIETO, L., PEREZ-PONCE DE LEON & MORALES-MALACARA, J.B. 2003. Parasites of *Tadarida brasiliensis mexicana* (Chiroptera: Molossidae) from arid regions of Mexico. *Comparative Parasitology* 70(1): 11-25.
- HAENSEL, J. 1994. Altersrekord einer in Italien verunglückten Rauhhautfledermaus (*Pipistrellus nathusii*) aus Deutschland. *Nyctalus* 5: 103.
- HAENSEL, J. & ARNOLD, D. 1994. Zum Fledermaus-Winterbestand zahlreicher in der Stadt Baruth vorhandener, teils verfallsgefährdeter Erdkeller. Vorarbeit für ein Schutzprogramm. *Nyctalus* 5: 249-273.
- HAFEEZULLAH, M. 1995. Trematodes of vertebrates of Rajasthan. *Records of the zoological Survey of India* 93 (3-4): 537-555.
- HAFT, J. 2002. Beobachtungen zu Balzverhalten und Jugendentwicklung beim Zwerg-Epaulettenflughund, *Micropteropus pusillus* Peters, 1868 (Mammalia: Megachiroptera: Epomophorini). *Zoologische Garten* 72(2): 61-67.
- HALDAR, C. & ALIPREETA 2001. Reproductive phase dependent photosensitivity of gonad and pineal gland of a short-nosed fruit bat, *Cynopterus sphinx*. *Zoological Science (Tokyo)* 18 (6): 843-851
- HALL, L.S., RICHARDS, G.C. & ABDULLAH, M.T. 2002. The bats of Niah National Park, Sarawak. *Sarawak Museum Journal*: 1-24.
- HAND, S.J., MURRAY, P., MEGIRIAN, D., ARCHER, M. & GODTHELP, H. 1998. Mystacinid bats (Microchiroptera) from the Australian Tertiary. *Journal of Paleontology* 72 (3): 538-545.
- HANZAL, V. & PRUCHA, M. 1996. Annual course of cave visitation by bats, Mammalia : Chiroptera, in the Bohemian Karst, Czech Republic. *Acta Societatis Zoologicae Bohemicae* 60 (1): 25-30.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HAPPOLD, D.C.D. & HAPPOLD, M. 1996. The social organization and population dynamics of leaf-roosting banana bats, *Pipistrellus nanus* (Chiroptera, Vespertilionidae), in Malawi, east-central Africa. *Mammalia* 60 (4): 517-544.
- HAPPOLD, D.C.D. & HAPPOLD, M. 1998. Effects of bat-bands and banding on a population of *Pipistrellus nanus* (Chiroptera: Vespertilionidae) in Malawi. *Zeitschrift für Säugetierkunde* 63 (2): 65-78.
- HAPPOLD, M. 2003. Case 3240. *Vespertilio nanus* Peters, 1852 (currently *Pipistrellus nanus*; Mammalia, Chiroptera): Proposed conservation of the specific name. *Bulletin of Zoological Nomenclature* 60(1): 42-44.
- HAPPOLD, M. & HAPPOLD, D.C.D. 1997. New records of bats (Chiroptera : Mammalia) from Malawi, east-central Africa, with an assessment of their status and conservation. *Journal of natural History* 31: 805-836.
- HARTMANN, R. 2002. Lead-induced "hardness of hearing" in bats: A reason for their decline? *Myotis* 40: 5-9.
- HARVEY, M.J. 2003. Status and ecology in the southern United States. *The Indiana Bat: Biology and management of an endangered species*.
- HEBDA, G. & NOWAK, A. 2002. Winter colonies of bats in old fortifications in Nysa (SW Poland). The bats of the Sudetes. *Przyroda Sudetow Zachodnich*, suppl. 2: 39-48.
- HECKEL, G., VOIGT, C.C., MAYER, F. & VON HELVERSEN, O. 1999. Extra-harem paternity in the white-lined bat *Saccopteryx bilineata* (Emballonuridae). *Behaviour* 136 (9): 1173-1185.
- HECKENROTH, H. 1991. Rote Liste der in Niedersachsen gefährdeten Säugetierarten (1. Fassung, Stand 1.1.1991, Übersicht). In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 161-164.
- HEINZ, B. & BRAUN, M. 1996. Das Schloss in Heidelberg (Baden-Württemberg) als Fledermaus-Quartier. *Carolinea* 54: 159-166.
- HELGEN, K.M. & MCFADDEN, T.L. 2001. Type specimens of recent mammals in the Museum of Comparative Zoology. *Bulletin of the Museum of Comparative Zoology* 157(2): 93-181.
- HELGEN, K.M. & WILSON, D.E. 2002. The bats of Flores, Indonesia, with remarks on Asian *Tadarida*. *Breviora* 511: 1-12.
- HENDRICHSEN, D.K., BATES, P.J.J., HAYES, B.D. & WALSTON, J.L. 2001. Recent records of bats (Mammalia: Chiroptera) from Vietnam with six species new to the country. *Myotis* 39: 35-122.
- HENRY, M., THOMAS, D.W., VAUDRY, R. & CARRIER, M. 2002. Foraging distances and home range of pregnant and lactating little brown bats (*Myotis lucifugus*). *Journal of Mammalogy* 83(3): 767-774.
- HENRY, T.H., BEST, T.L. & HILTON, C.D. 2000. Body size, reproductive biology, and sex ratio of a year-round colony of *Eptesicus fuscus fuscus* and *Tadarida brasiliensis cynocephala* in eastern Alabama. In: Chapman, B.R. & Laerm, J. (Eds). Fourth colloquium on conservation of mammals in the Southeastern United States. *Occasional Papers of the North Carolina Museum of Natural Sciences and the North Carolina Biological Survey* 12: 50-56.
- HOGBERG, L.K., PATRIQUIN, K.J. & BARCLAY, R.M.R. 2002. Use by bats of patches of residual trees in logged areas of the boreal forest. *American Midland Naturalist* 148(2): 282-288.
- HOLLOWAY, G.L. & BARCLAY, R.M.R. 2001. *Myotis ciliolabrum*. *Mammalian Species* 670: 1-5.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HOLZHAIDER, J., KRINER, E., RUDOLPH, B.U. & ZAHN, A. 2002. Radio-tracking a lesser horseshoe bat (*Rhinolophus hipposideros*) in Bavaria: An experiment to locate roosts and foraging sites. *Myotis* 40: 47-54.
- HOOD, W.R., BLOSS, J. & KUNZ, T.H. 2002. Intrinsic and extrinsic sources of variation in size at birth and rates of postnatal growth in the big brown bat *Eptesicus fuscus* (Chiroptera: Vespertilionidae). *Journal of Zoology*, London 258(3): 355-363.
- HOOFER, S.R., REEDER, S.A., HANSEN, E.W. & VAN DEN BUSSCHE, R.A. 2003. Molecular phylogenetics and taxonomic review of Noctilionoid and Vespertilionoid bats (Chiroptera: Yangochiroptera). *Journal of Mammalogy* 84(3): 809-821.
- HOOFER, S.R. & VAN DEN BUSSCHE, R.A. 2001. Phylogenetic relationships of plecotine bats and allies based on mitochondrial ribosomal sequences. *Journal of Mammalogy* 82 (1): 131-137.
- HOOKE, J.J. 1996. A primitive emballonurid bat (Chiroptera, Mammalia) from the earliest Eocene of England. *Palaeovertebrata (Montpellier)* 25 (2-4): 287-300.
- HOOKE, J.J. & WEIDMANN, M. 2000. The Eocene mammal faunas of Mormont, Switzerland. Systematic revision and resolution of dating problems. *Schweizerische Paläontologische Abhandlungen* 120: 1-141.
- HORACEK, I. 2001. On the early history of vespertilionid bats in Europe: the Lower Miocene record from the Bohemian Massif. *Lynx (Prague)* 32: 123-154.
- HOSKEN, D.J. 2001. Sperm production and immune function in two Australian bats, *Chalinolobus morio* and *Nyctophilus geoffroyi*. *Ethology, Ecology & Evolution* 13 (2): 173-180.
- HUBNER, G. 2000. Temperaturbedingte Quartierwahl und Quartierwechsel einer Wochenstubengesellschaft der Kleinen Bartfledermaus (*Myotis mystacinus*). *Artenschutzreport* 10: 34-37.
- HUBNER, G. 2001. Spaltenstrukturen an Jagdkanzeln als Fledermausquartiere - eine Dokumentation mit Anmerkungen zu weiteren Quartiernutzern. *Nyctalus* 8 (1): 21-27.
- HUBNER, G. 2002. Zur Nutzung und Funktionen von Hohlblocksteinen in Fledermaus-Winterquartieren im Coburger Land (Nordbayern). *Nyctalus* 8 (4): 373-378.
- HUET, R. 2001. Les chiroptères de la Directive Habitats: le murin de Bechstein *Myotis bechsteinii* (Kuhl, 1817). *Arvicola* 13 (2): 35-38.
- HUGHES, P. & RAYNER, J.M.V. 1993. The flight of pipistrelle bats *Pipistrellus pipistrellus* during pregnancy and lactation. *Journal of Zoology*, London 230 (4): 541-555.
- HUGHES, P., RAYNER, J.M.V. & JONES, G. 1995. Ontogeny of "true" flight and other aspects of growth in the bat *Pipistrellus pipistrellus*. *Journal of Zoology*, London 235 (2): 291-318.
- HULVA, P. & HORACEK, I. 2002. *Craseonycteris thonglongyai* (Chiroptera: Craseonycteridae) is a rhinolophoid: Molecular evidence from cytochrome b. *Acta Chiropterologica* 4(2): 107-120.
- HUMPHRIES, M.M., THOMAS, D.W. & SPEAKMAN, J.R. 2002. Climate-mediated energetic constraints on the distribution of hibernating mammals. *Nature (London)* 418(6895): 313-316.
- HURST, T.E. & LACKI, M.J. 1999. Roost selection, population size and habitat use by a colony of Rafinesque's big-eared bats (*Corynorhinus rafinesquii*). *American Midland Naturalist* 142 (2): 363-371.
- HUTCHEON, J.M., KIRSCH, J.A.W. & GARLAND, T. Jr. 2002. A comparative analysis of brain size in relation to foraging ecology and phylogeny in the Chiroptera. *Brain Behavior and Evolution* 60(3): 165-180.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HUTCHEON, J.M., KIRSCH, J.A.W. & PETTIGREW, J.D. 1998. Base-compositional biases and the bat problem. 3. The question of microchiropteran monophyly. *Roy. Soc. phil. Trans. biol. Sci.* 353 (1368): 607-617.
- HUTSON, A.M. 2000. Comments on the proposed designation of neotypes for the nominal species *Vespertilio pipistrellus* Schreber, 1774 and *V. pygmaeus* Leach, 1825 (currently *Pipistrellus pipistrellus* and *P. pygmaeus*; Mammalia, Chiroptera). *Bulletin of zoological Nomenclature* 57 (2): 115-116.
- IBANEZ, C., JUSTE, J., GARCIA-MUDARRA, J.L. & AGIRRE-MENDI, P.T. 2003. Feathers as indicator of a bat's diet: a reply to Bontadina & Arlettaz. *Functional Ecology* 17: 143-145.
- IBANEZ, C., JUSTE, J., LOPEZ WILCHIS, R., ALBUJA V., L. & NUÑEZ GARDUNO, A. 2002. Echolocation of three species of sac-winged bats (*Balantiopteryx*). *Journal of Mammalogy* 83(4): 1049-1057.
- ILCHENKO, O.G. & KOZHURINA, E.I. 2002. Dynamics of body mass in Egyptian rousettes *Rousettus aegyptiacus* breeding in captivity. *Plecotus et al. pars specialis* : 46-52.
- ILJIN, V.Y., SMIRNOV, D.G. & YANYAEVA, N.M. 2002. On the fauna, distribution and association with the landscapes of bats (Chiroptera: Vespertilionidae) in the South Urals and adjacent territories. *Plecotus et al.* 5: 63-80.
- ILYIN, V.Yu., SMIRNOV, D.G. & YANYAEVA, N.M. 2002. Distributional patterns of bats in the South Urals and adjacent territories. *Plecotus et al. pars specialis* : 66-69.
- IRIARTE DIAZ, J., NOVOA, F.F. & CANALS, M. 2002. Biomechanic consequences of differences in wing morphology between *Tadarida brasiliensis* and *Myotis chiloensis*. *Acta Theriologica* 47(2): 193-200.
- ISAAC, S., BALASINGH, J., NATHAN, P.T., DOSS, D.P., SUDHAKARAN, M.R. & KUNZ, T.H. 2003. An improved, beaded, polymer necklace for marking bats. *Bat Research News* 44(3): 87-89.
- ISAAC, S.S., MARIMUTHU, G. & CHANDRASHEKARAN, M.K. 1994. Fecundity in the indian pygmy bat (*Pipistrellus mimus*). *Journal of Zoology, London* 234 (4) : 665-668.
- IVANITSKY, A.N. 2002. Bats of Waz-Abaa Cave (Sukhum district, Abkhazia). *Plecotus et al. pars specialis* : 88-91.
- IVANITSKY, A.N. 2002. On the bat fauna (Chiroptera) of Abkhazia. *Plecotus et al.* 5: 5: 57-62.
- JABERG, C. & BLANT, J.-D. 2003. Spatio-temporal utilisation of roosts by the parti-coloured bat *Vespertilio murinus* L., 1758 in Switzerland. *Mammalian Biology* 68: 341-350.
- JACOBS, D.S. & FENTON, M.B. 2002. *Mormopterus petrophilus*. *Mammalian Species* 703: 1-3.
- JARZEMBOWSKI, T. 2002. Commensal aerobic bacterial flora of the gastrointestinal tract of *Pipistrellus nathusii* (Chiroptera: Vespertilionidae): Lack of *Escherichia coli* in fecal samples. *Acta Chiropterologica* 4(1): 103-106.
- JEN, P.H.-S., CHEN, Q.C. & SUN, X.D. 1998. Corticofugal regulation of auditory sensitivity in the bat inferior colliculus. *J. Comp. Physiol. A*, 183 (6): 683-697.
- JEN, P.H.S., CHEN, Q.C. & WU, F.J. 2002. Interaction between excitation and inhibition affects frequency tuning curve, response size and latency of neurons in the auditory cortex of the big brown bat, *Eptesicus fuscus*. *Hearing Research* 174(1-2): 281-289.
- JEN, P.H.-S., SUN, X. & CHEN, Q.C. 2001. An electrophysiological study of neural pathways for corticofugally inhibited neurons in the central nucleus of the inferior colliculus of the big brown bat, *Eptesicus fuscus*. *Exp. Brain Res.* 137: 292-302.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- JEN, P.H.-S., WU, C.H., LUAN, R.H. & ZHOU, X. 2002. GABAergic inhibition contributes to pulse repetition rate-dependent frequency selectivity in the inferior colliculus of the big brown bat, *Eptesicus fuscus*. *Brain Research* 948: 159-164.
- JEN, P.H.S., WU, F.J. & CHEN, Q.C. 2002. The effect of two-tone stimulation on responses of two simultaneously recorded neurons in the inferior colliculus of the big brown bat, *Eptesicus fuscus*. *Hearing Research* 168 (1-2): 139-149.
- JEN, P.H.-S. & ZHANG, J.P. 1999. Corticofugal regulation of excitatory and inhibitory frequency tuning curves of bat inferior collicular neurons. *Brain Research* 841: 184-188.
- JEN, P.H.-S. & ZHOU, X.M. 1999. Temporally patterned pulse trains affect duration tuning characteristics of bat inferior collicular neurons. *J. Comp. Physiol. A*, 185 (5): 471-478.
- JEN, P.H.-S., ZHOU, X. & WU, C.H. 2001. Temporally patterned sound pulse trains affect intensity and frequency sensitivity of inferior collicular neurons of the big brown bat, *Eptesicus fuscus*. *J. Comp. Physiol. A*, 187 (8): 605-616.
- JEN, P.H.S., ZHOU, X., ZHANG, J., CHEN, Q.C. & SUN, X. 2002. Brief and short-term corticofugal modulation of acoustic signal processing in the bat midbrain. *Hearing Research* 168 (1-2): 196-207.
- JENNINGS, J.B., BEST, T.L., BURNETT, S.E. & RAINEY, J.C. 2002. *Molossus sinaloae*. *Mammalian Species* 691: 1-5.
- JEYAPRABA, L. & VANITHARANI, J. 2003. Roosting ecology and conservation status of bats in Tirunelveli District In: Annamalai, R., N. Marayanan & J. Vanitharani (eds). Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003, Mundanthurai, Tirunelveli: 63-65.
- JOHNSON, S.A., BRACK, V. Jr & DUNLAP, R.K. 2003. Management of hibernacula in the state of Indiana. *The Indiana Bat: Biology and management of an endangered species*: 100-109.
- JONES, K.E., PURVIS, A. & GITTLEMAN, J.L. 2003. Biological correlates of extinction risk in bats. *American Naturalist* 161(4): 601-614.
- JUSTE, J., IBANEZ, C., TRUJILLO, D., MUNOZ, J. & RUEDI, M. 2003. Phylogeography of Barbastelle bats (*Barbastella barbastellus*) in the western Mediterranean and the Canary Islands. *Acta Chiropterologica* 5(2): 165-175.
- KANEKO, Y. & MAEDA, K. 2002. A list of scientific names and the types of mammals published by Japanese researchers. *Honyurui Kagaku* 42(1): 1-21.
- KARATAS, A., YIGIT, N., COLAK, E. & KANKILIC, T. 2003. Contribution to *Rousettus aegyptiacus* (Mammalia: Chiroptera) from Turkey. *Folia Zoologica* 52(2): 137-142.
- KATH, J.A. 2002. The UNIMIN Corporation Magazine Mine: A novel Indiana bat (*Myotis sodalis*) hibernaculum in southern Illinois. *Transactions of the Illinois State Academy of Science* 95(4): 303-310.
- KAWAI, K., NIKAIDO, M., HARADA, M., MATSUMURA, S., LIN, L.K., WU, Y., HASEGAWA, M. & OKADA, N. 2002. Intra- and interfamily relationships of Vespertilionidae inferred by various molecular markers including SINE insertion data. *Journal of Molecular Evolution* 55(3): 284-301.
- KAWAI, K., NIKAIDO, M., HARADA, M., MATSUMURA, S., LIN, L.-K., WU, Y., HASEGAWA, M. & OKADA, N. 2003. The status of the Japanese and East Asian bats of the genus *Myotis* (Vespertilionidae) based on mitochondrial sequences. *Molecular Phylogenetics and Evolution* 28: 297-307.
- KEDROV, B.Yu. 2002. Proprioceptors of mm. biceps brachii and triceps brachii of the serotine bat *Eptesicus serotinus* (Schreber, 1774) (Chiroptera, Vespertilionidae). *Plecotus et al. pars specialis* : 40-45.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KENNEDY, J. 2002. Bidding for bats. *Bats* 20 (4): 8-9.
- KENNY, D.E., KNIGHTLY, F., BAIER, J., MOORE, S.M., GORDON, C.R., DAVIS, R.D., HELLER, A.C. & BRIGGS, D.J. 2001. Exposure of hooded capuchin monkeys (*Cebus apella* cay) to a rabid bat at a zoological park. *Journal of Zoo and Wildlife Medicine* 32 (1): 123-126.
- KERTH, G., KIEFER, A., TRAPPMANN, C. & WEISHAAR, M. 2003. High gene diversity at swarming sites suggest hot spots for gene flow in the endangered Bechstein's bat. *Conservation Genetics* 4: 491-499.
- KERTH, G. & RECKARDT, K. 2003. Information transfer about roosts in female Bechstein's bats: an experimental field study. *Proceeding of the royal Society of London B*, 270: 511-515.
- KERVYN, T. 2001. A vous en donner des nuits blanches... L'actualisation de la liste des chiroptères de la faune belge. *Parcs et Réserves* 56(2): 2-4.
- KERVYN, T. 2001. Le grand murin (*Myotis myotis*): une chauve-souris peu banale à plusieurs égards. *Parcs et Réserves* 56(2): 23.
- KERVYN, T. 2001. Les chiroptères de la Directive Habitats: le grand murin *Myotis myotis* (Borkhausen, 1797). *Arvicola* 13 (2): 41-44.
- KERVYN, T. 2001. Quelques références pour en savoir plus sur nos chauves-souris. *Parcs et Réserves* 56(2): 30-31.
- KERVYN, T., BROCHIER, B., ESCUTENAIRE, S., COSTY, F. & PASTORET, P.-P. 2001. Le point sur la rage des chauves-souris. *Parcs et Réserves* 56(2): 30.
- KERVYN, T. & HEMPTINNE, J.-L. 1998. Premiers résultats de l'enquête hanneton commun, *Melolontha* sp. *Notes fauniques de Gembloux* 35: 98-103.
- KHAJURIA, H. 1953. Taxonomic studies on some Indian Chiroptera. *Rec. Indian Mus.* 50: 113-128.
- KHALID, N.M. 2001. Chromosomes of three species of Sudanese bats (Mammalia: Chiroptera). *Myotis* 39: 27-30.
- KIEFER, A. & HUTTERER, R. 2002. Fledermausmarkierung in der Bundesrepublik Deutschland: Beispiele für die Auswertung von Beringungsdaten mit Hilfe der Datenbank BatRing. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 259-266.
- KIEFER, A., MAYER, F., KOSOCH, J., VON HELVERSEN, O. & VEITH, M. 2002. Conflicting molecular phylogenies of European long-eared bats (*Plecotus*) can be explained by cryptic diversity. *Molecular Phylogenetics and Evolution* 25(3): 557-566.
- KIEFER, A., SEITZ, A. & VEITH, M. 2003. Neue Fledermausarten in Europa. *Biol. Unserer Zeit* 2: 80-81.
- KIEFER, A. & WEISHAAR, M. 1999. Eine Region wird vorgestellt: Rheinland-Pfalz. *Flattermann* 22: 2-5.
- KIFUNE, T. 1984. Trematoda of some Indian bats with description of a new *Renschetrema* (Digenea, Microphallidae). *Medical Bulletin of Fukuoka University* 13(4): 323-326.
- KIFUNE, T., HARADA, M. & LIN, L.K. 2002. Trematode parasites of Taiwanese bats (V). *Medical Bulletin of Fukuoka University* 29(4): 195-201.
- KIFUNE, T., HARADA, M. & YOSHIYUKI, M. 2002. Trematode parasites of three Cambodian bats. *Medical Bulletin of Fukuoka University* 29(3): 127-130.
- KIFUNE, T., MOLAN, A.L. & SAEED, I.S. 1986. Trematode parasites of Bats in Iraq [1]. *Medical Bulletin of Fukuoka University* 13(4): 323-326.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KIFUNE, T. & SAWADA, I. 1984. Trematode parasites of some Taiwanese Bats. *Medical Bulletin of Fukuoka University* 11(3): 181-188.
- KIFUNE, T. & SAWADA, I. 1986. Trematode parasites of a Philippine Bat, *Miniopterus eschscholtzi*, collected on Luzon Island, the Philippines. *Medical Bulletin of Fukuoka University* 13(3): 209-212.
- KIFUNE, T., SAWADA, I. & HARADA, M. 1987. Trematode parasites of Taiwanese bats (II). *Medical Bulletin of Fukuoka University* 14(4): 279-283
- KIFUNE, T., SAWADA, I. & LEE, W.-C. 1983. Trematode parasites of two Korean Bats. *Medical Bulletin of Fukuoka University* 10(1): 3-8.
- KIMURA, Y. 2001. Notes on the bats from Fukushima Prefecture II. *Animale* 2: 19-21.
- KIMURA, Y., TANJI, M., SATO, Y., OTSUKI, K., WATANABE, N. & KATO, N. 2002. Bat fauna in Fukushima Prefecture, Japan. *Honyurui Kagaku* 42(1): 71-77.
- KIMURA, Y., TOGASHI, Y., KATA, N., KONNO, S. & SATO, T. 2002. Notes on the bats from Fukushima Prefecture III. *Fukushima Seibutsu* 45: 15-18.
- KIMURA, Y., TOGASHI, Y. & SATO, T. 2003. Notes on the bats from Fukushima Prefecture IV. *Fukushima Seibutsu* 46: 29-35.
- KINGSTON, T., JONES, G., AKBAR, Z. & KUNZ, T.H. 2003. Alternation of echolocation calls in 5 species of aerial-feeding insectivorous bats from Malaysia. *Journal of Mammalogy* 84(1): 205-215.
- KINGSTON, T., JONES, G., ZUBAID, A. & KUNZ, T.H. 1999. Echolocation signal design in Kerivoulinae and Murininae (Chiroptera: Vespertilionidae) from Malaysia. *Journal of Zoology, London* 249 (3): 359-374.
- KINGSTON, T., JONES, G., ZUBAID, A. & KUNZ, T.H. 2000. Resource partitioning in rhinolophid bats revisited. *Oecologia (Berlin)*: 124 (3): 332-342.
- KINGSTON, T., JONES, G., ZUBAID, A. & KUNZ, T.H. 2000. Social calls in clear-winged woolly bats *Kerivoula pellucida* from Malaysia. *Bioacoustics* 11 (1): 1-16.
- KINGSTON, T., LARA, M.C., JONES, G., AKBAR, Z., KUNZ, T.H. & SCHNEIDER, C.J. 2001. Acoustic divergence in two cryptic *Hipposideros* species: A role for social selection? *Proceedings royal Society of London B*, 268 (1474): 1381-1386.
- KIRSCH, J.A.W., HUTCHEON, J.M., BYRNES, D.G.P. & LLOYD, B.D. 1998. Affinities and historical zoogeography of the New Zealand short-tailed bat, *Mystacina tuberculata* Gray 1843, inferred from DNA-hybridization comparisons. *Journal of Mammalian Evolution* 5 (1): 33-64.
- KLISCH, W. 2002. Ein Mitglied brachte die ganze Familie in Verruf. *Cinclus* 30(2): 13-18.
- KLUG, A., BAUER, E.E., HANSON, J.T., HURLEY, L., MEITZEN, J. & POLLAK, G.D. 2002. Response selectivity for species-specific calls in the inferior colliculus of Mexican free-tailed bats is generated by inhibition. *Journal of Neurophysiology (Bethesda)* 88 (4): 1941-1954.
- KOCH, U. & GROTHE, B. 1998. GABAergic and glycinergic inhibition sharpens tuning for frequency modulations in the inferior colliculus of the big brown bat. *J. Neurophysiol. (Bethesda)* 80 (1): 71-82.
- KOCH, U. & GROTHE, B. 2000. Interdependence of spatial and temporal coding in the auditory midbrain. *J. Neurophysiol. (Bethesda)* 83: 2300-2314.
- KOCK, D. 2001. *Pipistrellus africanus meesteri*, nom. nov. for *Pipistrellus nanus australis* Roberts, 1913 (Mammalia: Chiroptera: Vespertilionidae). *Acta Chiropterologica* 3 (1): 129-130.
- KOCK, D. 2002. The publication dates of *Plecotus alpinus* Kiefer and Veith, 2002 and of *Plecotus microdontus* Spitzenberger, 2002. *Acta Chiropterologica* 4(2): 219-220.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KOCK, D., AL-JUMAILY, M. & NASHER, A.K. 2002. Horseshoe bats, genus *Rhinolophus* Lacepede, 1799 (Mammalia: Chiroptera: Rhinolophidae), of Yemen. *Fauna of Arabia* 19: 507-515.
- KOCK, D., BARNETT, L., FAHR, J. & EMMS, C. 2002. On a collection of bats (Mammalia: Chiroptera) from the Gambia. *Acta Chiropterologica* 4 (1): 77-97.
- KOFRON, C.P. 2002. The bats of Brunei Darussalam, Borneo. *Mammalia* 66(2): 259-274.
- KOLLY, C. 2002. Les grottes mystérieuses: "La chèvre perdue". Editions gruériennes et Speleo Projects, Imprimerie St-Paul, Fribourg: 21 p.
- KONDRATENKO, O. & MELNICHENKO, A. 2000. New data on the distribution of some rare mammalian species in Donetzk-Azov Steppe (Eastern Ukraine). *Vestnik Zoologii* 34 (6): 26 (en ukrainien).
- KONDRATENKO, O.V. 1999. First finding of *Pipistrellus kuhli* in the Lugansk Oblast (Eastern Ukraine). *Vestnik Zoologii* 33 (2): 96 (en russe).
- KOOPMAN, K.F. 1992. Taxonomic status of *Nycteris vinsoni* Dalquest (Chiroptera, Nycteridae). *Journal of Mammalogy* 73 (3): 649-650.
- KOOPMAN, K.F. & GORDON, L.K. 1992. Systematic notes on a collection of bats from Halmahera (Indonesia: Moluccas). *Am. Mus. Novit.* 3035: 1-8.
- KORAD, V.S. & JOSHI, P.V. 1998. Studies on naso-laryngeal region in Schneider's leaf-nosed bat *Hipposideros speoris* (Schneider, 1800) in relation to sound production. Part 1: Anatomy. *J. Anim. Morphol. Physiol.* 45 (1-2): 44-55.
- KORAD, V.S. & JOSHI, P.V. 1998. Studies on naso-laryngeal region in Schneider's leaf-nosed bat *Hipposideros speoris* (Schneider, 1800) in relation to sound production. Part 2: Histology. *J. Anim. Morphol. Physiol.* 45 (1-2): 56-65.
- KORAD, V.S. & YARDI, K.D. 2001. Notes on free tailed bats from Pune City. *Bat Net* 2 (1): 2 pp.
- KÖSSL, M., MORA, E., CORO, F. & VATER, M. 1999. Two-toned echolocation calls from *Molossus molossus* in Cuba. *Journal of Mammalogy* 80 (3): 929-932.
- KOVALYOVA, I.M. & TARABORKIN, L.A. 2001. [The current status and distribution *Barbastella barbastellus* (Chiroptera, Vespertilionidae) in the Ukraine]. *Vestnik Zoologii.* 35(3): 79-84, 103 (en russe, résumé anglais).
- KOWALSKI, K. & RZEBIK-KOWALSKA, B. 2002. Paleoecology of the Miocene fossil mammal fauna from Belchatow (Poland). *Acta Theriologica* 47 (1): 115-126.
- KOZHURINA, E.I. 2002. Key to scientific names of bats from Russia and adjacent countries. *Plecotus et al. pars specialis* : 12-19.
- KOZLOV, M.V. 2001. Is bat distribution dependent on relief? (A reply to the paper by V.Yu. Ilin and D.G. Smirnov). *Ekologiya (Moscow)* 2: 159-160.
- KREBS, J.W., SMITH, J.S., RUPPRECHT, C.E. & CHILDS, J.E. 2000. Mammalian reservoirs and epidemiology of rabies diagnosed in human beings in the United States, 1981-1998. *Annals of the New York Academy of Sciences* 916: 345-353.
- KRETZOI, M. & KRETZOI, M. 2000. Index generum et subgenerum Mammalium. *Fossilium Catalogus I: Animalia.* 137(1): iii-xvi.
- KRETZOI, M. & KRETZOI, M. 2000. Index generum et subgenerum Mammalium. *Fossilium Catalogus I: Animalia.* 137(2): 434-435, 582-585, 720-726.
- KRISHNA, A. & ABHILASHA, S. 2000. Proliferative activity of follicles and serum steroid concentration in *Scotophilus heathi* (vespertilionid bat) during periods of delayed ovulation. *Canadian Journal of Zoology* 78 (8): 1301-1308.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KRISHNA, A. & ABHILASHA, S. 2000. Seasonal adiposity and androstenedione production as a possible mechanism for asynchronous reproductive activity between males and females of vespertilionid bat, *Scotophilus heathi*. *Acta Biologica Hungarica* 51 (1): 37-44.
- KRISHNA, A. & SINGH, K. 1999. Asynchrony of the reproductive organs of the male vespertilionid bat, *Scotophilus heathi*: role of gonadotrophins. *Acta Theriologica* 44 (2): 123-131.
- KRISHNAN, R. 2000. Echolocators. *Bat Net* 1(2): 1p.
- KRONFELD-SCHOR, N., RICHARDSON, C., SILVIA, B.A., KUNZ, T.H. & WIDMAIER, E.P. 2000. Dissociation of leptin secretion and adiposity during prehibernatory fattening in little brown bats. *American Journal of Physiology* 279 (4 part 2): R1277-R1281.
- KRONFELD-SCHOR, N., ZHAO, J., SILVIA, B.A., MATHEWS, P.T., ZIMMERMAN, S., WIDMAIER, E.P. & KUNZ, T.H. 2001. Hyperleptinemia in pregnant bats is characterized by increased placental leptin secretion in vitro. *Endocrine* 14(2): 225-233.
- KRUBITZER, L., CLAREY, J.C., TWEEDALE, R. & CALFORD, M.B. 1998. Interhemispheric connections of somatosensory cortex in the flying fox. *Journal of comparative Neurology* 402 (4): 538-559.
- KRUSKOP, S.V. 2002. Hotspots in the systematics of plain-nosed bats. *Plecotus et al. pars specialis* : 20-26.
- KRUSKOP, S.V. & TSYTSULINA, K.A. 2001. A new big-footed mouse-eared bat *Myotis annamiticus* sp. nov. (Vespertilionidae, Chiroptera) from Vietnam. *Mammalia* 65 (1): 63-72.
- KRUTZSCH, P.H. 2000. Anatomy, physiology and cyclicity of the male reproductive tract. In: Crichton, E. G. & Krutzsch, P.H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc.: 91-155.
- KRUTZSCH, P.H., FLEMING, T.H. & CRICHTON, E.G. 2002. Reproductive biology of male Mexican free-tailed bats (*Tadarida brasiliensis mexicana*). *Journal of Mammalogy* 83(2): 489-500.
- KUC, R. 2001. Transforming echoes into pseudo-action potentials for classifying plants. *Journal of the acoustical Society of America* 110(4): 2198-2206.
- KUC, R. 2003. Recognizing retro-reflectors with an obliquely-oriented multi-point sonar and acoustic flow. *The International Journal of Robotics Research* 22(2): 129-145.
- KUENZI, A.J., DOWNARD, G.T. & MORRISON, M.L. 1999. Bat distribution and hibernacula use in west central Nevada. *Great Basin Naturalist* 59 (3): 213-220.
- KUMAR, K. 2001. Bat conservation can succeed only with collaboration. *Bat Net* 2(1): 1p.
- KUNZ, T.H. & HOOD, W.R. 2000. Parental care and postnatal growth in the Chiroptera. In: Crichton, E.G. & Krutzsch, P.H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc.: 415-468.
- KURTA, A. & MURRAY, S.W. 2002. Philopatry and migration of banded Indiana bats (*Myotis sodalis*) and effects of radio transmitters. *Journal of Mammalogy* 83(2): 585-589.
- KURTZE, W. 1991. Die Breitflügelfledermaus, *Eptesicus serotinus* in Nordniedersachsen. In: Heckenroth, H. & B. Pott-Dörfer. *Beiträge zum Fledermausschutz in Niedersachsen*. Naturschutz und Landschaftspflege in Niedersachsen 26: 63-96.
- KUWABARA, N. & BHATNAGAR, K.P. 1999. The superior olivary complex of the vampire bat, *Desmodus rotundus* (Chiroptera: Phyllostomidae). *Acta Chiropterologica* 1 (1): 81-92.
- KWIECINSKI, G.G. & DAMASSA, D.A. 2000. Peripheral endocrines in bat reproduction. In: Crichton, E.G. & Krutzsch, P.H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc.: 65-89.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KWIECINSKI, G.G., FALZONE, M. & STUDIER, E.H. 2003. Milk concentration and postnatal accretion of minerals and nitrogen in two phyllostomid bats. *Journal of Mammalogy* 84(3): 926-936.
- KWIECINSKI, G.G., ZHIEN, L., CHEN, T.C. & HOLICK, M.F. 2001. Observations on serum 25-hydroxyvitamin D and calcium concentrations from wild-caught and captive neotropical bats, *Artibeus jamaicensis*. *General and comparative Endocrinology* 122 (2): 225-231.
- LACKI, M.J. & LADEUR, K.M. 2001. Seasonal use of lepidopteran prey by Rafinesque's big-eared bats (*Corynorhinus rafinesquii*). *American Midland Naturalist* 145 (1): 213-217.
- LACKI, M.J. & SCHWIERJOHANN, J.H. 2001. Day-roost characteristics of northern bats in mixed mesophytic forest. *Journal of Wildlife Management* 65(3): 482-488.
- LAERM, J., MENZEL, M.A., KRISHON, D.M. & BOONE, J.L. 1999. Morphological discrimination between the eastern red bat, *Lasiurus borealis*, and seminole bat, *Lasiurus seminolus* (Chiroptera: Vespertilionidae), in the southeastern United States. *J. Elisha Mitchell sci. Soc.* 115 (3): 131-139.
- LALL, S.A. & HAYES, F.E. 2000. Observations on the reptiles and mammals of Chacachacare, Bocas Islands, notes on five species new to the island. *Living World 1999-2000*: 46-48.
- LANCE, R.F. 2001. Day-roost selection by Rafinesque's big-eared bats (*Corynorhinus rafinesquii*) in Louisiana forests. *Journal of Mammalogy* 82(1): 166-172.
- LAND, T.S., LACHER, T.E., Jr & CLARK, D.R., Jr. 2003. Emergence patterns of cave *Myotis* (*Myotis velifer*) on Fort Hood, in Central Texas. *Bat Research News* 44(3): 92-94.
- LANDICHO, E.F., MAALA, C.P. & SABIO, M.P.T. 2002. Hematological values of three species of Philippine bats. *Philippine Journal of Veterinary Medicine* 39(1): 11-14.
- LAPSHIN, D.N. 2002. Counteraction between bats and nocturnal moths: echolocational strategies. *Plecotus et al. pars specialis* : 110-112.
- LARSON, D.J. & HAYES, J.P. 2000. Variability in sensitivity of Anabat II bat detectors and a method of calibration. *Acta Chiropterologica* 2 (2): 209-213.
- LAUSEN, C.L. & BARCLAY, R.M.R. 2002. Roosting behaviour and roost selection of female big brown bats (*Eptesicus fuscus*) roosting in rock crevices in southeastern Alberta. *Canadian Journal of Zoology* 80(6): 1069-1076.
- LAUSEN, C.L. & BARCLAY, R.M.R. 2003. Thermoregulation and roost selection by reproductive female big brown bats (*Eptesicus fuscus*) roosting in rock crevices. *Journal of Zoology, London* 260: 235-244.
- LAVAL, R.K. & RODRIGUEZ-HERRERA, B. 2002. Conserving Costa Rica's bats. *Bats* 20 (4): 4-7.
- LAW, B.S. 2001. The diet of the common blossom bat (*Syconycteris australis*) in upland tropical rainforest and the importance of riparian areas. *Wildlife-Research* 28(6): 619-626.
- LAW, B.S. & CHIDEL, M. 2001. Bat activity 22 years after first-round intensive logging of alternate coupes near Eden, New South Wales. *Australian Forestry* 64(4): 242-247.
- LAW, B.S. & CHIDEL, M. 2002. Tracks and riparian zones facilitate the use of Australian regrowth forest by insectivorous bats. *Journal of Applied Ecology* 39(4): 605-617.
- LAW, B.S., EBY, P. & SOMERVILLE, D. 2002. Tree-planting to conserve flying-foxes and reduce orchard damage. In: Eby, P. & Lunney, D. [Eds]. *Managing the grey-headed flying-fox as a threatened species in NSW*. Royal Zoological Society of New South Wales, Masman: 84-90.
- LAW, B.S., REINHOLD, L. & PENNAY, M. 2002. Geographic variation in the echolocation calls of *Vespadelus* spp. (Vespertilionidae) from New South Wales and Queensland, Australia. *Acta Chiropterologica* 4(2): 201-215.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LAW, G. & KITCHENER, A. 2002. Simple enrichment techniques for bears, bats and elephants - untried and untested. *IZN International Zoo News* 49 (1): 4-12; No 314.
- LEBLANC, D. & SEYJAGAT, J. 2000. Ten enrichment priorities for bats in captivity. *American Zoo and Aquarium Association Annual Conference Proceedings*. 2000: 203-213.
- LEE, T.E., Jr, BICKHAM, J.W. & SCHLITTER, D.A. 1989. Karyotypes of two Nycterid bats from Somalia. *Mammalia* 53 (1): 120-121
- LEE, Y.F. & KUO, Y.M. 2001. Predation on Mexican free-tailed bats by peregrine falcons and red-tailed hawks. *Journal of Raptor Research* 35 (2): 115-123.
- LEE, Y.F. & MCCRACKEN, G.F. 2001. Timing and variation in the emergence and return of Mexican free-tailed bats, *Tadarida brasiliensis mexicana*. *Zoological Studies* 40 (4): 309-316.
- LEHOTSKA, B. 2002. [Bats of the Male Karpaty Mts. (SW Slovakia)]. *Lynx (Prague)* 33: 141-184.
- LEHOTSKA, B. & LEHOTSKY, R. 1995. Critically endangered bat localities in the Malé Karpaty Mts. *Netopiere* 1: 65-69.
- LEHOTSKA, B. & LEHOTSKY, R. 1995. Schreiber's bat (*Miniopterus schreibersi*) back in the Malé Karpaty Mountains. *Vyskum a ochrana cicavcov na Slovensku* 2: 87-92.
- LEHOTSKA, B. & LEHOTSKY, R. 1997. Occurrence of bats in the proposed Landscape Protected Area Burda (S-Slovakia). *Vespertilio* 2: 97-104.
- LEHOTSKA, B. & LEHOTSKY, R. 1998. Summer colonies of bats in western Slovakia. *Vespertilio* 3: 57-64.
- LEHOTSKA, B. & LEHOTSKY, R. 1998. Summer occurrence of bats (Chiroptera) in the Protected Ponitrie Landscape Area and its surroundings. *Rosalia* 13: 215-223.
- LEHOTSKA, B. & LEHOTSKY, R. 1999. Winter localities of bats (Chiroptera) in the Protected Ponitrie Landscape Area. *Rosalia* 14: 187-194.
- LEHOTSKA, B. & LEHOTSKY, R. 2000. Experiences of protecting the winter colony of *Nyctalus noctula* in a prefab at the Bratislava housing estate Dlhé Diely (Slovakia). *Vespertilio* 4: 105-110.
- LEITL, R. 1996. Waldbewohnende Fledermäuse in einem Kiefern-Fichtenforst der mittleren Oberpfalz. *Acta Albertina Ratisbonensia* 50 (1): 1-12.
- LESINSKI, G. 2001. Bats Chiroptera of the Biebrza Basin and surrounding area. *Parki Narodowe I Rezerwaty Przyrody* 20 (2): 51-64 (en polonais, résumé anglais).
- LESLIE, D.M. Jr & CLARK, B.S. 2002. Feeding habits of the endangered Ozark big-eared bat (*Corynorhinus townsendii ingens*) relative to prey abundance. *Acta Chiropterologica* 4(2): 173-182.
- LEVASSEUR, C., LANDRY, P.-A., MAKARENKOV, V., KIRSCH, J.A.W. & LAPOINTE, F.J. 2003. Incomplete distance matrices, supertrees and bat phylogeny. *Molecular Phylogenetics and Evolution* 27(2): 239-246.
- LEWIS-ORITT, N., PORTER, C.A. & BAKER, R.J. 2001. Molecular systematics of the family Mormoopidae (Chiroptera) based on cytochrome b and recombination activating gene 2 sequences. *Molecular Phylogenetics and Evolution* 20 (3): 426-436.
- LEWIS-ORITT, N., VAN DEN BUSSCHE, R.A. & BAKER, R.J. 2001. Molecular evidence for evolution of piscivory in *Noctilio* (Chiroptera: Noctilionidae). *Journal of Mammalogy* 82(3): 748-759.
- LI, M. & ZHANG, S.Y. 1999. Analysis of random amplified polymorphic DNA among individuals of two hibernation groups in *Murina leucogaster*. *Acta Zoologica Sinica* 45 (2): 232-237.
- LILY, D. & VANITHARANI, J. 2003. Correlation between scent gland size and the reproductive behaviour of a few species of tropical bats. In: Annamalai, R., N. Marayanan & J. Vanitharani (eds).



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003,
Mundanthurai, Tirunelveli: 47-50.

- LIM, B.K. & ENGSTROM, M.D. 2001. Bat community structure at Iwokrama Forest, Guyana. *Journal of Tropical Ecology* 17(5): 647-665.
- LIM, B.K., PEDRO, W.A. & PASSOS, F.C. 2003. Differentiation and species status of the Neotropical yellow-eared bats *Vampyressa pusilla* and *V. thyone* (Phyllostomidae) with a molecular phylogeny and review of the genus.
- LIM, B.K., TOWNSEND PETERSON, A. & ENGSTROM, M.D. 2002. Robustness of ecological niche modeling algorithms for mammals in Guyana. *Biodiversity and Conservation* 11(7): 1237-1246.
- LIN, Y.H., MCLENACHAN, P.A., GORE, A.R., PHILLIPS, M.J., OTA, R., HENDY, M.D. & PENNY, D. 2002. Four new mitochondrial genomes and the increased stability of evolutionary trees of mammals from improved taxon sampling. *Molecular Biology and Evolution* 19(12): 2060-2070.
- LINHARES, A.X. & KOMENO, C.A. 2000. *Trichobius joblingi*, *Aspidoptera falcata*, and *Megistopoda proxima* (Diptera: Streblidae) parasitic on *Carollia perspicillata* and *Sturnira lillium* [lilium] (Chiroptera: Phyllostomidae) in southeastern Brazil: sex ratios, seasonality, host site preference, and effect of parasitism on the host. *Journal of Parasitology* 86 (1): 167-170.
- LIU, F.-G.R., MIYAMOTO, M.M., FREIRE, N.P., ONG, P.Q., TENNANT, M.R., YOUNG, T.S. & GUGEL, K.F. 2001. Molecular and morphological supertrees for eutherian (placental) mammals. *Science* 291: 1786-1789
- LIU, X.S., ZHANG, S.Y. & LIANG, B. 2002. Sperm storage, a peculiar reproductive strategy in Chiroptera. *Chinese Journal of Zoology* 37(5): 91-94.
- LLOYD, B.D. 2001. Advances in New Zealand mammalogy 1990-2000: Short-tailed bats. *Journal of the royal Society of New Zealand* 31(1): 59-81.
- LLOYD, B.D. 2003. Intraspecific phylogeny of the New Zealand short-tailed bat *Mystacina tuberculata* inferred from multiple mitochondrial gene sequences. *Systematic Biology* 52(4): 460-476.
- LLOYD, B.D. 2003. The demographic history of the New Zealand short-tailed bat *Mystacina tuberculata* inferred from modified control region sequences. *Molecular Ecology* 12: 1895-1911.
- LLOYD, B.D. & MCQUEEN, S.M. 2002. Measuring mortality in short-tailed bats (*Mystacina tuberculata*) as they return from foraging after an aerial 1080 possum control operation. *New Zealand Journal of Ecology* 26(1): 53-59.
- LLOYD, S., BRADLEY, A.J. & HALL, L.S. 2001. Changes in progesterone and testosterone during the breeding season of the large-footed myotis *Myotis moluccarum* (Microchiroptera: Vespertilionidae). *Acta Chiropterologica* 3 (1): 107-117.
- LOCKE, R. 2002. Bats go postal *Bats* 20 (4): 10-12.
- LOCKE, R. 2003. Bats at Last ! An artificial bat cave proves its worth. *Bats* 21(3): 6-7.
- LOCKE, R. 2003. The vampire's gift. *Bats* 21 (1): 11-13.
- LOPEZ ANTONANZAS, R. & CUENCA BESCOS, G. 2002. The Gran Dolina site (Lower to Middle Pleistocene, Atapuerca, Burgos, Spain): New palaeoenvironmental data based on the distribution of small mammals. *Palaeogeography Palaeoclimatology Palaeoecology* 186 (3-4): 311-334.
- LOPEZ-GONZALEZ, C. 1998. *Micronycteris minuta*. *Mammalian Species* 583: 1-4.
- LOPEZ-GONZALEZ, C. & POLACO, O.J. 1998. Variation and secondary sexual dimorphism of skeletal characters in *Glossophaga morenoi* and *G. leachii* from southwestern Mexico (Chiroptera: Phyllostomidae). *Zeitschrift für Säugetierkunde* 63 (3): 137-146.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LOPEZ-GONZALEZ, C. & POLACO, O.J. 2001. Descripción y variación del esqueleto postcranial de *Glossophaga moreno* Martínez y Villa-R., 1938 (Chiroptera: Phyllostomidae). *Acta Zoologica Mexicana Nueva Serie* 83: 1-28.
- LOPEZ-GONZALEZ, C. & PRESLEY, S.J. 2001. Taxonomic status of *Molossus bondae* J. A. Allen, 1904 (Chiroptera: Molossidae), with description of a new subspecies. *Journal of Mammalogy* 82(3): 760-774.
- LOPEZ-GONZALEZ, C., PRESLEY, S.J., OWEN, R.D. & WILLIG, M.R. 2001. Taxonomic status of *Myotis* (Chiroptera: Vespertilionidae) in Paraguay. *Journal of Mammalogy* 82(1): 138-160.
- LOPEZ-GONZALEZ, C., PRESLEY, S.J., OWEN, R.D., WILLIG, M.R. & GAMARRA DE FOX, I. 1998. Noteworthy records of bats (Chiroptera) from Paraguay. *Mastozoología Neotropical* 5 (1): 41-45.
- LOUIS, H.W. 1991. Schutz von Fledermäusen im Naturschutzrecht. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 15-18.
- LUMSDEN, L.F., BENNETT, A.F. & SILINS, J.E. 2002. Location of roosts of the lesser long-eared bat *Nyctophilus geoffroyi* and Gould's wattled bat *Chalinolobus gouldii* in a fragmented landscape in south-eastern Australia. *Biological Conservation* 106(2): 237-249.
- LUMSDEN, L.F., BENNETT, A.F. & SILINS, J.E. 2002. Selection of roost sites by the lesser long-eared bat (*Nyctophilus geoffroyi*) and Gould's wattled bat (*Chalinolobus gouldii*) in south-eastern Australia. *Journal of Zoology, London* 257(2): 207-218.
- LUNDE, D.P., CONWAY, T.M. & BERESFORD, P. 2001. Notes on a collection of bats (Chiroptera) from Dzanga-Sangha, Central African Republic. *Mammalia* 65(4): 535-540.
- LUO, J. & GAO, H.Y. 2002. Investigation on bat in Chongqing. *Sichuan Journal of Zoology* 21(1): 45-46.
- LUTSAR, L., MASING, M. & POOTS, L. 2000. Changes in the numbers of hibernating bats in the caves of Piusa (Estonia), 1949-1999. *Folia Theriologica Estonica* 5: 101-117.
- LÜTTMANN, J., WEISHAAR, M. & GESSNER, B. 2003. Nächtliche Aufenthaltsgebiete und Jagdverhalten von Kolonien der Bechsteinfledermaus (*Myotis bechsteinii*) im Gutland. *Dendrocopos* 30: 17-27.
- MA, J., JONE, G., LIANG, B., SHEN, J.X. & ZHANG, S.Y. 2003. Biology of the big-footed bat, *Myotis ricketti*. *Chinese Journal of Zoology* 38(3): 93-95.
- MA, J., JONES, G., ZHANG, S., SHEN, J., METZNER, W., ZHANG, L. & LIANG, B. 2003. Dietary analysis confirms that Rickett's big-footed bat (*Myotis ricketti*) is a piscivore. *Journal of Zoology, London* 261: 245-248.
- MA, J., SHEN, J.X., ZHAO, H.H. & ZHANG, S.Y. 2002. Echolocation and acoustic communication in bats. *Chinese Journal of Zoology* 37(6): 79-82.
- MA, X. & SUGA, N. 2001. Plasticity of bat's central auditory system evoked by focal electric stimulation of auditory and/or somatosensory cortices. *Journal of Neurophysiology (Bethesda)* 85(3): 1078-1087.
- MA, X. & SUGA, N. 2003. Augmentation of plasticity of the central auditory system by the basal forebrain and/or somatosensory cortex. *Journal of Neurophysiology* 89: 90-103.
- MAALA, C.P., ALVIOLA, P.L., III, VALLE, M.G.R. & LOPEZ, L.P. 2002. Characterization of the cuticular and hair medullary patterns from some body regions of the lesser flat-headed bats (*Tylonycteris pachypus*). *Philippine Journal of Veterinary Medicine* 39(1): 1-5.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MACINNES, C.D., SMITH, S.M., TINLINE, R.R., AYERS, N.R., BACHMANN, P., BALL, D.G.A., CALDER, L.A., CROSGREY, S.J., FIELDING, C., HAUSCHILDT, P., HONIG, J.M., JOHNSTON, D.H., LAWSON, K.F., NUNAN, C.P., PEDDE, M.A., POND, B., STEWART, R.B. & VOIGT, D.R. 2001. Elimination of rabies from red foxes in eastern Ontario. *Journal of Wildlife Diseases* 37(1): 119-132.
- MACKENZIE, G.A. s.d. Seasonal variation in the diet of noctule bats (*Nyctalus noctula*). 50 pp.
- MACKENZIE, G.A. & OXFORD, G.S. 1995. Prey of the noctule bat (*Nyctalus noctula*) in East Yorkshire. *Journal of Zoology, London* 236 (2): 322-327.
- MADHAVAN, A. 2001. Painted bat (*Kerivoula picta*) - an elusive bat. *Bat Net* 2(1): 1p.
- MAEDA, K. 1993. *Eptesicus nilssoni parvus* (Chiroptera, Mammalia) from Rishiri Island, northern Hokkaido. *Rishiri Studies* 12: 11-13.
- MAGER, K.K.J. & NELSON, T.A. 2001. Roost-site selection by eastern red bats (*Lasiurus borealis*). *American Midland Naturalist* 145(1): 120-126.
- MAGNIN, B. 1991. La colonie de parturition de Grand Murin (*Myotis myotis*) dans le pont de Corbières (FR). *Econat Fribourg*: 15 p.
- MAHARADATUNKAMSI, HISHEH, S., KITCHENER, D.J. & SCHMITT, L.H. 2000. Genetic and morphometric diversity in Wallacea: geographical patterning in the horse shoe bat *Rhinolophus affinis*. *Journal of Biogeography* 27: 193-201.
- MAHARADATUNKAMSI & MARYANTO, I. 2002. Morphological variation of the three species fruit bat genus *Megaerops* from Indonesia with its new distribution record. *Treubia* 32 (1): 63-85
- MAIO, N., APREA, G. & D'AMORA, G. 2002. I chiroterri del Parco Nazionale dev Visuvio e delle aree limitrofe: osservazioni faunistiche e considerazioni critiche sui dati storici. *Atti della Societa Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano* 142(2): 185-200.
- MANCINA, C.A. & SANCHEZ, J.A. 2001. Efecto de la actividad trofica de *Artibeus jamaicensis* (Mammalia: Chiroptera) sobre la dispersion de *Andira inermis* (Leguminosae). *Revista Biologia (Havana)* 15(2): 81-85.
- MANDAL, A.K., PODDAR, A.K. & BHATTACHARYYA, T.P. 2000. Further new records of bats from Mizoram, India. *Records of the zoological Survey of India* 98(2): 147-154.
- MAPATUNA, Y., GUNASEKERA, M.B., RATNASOORIYA, W.D., GOONESEKERE, N.C.W. & BATES, P.J.J. 2002. Unravelling the taxonomic status of the genus *Cynopterus* (Chiroptera: Pteropodidae) in Sri Lanka by multivariate morphometrics and mitochondrial DNA sequence analysis. *Mammalian Biology* 67: 321-337.
- MARIMUTHU, G., RAJAN, K.E., KANDULA, S., PARSONS, S. & JONES, G. 2002. Effects of different surfaces on the perception of prey-generated noise by the Indian false vampire bat *Megaderma lyra*. *Acta Chiropterologica* 4(1): 25-32.
- MARINKELLE, C.J. 1967. *Cimex hemipterus* (Fabr.) from bats in Colombia, South America (Hemiptera: Cimicidae). *Proceedings of the Entomological Society of Washington* 69(2): 179-180.
- MARINKELLE, C.J. 1977. *Trypanosoma* (*Herpetosoma*) *longiflagellum* sp.n. from the tomb bat, *Taphozous nudiventris*, from Iraq. *Journal of Wildlife Disease* 13: 262-263.
- MARINKELLE, C.J. 1996. *Babesia* sp. in Colombian bats (Microchiroptera). *Journal of Wildlife Disease* 32: 534-535.
- MARINKELLE, C.J. & GARCIA-CASTANEDA, M.R. 1999. A key to the microfilariae of the genus *Litomosoides* (phylum Nematoda), endoparasites from Colombian bats. *Caldasia* 21 (2): 167-173.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MARKUS, N. 2002. Behaviour of the black flying fox *Pteropus alecto*: 2. Territoriality and courtship. *Acta Chiropterologica* 4(2): 153-166.
- MARKUS, N. & BLACKSHAW, J.K. 2002. Behaviour of the black flying fox *Pteropus alecto*: 1. An ethogram of behaviour, and preliminary characterisation of mother-infant interactions. *Acta Chiropterologica* 4(2): 137-152.
- MARTINO, A.M.G., ARANGUREN, J.O. & ARENDS, A. 2002. Feeding habits of *Leptonycteris curasoae* in northern Venezuela. *Southwestern Naturalist*. 47 (1): 78-85.
- MÄSCHER, G. 1991. Verlauf einer Tollwutkrankung bei einer Breitflügel-Fledermaus *Eptesicus serotinus* im Landkreis Osnabrück. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 151-154.
- MASING, M., LUTSAR, L. & LOTMAN, K. 2000. Monitoring bats (Chiroptera: Vespertilionidae) in summer habitats in Estonia 1995-1999. *Folia Theriologica Estonica* 5: 118-130.
- MATHAI, J. & OOMMEN, M.M. 2003. Roosting behaviour of the Indian flying fox, *Pteropus giganteus*. In: Annamalai, R., N. Marayanan & J. Vanitharani (eds). Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003, Mundanthurai, Tirunelveli: 147-151.
- MATSUO, I., TANI, J. & YANO, M. 2001. A model of echolocation of multiple targets in 3D space from a single emission. *Journal of the Acoustical Society of America* 110(1): 607-624.
- MATVEEV, V.A., BANNIKOVA, A.A. & KRAMEROV, D.A. 2002. Using SINE-repeats in bat systematics, by the example of mouse-eared bats (*Myotis*, Vespertilionidae). *Plecotus et al. pars specialis* : 29-35.
- MAYER, F., PETIT, E. & VON HELVERSEN, O. 2002. Genetische Strukturierung von Populationen des Abendseglers (*Nyctalus noctula*) in Europa. Genetic structure of noctule bat populations (*Nyctalus noctula*) in Europe. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 267-278.
- MCALLISTER, C.T., TRAUTH, S.E., UPTON, S.J. & ALLARD, D.W. 2001. A redescription of *Eimeria macyi* (Apicomplexa: Eimeriidae) from the eastern pipistrelle, *Pipistrellus subflavus* (Mammalia: Chiroptera), from Arkansas. *Journal of the Arkansas Academy of Science* 55: 181-183.
- MCALPINE, D.F., MULDOON, F., FORBES, G.J., WANDELER, A.I., MAKEPEACE, S., BRODERS, H.G. & GOLTZ, J.P. 2002. Over-wintering and reproduction by the big brown bat, *Eptesicus fuscus*, in New Brunswick. *Canadian Field Naturalist* 116(4): 645-647.
- MCALPINE, D.F., MULDOON, F. & WANDELER, A.I. 2002. First record of the Hoary Bat, *Lasiurus cinereus* (Chiroptera: Vespertilionidae), from Prince Edward Island. *Canadian Field Naturalist* 116(1): 124-125.
- MCCALL, B.J., EPSTEIN, J.H., NEILL, A.S., HEEL, K., FIELD, H., BARRETT, J., SMITH, G.A., SELVEY, L.A., RODWELL, B. & LUNT, R. 2000. Potential exposure to Australian bat lyssavirus, Queensland, 1996-1999. *Emerging Infectious Diseases* 6 (3): 259-264.
- McCARTHY, T.J., ALBUJA V., L. & MANZANO, I. 2000. Rediscovery of the brown sac-wing bat, *Balantiopteryx infusca* (Thomas, 1897), in Ecuador. *Journal of Mammalogy* 81 (4): 958-961.
- McCRACKEN, G.F. & WILKINSON, G.S. 2000. Bat mating systems. In: Crichton, E. G. & Krutzsch, P. H. [Eds]. Reproductive biology of bats. Academic Press, San Diego, San Francisco etc.: 321-362.
- MCCREARY, A. 2003. Cabin bats. Townsend's big-eared bats follow a wandering roost. *Bats* 21(2): 5-7.
- MCFARLANE, D.A., LUNDBERG, J. & FINCHAM, A.G. 2002. A late quaternary paleoecological record from caves of southern Jamaica, West Indies. *Journal of Cave and Karst Studies* 64(2): 117-125.
- MCLELLAN, L.J. 1986. Notes on bats of Sudan. *American Museum Novitates* 2839: 1-12.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MCNAB, B.K. & ARMSTRONG, M.I. 2001. Sexual dimorphism and scaling of energetics in flying foxes of the genus *Pteropus*. *Journal of Mammalogy* 82(3): 709-720.
- MCNAB, B.K. & BONACCORSO, F.J. 2001. The metabolism of New Guinean pteropodid bats. *Journal of comparative Physiology B*, 171(3): 201-214.
- MCWILLIAMS, L.A., BEST, T.L., HUNT, J.L. & SMITH, K.G. 2002. *Eumops dabbenei*. *Mammalian Species* 707: 1-3.
- MEAD, J.I. & MIKESIC, D.G. 2001. First fossil record of *Euderma maculatum* (Chiroptera: Vespertilionidae), Eastern Grand Canyon, Arizona. *Southwestern Naturalist* 46(3): 380-383.
- MEEHAN, H.J., MCCONKEY, K.R. & DRAKE, D.R. 2002. Potential disruptions to seed dispersal mutualisms in Tonga, Western Polynesia. *Journal of Biogeography* 29(5-6): 695-712.
- MEINEKE, T. 1991. Auswertung von Frassresten der beiden Langohrarten *Plecotus auritus*, L. und *Plecotus austriacus*, Fischer. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 37-46.
- MEINIG, H. 2002. New records of bats (Chiroptera) from Indonesian islands. *Myotis* 40: 59-79.
- MENDEZ, L. & ALVAREZ CASTADENA, S.T. 2000. Comparative analysis of heavy metals in two species of ichthyophagous bats *Myotis vivesi* and *Noctilio leporinus*. *Bulletin of environmental Contamination and Toxicology* 65 (1): 51-54.
- MENU, H., HAND, S. & SIGE, B. 2002. Oldest Australian vespertilionid (Microchiroptera) from the early Miocene of Riversleigh, Queensland. *Alcheringa* 26 (1-2): 319-331.
- MENZEL, M.A., CARTER, T.C., FORD, W.M. & CHAPMAN, B.R. 2001. Tree-roost characteristics of subadult and female adult evening bats (*Nycticeius humeralis*) in the Upper Coastal Plain of South Carolina. *American Midland Naturalist* 145(1): 112-119.
- MENZEL, M.A., MENZEL, J.M., FORD, W.M., EDWARDS, J.W., CARTER, T.C., CHURCHILL, J.B., KIILGO, J.C., MARTIN, R.A., HUNT, R.M.Jr, STORRS, G.W., CURRY, B.B., FLUEGEMAN, R.H., DAWSON, M.R. & FLINT, M.E.T. 2001. Home range and habitat use of male Rafinesque's big-eared bats (*Corynorhinus rafinesquii*). *American Midland Naturalist* 145(2): 402-408.
- MERINO, M.L., UDRIZAR SAUTHIER, D.E. & ABBA, A.M. 2000. Primer registro del murcielago leonado *Dasypterus ega* (Gervais) (Mammalia: Chiroptera) para la provincia de Entre Rios, Argentina. *Natura Neotropicalis* 31 (1-2): 87-88.
- MERZLIKIN, I.R. 2002. Enemies of bats in Sumy region (northeastern Ukraine). *Plecotus et al. pars specialis* : 115-117.
- MERZLIKIN, I.R. 2002. On some causes of bat mortality in Sumy region (northeastern Ukraine). *Plecotus et al. pars specialis* : 113-115.
- MEYER-CORDS, C. & HUTTERER, R. 2001. Die Ofenkaulen im Siebengebirge als Fledermausquartier: Artnachweise und Forschungsaktivitäten von 1908 bis 1978. *Decheniana* 154: 125-143.
- MIES, R., KURTA, A. & KING, D.G. 1996. *Eptesicus furinalis*. *Mammalian Species* 526: 1-7.
- MIGENS, E., QUETGLAS, J. & IBANEZ, C. 2002. Predación de culebra de herradura sobre murcielago ratonero mediano en Tarifa (Cadiz, Andalucía). *Almoraima* 28: 69-71.
- MILLER, B.W. 2001. A method for determining relative activity of free flying bats using a new activity index for acoustic monitoring. *Acta Chiropterologica* 31(1): 93-105.
- MILLER BUTTERWORTH, C.M., JACOBS, D.S. & HARLEY, E.H. 2002. Isolation and characterization of highly polymorphic microsatellite loci in Schreibers' long-fingered bat, *Miniopterus schreibersii* (Chiroptera: Vespertilionidae). *Molecular Ecology Notes* 2(2): 139-141.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MILLER, D.A. 2003. Tracking woodland bats. *Bats* 21 (1): 8-10.
- MILLER-BUTTERWORTH, C.M., JACOBS, D.S. & HARLEY, E.H. 2003. Strong population substructure is correlated with morphology and ecology in a migratory bat. *Nature* 424: 187-191.
- MIRETZKI, M., PERRACHI, A.L. & BIANCONI, G.V. 2002. Southernmost records of *Sturnira tildae* de la Torre, 1959 (Chiroptera: Phyllostomidae) in Brazil. *Mammalia* 66(2): 306-309.
- MISTRY, S. 2003. Protecting the bats of India. *Bats* 21(2): 8-11.
- MIYAMOTO, M.M., PORTER, C.A. & GOODMAN, M. 2000. c-Myc gene sequences and the phylogeny of bats and other eutherian mammals. *Systematic Biology* 49 (3): 501-514.
- MLIKOVSKY, J. & HRUSKA, J. 2000. Food of the peregrine falcon (*Falco peregrinus*) in Plzen, Czech Republic. *Buteo* 11: 125-128.
- MOHD AZLAN, J., ZUBAID, A. & KUNZ, T.H. 2001. Distribution, relative abundance, and conservation status of the large flying fox, *Pteropus vampyrus*, in peninsular Malaysia: a preliminary assessment. *Acta Chiropterologica* 3(2): 149-162.
- MOLINARI, J. 1994. A new species of *Anoura* (Mammalia, Chiroptera, Phyllostomidae) from the Andes of northern south America. *Tropical Zoology* 7 (1) : 73-86.
- MOLUR, S. & DANIEL, B.A. 2000. Bat trapping around Mysore. *Bat Net* 1(2): 1p.
- MONADJEM, A. 2001. Sexual dimorphism, sex ratio and preliminary recapture rates of *Nycteris thebaica* (Nycteridae: Chiroptera) in Swaziland. *Durban Museum Novitates* 26: 49-52.
- MONTENEGRO, O.L. & ROMERO-RUIZ, M. 2000. Murcielagos del sector sur de la Serrania de Chiribiquete, Caqueta, Colombia. *Revista de la Academia colombiana de Ciencias exactas fisicas y naturales* 23: 641-649.
- MONTFORT, D. 2002. Première mention du minioptère de Schreibers *Miniopterus schreibersi* (Kuhl, 1817) en Loire-Atlantique. *Bulletin de la Société des Sciences Naturelles de l'Ouest de la France* 24 (1): 9-11.
- MOORE, A. 2003. Learning the secrets of bats. *Bats* 21(3): 11-14.
- MORA, M., SKILES, R., MCKINNEY, B., PAREDES, M., BUCKLER, D., PAPOULIAS, D. & KLEIN, D. 2002. Environmental contaminants in prey and tissues of the peregrine falcon in the Big Bend Region, Texas, USA. *Environmental Pollution* 116(1): 169-176.
- MORALES-MALACARA, J.B. 2001. New morphological analysis of the bat wing mites of the genus *Periglischrus* (Acari: Spinturnicidae). In: Halliday, R.B., Walter, D.E., Proctor, H.C., Norton, R.A. & Colloff, M.J. [Eds]. *Acarology: proceedings of the 10th International Congress*. CSIRO Publishing, Collingwood.: 185-195.
- MORALES-MALACARA, J.B., GUZMAN CORNEJO, C. & LOPEZ ORTEGA, G. 2002. A new species of the genus *Eudusbabekia* (Acari: Prostigmata: Myobiidae) on *Leptoncycteris nivalis* (Chiroptera: Phyllostomidae) in central Mexico. *Journal of Medical Entomology* 39(2): 343-349.
- MORALES-MALACARA, J.B. & JUSTE, J. 2002. Two new species of the genus *Periglischrus* (Acari: Mesostigmata: Spinturnicidae) on two bat species of the genus *Tonatia* (Chiroptera: Phyllostomidae) from southeastern Mexico, with additional data from Panama. *Journal of Medical Entomology* 39(2): 298-311.
- MORALES-MALACARA, J.B. & LOPEZ ORTEGA, G. 2002. Variación interespecifica en poblaciones de acaros parasitos del género *Periglischrus* (Mesostigmata: Spinturnicidae) asociados a murciélagos del género *Leptoncycteris* (Chiroptera: Phyllostomidae). *Entomología mexicana* 1: 56-59.
- MORALES-MALACARA, J.B., LOPEZ ORTEGA, G., CECERA, M.C., CASTENERA, M.B. & CANALE, D.M. 2001. A new species of the genus *Periglischrus* (Acari: Mesostigmata:



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- Spinturnicidae) on *Choeronycteris mexicana* (Chiroptera: Phyllostomidae) in central Mexico. *Journal of medical Entomology* 38(2): 153-160.
- MORENO, C.E. & HALFFTER, G. 2000. Assessing the completeness of bat biodiversity inventories using species accumulation curves. *Journal of applied Ecology* 37 (): 149-158.
- MORENO, C.E. & HALFFTER, G. 2001. On the measure of sampling effort used in species accumulation curves. *Journal of applied Ecology* 38(2): 487-490.
- MORENO, C.E. & HALFFTER, G. 2001. Spatial and temporal analysis of [alpha], [beta] and [gamma] diversities of bats in a fragmented landscape. *Biodiversity and Conservation* 10 (3): 367-282.
- MORGAN, G.S. & CZAPLEWSKI, N.J. 2003. A new bat (Chiroptera: Natalidae) from the early Miocene of Florida, with comments on natalid phylogeny. *Journal of Mammalogy* 84(2): 729-752.
- MORKEL, C. 1999. Zum Vorkommen von an Fledermäusen (Chiroptera) parasitierenden Bettwanzen der Gattung *Cimex* Linnaeus 1758 (Heteroptera: Cimicidae) in Hessen. *Hessische faunistische Briefe* 18 (2-3): 38-48.
- MOSS, C.F. & SURLYKKE, A. 2001. Auditory scene analysis by echolocation in bats. *Journal of the Acoustical Society of America* 110(4): 2207-2226.
- MOSTERT, K. 1997. [Bats and bat detectors.] *Natura* (Hoogwoud) 94 (2): 54-56. (en hollandais).
- MOTTE, G. 2001. Les oreillards: *Plecotus auritus* et *Plecotus austriacus*. *Parcs et Réserves* 56(2): 19-22.
- MOTTE, G. 2001. Problématique de la protection durable chez le petit rhinolophe (*Rhinolophus hipposideros*). *Parcs et Réserves* 56(2): 10-12.
- MOURAO, E.D., DOS S. AVILLA, L. & LENT, H. 2002. Redescricao de *Litomosoides brasiliensis* Almeida, 1936 (Nematoda: Filariidae) parasito de *Anoura caudifera* (Chiroptera: Phyllostomidae). *Memorias do Instituto Oswaldo Cruz* 97(4): 495-499.
- MUCEDDA, M. 1997. Prima segnalazione in Sardegna di *Nyctalus leisleri* (Chiroptera, Vespertilionidae). *Boll. Mus. reg. Sci. nat. Torino* 15 (1): 225-229.
- MUCEDDA, M., KIEFER, A., PIDINCHEDDA, E. & VEITH, M. 2002. A new species of long-eared bat (Chiroptera, Vespertilionidae) from Sardinia (Italy). *Acta Chiropterologica* 4 (2): 121-135.
- MURARIU, D. & RADULET, N. 1998. Mammalian fauna (Mammalia) from Maramures Depression, Romania. *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* 40: 609-621.
- MURRAY, K.L., BRITZKE, E.R. & ROBBINS, L.W. 2001. Variation in search-phase calls of bats. *Journal of Mammalogy* 82(3): 728-737.
- NAGEL, A. 1991. Schutz winterschlafender Fledermäuse durch Fledermaustore und die Bestandsentwicklung in derart geschützten Quartieren. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 19-24.
- NAGEL, A., WINTER, S. & STREIT, B. 1991. Die Belastung niedersächsischer Fledermäuse mit Chlorkohlenwasserstoffen. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 143-150.
- NAGLOV, V.A. & TKATCH, G.E. 2002. Ectoparasite fauna of bats in the eastern Ukraine. *Plecotus et al. pars specialis* : 120-123.
- NARITA, Y., ODA, S., TAKENAKA, O. & KAGEYAMA, T. 2001. Phylogenetic position of *Eulipotyphla* inferred from the cDNA sequences of pepsinogens A and C. *Molecular Phylogenetics and Evolution* 21(1): 32-42.
- NASSAR, J.M., BECK, H., STERNBERG, L.D.S.L. & FLEMING, T.H. 2003. Dependence on cacti and agaves in nectar-feeding bats from Venezuelan arid zones. *Journal of Mammalogy* 84(1): 106-116.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- NAVARRO, L. & SEBASTIAN, J. 1999. Don Sabino, el murciélago de la ciudad / Don Sabino, the city bat. Bat conservation International, Inc.: 45 p.
- NAVARRO, L. & SEBASTIAN, J. 2001. Semillas de Barbarita, la murciélago / Seeds from Little Barbara, the bat. Bat conservation International, Inc.: 45 p.
- NAVO, K.W. 2001. The survey and evaluation of abandoned mines for bat roosts in the west: guidelines for natural resource managers. *Proceedings of the Denver Museum of Nature and Science* 4(2): 1-12.
- NAVO, K.W. & GORE, J.A. 2001. Distribution of the big free-tailed bat (*Nyctinomops macrotis*) in Colorado. *Southwestern Naturalist* 46(3): 370-376.
- NAVO, K.W., GORE, J.A. & SKIBA, G.T. 1992. Observations on the spotted bat, *Euderma maculatum*, in Northwestern Colorado. *Journal of Mammalogy* 73(3): 547-551.
- NAVO, K.W., HENRY, S.G. & INGERSOLL, T.E. 2002. Observations of swarming by bats and band recoveries in Colorado. *Western North American Naturalist* 62(1): 124-126.
- NGUYEN QUANG, P. & VOISIN, J.F. 2001. Bats and rodents in swiftlet caves in Vietnam (Chiroptera and Rodentia). *Mammalia* 65(2): 253-258.
- NICOLAY, C.W. & DUMMONT, E.R. 2000. An experimental analysis of feeding performance in *Syconycteris australis* (Megachiroptera, Pteropodidae). *Mammalia* 64(2): 155-161.
- NIKAIDO, M., HARADA, M., CAO, Y., HASEGAWA, M. & OKADA, N. 2000. Monophyletic origin of the order Chiroptera and its phylogenetic position among Mammalia, as inferred from the complete sequence of the mitochondrial DNA of a Japanese megabat, the Ryukyu flying fox (*Pteropus dasymallus*). *Journal of Molecular Evolution* 51(4): 318-328.
- NIKAIDO, M., KAWAI, K., CAO, Y., HARADA, M., TOMITA, S., OKADA, N. & HASEGAWA, M. 2001. Maximum likelihood analysis of the complete mitochondrial genomes of eutherians and a reevaluation of the phylogeny of bats and insectivores. *Journal of Molecular Evolution* 53(4-5): 508-516.
- NOBLE, V.E., KOWALSKI, E.M. & RAVOSA, M.J. 2000. Orbit orientation and the function of the mammalian postorbital bar. *Journal of Zoology, London* 250 (3): 405-418.
- NODARI, M., PREATONI, D. & MARTINOLI, A. 2002. Uso di classificatori convenzionali e non convenzionali per l'identificazione bioacustica di alcune specie di Chiroterri: il caso dei Rinolofidi. Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. *Memorie del Museo Riserva Naturale Orientata di Onferno*, suppl. 1: 7-8.
- NOGUEIRA, M.R. & PERACCHI, A.L. 2002. The feeding specialization in *Chiroderma doriae* (Phyllostomatidae, Stenodermatinae) with comments on its conservation implications. *Chiroptera Neotropical* 8 (1-2): 143-148.
- NOGUEIRA, M.R. & PERACCHI, A.L. 2003. Fig-seed predation by 2 species of *Chiroderma*: Discovery of a new feeding strategy in bats. *Journal of Mammalogy* 84(1): 225-233.
- NOGUEIRA, M.R., POL, A. & PERACCHI, A.L. 2000. New records of bats from Brazil with a list of additional species for the chiropteran fauna of the State of Acre, western Amazon basin. *Mammalia* 63 (3): 363-368.
- O'BRIEN, G.M. 1999. Una foresta per le volpi volanti *Villaggio Globale* 2(8): 35-37.
- O'BRIEN, G.M. 1999. What is the timecourse of courtship in *Pteropus scapulatus*, little red flying foxes ? *ANZSCP Proceedings*, 16th annual Meeting: 16.
- O'BRIEN, G.M. & ENDEAN, C.K. 2001. Normal blood values for *Pteropus poliocephalus* and *P. scapulatus*. *The Australasian Bat Society Newsletter* 16: 10.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- O'BRIEN, G.M. & FISHER, M.C.G. 2002. Recommendations for the recovery of the grey-headed flying-fox *Pteropus poliocephalus* in New South Wales. In: Eby, P. & Lunney, D. [Eds]. Managing the grey-headed flying-fox as a threatened species in NSW. Royal Zoological Society of New South Wales, Masman : 268-272."
- O'BRIEN, G.M., MCFARLANE, J.R. & KEARNEY, P.J. 2003. Pituitary content of luteinizing hormone reveals species differences in the reproductive synchrony between males and females in Australian flying-foxes (genus *Pteropus*). *Reproduction, Fertility and Development* 15: 255-261.
- O'BRIEN, G.M., OGAWA, E. & AGAR, N.S. 2000. Oxidant defence in the red blood cells of the greyheaded flying fox, *Pteropus poliocephalus*. *Comparative Haematology International* 10(4): 200-202.
- O'DONNELL, C.F.J. 2002. Influence of sex and reproductive status on nocturnal activity of long-tailed bats (*Chalinolobus tuberculatus*) *Journal of Mammalogy* 83(3): 798-803.
- O'DONNELL, C.F.J. 2002. Timing of breeding, productivity and survival of long-tailed bats *Chalinolobus tuberculatus* (Chiroptera: Vespertilionidae) in cold-temperate rainforest in New Zealand. *Journal of Zoology, London* 257(3): 311-323.
- O'FARRELL, M.J., CORBEN, C. & GANNON, W.L. 2000. Geographic variation in the echolocation calls of the hoary bat (*Lasiurus cinereus*). *Acta Chiropterologica* 2(2): 185-195.
- O'NEILL, W.E. & BRIMIJOIN, W.O. 2002. Directional selectivity for FM sweeps in the suprageniculate nucleus of the mustached bat medial geniculate body. *Journal of Neurophysiology (Bethesda)* 88(1): 172-187.
- O'SHEA, T.J., EVERETTE, A.L. & ELLISON, L.E. 2001. Cyclodiene insecticide, DDE, DDT, arsenic, and mercury contamination of big brown bats (*Eptesicus fuscus*) foraging at a Colorado Superfund site. *Archives of Environmental Contamination and Toxicology* 40(1): 112-120.
- OCHMAN, K. 2003. Late Pleistocene and Holocene bats (Chiroptera) from the Komarowa Cave (Cracow-Czestochowa Upland, Poland): Preliminary results. *Acta Zoologica Cracoviensia* 46(1): 73-84.
- OCHMAN, K. & WOLOSZYN, B.W. 2001. The results of cranial measurements of *Myotis nattereri* (Kuhl, 1817) from the Pod Sokola Gora Cave (Krakow-Czestochowa Upland, Poland): an analysis of microevolution trends in the "nattereri" group. In: Woloszyn, B. W. [Ed.]. Distribution, ecology, paleontology and systematics of bats. *Bats & man: million years of coexistence*. Chiropterological Information Center, Krakow: 111-132.
- OCHOA G., J., O'FARRELL, M.J. & MILLER, B.W. 2000. Contribution of acoustic methods to the study of insectivorous bat diversity in protected areas from northern Venezuela. *Acta Chiropterologica* 2 (2): 171-183
- OHLENDORF, B. 1991. Erfahrungen mit Verschlüssen von Fledermauswinterquartieren im Osthaz und deren Auswirkungen auf das Mikroklima. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 33-36.
- OLSON, J.G., RUPPRECHT, C., ROLLIN, P.E., AN, U.S., NIEZGODA, M., CLEMINS, T., WALSTON, J. & KSIAZEK, T.G. 2002. Antibodies to Nipah-like virus in bats (*Pteropus lylei*), Cambodia. *Emerging Infectious Diseases* 8(9): 987-988.
- OMELKOVETS, Y.A. 2002. Comparative morphological study of cochlear nuclei of some bats and insectivores. *Plecotus et al.* 5: 3-10.
- OPPLIGER, J. 2002. Récolte ostéologique de chiroptères dans les cavités neuchâtelaises. Rapport de synthèse 2000-2002: 8p.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ORLOV, O.L. & TARASSOV, O.V. 2002. Forming of local radioactive foci by bats: phenomenology and geography. *Plecotus et al. pars specialis* : 123-126.
- ORTEGA, J. & ARITA, H.T. 2002. Subordinate males in harem groups of jamaican fruit-eating bats (*Artibeus jamaicensis*): satellites or sneaks ? *Ethology* 108: 1077-1091.
- ORTEGA, J. & CASTRO-ARELLANO, I. 2001. *Artibeus jamaicensis*. *Mammalian Species* 662: 1-9.
- ORTEGA, J. & HARITA, H.T. 1998. Neotropical-Nearctic limits in Middle America as determined by distributions of bats. *Journal of Mammalogy* 79 (3): 772-783.
- ORTEGA, J. & HARITA, H.T. 1999. Structure and social dynamics of harem groups in *Artibeus jamaicensis* (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 80 (4): 1173-1185.
- ORTEGA, J. & HARITA, H.T. 2000. Defence of females by dominant males of *Artibeus jamaicensis* (Chiroptera: Phyllostomidae). *Ethology* 106 (5): 395-407.
- ORTEGA, J., MALDONADO, J.E., ARITA, H.T., WILKINSON, G.S. & FLEISCHER, R.C. 2002. Characterization of microsatellite loci in the Jamaican fruit-eating bat *Artibeus jamaicensis* and cross-species amplification. *Molecular Ecology Notes* 2(4): 462-464.
- ORTEGA, J., MALDONADO, J.E., WILKINSON, G.S., ARITA, H.T. & FLEISCHER, R.C. 2003. Male dominance, paternity, and relatedness in the Jamaican fruit-eating bat (*Artibeus jamaicensis*). *Molecular Ecology* 12: 2409-2415.
- OSWALD, J.P., KLUG, A. & PARK, T.J. 1999. Interaural intensity difference processing in auditory midbrain neurons: effects of a transient early inhibitory input. *The Journal of Neuroscience* 19 (3): 1149-1163.
- OVODOV, N.D. & STRELKOV, P.P. 2002. A record of the noctule bat (*Nyctalus noctula*) on the Yenisei. *Plecotus et al.* 5: 81-85.
- OWEN ASHLEY, N.T. & WILSON, D.E. 1998. *Micropteropus pusillus*. *Mammalian Species* 577: 1-5.
- OWEN, J.G. & BAKER, R.J. 2001. The *Uroderma bilobatum* (Chiroptera: Phyllostomidae) cline revisited. *Journal of Mammalogy* 82 (4): 1102-1113.
- OWEN, S.F., MENZEL, M.A., FORD, W.M., CHAPMAN, B.R., MILLER, K.V., EDWARDS, J.W. & WOOD, P.B. 2001. First summer record of a female Indiana bat, *Myotis sodalis*, in West Virginia. *Journal of the Elisha Mitchell Scientific Society* 117(2): 132-134.
- PACI, A.M. 1997. Un altro caso di predazione su chiroterri da parte del lodolaio *Falco subbuteo*. *Uccelli d'Italia* 22 (1): 64.
- PADMANABHAN, P. 2001. The role of bats in forest ecosystem. *Bat Net* 2(1): 1p.
- PALMEIRIM, J.M. 1998. Analysis of skull measurements and measurers: can we use data obtained by various observers? *Journal of Mammalogy* 79 (3): 1021-1028.
- PANETTA, F.D. & SPARKES, E.C. 2001. Reinvasion of a riparian forest community by an animal-dispersed tree weed following control measures. *Biological Invasions* 3(1): 75-88.
- PANIUTINA, A.A. 2002. Wing shape in the context of foraging strategies in Rhinolophoidea. *Plecotus et al. pars specialis* : 35-40.
- PAPADIMITRIOU, H.M., SWARTZ, S.M. & KUNZ, T.H. 1996. Ontogenetic and anatomic variation in mineralization of the wing skeleton of the Mexican free-tailed bat, *Tadarida brasiliensis*. *Journal of Zoology, London* 240 (3): 411-426.
- PAPE, T., DECHMANN, D. & VONHOF, M.J. 2002. A new species of *Sarcophartiopsis* Hall (Diptera: Sarcophagidae) living in roosts of Spix's disk-winged bat *Thyroptera tricolor* Spix (Chiroptera) in Costa Rica. *Journal of Natural History* 36 (8): 991-998.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PARISOT, C. 2001. Prospection chiroptérologique dans la ville de Montereau-Fault-Yvonne (Seine et Marne) et proches environs et observations de Grands Rhinolophes, *Rhinolophus ferrumequinum*. Bulletin de l'Association des Naturalistes de la Vallée du Loing et du Massif de Fontainebleau 77(4): 170-172.
- PARISOT, C. 2002. Prospection chiroptérologique des bâtiments publics du Parc naturel régional du Gatinais français. Bulletin de l'Association des Naturalistes de la Vallée du Loing et du Massif de Fontainebleau 78(2): 72-83.
- PARK, T.J. 1998. IID sensitivity differs between two principal centers in the interaural intensity difference pathway: the LSO and the IC. *J. Neurophysiol.*, Bethesda 79 (5): 2416-2431.
- PARK, T.J., GROTHE, B., POLLAK, G.D., SCHULLER, G. & KOCH, U. 1996. Neural delays shape selectivity to interaural intensity differences in the lateral superior olive. *The Journal of Neuroscience* 16 (20) : 6554-6566.
- PARK, T.J., KLUG, A., OSWALD, J.P. & GROTHE, B. 1998. A novel circuit in the bat's midbrain recruits neurons into sound localization processing. *Naturwissenschaften* 85 (4): 176-179.
- PARK, T.J., MONSIVAIS, P. & POLLAK, G.D. 1997. Processing of interaural intensity differences in the LSO: role of interaural threshold differences. *J. Neurophysiol.*, Bethesda 77 (6): 2863-2878
- PASSOS, E.C., CARRIERI, M.L., DAINOVSKAS, E., CAMARA, M. & SILVA, M.M.S. 1998. Isolamento do virus rabico em morcego insetivoro, *Nyctinomops macrotis*, no municipio de Diadema, SP (Brasil). *Revista de Saude Publica* 32 (1): 74-76. (en portugais, résumé anglais).
- PASSOS, E.C., CARRIERI, M.L., DAINOVSKAS, E., CAMARA, M. & SILVA, M.M.S. 1998. Isolamento do virus rabico em morcego insetivoro, *Nyctinomops macrotis*, no municipio de Diadema, SP (Brasil). *Revista de Saude Publica* 32 (1): 74-76. (en portugais, résumé anglais).
- PASSOS, E.C., CARRIERI, M.L., SILVA, M.M.S., PEREIRA, R.G. Jr., MELO, J.A.T.S. & MAULE, L.J. 1999. Virus rabico isolado de morcego frugivoro (*Artibeus lituratus*), capturado em 1997 no municipio de Rio Claro, SP. *Brazilian Journal of Veterinary Research and Animal Science* 36(1-3): 40-42.
- PASSOS, E.C., CARRIERI, M.L., SILVA, M.M.S., PEREIRA, R.G. Jr., MELO, J.A.T.S. & MAULE, L.J. 1999. Virus rabico isolado de morcego frugivoro (*Artibeus lituratus*), capturado em 1997 no municipio de Rio Claro, SP. *Brazilian Journal of Veterinary Research and Animal Science* 36(1-3): 40-42.
- PATERSON, A. 2000. Comments on the proposed conservation of usage of the names *Mystacina* Gray, 1843, *Chalinolobus* Peters, 1866, *M. tuberculata* Gray, 1843 and *C. tuberculatus* (J.R. Forster, 1844) (Mammalia, Chiroptera). *Bulletin of zoological Nomenclature* 57 (2): 118.
- PATRIQUIN, K.J. & BARCLAY, R.M.R. 2003. Foraging by bats in cleared, thinned and unharvested boreal forest. *Journal of applied Ecology* 40: 646-657.
- PATTERSON, B.D. 2000. Patterns and trends in the discovery of new Neotropical mammals. *Diversity and Distributions* 6(3): 145-151.
- PATTERSON, B.D., STOTZ, D.F., SOLARI, S., FITZPATRICK, J.W. & PACHECO, V. 1998. Contrasting patterns of elevational zonation for birds and mammals in the Andes of southeastern Peru. *Journal of Biogeography* 25 (3): 593-607.
- PAVEY, C.R. 1999. Foraging ecology of the two taxa of large-eared horseshoe bat, *Rhinolophus philippinensis*, on Cape York Peninsula. *Australian Mammalogy* 21 (1): 135-138.
- PAVEY, C.R. & BURWELL, C.J. 2000. Foraging ecology of three species of hipposiderid bats in tropical rainforest in north-east Australia. *Wildlife Research* 27 (3): 283-287.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PAVEY, C.R., BURWELL, C.J., GRUNWALD, J.E., MARSHALL, C.J. & NEUWEILER, G. 2001. Dietary benefits of twilight foraging by the insectivorous bat *Hipposideros speoris*. *Biotropica* 33(4): 670-681.
- PAVEY, C.R., GRUNWALD, J.E. & NEUWEILER, G. 2001. Foraging habitat and echolocation behaviour of Schneider's leafnosed bat, *Hipposideros speoris*, in a vegetation mosaic in Sri Lanka. *Behavioral Ecology and Sociobiology* 50(3): 209-218.
- PEDERSEN, S.C. 1993. Cephalometric correlates of echolocation in the Chiroptera. *Journal of Morphology* 218: 85-98.
- PEDRO, W.A., GERALDES, M.P., LOPEZ, G.G. & RODRIGUES ALHO, C.J. 1995. Fragmentação de hábitat e a estrutura de uma taxocenose de morcegos em São Paulo (Brasil). *Chiroptera Neotropical* 1 (1): 4-6.
- PEDRO, W.A., PASSOS, F.C. & LIM, B.K. 2001. Morcegos (Chiroptera; Mammalia) da estação ecológica dos Caetetus, estado de São Paulo. *Chiroptera Neotropical* 7 (1-2): 136-140.
- PEDRO, W.A. & TADDEI, V.A. 2002. Temporal distribution of five bat species (Chiroptera, Phyllostomidae) from Panga Reserve, south-eastern Brazil. *Revista Brasileira de Zoologia* 19(3): 951-954.
- PETERS, S.L., LIM, B.K. & ENGSTROM, M.D. 2002. Systematics of dog-faced bats (*Cynomops*) based on molecular and morphometric data. *Journal of Mammalogy* 83(4): 1097-1110.
- PETRI, B., PAEAEBO, S. HAESLER, A. von & TAUTZ, D. 1997. Paternity assessment and population subdivision in a natural population of the larger mouse-eared bat *Myotis myotis*. *Molecular Ecology* 6 (3): 235-242.
- PETRZELKOVA, K. & ZUKAL, J. 2001. Emergence behaviour of the serotine bat (*Eptesicus serotinus*) under predation risk. *Netherlands Journal of Zoology* 51(4): 395-414.
- PFALZER, G. 2002. Individuelle Sozialrufe beim Abendsegler (*Nyctalus noctula*) und bei der Zwergfledermaus (*Pipistrellus pipistrellus*). *Nyctalus* 8(4): 359-368.
- PFALZER, G. & WEBER, C. 2002. Untersuchungen zum Quartierpotential für baumbewohnende Fledermausarten (Mammalia: Chiroptera) in Altholzbeständen des Pfälzerwaldes (BRD, Rheinland-Pfalz). *Fauna und Flora in Rheinland Pfalz* 9(4): 1249-1262.
- PIAGGIO, A.J., VALDEZ, E.W., BOGAN, M.A. & SPICER, G.S. 2002. Systematics of *Myotis occultus* (Chiroptera: Vespertilionidae) inferred from sequences of two mitochondrial genes. *Journal of Mammalogy* 83(2): 386-395.
- PINASSEAU, E. & AULAGNIER, S. 2001. Les pipistrelles "communes": identification, comportement et écologie de deux espèces jumelles. *Revue bibliographique. Arvicola* 13 81): 12-20.
- POLKANOV, Y. Yu & MEDVEDEV, S.G. 1997. On the flies of the family Nycteribiidae (Diptera) from the Middle Asia and Kazakhstan. *Parazitologiya (St. Petersburg)* 31 (2): 116-125.
- POLLAK, G.D., BURGER, R.M. & KLUG, A. 2003. Dissecting the circuitry of the auditory system. *Trends in Neurosciences* 26 (1): 33-39.
- PONS, J.-M. & COSSON, J.-F. 2002. Use of forest fragments by animalivorous bats in French Guiana. *Revue d'Ecologie la Terre et la Vie, Suppl.*, 8: 117-130.
- POPOV, V.V. & IVANOVA, T.I. 2002. Comparative craniometrical analysis and distributional patterns of medium-sized horseshoe bats (Chiroptera: Rhinolophidae) in Bulgaria. *Folia Zoologica* 51(3): 187-200.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- POPPEN, T. 1991. Beobachtungen zur Tollwuterkrankung einer BreitflügelFledermaus *Eptesicus serotinus* im Landkreis Aurich. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen 26: 155-156.
- PORTER, T.A. & WILKINSON, G.S. 2001. Birth synchrony in greater spear-nosed bats (*Phyllostomus hastatus*). *Journal of Zoology*, London 253(3): 383-390.
- POTT-DÖRFER, B. 1991. Nachweise der Zweifarbfledermaus *Vespertilio discolor*, Natterer in Kuhl 1817, in Niedersachsen. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen 26: 105-108.
- POTT-DÖRFER, B. 1991. Weitere Ergebnisse zur Fledermaustollwut - Untersuchung in Niedersachsen. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen 26: 151-153.
- POZO DE LA TIJERA, C. & ESCOBEDO-CABRERA, J.E. 1999. Mamíferos terrestres de la Reserva de la Biosfera de Sian Ka'an, Quintana Roo, México. *Revista de Biología tropical* 47 (1-2): 251-262.
- PRADHAN, M.S. & KULKARNI, P.P. 1997. Observations on the extended distribution of *Cynopterus brachyotis ceylonensis* Gray in western India with comments on its status. *Mammalia* 61 (1): 116-118.
- PRADHAN, M.S. & KULKARNI, P.P. 1999. *Cynopterus brachyotis* in other localities in the Western Ghats. *Current Science*, Bangalore 77 (10): 1228-1229.
- PRADHAN, M.S. & MAHABAL, A. 2001. Observations on the roosting sites of free-tailed bat (*Tadarida aegyptiaca*) in Pune. *Bat Net* 2(1): 1p.
- PRATHER, J.W. & BRIGGLER, J.T. 2002. Use of small caves by Ozark big-eared bats (*Corynorhinus townsendii ingens*) in Arkansas. *American Midland Naturalist* 148(1): 193-197.
- PRESETNIK, P., KOSELJ, K. & ZAGMAJSTER, M. 2001. First records of *Pipistrellus pygmaeus* (Leach, 1825) in Slovenia. *Myotis* 39: 31-34.
- PRIOR, K.A. & GIBSON, R.C. 1997. Observations on the foraging behavior of the Jamaican boa, *Epicrates subflavus*. *Herpetological Review* 28 (2): 72-73.
- PURNOMO & M.J. BANGS 1995. *Microfilaria sundaicus* sp.n., a Chabfilaria-like parasite (Filarioidea : Onchocercidae) from the blood of the Horseshoe bat (*Rhinolophus affinis*) in Flores, Indonesia). *J. Helminthol. Soc. Wash.* 62 (1) : 32-34.
- PUROHIT, A. & KALURAM. 2001. Present population status of *Rhinopoma microphyllum kinneari* at J.N.V. University, Jodhpur [Jodhpur]. *Bat Net* 2(1): 1p.
- QUESADA, M., STONER, K.E., ROSAS-GUERRERO, V., PALACIOS-GUEVARA, C. & LOBO, J.A. 2003. Effects of habitat disruption on the activity of nectarivorous bats (Chiroptera: Phyllostomidae) in a dry tropical forest: implications for the reproductive success of the neotropical tree *Ceiba grandiflora*.
- RABINOWITZ, A. & TUTTLE, M.D. 1980. Status of summer colonies of the endangered gray bat in Kentucky. *Journal of Wildlife Management* 44 (4): 955-960.
- RACEY, P.A. 2000. Does legislation conserve and does research drive policy? The case of bats in the UK. *Conservation Biology Series* (Cambridge) 3: 159-173.
- RACEY, P.A. & ENTWISTLE, A.C. 2000. Life-history and reproductive strategies of bats. In: Crichton, E.G. & Krutzsch, P.H. [Eds]. *Reproductive biology of bats*. Academic Press, San Diego, San Francisco etc. : 363-414.
- RACHWALD, A.M., BORATYNSKI, P. & NOWAKOWSKI, W.K. 2001. Species composition and activity of bats flying over rivers in the Bialowieza Primeval Forest. *Acta Theriologica* 46 (3): 235-242.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RACKOW, W. 1991. Die Zwergfledermaus *Pipistrellus pipistrellus*, Shreber 1774, im Landkreis Osterode am Harz die dominante Fledermausart. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen 26: 97-100.
- RADTKE-SCHULLER, S. 2001. Neuroarchitecture of the auditory cortex in the rufous horseshoe bat (*Rhinolophus rouxi*). *Anatomy and Embryology* 204 (1): 81-100.
- RADULET, N. & MURARIU, D. 2000. Taxonomical value of the morphological differences of the coxal bone in six South-American bat species (Chiroptera: Emballonuridae, Mormoopidae and Phyllostomidae). *Travaux du Museum National d'Histoire Naturelle "Grigore-Antipa"* 42: 225-234.
- RAGHURAM, H. & MARIMUTHU, G. 2003. Onset of gleaning and prey capture during the postnatal growth in the Indian false vampire bat. In: Annamalai, R., N. Marayanan & J. Vanitharani (eds). *Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003, Mundanthurai, Tirunelveli*: 93-96.
- RAINWATER, T.R. & PLATT, S.G. 1999. *Elaphe flavirufa* (tropical rat snake). Predation and diet. *Herpetological Review* 30 (1): 46.
- RAJAMANI, L., AMINAH, A., ZUBAID, A., TAN, K.H. & KUNZ, T.H. 1999. Chemical composition of leaves consumed by the lesser dog-faced fruit bat, *Cynopterus brachyotis*, in Peninsular Malaysia. *Acta Chiropterologica* 1 (2): 209-214.
- RAJAN, K.E. & MARIMUTHU, G. 2000. Genetic diversity within and among populations of the microchiropteran bat *Hipposideros speoris* based on a RAPD analysis. *Zeitschrift für Säugetierkunde* 65(5): 301-306.
- RAJKUMAR, S., ADDLINE, E.P.D., VANITHARANI, J. & SUNDARARAJ, T. 2003. Isolation of entero toxigenic *Clostridium perfringens* from the intestinal tract of temple bat *Hipposideros speoris*. In: Annamalai, R., N. Marayanan & J. Vanitharani (eds). *Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003, Mundanthurai, Tirunelveli*: 81-82.
- RAKHMATULINA, I.K. 2000. [Sex ratio in bat populations of the Eastern Transcaucasia.]. *Plecotus et al.* 3: 50-76.
- RAKHMATULINA, I.K. 2001. Rare bat species of the Caucasus. In: Woloszyn, B. W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence. Chiropterological Information Center, Krakow* : 143-150..
- RAKHMATULINA, I.K. & HASANOV, N.A. 2001. Results of the bat banding in Azerbaijan. In: Woloszyn, B. W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence. Chiropterological Information Center, Krakow* : 151-158.
- RAKHMATULINA, I.K. & HASSANOV, N.A. 2002. Chiropteroфаuna of Absheron-Gobustan. *Plecotus et al. pars specialis* : 92-98.
- RAKHMATULINA, I.K. & HASSANOV, N.A. 2002. *Pipistrellus pygmaeus* (Leach, 1825) in Azerbaijan. *Plecotus et al. pars specialis* : 98-99.
- RAMIREZ-PULIDO, J., GALINDO-GALINDO, C., CASTRO-CAMPILLO, A., SALAME-MENDEZ, A. & ARMELLA, M.A. 2001. Colony size fluctuation of *Anoura geoffroyi* (Chiroptera: Phyllostomidae) and temperature characterization in a Mexican cave. *Southwestern Naturalist* 46(3): 358-362.
- RAMOS PEREIRA, M.J., REBELO, H., RAINHO, A. & PALMEIRIM, J.M. 2002. Prey selection by *Myotis myotis* (Vespertilionidae) in a Mediterranean region. *Acta Chiropterologica* 4(2): 183-193.
- RATCLIFFE, J.M. 2002. *Myotis welwitschii*. *Mammalian Species*: 701: 1-3.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RATCLIFFE, J.M., FENTON, M.G. & GALEF, B.G. Jr. 2003. An exception to the rule: common vampire bats do not learn taste aversions. *Animal Behaviour* 65(2): 385-389.
- RATHGEBER, T. 1995. Ein Knochenfund der Mittelmeer-Hufeisennase (*Rhinolophus euryale*) auf der Schwabischen Alb. *Maus* 5: 11-13.
- REDDACLIFF, L.A., BELLAMY, T.A. & HARTLEY, W.J. 1999. *Angiostrongylus cantonensis* infection in grey-headed fruit bats (*Pteropus poliocephalus*). *Aust. Vet. J.* 77 (7): 466-468.
- REEVES, W.K. & REEVES, M.H. 2000. The puparium of *Basilisa boardmani* (Diptera: Nycteribiidae) from eastern North America. *Studia Dipterologica* 7(2): 507-509.
- REHAK, Z. 2002. Brief history of bat-research in the Czech part of the Sudetes. The bats of the Sudetes. *Przyroda Sudetow Zachodnich*, suppl. 2: 7-14.
- REID, F.A., ENGSTROM, M.D. & LIM, B.K. 2000. Noteworthy records of bats from Ecuador. *Acta Chiropterologica* 2(1): 37-51.
- REITER, J. 2002. Differential ingestion of *Ficus* seeds by frugivorous bats: a first experimental test in *Ptenochirus jagori* (Pteropodidae). *Acta Chiropterologica* 4(1): 99-102.
- REITER, J. & CURIO, E. 2001. Home range, roost switching, and foraging area in a Philippine fruit bat (*Ptenochirus jagori*). *Ecotropica* 7(1-2): 109-113.
- REITER, J. & TOMASCHEWSKI, I. 2003. Chemical composition of leaves consumed by *Ptenochirus jagori* (Pteropodidae). *Mammalian Biology* 68: 112-115.
- RENNER, M. 1996. Les chauves-souris (Chiroptera, mam.) du château de Lichtenberg: peut-on concilier leur maintien avec les aménagements du site? *Annales scientifiques de la Réserve de la Biosphère des Vosges du Nord* 5: 95-103.
- RHODES, M.P. 2002. Assessment of sources of variance and patterns of overlap in microchiropteran wing morphology in southeast Queensland, Australia. *Canadian Journal of Zoology* 80(3): 450-460.
- RIBEIRO DE MELLO, M.A. & FERNANDEZ, F.A.S. 2000. Reproductive ecology of the bat *Carollia perspicillata* (Chiroptera: Phyllostomidae) in a fragment of the Brazilian Atlantic coastal forest. *Zeitschrift für Säugetierkunde* 65(6): 340-349.
- RICCI, M. 1995. Notizie sui trematodi parassiti di chiroterteri in Italia. *Parassitologia (Rome)* 37 (2-3): 199-214.
- RICHARD, F., MESSAOUDI, C., LOMBARD, M., DUTRILLAUX, B., STEINLEIN, C. & SCHMID, M. 2001. Chromosome homologies between man and mountain zebra (*Equus zebra hartmannae*) and description of a new ancestral synteny involving sequences homologous to human chromosomes 4 and 8. *Cytogenetics and Cell Genetics* 93 (3-4): 291-296.
- RICHARZ, K. 1991. Fledermausschutz am Beispiel Bayern. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 5-8.
- RILEY, J. 2002. The rediscovery of Talaud Islands Flying Fox, *Acerodon humilis* Andersen, 1909, and notes on other fruit bats from the Sangihe and Talaud Islands, Indonesia (Mammalia: Chiroptera: Pteropodidae). *Faunistische Abhandlungen (Dresden)* 22 (2): 393-410.
- RINCON R., A.D. 2001. Quiropteros subfósiles presentes en los depósitos de guano de la Cueva de Los Murcielagos, Isla de Toas, estado Zulia, Venezuela. *Anartia* 13: 1-13.
- RISKIN, D.K. 2001. *Pipistrellus bodenheimeri*. *Mammalian Species* 651:1-3
- RISKIN, D.K. & FENTON, M.B. 2001. Sticking ability in Spix's disk-winged bat, *Thyroptera tricolor* (Microchiroptera: Thyropteridae). *Canadian Journal of Zoology* 79(12): 2261-2267.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RITZI, C.M., AMMERMAN, L.K., DIXON, M.T. & RICHERSON, J.V. 2001. Bat ectoparasites from the Trans-Pecos region of Texas, including notes from Big Bend National Park. *Journal of medical Entomology* 38(3): 400-404.
- RITZI, C.M. & CLARK, M.K. 2001. New ectoparasite records of bats from North Carolina. *Journal of the Elisha Mitchell Scientific Society* 117(2): 135-137.
- RITZI, C.M. & RITZI, C.M. 2001. The arthropod community in bat guano from an abandoned building in Presidio County, Texas. *Texas Journal of Science* 53(1): 79-82.
- RITZI, C.M., VALDEZ, E.W. & SPARKS, D.W. 2002. New host and locality records of bat ectoparasites from Arizona and New Mexico. *Southwestern Naturalist* 47(3): 453-456.
- RITZI, C.M. & WHITAKER, J.O. Jr. 2003. Ectoparasites of small mammals from the Newport Chemical Depot, Vermillion County, Indiana. *Northeastern Naturalist* 10(2): 149-158.
- RIVAS, B.A. 2000. Notas sobre los mamíferos de la Planicie Amacuro (Estado Delta Amacuro). *Memoria de la Sociedad de Ciencias naturales La Salle* 58 (149): 43-59.
- ROBERTSON, J. 1990. *The complete bat*. Chatto & Windus Ltd, London: 166 p.
- RODRIGUEZ-DURAN, A. & KUNZ, T.H. 2001. Biogeography of West Indian bats: an ecological perspective. In: Woods, C. A. & Sergile, F. E. [Eds]. *Biogeography of the West Indies: patterns and perspectives*. Second edition. CRC Press, Boca Raton, London etc.: 355-368.
- RODRIGUEZ-DURAN, A. & VAZQUEZ, R. 2001. The bat *Artibeus jamaicensis* in Puerto Rico (West Indies): seasonality of diet, activity, and effect of a hurricane. *Acta Chiropterologica* 3 (1): 53-61.
- RODRIGUEZ-H., B. & MONTERO, J. 2001. Primer registro de *Mimon crenulatum* (Chiroptera: Phyllostomidae) en la vertiente Pacífica de Centroamérica. *Brenesia* 55-56: 145-146.
- RODRIGUEZ-H., B., PINEDA, W., FERNANDEZ, M. & LAVAL, R.K. 2003. First record of *Lasiurus intermedius* H. Allen (Vespertilionidae) from Costa Rica. *Bat Research News* 44(3): 91.
- ROJAS MARTINEZ, A., VALIENTE BANUET, A., ARIZMENDI, M.d.C., ALCANTARA EGUREN, A. & ARITA, H.T. 1999. Seasonal distribution of the long-nosed bat (*Leptonycteris curasoae*) in North America: does a generalized migration pattern really exist? *Journal of Biogeography* 26 (5): 1065-1077.
- ROLSETH, S.L., KOEHLER, C.E. & BARCLAY, R.M.R. 1994. Differences in the diets of juvenile and adult hoary bats, *Lasiurus cinereus*. *Journal of Mammalogy* 75 (2) : 394-398.
- ROMBAUT, D. & HAQUART, A. 2002. Les Chiroptères de la Directive Habitats: le Rhinolophe de Mehely *Rhinolophus mehelyi* Matschke, 1901. *Arvicola* 14(1): 18-20.
- ROSSINA, V.V. 2002. Odontological diversity of mouse-eared bats (*Myotis*) from Palearctic. *Plecotus et al. pars specialis* : 27-29.
- ROSSINA, V.V. 2002. Odontology of mouse-eared bats (*Myotis*) of the Palearctic. *Plecotus et al.* 5: 11-27.
- ROUE, S.G. & SIRUGUE, D. 2002. Les chiroptères. L'inventaire bourguignon de 1985 à 2001. *Neomys* 4-6: 8-13.
- RUBY, J., NATHAN, P.T., BALASINGH, J. & KUNZ, T.H. 2000. Chemical composition of fruits and leaves eaten by short-nosed fruit bat, *Cynopterus sphinx*. *Journal of chemical Ecology* 26(12): 2825-2841.
- RUDOLPH, B.-U., HAMMER, M. & ZAHN, A. 2001. Das Forschungsvorhaben "Bestandsentwicklung und Schutz der Fledermäuse in Bayern". *Schriftenreihe Bayerisches Landesamt für Umweltschutz* 156: 241-268.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RUEDI, M. & CASTELLA, V. 2003. Genetic consequences of the ice ages on nurseries of the bat *Myotis myotis*: a mitochondrial and nuclear survey. *Molecular Ecology* 12: 1527-1540.
- RUGGIERO, A. 1994. Latitudinal correlates of the sizes of mammalian geographical ranges in South America. *Journal of Biogeography* 21 : 545-559.
- RUSS, J., HUTSON, A.M., MONTGOMERY, W.I., RACEY, P.A. & SPEAKMAN, J.R. 2001. The status of Nathusius' pipistrelle (*Pipistrellus nathusii* Keyserling & Blasius, 1839) in the British Isles. *Journal of Zoology, London* 254 (1): 91-100.
- RUSS, J.M. & MONTGOMERY, W.I. 2002. Habitat associations of bats in Northern Ireland: Implications for conservation. *Biological Conservation* 108(1): 49-58.
- RUSS, J.M., O'NEILL, J.K. & MONTGOMERY, W.I. 1998. Nathusius' pipistrelle bats (*Pipistrellus nathusii*, Keyserling & Blasius 1839) breeding in Ireland. *Journal of Zoology, London* 245 (3): 345-349.
- RUSSELL, I.J. & KOSSL, M. 1999. Micromechanical responses to tones in the auditory fovea of the greater mustached bat's cochlea. *J. Neurophysiol., Bethesda* 82 (2): 676-686.
- RUSSO, D., CISTRONE, L., JONES, G. & MAZZOLENI, S. 2003. Roost selection by barbastelle bats (*Barbastella barbastellus*, Chiroptera: Vespertilionidae) in beech woodlands of central Italy: consequences for conservation. *Biological Conservation* 117: 73-81.
- RUSSO, D. & FORGIONE, S. 2000. Nuova segnalazione del molosso di Cestoni *Tadarida teniotis* (Rafinesque) in Campania (Mammalia: Chiroptera). *Museo regionale di Scienze naturali Bollettino (Turin)* 17 (2): 329-332.
- RUSSO, D. & JONES, G. 2000. The two cryptic species of *Pipistrellus pipistrellus* (Chiroptera: Vespertilionidae) occur in Italy: evidence from echolocation and social calls. *Mammalia* 64 (2): 187-197.
- RUSSO, D. & JONES, G. 2002. Identification of twenty-two bat species (Mammalia: Chiroptera) from Italy by analysis of time-expanded recordings of echolocation calls. *Journal of Zoology, London* 258(1): 91-103.
- RUSSO, D., JONES, G. & MIGLIOZZI, A. 2002. Habitat selection by the Mediterranean horseshoe bat, *Rhinolophus euryale* (Chiroptera: Rhinolophidae) in a rural area of southern Italy and implications for conservation. *Biological Conservation* 107(1): 71-81
- RUSSO, D., JONES, G. & MIGLIOZZI, A. 2002. Selezione dell'habitat nel rinolofa mediterraneo, *Rhinolophus euryale* (Chiroptera: Rhinolophidae) in un'area rurale della Campania ed implicazioni per la conservazione. *Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. Memorie del Museo Riserva Naturale Orientata di Onferno, suppl. 1*: 10-11.
- RUSSO, D., JONES, G. & MUCEDDA, M. 2001. Influence of age, sex and body size on echolocation calls of Mediterranean and Mehely's horseshoe bats, *Rhinolophus euryale* and *R. mehelyi* (Chiroptera: Rhinolophidae). *Mammalia* 65(4): 429-436.
- RYAN, R.M. & TUTTLE, M.D. 1983. The ability of the frog-eating bat to discriminate among novel and potentially poisonous frog species using acoustic cues. *Animal Behaviour* 31 (3): 827-833.
- RYAN, R.M., TUTTLE, M.D. & BARCLAY, R.M.R. 1983. Behavioral responses of the frog-eating bat, *Trachops cirrhosus*, to sonic frequencies. *Journal of comparative Physiology A*, 150:413-418.
- RYAN, R.M., TUTTLE, M.D. & RAND, A.S. 1982. Bat predation and sexual advertisement in a neotropical anuran. *The American Naturalist* 119: 136-139.
- RYAN, R.M., TUTTLE, M.D. & TAFT, L.K. 1981. The costs and benefits of frog chorusing behavior. *Behavioral Ecology and Sociobiology* 8: 273-278.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RZEBIK-KOWALSKA, B. & KOWALSKI, K. 2001. The northernmost fossil locality of fruit bats (Megachiroptera, Mammalia) in the Miocene of Belchatow (Poland). *Acta Zoologica Cracoviensia* 44 (1): 59-63.
- SACHANOWICZ, K. & RUCZYNSKI, I. 2001. Summer roost sites of *Myotis brandtii* (Eversmann, 1845) (Chiroptera, Vespertilionidae) in eastern Poland. *Mammalia* 65 (4): 531-535.
- SAFI, K. & KERTH, G. 2003. Secretions of the interaural gland contain information about individuality and colony membership in the Bechstein's bat. *Animal Behaviour* 65(2): 363-369.
- SANCHEZ-HERNANDEZ, C., ROMERO-ALMARAZ, M.D.L. & CUISIN, J. 2002. *Sturnira mordax* (Chiroptera, Phyllostomidae), in Ecuador. *Mammalia* 66(3): 439-441.
- SANCHEZ-HERNANDEZ, C. & ROMERO-ALMAREZ, M.D.L. 2003. Redescription of *Sturnira lilium* *lilium* and *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae). *The Southeastern Naturalist* 48(3): 437-441.
- SANCHEZ-HERNANDEZ, C., ROMERO-ALMAREZ, M.D.L., SCHNELL, G.D., KENNEDY, M.L., BEST, T.L., OWEN, R.D. & LOPEZ-GONZALEZ, C. 2002. Bats of Colima, Mexico: new records, geographic distribution, and reproductive condition. *Occasional Papers Sam Noble Oklahoma Museum of Natural History* 12: 1-23.
- SANDEL, J.K., BENATAR, G.R., BURKE, K.M., WALKER, C.W., LACHER, T.E. Jr & HONEYCUTTE, R.L. 2001. Use and selection of winter hibernacula by the eastern pipistrelle (*Pipistrellus subflavus*) in Texas. *Journal of Mammalogy* 82(1): 173-178.
- SANDERSON, K. 2001. Bats and cave fauna in Naracoorte caves in the 1990s. *South Australian Naturalist* 75(1-2): 8-10.
- SANDERSON, K. & BOURNE, S. 2002. Cave temperatures at Naracoorte Caves. *Helictite* 38(1): 7-10.
- SANO, A. 2000. Distribution of four cave-dwelling bat species in Ishikawa Prefecture, with reference to utilization of roosts. *Honyurui Kagaku* 40(2): 167-173.
- SANTANA, A. 2000. Bat populations at Complejo Las Motillas. Cortes de la Frontera, provincia de Cadiz. A case study. *Alectoris* 11: 3 p.
- SANTOS, M., AGUIRRE, L.F., VAZQUEZ, L.B. & ORTEGA, J. 2003. *Phyllostomus hastatus*. *Mammalian Species* 722: 1-6.
- SARALEGUI, A.M. 1996. *Eumops patagonicus* Thomas, 1924, en el Uruguay (Mammalia: Chiroptera: Molossidae). *Comunicaciones zoológicas del Museo de Historia natural de Montevideo* 12 (186): 1-4.
- SARGIS, E.J. 2002. The postcranial morphology of *Ptilocercus lowii* (Scandentia, Tupaiidae): An analysis of Primatomorphan and Volitantian characters. *Journal of Mammalian Evolution* 9(1-2): 137-160.
- SATHASIVAM, K. 2000. Possible occurrence of the lesser woolly horseshoe bat (*Rhinolophus beddomei*) in Chinnar Wildlife Sanctuary. *Journal of the Bombay Natural History Society* 97(1): 136-137.
- SATO, M. 2000. Some records of bat flies (Diptera: Nycteribidae) collected in northern Hokkaido. *Rishiri Studies* 19: 15-17.
- SATO, M. 2002. The first record of *Murina ussuriensis* from Wakkanai and Toyotomi, northern Hokkaido. *Rishiri Studies* 21: 1-2.
- SATO, M. 2003. Records of *Vespertilio superans* from northern Hokkaido. *Rishiri Studies* 22: 33-40.
- SATO, M. & KOSUGI, K. 1994. First record of *Murina ussuriensis* (Chiroptera, Mammalia) from Rishiri Island, northern Hokkaido. *Rishiri Studies* 13: 1-2.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SATO, M. & MAEDA, K. 1999. Distribution of bats in Rebun and Esashi, northern Hokkaido. *Rishiri Studies* 18: 37-42.
- SATO, M., MAEDA, K. & AKAZAWA, Y. 2001. Distribution of bats in Toyotomi and Horonobe, northern Hokkaido. *Rishiri Studies* 20: 23-28.
- SATO, M., MAEDA, K., AKAZAWA, Y. & KAWAI, K. 2000. Distribution of bats in Hamatonbetsu, northern Hokkaido. *Rishiri Studies* 19: 23-26.
- SATO, M., MAEDA, K., FUKUI, D., KONDO, N., SHIBATA, S., ISEKI, K., SAKAMOTO, R. & MIYAMOTO, S. 2002. Determination of an unknown bat flying around streetlights in northern Hokkaido. *Rishiri Studies* 21: 65-73.
- SATO, M., MIDORO, K., HIKITA, H. & MAEDA, K. 2003. Distribution of bats in Wakkanai, northern Hokkaido. *Rishiri Studies* 22: 13-22.
- SATO, M., SATO, M. & MAEDA, K. 2002. Distribution of bats in Haboro and Shosanbetsu, northern Hokkaido (1). *Rishiri Studies* 21: 55-64.
- SATO, M., SATO, M., ONO, K., SATO, R. & MAEDA, K. 2003. Distribution of bats in Haboro and Shosanbetsu, northern Hokkaido (2). *Rishiri Studies* 22: 27-32.
- SATTLER, T. 2003. Ecological factors affecting the distribution of the sibling species *Pipistrellus pygmaeus* and *Pipistrellus pipistrellus* in Switzerland. Diplomarbeit der Philosophisch-naturwissenschaftlichen Fakultät der Universität Bern: 78 p.
- SAUGEY, D.A., SASSE, D.B., WILHIDE, J.D., REED, D., JONES, T.R., HEATH, D.R. & ENGLAND, D.R. 2001. Distribution of LeConte's free-tailed bat (*Tadarida brasiliensis cynocephala*) in Arkansas, with notes on reproduction and natural history. *Journal of the Arkansas Academy of Science* 55: 137-147.
- SAWADA, I. 2001. A list of caves of bat habitation in Taiwan and Korea. *Nara Sangyo University Journal of industrial Economics* 15 (5): 95-97.
- SCARAVELLI, D. 2002. Note ecologiche su colonie riproduttive di *Rhinolophus ferrumequinum* italiane. Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. *Memorie del Museo Riserva Naturale Orientata di Onferno*, suppl. 1: 12.
- SCARAVELLI, D. 2002. Status dei Rinolofidi in Emilia Romagna ed il ruolo delle aree protette. Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. *Memorie del Museo Riserva Naturale Orientata di Onferno*, suppl. 1: 14.
- SCARAVELLI, D., PALLADINI, A. & BERTARELLI, C. 2002. I Rhinolophidae nella provincia di Modena. Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. *Memorie del Museo Riserva Naturale Orientata di Onferno*, suppl. 1: 13.
- SCHEFFER, V.B. 1995. A significant previously unpublished monograph by Victor B. Scheffer: *Mammals of the Olympic National Park and vicinity* (1949). *Northwest Fauna* 2: 1-133.
- SCHLIEMANN, H. 2002. Multiple pathways of evolution. Morphologie, Funktion und Erwerb komplexer Strukturen bei Chiropteren. *Natur und Museum (Frankfurt-am-Main)* 132 (5): 176-185.
- SCHMIDT, C. 2002. The occurrence of bats in the town of Hoyerswerda. The bats of the Sudetes. *Przyroda Sudetow Zachodnich*, suppl. 2: 71-78.
- SCHMIED, S., BONTADINA, F., BECK, A. & ARLETTAZ, R. 2003. Does food scarcity limit the current distribution of the once widespread lesser horseshoe bat (*Rhinolophus hipposideros*)? *Deutsche Gesellschaft für Säugetierkunde und Schweizerische Gesellschaft für Wildtierbiologie*, 77. Annual Meeting of the DGS, 23. Congress of the SGW, Bern, 21. to 25. September 2003: 61.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SCHNEIDER, J.-F., GRIMM, F., DUCHAMP, L. & SEILER., L. 1999. Les chauves-souris dans la Réserve de Biosphère transfrontalière Vosges du Nord - Pfalzerwald. Annales scientifiques de la Réserve de la Biosphère des Vosges du Nord 7: 145-160.
- SCHNEIDER, J.-F. & HAMON, B. 1996. Observation de la barbastelle, *Barbastella barbastellus*, dans l'église d'Obergailbach (Moselle). Annales scientifiques de la Réserve de la Biosphère des Vosges du Nord 5: 123-125.
- SCHOPPE, R. & BENK, A. 1991. Fledermäuse im Landkreis Hildesheim. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen 26: 47-62.
- SCHORCHT, W. 2002. Zum nächtlichen Verhalten von *Nyctalus leisleri* (Kuhl 1817). Schriftenreihe für Landschaftspflege und Naturschutz 71: 141-161.
- SCHORCHT, W., TRESS, C., BIEDERMANN, M., KOCH, R. & TRESS, J. 2002. Zur Ressourcennutzung von Rauhhaufledermäusen (*Pipistrellus nathusii*) in Mecklenburg. Schriftenreihe für Landschaftspflege und Naturschutz 71: 191-212.
- SCHORR, K. 2000. Vier weitere Detektornachweise der Nordfledermaus (*Eptesicus nilssonii* Keyserling & Blasius, 1839) im Raum Rheinhessen-Pfalz (Rheinland-Pfalz). Fauna und Flora in Rheinland Pfalz 9 (2): 711-715.
- SCHORR, K. 2001. Fledermauskartierungen im Naturwaldreservat Stelzenbach, Forstamt Nassau (Rheinland-Pfalz). Fauna und Flora in Rheinland Pfalz 9 (3): 995-1010.
- SCHORR, K. 2002. Fledermauskartierungen in den Naturwaldreservaten Mörderhäufel und Stuttpferch im Bienwald, Forstämter Hagenbach und Kandel (Rheinland-Pfalz). Fauna und Flora in Rheinland Pfalz 9 (4): 1357-1370.
- SCHORR, K. 2002. Mülldeponie und Schönungsteiche in Kaiserlautern als Jagdhabitats für Fledermäuse. Fauna und Flora in Rheinland Pfalz 9 (4): 1371-1377.
- SCHULZ, M. 1998. Bats in bird nests in Australia: a review. Mammal Review 28 (2): 69-76.
- SCHULZ, M. 1999. Relative abundance and other aspects of the natural history of the rare golden-tipped bat, *Kerivoula papuensis* (Chiroptera: Vespertilionidae). Acta Chiropterologica 1 (2): 165-178.
- SCHULZ, M. 2000. Diet and foraging behavior of the golden-tipped bat, *Kerivoula papuensis*: a spider specialist? Journal of Mammalogy 81(4): 948-957.
- SCHULZ, M. 2000. Roosts used by the golden-tipped bat *Kerivoula papuensis* (Chiroptera: Vespertilionidae). Journal of Zoology, London 250 (4): 467-478.
- SCHULZ, W. 1991. Bericht über Fledermausschutzmassnahmen im östlichen Landkreis Lüneburg. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. Naturschutz und Landschaftspflege in Niedersachsen 26: 29-32.
- SCHUTT, W.A. Jr. & ALTENBACH, J.S. 1997. A sixth digit in *Diphylla ecaudata*, the hairy legged vampire bat (Chiroptera, Phyllostomidae). Mammalia 61 (2): 280-285.
- SCHUTT, W.A. Jr., MURADALI, F., MONDOL, N., JOSEPH, K. & BROCKMANN, K. 1999. Behavior and maintenance of captive white-winged vampire bats, *Diaemus youngi*. Journal of Mammalogy 80 (1): 71-81.
- SCHUTT, W.A. Jr. & SIMMONS, N.B. 2001. Morphological specializations of *Cheiromeles* (naked bulldog bats; Molossidae) and their possible role in quadrupedal locomotion. Acta Chiropterologica 3(2): 225-235.
- SCHWEIZER, S. & DIETZ, M. 2002. Individuelles Verhalten der Zwergfledermaus (*Pipistrellus pipistrellus* Schreber, 1774) während des Winterschlafs. Myotis 40: 81-93.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SCOTT, D.A. & WHARTON, R.A. 2002. First report of *Hesperoctenes fumarius* Westwood (Hemiptera: Polycetenidae) from the island of Dominica. *Proceedings of the Entomological Society of Washington* 104(4): 1066-1067.
- SCOTT, T.W. 2001. Are bats really involved in dengue virus transmission? *Journal of Medical Entomology* 38(6): 771-773.
- SEAMARK, E.C.J. & BOGDANOWICZ, W. 2002. Feeding ecology of the common slit-faced bat (*Nycteris thebaica*) in KwaZulu-Natal, South Africa. *Acta Chiropterologica* 4(1): 49-54.
- SEDGELEY, J.A. 2001. Winter activity in the tree-roosting lesser short-tailed bat, *Mystacina tuberculata*, in a cold-temperate climate in New Zealand. *Acta Chiropterologica* 3(2): 179-195.
- SEDGELEY, J.A., BUCKLAND, S.T., GOFFIN, D. & DIXON, C.E. 2001. Quality of cavity microclimate as a factor influencing selection of maternity roosts by a tree-dwelling bat, *Chalinolobus tuberculatus*, in New Zealand. *Journal of Applied Ecology* 38(2): 425-438.
- SEDLACK, J.L. 2001. Autecology and the conservation of insectivorous bats on Mt. Makiling, Philippines. *Silliman Journal* 42(1): 163-201.
- SEDLACK, J.L. 2001. Inventory of insectivorous bats on Mount Makiling, Philippines using echolocation call signatures and a new tunnel trap. *Acta Chiropterologica* 3(2): 163-178.
- SEFROVA, D. & BURIC, Z. 1998. [New records of *Nathusius' bat* (*Pipistrellus nathusii*) in eastern Bohemia (Czech Republic).] *Lynx (Praha)*, 29: 101-102.
- SEIDLER, F. 1999. Fledermäuse in der Region Augsburg. *Berichte des naturwissenschaftlichen Vereins für Schwaben* 103: 60-70.
- SEIDLER, F. 2000. Quartierdynamik bei Breitflügel-Fledermäusen (*Eptesicus serotinus*). *Berichte des naturwissenschaftlichen Vereins für Schwaben* 104: 43-56.
- SEIDMAN, V.M. & ZABEL, C.J. 2001. Bat activity along intermittent streams in northwestern California. *Journal of Mammalogy* 82(3): 738-747.
- SEKIAMA, M.L., DOS REIS, N.R., PERACCHI, A.L. & ROCHA, V.J. 2001. Morcegos do Parque Nacional do Iguaçu, Paraná (Chiroptera, Mammalia). *Revista Brasileira de Zoologia* 18 (3): 749-754.
- SEMPE, M., ROUE, S.Y. & BARATAUD, M. 2001. Les chiroptères de la Directive Habitats: le petit murin *Myotis blythii* (Tomes, 1857). *Arvicola* 13 (2): 45-48.
- SENDOR, T., ROEDENBECK, I., HAMPL, S., FERRERI, M. & SIMON, M. 2002. Revision of morphological identification of pipistrelle bat phonic types (*Pipistrellus pipistrellus* Schreber, 1774). *Myotis* 40: 11-17.
- SERRA-COBO, J., AMENGUAL, B., ABELLAN, C. & BOURHY, H. 2000. European bat lyssavirus infection in Spanish bat populations. *Emerging Infectious Diseases* 8 (4): 413-420.
- SERRA-COBO, J., LOPEZ ROIG, M., MARQUES BONET, T. & LAHUERTA, E. 2000. Rivers as possible landmarks in the orientation flight of *Miniopterus schreibersii*. *Acta Theriologica* 45 (3): 347-352.
- SERRA-COBO, J., LOPEZ ROIG, M., MARQUES BONET, T. & MARTINEZ RICA, J.P. 2000. Body condition changes of *Miniopterus schreibersii* in autumn and winter. *Revue d'Ecologie la Terre et la Vie* 55 (4): 351-360.
- SEVCIK, M. 2003. Does wing morphology reflect different foraging strategies in sibling bat species *Plecotus auritus* and *P. austriacus*? *Folia Zoologica* 52(2): 121-126.
- SEVILLA, P. 2002. Quiropteros fosiles del Aragoniense medio de Caseton (Teruel, Espana). *Revista Espanola de Paleontologia* 17 (2): 257-268.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SEWALL, B.J., GRANER, E.F. & TREWHELLA, W.J. 2003. The endemic Comoros Islands fruit bat *Rousettus obliviosus*: ecology, conservation, and Red List status. *Oryx* 37 (3): 344-352.
- SEYJAGAT, J. 1996. Marking methods for the individual identification of bats. *Am. Zoo Aquarium Ass. Reg. Conf. Proc.* 1996: 363-368.
- SEYJAGAT, J. 1997. Status report of the Pemba Island fruit bat conservation project. *Am. Zoo Aquarium Ass. Reg. Conf. Proc.* 1997: 129-132.
- SHALMON, B. & KORINE, C. 2003. The bats of Israel. *Bats* 21 (1): 6-7.
- SHARIFI, M., GHORBANI, R., RAHIMI, P. & HEMMATI, Z. 2002. Reproductive cycle of *Miniopterus schreibersii* (Chiroptera: Vespertilionidae) in western Iran. *Zoology in the Middle East* 26: 59-64.
- SHARIFI, M. & HEMMATI, Z. 2001. Food of Mehely's horseshoe bat *Rhinolophus mehelyi* in a maternity colony in western Iran. *Myotis* 39: 17-20.
- SHARIFI, M. & HEMMATI, Z. 2002. Variation in the diet of the greater mouse-tailed bat, *Rhinopoma microphyllum* (Chiroptera: Rhinopomatidae) in south-western Iran. *Zoology in the Middle East* 26: 65-70.
- SHARMA, M.V. 2001. Bats in the wild bits of western Ghats. *Bat Net* 2(1): 1p.
- SHEELER-GORDON, L.L. & SMITH, J.S. 2001. Survey of bat populations from Mexico and Paraguay for rabies. *Journal of Wildlife Diseases* 37(3): 582-593.
- SHEN, J. & CHEN, Q. 2002. Binaurality and azimuth tuning of neurons in the auditory cortex of the big brown bat. *Chinese Science Bulletin* 47(12): 1024-1027.
- SHERMAN, H.B. 1955. A record of *Lasiurus* and of *Vampyrops* from Paraguay. *Journal of Mammalogy* 56(1): 131.
- SHERWIN, R.E., GANNON, W.L. & HAYMOND, S. 2000. The efficacy of acoustic techniques to infer differential use of habitat by bats. *Acta Chiropterologica* 2(2): 145-153.
- SHERWIN, R.E., STRICKLAN, D. & ROGERS, D.S. 2000. Roosting affinities of Townsend's big-eared bat (*Corynorhinus townsendii*) in northern Utah. *Journal of Mammalogy* 81(4): 939-947.
- SHESHURAK, P.N. & KEDROV, B.Yu. 2002. Chiropteroфаuna of Chernigov region of Ukraine: the history of investigation and prospects for further research. *Plecotus et al. pars specialis* : 60-64.
- SHIEL, C.B. & FAIRLEY, J.S. 1998. Seasonal changes in the foraging behaviour of Leisler's bats (*Nyctalus leisleri*) in Ireland as revealed by radio-telemetry. *Journal of Zoology, London* 249 (3): 347-358.
- SHIEL, C.B. & FAIRLEY, J.S. 1999. Evening emergence of two nursery colonies of Leisler's bat (*Nyctalus leisleri*) in Ireland. *Journal of Zoology, London* 247 (4): 439-447.
- SHIMALOV, V.V., DEMYANCHIK, M.G. & DEMYANCHIK, V.T. 2002. A study on the helminth fauna of the bats in West Polesie (Belarus) (Bialorus). *Nietoperze* 3 (2): 283-287.
- SHIMALOV, V.V., DEMYANCHIK, M.G. & DEMYANCHIK, V.T. 2002. A study on the helminth fauna of the bats (Mammalia, Chiroptera: Vespertilionidae) in Belarus. *Parasitology Research* 88(11): 1011.
- SHIRLEY, M.D.F., ARMITAGE, Y.L., BARDEN, T.L., GOUGH, M., LURZ, P.W.W., OATWAY, D.E., SOUTH, A.B. & RUSHTON, S.P. 2001. Assessing the impact of a music festival on the emergence behaviour of a breeding colony of Daubenton's bats (*Myotis daubentonii*). *Journal of Zoology, London* 254 (3): 367-373.
- SILVA, R.A.M.S., BARROS, A.T.M. & HERRERA, H.M. 1996. Trypanosomosis outbreaks due to *Trypanosoma evansi* in the Pantanal, Brazil. A preliminary approach on risk factors. *Revue d'élevage et de Médecine vétérinaire des pays tropicaux* 48 (4): 315-319.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SIMBAUNI, J.A. & BERNARD, R.T.F. 2001. Changes in the abundance of cells in the anterior pituitary gland and the possible roles of luteinizing hormone, prolactin and progesterone in the control of delayed implantation in the straw-coloured fruit bat (*Eidolon helvum*). *African Zoology* 36 (1): 63-70.
- SIMMONS, N.B. & CONWAY, T.M. 2001. Phylogenetic relationships of mormoopid bats (Chiroptera: Mormoopidae) based on morphological data. *Bulletin of the American Museum of natural History* 258: 1-97.
- SIMMONS, N.B. & GEISLER, J.H. 2002. Sensitivity analysis of different methods of coding taxonomic polymorphism: an example from higher-level bat phylogeny. *Cladistics* 18: 571-584.
- SIMMONS, N.B., VOSS, R.S. & FLECK, D.W. 2002. A new Amazonian species of *Micronycteris* (Chiroptera: Phyllostomidae) with notes on the roosting behavior of sympatric congeners. *American Museum Novitates* 3358: 1-14.
- SIMMONS, N.B., VOSS, R.S. & PECKHAM, H.C. 2000. The bat fauna of the Saul region, French Guiana. *Acta Chiropterologica* 2(1): 23-36.
- SIMMONS, N.B. & WETTERER, A.L. 2002. Phylogeny and convergence in cactophilic bats. In: Fleming, T. H. & Valiente-Banuet, A. [Eds]. *Columnar cacti and their mutualists: evolution, ecology, and conservation*. University of Arizona Press, Tucson: 87-121
- SINGARAVELAN, N. & MARIMUTHU, G. 2002. Moonlight inhibits and lunar eclipse enhances foraging activity of fruit bats in an orchard. *Current Science (Bangalore)* 82(8): 1020-1022.
- SINGH, A.K., BANERJEE, R. & KACKER, R.K. 1999. A catalogue of chromosome numbers of Indian mammals. Part 1. Orders: Carnivora and Chiroptera. *Records of the zoological Survey of India occasional Paper* 176: 1-45.
- SINGH, U.P. & KRISHNA, A. 1996. Glycogen accumulation in the ovarian follicle of Indian vespertilionid bat, *Scotophilus heathi* during the period of delayed ovulation. *Zoological Science, Tokyo* 13 (6): 893-897.
- SINGH, U.P. & KRISHNA, A. 1997. Pituitary adrenocorticotrophic (ACTH) cells during reproductive cycle in a vespertilionid bat, *Scotophilus heathi*. *Acta Biologica Hungarica* 48 (4): 409-420.
- SINHA, Y.P. 1999. Bats of the Siju Cave, South Garo Hills District, Meghalaya, India: taxonomy and bionomics. *Records of the zoological Survey of India* 97 (1): 101-122.
- SINHA, Y.P. 1999. Contribution to the knowledge of bats (Mammalia: Chiroptera) of North East Hills, India. *Records of the zoological Survey of India, occ. paper* 174: 1-52.
- SINHA, Y.P. 2000. Note on roosting places of short-nosed fruit bat [*Cynopterus s. sphinx* (Vahl.)]. *Bat Net* 1 (2): 5.
- SINHA, Y.P. 2001. Rat-tailed bats feeding on winged termite in rainy season. *Bat Net* 2(1): 1p.
- SLEEP, D.J.H. & BRIGHAM, R.M. 2003. An experimental test of clutter tolerance in bats. *Journal of Mammalogy* 84(1): 216-224.
- SMITH, A.B. & GRIFFITHS, H.I. 1998. Apparent recovery from a broken femur in the Indian flying fox, *Pteropus giganteus* (Chiroptera, Pteropodidae). *Mammalia* 62 (3): 457-460.
- SMITH, M. 2002. Management of roost sites of the grey-headed flying-fox *Pteropus poliocephalus* on the north coast of NSW: a National Parks & Wildlife Service perspective. In: Eby, P & Lunney, D. [Eds]. *Managing the grey-headed flying-fox as a threatened species in NSW*. Royal Zoological Society of New South Wales, Masman: 202-214.
- SMITH, P.G. 2003. Automated log-ratio analysis of compositional data: software suited to analysis of habitat preference from radiotracking data. *Bat Research News* 44(3): 90.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SMYTHE, L.D., FIELD, H.E., BARNETT, L.J., SMITH, C.S., DOHNT, M.F., SYMONDS, M.L., MOORE, M.R. & ROLFE, P.F. 2002. Leptospiral antibodies in flying foxes in Australia. *Journal of Wildlife Diseases* 38(1): 182-186.
- SNITKO, V.P. 2002. New records of Natterer's *Myotis nattereri* from the South Urals. *Plecotus et al. pars specialis* : 69-71.
- SOARES, R.M., BERNARDI, F., SAKAMOTO, S.M., HEINEMANN, M.B., CORTEZ, A., ALVES, L.M., MEYER, A.D., ITO, F.H. & RICHTZENHAIN, L.J. 2002. A heminested polymerase chain reaction for the detection of Brazilian rabies isolates from vampire bats and herbivores. *Memorias do Instituto Oswaldo Cruz* 97(1): 109-111.
- SOMERS, C.M. & BOUCHARD, S. 2000. Social dominance and cluster formation in *Chaerephon pumilus* (Molossidae). *Acta Chiropterologica* 2(1): 7-14.
- SORIANO, P.J., FARINAS, M.R. & NARANJO, M.E. 2000. A new subspecies of Miller's long-tongued bat (*Glossophaga longirostris*) from a semiarid enclave of the Venezuelan Andes. *Zeitschrift für Säugetierkunde* 65 (6): 369-374.
- SORIANO, P.J. & OCHOA G, J. 2001. The consequences of timber exploitation for bat communities in tropical America. In: Fimbel, R. A., Grajal, A. & Robinson, J. G. [Eds]. *The cutting edge: conserving wildlife in logged tropical forest*. Columbia University Press, New York: 153-166.
- SORIANO, P.J., RUIZ, A. & ARENDS, A. 2002. Physiological responses to ambient temperature manipulation by three species of bats from Andean cloud forests. *Journal of Mammalogy* 83(2): 445-457.
- SPAGNESI, M., TOSO, S. & DE MARINIS, A.M. 2000. Italian mammals. Istituto Nazionale per la Fauna Selvatica "Alessandro Ghigi": 1-201
- SPARKS, D.W., CHAPMAN, K.C. & RITZI, C.M. 2003. Additional ectoparasitic records of bats from Kansas. *The Prairie Naturalist* 35(1): 49-52.
- SPARKS, D.W. & CHOATE, J.R. 2000. Distribution, natural history, conservation status, and biogeography of bats in Kansas. *Reflections of a naturalist: papers honoring Professor Eugene D. Fleharty*. Fort Hays Studies, Special Issue 1: 173-228.
- SPARKS, D.W., CHOATE, J.R. & WINN, R.J. 2000. Observations on reproduction in three species of bats. *Prairie naturalist* 31(4): 245-248.
- SPARKS, D.W., LABORDA, J.A. & WHITAKER, J.O. Jr. 2001. Bats of the Indianapolis International Airport as compared to a more rural community of bats at Prairie Creek. *Proceedings of the Indiana Academy of Science* 107(1-4): 171-179.
- SPARKS, D.W., ROBERTS, K.J. & JONES, C. 2000. Vertebrate predators on bats in North America North of Mexico. *Reflections of a naturalist: papers honoring Professor Eugene D. Fleharty*. Fort Hays Studies, Special Issue 1: 229-241 p.
- SPARKS, D.W., SIMMONS, M.T., GUMMER, C.L. & DUCHAMP, J.E. 2003. Disturbance of roosting bats by woodpeckers and raccoons. *Northeastern Naturalist* 10(1): 105-108.
- SPEAKMAN, J.R. 2001. The evolution of flight and echolocation in bats: another leap in the dark. *Mammal Review* 31 (2): 111-130.
- SPITZENBERGER, F. 2000. Ein Beitrag zur Kenntnis der Fledermausfauna (Chiroptera) Vorarlbergs. *Vorarlberger Naturschau Forschen und Entdecken* 8: 9-24.
- SPRINGER, M.S., TEELING, E. & STANHOPE, M.J. 2001. Commentary: External nasal cartilages in bats: Evidence for microchiropteran monophyly? *Journal of Mammalian Evolution* 8(3): 231-236.
- SRINIVASULU, C. 2001. Bat research at Osmania University, Hyderabad. *Bat Net* 2(1): 1p.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SRINIVASULU, C. 2001. Kelaart's *Pipistrelle pipistrellus ceylonicus* (Kelaart, 1852) in the diet of greater false vampire *Megaderma lyra* E. Geoffroy, 1810. *Bat Net* 2(1): 1p.
- SRINIVASULU, C. & SRINIVASULU, B. 2002. Greater short-nosed fruit bat (*Cynopterus sphinx*) foraging and damage in vineyards in India. *Acta Chiropterologica* 4(2): 167-171.
- SRIVASTAVA, J.P., MANDAL, A.K. & BISWAS, D.K. 2000. New records of bats from Nagaland, India. *Records of the zoological Survey of India* 98(4): 83-87.
- ST-GEORGE, T.D. 1989. Are there common features in Lyssavirus diseases ? *Arbovirus Research in Australia. Proceeding 5th Symposium*: 264-267.
- STANLEY, W.T., KERBIS PETERHANS, J.C. & KITYO, R.M. 1996. New records of bats for Uganda and Burundi. *Afr. J. Ecol.* 43 (2) : 196-201.
- STANLEY, W., ROSCOE, D.E., HAWTHORNE, E. & MEYER, R. 2001. Food chain aspects of chlordane poisoning in birds and bats. *Archives of environmental Contamination and Toxicology* 40(2): 285-291.
- STEINHAUSER, D. 2002. Untersuchungen zur Oekologie der Mopsfledermaus, *Barbastella barbastellus* (Schreber, 1774), und der Bechsteinfledermaus, *Myotis bechsteinii* (Kuhl, 1817) im Süden des Landes Brandenburg. *Schriftenreihe für Landschaftspflege und Naturschutz* 71: 81-98.
- STEINLEIN, D.B., DURDEN, L.A. & GANNON, W.L. 2001. Tick (Acari) infestations of bats in New Mexico. *Journal of medical Entomology* 38(4): 609-611.
- STERBING, S.J. 2002. Postnatal development of vocalizations and hearing in the phyllostomid bat, *Carollia perspicillata*. *Journal of Mammalogy* 83(2): 516-525.
- STERBING, S.J., SCHMIDT, U. & RÜBSAMEN, R. 1994. The postnatal development of frequency-place code and tuning characteristics in the auditory midbrain of the phyllostomid bat, *Carollia perspicillata*. *Hearing Research* 76: 133-146.
- STERN, A.A. & KUNZ, T.H. 1998. Intraspecific variation in postnatal growth in the greater spear-nosed bat. *Journal of Mammalogy* 79 (3): 755-763.
- STEVENS, B., LEBLANC, D., GUTMAN, R., KIRKPATRICK, N., CHAG, M. & MILLWOOD, A. 1996. The nose knows: olfactory enrichment for fruit bats. *The Shape of Enrichment* 5(2): 4-5.
- STEVENS, R.D. 2001. Twinning in the big fruit-eating bat *Artibeus lituratus* (Chiroptera: Phyllostomidae) from eastern Paraguay. *Mammalian Biology* 66 (3): 178-180.
- STOCKWELL, E.F. 2001. Morphology and flight manoeuvrability in New World leaf-nosed bats (Chiroptera: Phyllostomidae). *Journal of Zoology, London* 254(4): 505-514.
- STONER, K.E. 2001. Differential habitat use and reproductive patterns of frugivorous bats in tropical dry forest of northwestern Costa Rica. *Canadian Journal of Zoology* 79(9): 1626-1633.
- STONER, K.E., O.-SALAZAR, K.A., R.-FERNANDEZ, R.C. & QUESADA, M. 2003. Population dynamics, reproduction, and diet of the lesser long-nosed bat (*Leptonycteris curasoae*) in Jalisco, Mexico: implications for conservation. *Biodiversity and Conservation* 12: 357-373.
- STONER, K.E., QUESADA, M., ROSAS-GUERRERO, V. & LOBO, J.A. 2002. Effects of forest fragmentation on the Colima long-nosed bat (*Musonycteris harrisoni*) foraging in tropical dry forest of Jalisco, Mexico. *Biotropica* 34(3): 462-467.
- STORZ, J.F. 2002. Contrasting patterns of divergence in quantitative traits and neutral DNA markers: analysis of clinal variation. *Molecular Ecology* 11(12): 2537-2551.
- STORZ, J.F. & BEAUMONT, M.A. 2002. Testing for genetic evidence of population expansion and contraction: An empirical analysis of microsatellite DNA variation using a hierarchical Bayesian model. *Evolution* 56(1): 154-166.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- STORZ, J.F., BHAT, H.R., KUNZ, T.H. & PASQUET, E. 2001. Genetic consequences of polygyny and social structure in an Indian fruit bat, *Cynopterus sphinx*. II. Variance in male mating success and effective population size. *Evolution* 55(6): 1224-1232.
- STORZ, J.F., GAUTSCHI, B., ROTHLSBERGER, S. & REYER, H.U. 2000. Variation at tri- and tetranucleotide repeat microsatellite loci in the fruit bat genus *Cynopterus* (Chiroptera: Pteropodidae). *Molecular Ecology* 9(12): 2198-2200.
- STORZ, J.F. & KUNZ, T.H. 1999. *Cynopterus sphinx*. *Mammalian Species* 613: 1-8.
- STRAUBE, F.C. & BIANCONI, G.V. 2002. Sobre a grandeza e a unidade utilizada para estimar esforço de captura com utilização de Redes-de-Neblina. *Chiroptera Neotropical* 8 (1-2): 150-152.
- STRELKOV, P.P. 1999. Correlation of sexes in adult individuals of migratory bat species (Chiroptera, Vespertilionidae) from Eastern Europe and adjacent territories. *Zoologicheskii Zhurnal* 78 (12): 1441-1454.
- STRELKOV, P.P. 2002. From the Fifth to the Eighth Bat Research Conference: some results. *Plecotus et al. pars specialis* : 5-12.
- STRELKOV, P.P. 2002. Materials on wintering of migratory bat species (Chiroptera) on the territory of the former USSR and adjacent regions. Part 2. *Nyctalus noctula*. *Plecotus et al.* 5: 35-56.
- SUGA, N., XIAO, Z., MA, X. & JI, W. 2002. Plasticity and corticofugal modulation for hearing in adult animals. *Neuron* 36: 9-18.
- SWARTZ, S.M., GROVES, M.S., KIM, H.D. & WALSH, W.R. 1995. Mechanical properties of bat wing membrane skin. *Journal of Zoology, London* 239 (2): 357-378
- SWIFT, S.M. & RACEY, P.A. 2002. Gleaning as a foraging strategy in Natterer's bat *Myotis nattereri*. *Behavioral Ecology and Sociobiology* 52(5): 408-416.
- SWYSTUN, M.B., PSYLLAKIS, J.M. & BRIGHAM, R.M. 2001. The influence of residual tree patch isolation on habitat use by bats in central British Columbia. *Acta Chiropterologica* 3(2): 197-201.
- TADDEI, V.A. & UIEDA, W. 2001. Distribution and morphometrics of *Natalus stramineus* from South America (Chiroptera, Natalidae). *Iheringia, Serie Zoologia* 91: 123-132.
- TADDEI, V.A. & VINCENTE-TRAJAN, E.C. 1998. Biological and distributional notes on *Platyrrhinus helleri* (Chiroptera: Phyllostomidae) in Brazil. *Mammalia* 62 (1): 113-117.
- TAN, K.H., ZUBAID, A. & KUNZ, T.H. 1997. Tent construction and social organization in *Cynopterus brachyotis*, Muller (Chiroptera: Pteropodidae), in Peninsular Malaysia. *J. nat. Hist.* 31 (11): 1605-1621.
- TAYLOR, P.J. 1999. Echolocation calls of twenty southern African bat species. *South African Journal of Zoology* 34 (3): 114-124.
- TAYLOR, P.J. 1999. The role of amateurs in the growth of bat conservation and research in South Africa. *South African Journal of Zoology* 34 (1): 19-26.
- TEELING, E.C., MADSEN, O., MURPHY, W.J., SPRINGE, M.S. & O'BRIEN, S.J. 2003. Nuclear gene sequences confirm an ancient link between New Zealand's short-tailed bat and South American noctilionoid bats. *Molecular Phylogenetics and Evolution* 28: 308-319.
- TEELING, E.C., MADSEN, O., VAN DEN BUSSCHE, R.A., DE JONG, W.S., STANHOPE, M.J. & SPRINGER, M.S. 2002. Microbat paraphyly and the convergent evolution of a key innovation in Old World rhinolophoid microbats. *Proceedings of the National Academy of Sciences of the United States of America*: 99(3): 1431-1436.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- THABAH, A. & BATES, P.J.J. 2002. Recent record of *Otomops wroughtoni* (Thomas, 1913) (Chiroptera: Molossidae) from Meghalaya, north-east India. *Acta Zoologica Academiae Scientiarum Hungaricae* 48(3): 251-253.
- THIREAU, M. & DORE, J.-C. 2002. Liens phylogénétiques dégagés entre: Tenrecines, Insectivores, Prosimiens, Simiens non-humanoides, Homme- et Chiroptères (Mega- ou Micro-), au moyen d'analyses multivariées du volume des étages encéphaliques et de quelques macro-structures telencephaliques. *Bulletin de la Société Zoologique de France* 127(2): 181-204.
- THOMSON, S.C., BROOKKE, A.P. & SPEAKMAN, J.R. 2002. Soaring behaviour in the Samoan flying fox (*Pteropus samoensis*). *Journal of Zoology, London* 256(1): 55-62.
- TICHY, H. 2001. [Bats of the Louny district.] *Fauna Bohemiae Septentrionalis* 26: 73-77 (en tchèque).
- TIMERIN, I.V. 2002. An attempt on repair of a simple forearm fracture in a young Egyptian fruit bat *Rousettus aegyptiacus*. *Plecotus et al.* 5: 102-104.
- TIMM, R.M., LAVAL, R.K. & RODRIGUEZ-H., B. 1999. Clave de campo para los murciélagos de Costa Rica. *Brenesia* 52: 1-32.
- TKACH, V.V., PAWLOWSKI, J. & SHARPILO, V.P. 2000. Molecular and morphological differentiation between species of the *Plagioglychis vespertilionis* group (Digenea, Plagioglychidae) occurring in European bats, with a re-description of *P. vespertilionis* (Muller, 1780). *Systematic Parasitology* 47 (1): 9-22.
- TOFFOLI, R. 2002. Il *Rhinolophus hipposideros* in provincia di Cuneo: status, distribuzione attuale e storica. Workshop G.I.R.C. 2002. I rinolofidi italiani: ecologia, status e prospettive di conservazione. *Memorie del Museo Riserva Naturale Orientata di Onferno*, suppl. 1: 9.
- TOMILENKO, A.A. 2002. Wintering bats (*Vespertilionidae*) in Novosibirsk region. *Plecotus et al. pars specialis* : 99-106.
- TOPAL, G. 1997. A new mouse-eared bat species, from Nepal, with statistical analyses of some other species of subgenus *Leuconoe* (Chiroptera, *Vespertilionidae*). *Acta Zoologica Academiae Scientiarum Hungaricae* 43 (4): 375-402.
- TRAJANO, E. & GIMENEZ, E.A. 1998. Bat community in a cave from eastern Brazil, including a new record of *Lionycteris* (*Phyllostomidae*, *Glossophaginae*). *Studies neotropical fauna & environment* 33 (2-3): 69-75.
- TRAPPMANN, C. & CLEMEN, G. 2001. Beobachtungen zur Nutzung des Jagdgebiets der Fransenfledermaus *Myotis nattereri* (Kuhl, 1817) mittels Telemetrie. *Acta Biologica Benrodis* 11 (1-2): 1-31.
- TRESS, J. 1993. Rote Liste der Fledermäuse (Mammalia: Chiroptera) Thuringens. *Naturschutzreport* 5: 17-20.
- TRESS, J., BIEDERMANN, M. & GEIGER, H. 2002. Fledermäuse (Chiroptera). *Landschaftspflege und Naturschutz in Thüringen* 39 (4): 100-101.
- TRESS, J., TRESS, C. & WELSCH, K.P. 1994. Fledermäuse in Thüringen. Kartierungsergebnisse der Interessengemeinschaft Fledermausschutz und -forschung in Thüringen. In collaboration with: Bachmann, R., Biedermann, M., Fischer, J.A., Forch, F., Franz, M., Heddergott, M., Henkel, F., Iffert, D., Mehm, A., Sauerbier, W., Schorcht, W., Wagner, L., Weidner, H. *Naturschutzreport* 8: 1-136.
- TREWHELLA, W.J., RODRIGUEZ CLARK, K.M., DAVIES, J.G., REASON, P.F. & WRAY, S. 2001. Sympatric fruit bat species (Chiroptera: *Pteropodidae*) in the Comoro Islands (western Indian Ocean): diurnality, feeding interactions and their conservation implications. *Acta Chiropterologica* 3 (2): 135-147.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TRIBLEHORN, J.D. & YAGER, D.D. 2001. Broad versus narrow auditory tuning and corresponding bat-evasive flight behaviour in praying mantids. *Journal of Zoology, London* 254 (1): 27-40.
- TRIERVEILER, F., ANDRADE, F.M. & DE FREITAS, T.R.O. 2002. Karyotype of *Eumops auripendulus major* (Chiroptera; Molossidae) and its first recorded sighting in southern Brazil. *Mammalia* 66(2): 303-306.
- TROMBULAK, S.C., HIGUERA, P.E. & DESMEULES, M. 2001. Population trends of wintering bats in Vermont. *Northeastern Naturalist* 8(1): 51-62.
- TROUSDALE, A.W. & BECKETT, D.C. 2002. Bats (Mammalia: Chiroptera) recorded from mist-net and bridge surveys in southern Mississippi. *Journal of the Mississippi Academy of Sciences* 47(4): 183-188.
- TRUJILLO, D., IBANEZ, C. & JUSTE, J. 2002. A new subspecies of *Barbastella barbastellus* (Mammalia: Chiroptera: Vespertilionidae) from the Canary islands. *Revue Suisse de Zoologie* 109 (3): 543-550.
- TSYTSULINA, K.A. 2001. *Myotis ikonnikovi* (Chiroptera, Vespertilionidae) and its relationships with similar species. *Acta Chiropterologica* 3(1): 11-19.
- TURBILL, C., LAW, B.S. & GEISER, F. 2003. Sommer torpor in a free-ranging bat from subtropical Australia. *Journal of Thermal Biology* 28: 223-226.
- TUTTLE, M.D. 1964. *Myotis subulatus* in Tennessee. *Journal of Mammalogy* 45 (1): 148-149.
- TUTTLE, M.D. 1967. Predation by *Chrotopterus auritus* on Geckos. *Journal of Mammalogy* 48 (2): 319.
- TUTTLE, M.D. 1968. Feeding habits of *Artibeus jamaicensis*. *Journal of Mammalogy* 49 (4): 787.
- TUTTLE, M.D. 1974. An improved trap for bats. *Journal of Mammalogy* 55 (2): 475-477.
- TUTTLE, M.D. 1974. Bat trapping: results and suggestions. *Bat Research News* 15: 4-7.
- TUTTLE, M.D. 1974. Unusual drinking behavior of some *Stenoderme* bats. *Mammalia* 38 (1): 141-144.
- TUTTLE, M.D. 1975. Population ecology of the gray bat (*Myotis grisescens*): factors influencing early growth and development. *Occasional papers of the Museum of Natural History, the University of Kansas* 36: 1-24.
- TUTTLE, M.D. 1976. Collecting techniques. In: *Biology of bats of the New World family, Phyllostomatidae, part I. Special Publications The Museum, Texas Tech University* 10: 71-88.
- TUTTLE, M.D. 1976. Population ecology of the gray bat (*Myotis grisescens*): factors influencing growth and survival of newly volant young. *Ecology* 57 (3): 587-595.
- TUTTLE, M.D. 1976. Population ecology of the gray bat (*Myotis grisescens*): philopatry, timing and patterns of movement, weight loss during migration, and seasonal adaptive strategies. *Occasional papers of the Museum of Natural History, the University of Kansas* 54: 1-38.
- TUTTLE, M.D. 1979. Status, causes of decline, and management of endangered gray bats. *Journal of Wildlife Management* 43 (1): 1-17.
- TUTTLE, M.D. & HEANEY, L.R. 1974. Maternity habits of *Myotis leibii* in South Dakota. *Bulletin of the Southern California Academy of Sciences* 73 (2): 80-83.
- TUTTLE, M.D. & ROBERTSON, P.B. 1969. The gray bat, *Myotis grisescens*, east of the Appalachians. *Journal of Mammalogy* 50 (2): 370.
- TUTTLE, M.D. & RYAN, M.J. 1979. Bat predation and the evolution of frog calling behavior in the Neotropics. *National Geographic Society Research Reports, 1979 Projects*: 769-790.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TUTTLE, M.D. & RYAN, M.J. 1982. The role of synchronized calling, ambient light, and ambient noise, in anti-bat-predator behavior of a treefrog. *Behavioral Ecology and Sociobiology* 11: 125-131.
- TUTTLE, M.D., RYAN, M.J. & BELWOOD, J.J. 1985. Acoustical resource partitioning by two species of Phyllostomid bats (*Trachops cirrhosus* and *Tonatia sylvicola*). *Animal Behaviour* 33 (4): 1369-1371.
- TUTTLE, M.D. & STEVENSON, D.E. 1977. An analysis of migration as a mortality factor in the gray bat based on public recoveries of banded bats. *The American Midland Naturalist* 97 (1): 235-240.
- TUTTLE, M.D. & STEVENSON, D.E. 1978. Variation in the cave environment and its biological implications. In: Zuber, R., Chester, J., Gilbert, S. & Rhodes, D. (Eds). *National cave management symposium proceedings, Big Sky, Montana, 3-7 Oct. 1977*: 108-121.
- TUTTLE, M.D., TAFT, L.K. & RYAN, M.J. 1982. Evasive behaviour of a frog in response to bat predation. *Animal Behaviour* 30: 393-397.
- UHRIN, M., LEHOTSKA, B., BENDA, P., LEHOTSKY, R. & MATIS, S. 1997. Distributional patterns of bats in Slovakia. Part 3, *Miniopterus schreibersi*. *Vespertilio* 2: 113-130.
- URBANI, F. 1998. Edades de radiocarbono en las cuevas del Indio y Ricardo Zuloaga, sureste de Caracas, Venezuela. *Boletín de la Sociedad Venezolana de Espeleología* 32: 5-12.
- VACCARO, O.B. 1992. Comentarios sobre nuevas localidades para quiropteros de Argentina (*Vespertilionidae* y *Molossidae*) (Mammalia - Chiroptera). *Revista del Museo Argentino de Ciencias Naturales "Bernardino Rivadavia" e Instituto Nacional de Investigación de las Ciencias Naturales* 16 (3): 27-36.
- VACCARO, O.B. & VARELA, E.A. 2001. Quiropteros de la ciudad de Buenos Aires y de la provincia de Buenos Aires, Argentina. *Revista del Museo Argentino de Ciencias Naturales* 3 (2): 181-193.
- VALENTINE, D.E. & MOSS, C.F. 1997. Spatially selective auditory responses in the superior colliculus of the echolocating bat. *The Journal of Neuroscience* 17 (5): 1720-1733.
- VALENTINE, D.E., SINHA, S.R. & MOSS, C.F. 2002. Orienting responses and vocalizations produced by microstimulation in the superior colliculus of the echolocating bat, *Eptesicus fuscus*. *Journal of Comparative Physiology A*, 188(2): 89-108.
- VALIENTE-BANUET, A. 2002. Vulnerabilidad de los sistemas de polinización de cactáceas columnares de México. *Revista Chilena de Historia Natural* 75(1): 99-104.
- VAN AARDT, W.J., BRONNER, G.N. & DE NECKER, M.L. 2002. Oxygen dissociation curves of whole blood from the Egyptian free-tailed bat, *Tadarida aegyptiaca* E. Geoffroy, using a thin-layer optical cell. *African Zoology* 37 (1): 109-113.
- VAN DEN BUSSCHE, R.A. & HOOFFER, S.R. 2001. Evaluating monophyly of Nataloidea (Chiroptera) with mitochondrial DNA sequences. *Journal of Mammalogy* 82 (2): 320-327.
- VAN DEN BUSSCHE, R.A., HOOFFER, S.R. & HANSEN, E.W. 2002. Characterization and phylogenetic utility of the mammalian protamine P1 gene. *Molecular Phylogenetics and Evolution* 22(3): 333-341.
- VAN DEN BUSSCHE, R.A., HOOFFER, S.R. & SIMMONS, N.B. 2002. Phylogenetic relationships of mormoopid bats using mitochondrial gene sequences and morphology. *Journal of Mammalogy* 83 (1): 40-48.
- VAN DEN BUSSCHE, R.A., REEDER, S.A., HANSEN, E.W. & HOOFFER, S.R. 2003. Utility of the dentin matrix protein 1 (DMP1) gene for resolving mammalian intraordinal phylogenetic relationships. *Molecular Phylogenetics and Evolution* 26(1): 89-101.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VAN DEN BUSSCHE, R.A. & WEYANDT, S.E. 2003. Mitochondrial and nuclear DNA sequence data provide resolution to sister-group relationships within Pteronotus (Chiroptera: Mormoopidae). *Acta Chiropterologica* 5 (1): 1-13.
- VAN DER WIJDEN, B., BOOMARS, C., DE SCHUTTER, G. & GRYSEELS, M. 2001. Chauves-souris et Natura 2000 en Région Bruxelles-Capitale. *Parcs et Réserves* 56(2): 27-29.
- VANITHARANI, J. 2000. Excellent inter-species association between the three species of tropical bats at Sri Kallapiran Tirukovil Tower Srivaikundam, Tamil Nadu. *Bat Net* 2(1): 2p.
- VANITHARANI, J. 2000. Some behavioural observations on *Rousettus leschenaulti* at Cheranmahadevi, Tamil Nadu. *Bat Net* 1 (2): 3.
- VANITHARANI, J. 2001. Behavioural characterization of ectoparasites on a few tropical bats in Southern India. *Bat Net* 2(2): 3 p.
- VANITHARANI, J. 2001. Interaction between plants and fruit bats of Tirunelveli. *Bat Net* 2(1): 1p.
- VANITHARANI, J., JEYAPRABA, L. & ANNAMALAI, R. 2003. New record of distribution and roosting in Salim. In: Annamalai, R., N. Marayanan & J. Vanitharani (eds). Proceedings of 28th Conference of the Ethological Society of India, February 7-8, 2003, Mundanthurai, Tirunelveli: 60-62.
- VANITHARANI, J., RAJENDRAN, A., BATES, P.J.J., HARRISON, D.L. & PEARCH, M.J. 2003. A taxonomic reassessment of *Kerivoula lenis* Thomas, 1916 (Chiroptera: Vespertilionidae) including a first record from peninsular India. *Acta Chiropterologica* 5(1): 49-60.
- VARASSIN, I.G., TRIGO, J.R. & SAZIMA, M. 2001. The role of nectar production, flower pigments and odour in the pollination of four species of *Passiflora* (Passifloraceae) in south-eastern Brazil. *Botanical Journal of the Linnean Society* 136(2): 139-152.
- VARGAS, J., LANDAETA A., C. & SIMONETTI, J.A. 2002. Bats as prey of barn owls (*Tyto alba*) in a tropical savanna in Bolivia. *Journal of Raptor Research* 36 (2): 146-148.
- VEGE, S. & McCracken, G.F. 2001. Microsatellite genotypes of big brown bats (*Eptesicus fuscus*: Vespertilionidae, Chiroptera) obtained from their faeces. *Acta Chiropterologica* 3(2): 237-244.
- VERHEGGEN, L.S.G.M. 1999. [A summer record of Bechstein's bat *Myotis bechsteinii* in a bird box in Rimbarg (Limburg, the Netherlands)]. *Lutra* 41 (1-2): 25-29 (en hollandais, résumé anglais).
- VIDAL-LOPEZ, R. & MARTINEZ-CORONEL, M. 2000. Nuevo molósido para la quiroptero fauna de Chiapas, México. *Vertebrata Mexicana* 8: 1-4.
- VIGH, B., VIGH-TEICHMANN, I. & AROS, B. 1989. Neurohemal areas bordering the internal cerebral veins in the pineal organ of the bat (*Myotis blythi oxygnathus*). *Z. mikrosk.-anat. Forsch.* 100(5): 745-758.
- VIGH, B., VIGH-TEICHMANN, I. & AROS, B. 1989. Pineal corpora arenacea produced by arachnoid cells in the bat *Myotis blythi oxygnathus*. *Z. mikrosk.-anat. Forsch.* 103(1): 36-45.
- VIVIER, L. & VAN DER MERWE, M. 2001. Aspects of the histology of reproduction in the female Angolan free-tailed bat *Mops condylurus* (Microchiroptera: Molossidae) in Mpumalanga, South Africa. *Journal of Zoology, London* 254 (4): 495-504.
- VLASCHENKO, A. 1999. Record of hibernated *Nyctalus noctula* in Kharkov. *Vestnik Zoologii* 33 (4-5): 76 (en russe).
- VLASCHENKO, A. 2000. New finding of the Leisler's bat *Nyctalus leisleri* in the Kharkov region (Ukraine). *Vestnik Zoologii* 34 (6): 92 (en russe).
- VLASCHENKO, A. 2002. Finds of bats in the building of the Kharkov National University. *Vesnik Khar'kovskogo universiteta* 551 (2): 212-216 (en russe, traduction anglaise).



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VOIGT, C.C. 2002. Individual variation in perfume blending in male greater sac-winged bats. *Animal Behaviour* 63(5): 907-913.
- VOIGT, C.C. 2002. Queuing for harem access in colonies of the greater sac-winged bat. *Animal Behaviour* 65(1): 149-156.
- VOIGT, C.C., VON HELVERSEN, O., MICHENER, R. & KUNZ, T.H. 2001. The economics of harem maintenance in the sac-winged bat, *Saccopteryx bilineata* (Emballonuridae). *Behavioral Ecology and Sociobiology* 50(1): 31-36.
- VOLLETH, M. 1985. Chromosomal homologies of the genera *Vespertilio*, *Plecotus* and *Barbastella* (Chiroptera: Vespertilionidae). *Genetica* 66: 231-236.
- VOLLETH, M. 1987. Differences in the location of nucleolus organizer regions in European vespertilionid bats. *Cytogenet Cell Genet.* 44: 186-197.
- VOLLETH, M. 1987. *Glischropus tylopus*, the first known old-world bat with an X-autosome translocation. *Experientia* 43: 922-924.
- VOLLETH, M., BRONNER, G., GOEPFERT, M.C., HELLER, K.G., VON HELVERSEN, O. & YONG, H.S. 2001. Karyotype comparison and phylogenetic relationships of *Pipistrellus*-like bats (Vespertilionidae; Chiroptera; Mammalia). *Chromosome Research* 9 (1): 25-46.
- VOLLETH, M., HELLER, K.G., PFEIFFER, R.A. & HAMEISTER, H. 2002. A comparative ZOO-FISH analysis in bats elucidates the phylogenetic relationships between Megachiroptera and five microchiropteran families. *Chromosome Research* 10(6): 477-497.
- VON HELVERSEN, O., VOLLETH, M. & NUNEZ, J. 1986. A new method for obtaining blood from a small mammal without injuring the animal: use of Triatomid bugs. *Experientia* 42: 809-810.
- VONHOF, M.J., DAVIS, C.S., FENTON, M.B. & STROBECK, C. 2002. Characterization of dinucleotide microsatellite loci in big brown bats (*Eptesicus fuscus*), and their use in other North American vespertilionid bats. *Molecular Ecology Notes* 2(2): 167-169.
- VONHOF, M.J., DAVIS, C.S., STROBECK, C. & FENTON, M.B. 2001. Characterization of microsatellite loci in Spix's disk-winged bats (*Thyroptera tricolor*). *Molecular Ecology Notes* 1(1-2): 73-75.
- VOWINKEL, K. 1991. Zur Verbreitung der Wasserfledermaus *Myotis daubentoni* im südlichen Leinebergland. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 109-112.
- VOWINKEL, K. 1991. Zur Verbreitung des Grauen Langohrs *Plecotus austriacus*, Fischer 1829, in Niedersachsen. In: Heckenroth, H. & B. Pott-Dörfer. Beiträge zum Fledermausschutz in Niedersachsen. *Naturschutz und Landschaftspflege in Niedersachsen* 26: 101-104.
- WALDER, C. 1996. Fledermause (Chiroptera) in den Naturschutzgebieten Bangser Ried und Matschels (Vorarlberg). *Vorarlberger Naturschau Forschen und Entdecken* 2: 97-100.
- WALDIEN, D.L. & HAYES, J.P. 2001. Activity areas of female long-eared *Myotis* in coniferous forests in western Oregon. *Northwest Science* 75(3): 307-314.
- WALDIEN, D.L., HAYES, J.P. & ARNETT, E.B. 2000. Day-roosts of female long-eared *Myotis* in western Oregon. *Journal of Wildlife Management* 64(3): 785-796..
- WALDREN, D.W. 2000. Anabat bat detection system: descriptions and maintenance manual. US Forest Service General Technical Report PNW 502: 1-14.
- WALKER, S. & MOLUR, S. 2003. Wildlife Protection Act anomalies - part II. *Zoos' Print* 18(1): 2-3.
- WALSTON, J. & BATES, P. 2001. The discovery of Wroughton's free-tailed bat *Otomops wroughtoni* (Chiroptera: Molossidae) in Cambodia. *Acta Chiropterologica* 3(2): 249-252.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WANG, H.G., OWEN, R.D., SANCHEZ-HERNANDEZ, C. & ROMERO-ALAMRAZ, M.D.L. 2003. Ecological characterization of bat species distributions in Michoacán, México, using a geographic information system. *Global Ecology & Biogeography* 12: 65-85.
- WAPLES, K. 2002. Review of the NPWS policy on the mitigation of commercial crop damage by flying-foxes. In: Eby, P. & Lunney, D. [Eds]. *Managing the grey-headed flying-fox as a threatened species in NSW*. Royal Zoological Society of New South Wales, Masman: 39-46.
- WARREN, R.D., WATERS, D.A., ALTRINGHAM, J.D. & BULLOCK, D.J. 2000. The distribution of Daubenton's bats (*Myotis daubentonii*) and pipistrelle bats (*Pipistrellus pipistrellus*) (Vespertilionidae) in relation to small scale variation in riverine habitat. *Biological Conservation* 92 (1): 85-91.
- WARREN, R.D. & WITTER, M.S. 2002. Monitoring trends in bat populations through roost surveys: Methods and data from *Rhinolophus hipposideros*. *Biological Conservation* 105 (2): 255-261.
- WASSERTHAL, L.T. 2001. Anpassungen bei Spingidae zur Vermeidung von Spinnen- und Fledermausattacken. *Verhandlungen Westdeutscher Entomologentag 2000*: 13-30.
- WEBB, P.I., SPEAKMAN, J.R. & RACEY, P.A. 1993. Defecation, apparent absorption efficiency, and the importance of water obtained in the food for water balance in captive brown long-eared (*Plecotus auritus*) and Daubenton's (*Myotis daubentoni*) bats. *Journal of Zoology, London* 230 (4): 619-628.
- WEBB, P.I., SPEAKMAN, J.R. & RACEY, P.A. 1994. Post-prandial urine loss and its relation to ecology in brown long-eared (*Plecotus auritus*) and Daubenton's (*Myotis daubentoni*) bats (Chiroptera : Vespertilionidae). *Journal of Zoology, London* 233 (1) : 165-173.
- WEIDNER, H. 1995. Die Nutzung von Fledermauskasten im ersten Jahr nach ihrer Aufhängung. *Landschaftspflege und Naturschutz in Thüringen* 32 (3): 76-79.
- WEIDNER, H. & GEIGER, H. 2003. Zur Bestandssituation der Mopsfledermaus (*Barbastella barbastellus* Schreber, 1774) in Thüringen. *Nyctalus* 8: 689-696.
- WEINER, P. & ZAHN, A. 2000. Roosting ecology, population development, emergence behaviour and diet of a colony of *Rhinolophus hipposideros* (Chiroptera: Rhinolophidae) in Bavaria. In: Woloszyn, B.W (Ed.). *Proceedings of the VIIIth EBRS. Vol. 1. Approaches to biogeography and ecology of bats*. Chiropterological Information Center, Krakow: 231-242.
- WEINFURTOVA, D. & HORACEK, I. 2000. [The northern bat (*Eptesicus nilssonii*) in central Bohemia (Czech Republic).] *Lynx (Prague)* 31: 149-152.
- WEISHAAR, M. 2002. Ergebnisse der Fledermauswinterkontrollen 2001/2002 in der Region Trier. *Dendrocopos* 29: 7-8.
- WEISSENBACHER, P., WIEGREBE, L. & KÖSSL, M. 2002. The effect of preceding sonar emission on temporal integration in the bat, *Megaderma lyra*. *Journal of comparative Physiology A*, 188(2): 147-155.
- WELLER, T.J. & ZABEL, C.J. 2001. Characteristics of fringed myotis day roosts in northern California. *Journal of Wildlife Management* 65(3): 489-497.
- WELLER, T.J. & ZABEL, C.J. 2002. Variation in bat detections due to detector orientation in a forest. *Wildlife Society Bulletin* 30(3): 922-930.
- WERMEILLE, E., GEIGER, W. & TESTER, U. 2002. Les animaux protégés de Suisse. Des invertébrés aux mammifères. Delachaux et Niestlé: 238 pp.
- WESSELS, K.J. & M. VAN DER MERWE. 1997. Facultative storage of spermatozoa by the female Geoffroy's horseshoe bat, *Rhinolophus clivosus*. *Canadian Journal of Zoology* 75 (12): 2142-2146.
- WEST, C. 2002. Contemporary issues in managing flying-fox camps: a publicly-documented conflict from Maclean on the north coast of NSW. In: Eby, P. & Lunney, D. [Eds]. *Managing the grey-headed*



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

flying-fox as a threatened species in NSW. Royal Zoological Society of New South Wales, Masman: 176-195.

- WEYANDT, S.E., LEE, T.E., Jr & PATTON, J.C. 2001. Noteworthy record of the western yellow bat, *Lasiurus xanthinus* (Chiroptera: Vespertilionidae), and a report on the bats of Eagle Nest Canyon, Val Verde County, Texas. *Texas Journal of Science* 53(3): 289-292.
- WHITAKER, J.O., Jr & BRACK, V., Jr. 2003. Distribution and summer ecology in Indiana. *The Indiana Bat: Biology and management of an endangered species*: 48-54.
- WHITAKER, J.O. Jr., BRACK, V. Jr & COPE, J.B. 2002. Are bats in Indiana declining? *Proceedings of the Indiana Academy of Science* 1: 95-106.
- WHITAKER, J.O. Jr., BRACK, V., Jr & COPE, J.B. 2002. Are bats in Indiana declining? *Proceedings of the Indiana Academy of Science* 111(1): 95-106.
- WHITAKER, J.O. Jr., COPE, J.B. & BRACK, V. Jr. 2003. Bats of Wyandotte cave, Crawford county, Indiana. *Proceedings of the Indiana Academy of Science* 112(1): 75-84.
- WHITAKER, J.O. Jr., DEUNFF, J. & BELWOOD, J.J. 2000. Ectoparasites of neonate Indian bats, *Myotis sodalis* (Chiroptera: Vespertilionidae), with description of male of *Paraspiroturnix globosa* (Acari: Spinturnicidae). *J. med. Ent.* 37 (3): 445-453.
- WHITAKER, J.O. Jr. & GUMMER, S.L. 2001. Bats of the Wabash and Ohio River Basins of southwestern Indiana. *Proceedings of the Indiana Academy of Science* 110(1-4): 126-140.
- WHITAKER, J.O. Jr. & MCCracken, G.F. 2001. Food and ectoparasites of bats on the Galapagos Islands. *Acta Chiropterologica* 3(1): 63-69.
- WHITAKER, J.O. Jr., PRUITT, L. & PRUITT, S. 2001. The gray bat, *Myotis grisescens*, in Indiana. *Proceedings of the Indiana Academy of Science* 110(1-4): 114-122.
- WHITAKER, J.O. Jr. & WEEKS, H.P. Jr. 2001. Food of *Eptesicus fuscus*, the big brown bat, in Indiana in the absence of cultivated fields and agricultural pests. *Proceedings of the Indiana Academy of Science* 110(1-4): 123-125.
- WHITAKER, J.O. Jr. & YOM-TOV, Y. 2002. The diet of some insectivorous bats from northern Israel. *Mammalian Biology* 67(6): 378-380.
- WHITE, E.P. & GEHRT, S.D. 2001. Effects of recording media on echolocation data from broadband bat detectors. *Wildlife Society Bulletin* 29(3): 974-978.
- WICHT, B., MORETTI, M., PREATONI, D., TOSI, G. & MARTINOLI, A. 2003. The presence of soprano pipistrelle *Pipistrellus pygmaeus* (Leach, 1825) in Switzerland: First molecular and bioacoustic [bioacoustic] evidences. *Revue suisse de Zoologie* 110(2): 411-426.
- WILHELM FILHO, D., REISCHL, E. & DAFRE, A.L. 1996. Comparative aspects on antioxidant defenses in vertebrates. *Ciencia e Cultura* 48 (1-2): 14-17.
- WILLIG, M.R., PRESLEY, S.J., OWEN, R.D. & LOPEZ GONZALEZ, C. 2000. Composition and structure of bat assemblages in Paraguay: a subtropical-temperate interface. *Journal of Mammalogy* 81 (2): 386-401.
- WILLIS, C.K.R., PSYLLAKIS, J.M. & SLEEP, D.J.H. 2002. *Chaerephon nigeriae*. *Mammalian Species* 710: 1-3.
- WINKELMANN, J.R., BONACCORSO, F.J., GOEDEKE, E.E. & BALLOCK, L.J. 2003. Home range and territoriality in the least blossom bat, *Macroglossus minimus*, in Papua New Guinea. *Journal of Mammalogy* 84(2): 561-570.
- WISSING, H. 2002. Fund eines beringten Grossen Abendseglers (*Nyctalus noctula*) in Kaiserslautern. *Fauna und Flora in Rheinland-Pfalz* 9(4): 1459-1461.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WOLZ, I. 2002. Beutespektren der Bechsteinfledermaus (*Myotis bechsteinii*) und des Grossen Mausohrs (*Myotis myotis*) aus dem Schnaittenbacher Forst in Nordbayern. Schriftenreihe für Landschaftspflege und Naturschutz 71: 213-224.
- WOTTON, J.M., FERRAGAMO, M.J., JENISON, R.L. & SIMMONS, J.A. 2001. Time and frequency information used in the computation of elevation by an echolocating bat. NATO Science Series General Sub Series A Life Sciences 312: 131-140.
- WRIGHT, A.J., VAN DEN BUSSCHE, R.A., LIM, B.K., ENGSTROM, M.D. & BAKER, R.J. 1999. Systematics of the genera *Carollia* and *Rhinophylla* based on the cytochrome-b gene. *Journal of Mammalogy* 80 (4): 1202-1213.
- WU, Y. et al. 1999. Two species of Vespertilionidae new to Sichuan. *Sichuan Journal of Zoology* 18 (2): 88 (en chinois).
- WU, Y. et al. 2001. Three new records of bat in Guangdong Province. *Sichuan Journal of Zoology* 20 (2): 91 (en chinois).
- WU, Y., HOU, W., HU, J., CHENG, Y. & LI, J. 2000. Comparative study on some age characteristic of *Hipposideros armiger* in Suchuan area. *Acta Theriologica Sinica* 20 (4): 284-288.
- WU, Yi & XU, J. 2001. Collection, banding and re-catching of bats. *Chinese Journal of Zoology* 36 (5): 33-35.
- WU-YI et al. 1997. Recent developments of research on Chiroptera in Sichuan. *Sichuan Journal of Zoology* 16 (4): 171-174 (en chinois).
- XIAO, Z. & SUGA, N. 2002. Modulation of cochlear hair cells by the auditory cortex in the mustached bat. *Nature Neuroscience* 5 (1): 57-63.
- XIAO, Z. & SUGA, N. 2002. Reorganization of the cochleotopic map in the bat's auditory system by inhibition. *PNAS* 99 (24): 15743-15748.
- YANCEY, F.D., GOETZE, J.R. & JONES, C. 1998. *Saccopteryx bilineata*. *Mammalian Species* 581: 1-5.
- YANCEY, F.D., GOETZE, J.R. & JONES, C. 1998. *Saccopteryx leptura*. *Mammalian Species* 582: 1-3.
- YAVRUYAN, E.G., HAYRAPETYAN, V.T. & GZRARYAN, N.V. 2002. New species of bats (Chiroptera) of the Southern Caucasian fauna. *Plecotus et al. pars specialis* : 91-92.
- YOUNG, R.A. 2001. The eastern horseshoe bat, *Rhinolophus megaphyllus*, in south-east Queensland, Australia: Colony demography and dynamics, activity levels, seasonal weight changes, and capture-recapture analyses. *Wildlife Research* 28 (4): 425-434.
- ZAVYALOV, E.V., YAKUSHEV, N.N. & KHOMUTOVA, T.Y. 2002. A record of a hibernating parti-coloured bat, *Vespertilio murinus* L. (Chiroptera, Vespertilionidae) in Saratov. *Plecotus et al.* 5: 97-98.
- ZEPPELINI FILHO, D. 1994. Estudio preliminar de la fauna asociada al guano de murciélagos en cavernas de Goiás, Brasil. *Mundos subterráneos* 5 : 30-39.
- ZHANG, S.Y., FENG, J., LI, Z.X., SHENG, L.X. & WANG, L.X. 1999. Comparison of the echolocation signals in three species of bats at fly. *Acta Zoologica Sinica* 45 (4): 385-389.
- ZHANG, S.Y. & WANG, L.X. 2001. Utilization of artificial neural networks in the identification of bats' echolocation calls. *Chinese Journal of Zoology* 36 (4): 74-77.
- ZHANG, S.Y., ZHAO, H.H., FENG, J. et al. 1999. Study of the echolocation and the foraging strategy of bats (Chiroptera). *Chinese Journal of Zoology* 34 (6): 47-50.
- ZHANG, Y. & SUGA, N. 2000. Modulation of responses and frequency tuning of thalamic and collicular neurons by cortical activation in mustached bats. *Journal of Neurophysiology (Bethesda)* 84 (1): 325-333.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ZHAO, J., KUNZ, T.H., TUMBA, N., SCHULZ, L.C., LI, C., REEVES, M. & WIDMAIER, E.P. 2003. Comparative analysis of expression and secretion of placental leptin in mammals. *Am. J. Physiol. Regul. Integr. comp. Physiol.* 285: R438-R446.
- ZHAO, X., DUSZYNSKI, D. & LOKER, E.S. 2001. Phylogenetic position of *Eimeria antrozoi*, a bat coccidium (Apicomplexa: Eimeriidae) and its relationship to morphologically similar *Eimeria* spp. from bats and rodents based on nuclear 18S and plastid 23S rDNA sequences. *Journal of Parasitology* 87(5): 1120-1123.
- ZHOU, X. & JEN, P.H.S. 2000. Brief and short-term corticofugal modulation of subcortical auditory responses in the big brown bat, *Eptesicus fuscus*. *Journal of Neurophysiology (Bethesda)* 84 (6): 3083-3087.
- ZHOU, X. & JEN, P.H.S. 2001. The effect of sound intensity on duration-tuning characteristics of bat inferior collicular neurons. *Journal of comparative Physiology A*, 187 (1): 63-73.
- ZHOU, X. & JEN, P.H.S. 2002. The effect of sound duration on rate-amplitude functions of inferior collicular neurons in the big brown bat, *Eptesicus fuscus*. *Hearing-Research* 166 (1-2): 124-135.
- ZHOU, X.M. & JEN, P.H.S. 2002. The role of GABAergic inhibition in shaping directional selectivity of bat inferior collicular neurons determined with temporally patterned pulse trains. *Journal of Comparative Physiology A Sensory Neural and Behavioral Physiology* 188(10): 815-826.
- ZHOU, X.M. & JEN, P.H.S. 2003. The role of bicuculline application on azimuth-dependent recovery cycle of inferior collicular neurons of the big brown bat, *Eptesicus fuscus*. *Brain Research* 973: 131-141.
- ZORTEA, M. & AGUIAR, L. 2001. Foraging behavior of the fishing bat, *Noctilio leporinus* (Noctilionidae). *Chiroptera Neotropical* 7 (1-2): 140-142.
- ZORYA, A.V. 2002. Contribution of bats to spreading rabies [rabies] on the territory of Kharkov region and prevention of conflict situations "man-bat". *Plecotus et al. pars specialis* : 118-120.
- ZUSI, R. & HAMAS, M.J. 2001. Bats and birds as potential pollinators of three species of *Marcgravia* lianas on Dominica. *Caribbean Journal of Science* 37 (3-4): 274-278.