



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

Publications scientifiques reçues ou cataloguées en 2004 au Centre chauves-souris ***Scientific publications received or catalogued at the Swiss bat center in 2004***

La direction et la bibliothèque du Centre chauves-souris remercient chaleureusement les auteurs qui ont envoyé leurs publications sur les chauves-souris
The management and the library of Swiss Bat Center warmly thank all the authors who sent their bat publications.

- ABADIE, R. d' 1950. Le minioptère de Schreibers dans le nord de la Haute-Vienne. *Mammalia* 14(4): 181-182
- ABDULLAH, M.T. 2003. Short notes on a colony of thick-thumbed pipistrelle near Mulu National Park. *Sarawak Museum Journal* 58(79): 267-269.
- ABDULLAH, M.T., JUB, N. & JALAWEH, N. 2003. First record of *Hipposideros ater* in Sarawak, Malaysian Borneo. *Sarawak Museum Journal* 58(79): 271-274.
- ABE, H. 1961. Two rare mammals obtained in Hokkaido. *Journal of the Mammalogical Society of Japan* 2(1): 3-7.
- ABE, H. 1971. Small mammals of central Nepal. *Journal of the Faculty of Agriculture, Hokkaido University* 56(4): 368-423.
- ABE, H., KOBAYASHI, T., MAEDA, K. & HAYATA, I. 1971. Faunal survey of the Mt. Daisetsu area, JIBP main area-II : result of the small mammal survey on the Daisetsu area. Annual report of the of JIBP/CT-S for the fiscal year of 1970: 13-22.
- ABE, H., KOBAYASHI, T., MAEDA, K. & MIYAO, T. 1970. Faunal survey of the Mt. Ishizuchi area, JIBP main area-II : results of the small mammal survey on the Mt. Ishizuchi area. Annual report of the of JIBP/CT-S for the fiscal year of 1969: 7-14.
- ABE, Y. 1944. [On *Nyctinomus* genus from the Vicinity of Island Okinoshima]. *Dobutugaku zassi = The Zoological magazine* 56(3): 59.
- ABEL, G. 1943. Beringung von Fledermäusen in Salzburger Höhlen. *Zeitschrift für Karst- und Höhlenkunde* 1942/43: 217-219.
- ABSOLON, K., ZAPLETAL, K., SKUTIL, J. & STEHLIK, A. 1933. Bericht der czechoslovakischen Subkommission der "The International Commission for the Study of the fossil Man" bei den international geologischen Kongressen. [Résumé de V. Aellen de la page 25 : Moraviae Fauna diluvialis]. *Studien aus dem Gebiete der allgemeinen Karstforschung, der wissenschaftliche Höhlenkunde, der Eiszeitforschung und den Nachbargebieten. Palaeoethnologische Serie* 1(3): 5-31.
- ACHA, P.N. & MALAGA ALBA, A. 1988. Economic losses due to *Desmodus rotundus*. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 207-214.
- ACHTERKAMP, G. 2001. Vleermuizen tellen in de winter? IJskoud efficiënt !! = [Censusing bats in the winter? Icily efficient !!]. *Amoeba* 75(2): 36-38.
- ACKER, E. 2004. Changing island attitudes: how one BCI member creates a commitment to conservation. *Bats* 22(1): 8-10.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ADAM, F. & HUBERT, B. 1976. Les Nycteridae (Chiroptera) du Sénégal : distribution, biométrie et dimorphisme sexuel. *Mammalia* 40(4): 597-613.
- ADAMS, N. & ROBBINS, F. 1988. Batman contre Man-Bat. Grenoble, Sarl Comics USA: 15 p. (Super Héros USA, 3).
- ADAMS, R.A. 2000. Wing ontogeny, shifting niche dimensions, and adaptive landscapes. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 275-315.
- ADAMS, R.A. & PEDERSEN, S.C. 2000. Integrating ontogeny into ecological and evolutionary investigations. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 1-8.
- ADAMS, R.A. & PEDERSEN, S.C. [Eds]. 2000. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: VIII, 398 p.
- ADAMS, R.A. & THIBAUT, K.M. 2000. Ontogeny and evolution of the hindlimb and calcar : assessing phylogenetic trends. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 316-332.
- ADDY, P.A.K. & TUKEL, P.M. 1975. The immune status of East African bats to arboviruses. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- AELLEN, V. 1952. Contribution à l'étude des Chiroptères du Cameroun. Thèse / Fac. Sciences Neuchâtel. Neuchâtel, P. Attinger: 121 p.
- AELLEN, V. 1956. *Speologica africana : chiroptères des grottes de Guinée*. Bulletin de l'IFAN 18(3): 884-894.
- AGBOOLA, F.K., THOMSON, A. & AFOLAYAN, A. 2003. Isolation and properties of cytoplasmic [alpha]-glycerol 3-phosphate dehydrogenase from the pectoral muscle of the fruit bat, *Eidolon helvum*. *Journal of biochemistry and molecular biology* 36(2): 159-166.
- AGGUNDEY, I.R. 1975. The separation of bats in similani caves. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- AGIRRE-MENDI, P.T., GARCIA-MUDARRA, J.L., JUSTE, J. & IBAÑEZ, C. 2004. Presence of *Myotis alcathoe* Helversen & Heller, 2001 (Chiroptera: Vespertilionidae) in the Iberian Peninsula. *Acta Chiropterologica* 6(1): 49-57.
- AGRAWAL, V.C., DAS, P.K., CHAKRABORTY, S., GHOSE, R.K., MANDAL, A.K., CHAKRABORTY, T.K., PODDAR, A.K., LAL, J.P., BHATTACHARYYA, T.P. & GHOSH, M.K. 1992. *Mammalia : order Chiroptera*. In: Ghosh, A.K. [Ed]. *Fauna of West Bengal. Part 1 (overview, Mammalia, Aves & wild life)*. Calcutta, Zoological Survey of India: 27-39;48-88. (State Fauna Series, 3).
- AGUIAR, L.M. de S., MACHADO, R.B., ZORTEA, M., MENDES, S.L. & RYLANDS, A.B. 1998. Working with the IUCN red list categories : the experience of the workshop on the conservation of Brazilian bats. *Boletim do Museu de biologia Mello Leitão* 9: 3-11.
- AGUIAR, L.M. de S. & MARINHO-FILHO, J. 2004. Activity patterns of nine phyllostomid bat species in a fragment of the Atlantic Forest in southeastern Brazil. *Revista Brasileira de Zoologia* 21(2): 385-390.
- AGUIRRE, L.F., HERREL, A., VAN DAMME, R. & MATTHYSEN, E. 2003. The implications of food hardness for diet in bats. *Functional Ecology* 17: 201-212.
- AGUIRRE, L.F., HERREL, A., VAN DAMME, R. & MATTHYSEN, E. 2004. Polyunsaturated fatty acids and hibernation in bats : problems extrapolating from diet analysis to the true composition of



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- depot fats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 53-54.
- AGUIRRE, L.F., LENS, L., VAN DAMME, R. & MATTHYSEN, E. 2003. Consistency and variation in the bat assemblages inhabiting two forest islands within a neotropical savanna in Bolivia. *Journal of Tropical Ecology* 19: 367-374.
- AHLEN, I. 2003. Wind turbines and bats : a pilot study : final report 11 December 2003. Rapport Dnr 5210P-2002-00473, P-nr P20272-1 / Swedish National Energy Administration. [S.l.], [s.n.]: 5 p.
- AHLEN, I. 2003. Vindkraftverk och fladdermöss : en pilotundersökning : slutrapport 2003-12-11. Rapport Dnr 5210P-2002-00473, P-nr P20272-1 / Energimyndigheten. [S.l.], [s.n.]: [5 p].
- AHLEN, I. 2003. Inventeringen av barbastell (*Barbastella barbastellus*) 1999-2003 i Sverige Rapport Dnr 409-1092-03. [S.l.]. [s.n.]: 11 p.
- AHLEN, I. 2003. Agreement on the conservation of bats in Europe : national implementation report from Sweden 2003. Rapport / Swedish Environmental Protection Agency. Stockholm, Swedish Environmental Protection Agency: [5 p].
- AHLEN, I. 2004. Fladdermusfaunan i Sverige : arternas utbredning och status : kunskapsläget 2004 = The bat fauna of Sweden : present knowledge of distribution and status. *Fauna och Flora* 99(2): 2-11.
- AHLEN, I. 2004. Heterodyne and time-expansion methods for identification of bats in the field and through sound analysis. In: Brigham, R.M., Kalko, E.K.V., Jones, G., Parsons, S. & Limpens, H.J.G.A. [Eds]. *Bat echolocation research : tools, techniques and analysis*. Austin, Bat Conservation International: 72-79.
- AHLEN, I. & BAAGØE, H.J. 2001. Dvärgfladdermusen uppdelad i två arter = The common pipistrelle split into two species. *Fauna och Flora* 96(2): 71-78.
- AHLEN, I. & BAAGØE, H.J. 2004. Faktaruta : Skillnader mellan Skandinaviens tre Pipistrellus-arter = [Fact sheet : differences between the three Pipistrellus-species in Scandinavia]. *Fauna och Flora* 99(3): 18.
- AHLEN, I., BACH, L. & JOHANSSON, T. 2004. Första kolonin av pipistrell funnen i Sverige = A common pipistrelle *Pipistrellus pipistrellus* colony found in Sweden. *Fauna och Flora* 99(3): 16-18.
- AIHARTZA, J. & GARIN, I. 2002. Distribución de los murciélagos del género *Nyctalus* (Mammalia, Chiroptera) en el País Vasco Occidental. *Estudios del Museo de ciencias naturales de Alava* 17: 171-178.
- AIHARTZA, J., GARIN, I., GOITI UGARTE, U. & GOIKOETXEA, X. 2004. Mating behaviour of crevice-dwelling antropophilous bats : *Pipistrellus kuhlii* (Vespertilionidae) do form leks. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 28.
- AIHARTZA, J., GOITI UGARTE, U., ALMENAR, D. & GARIN, I. 2003. Evidences of piscivory by *Myotis capaccinii* (Bonaparte, 1837) in southern Iberian Peninsula. *Acta Chiropterologica* 5(2): 193-198.
- AIK, Y.C. & AKBAR, Z. 2002. *Harpiocephalus mordax* (Thomas 1923), a new record for Taman Negara, Peninsular Malaysia. *Malayan Nature Journal* 56(2): 195-197.
- AL-JUMAILY, M.M. 2003. First record of *Myotis emarginatus* (E. Geoffroy 1806) for the Republic of Yemen (Mammalia, Chiroptera, Vespertilionidae). *Senckenbergiana biologica* 82(1-2): 243-246.
- ALBUJA, L. 1989. Adiciones a la fauna de quiropteros del noroccidente del Ecuador. *Politecnica* 14(2): 105-111.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ALCALDE, J.T. 2002. Impacto de los parques eólicos sobre las poblaciones de murciélagos. *Barbastella* 3: 3-6.
- ALCALDE, J.T. & DE PAZ, O. 2002. Actuaciones de conservación de murciélagos en el período 1998-2002. *Barbastella* 3: 13-16.
- ALLEN, G.M. 1940. *Bats*. Cambridge, Harvard University Press: X, 368 p.
- ALMENAR, D., AIHARTZA, J., GARIN, I., GOITI UGARTE, U., LEIDENBERGER, C. & SALSAMENDI PAGOLA, E. 2004. First results of radiotelemetry on *Myotis capaccinii* in Eastern Iberian Peninsula. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 61.
- ALTENBACH, J.S. 1988. Locomotion. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 71-83.
- ALTRINGHAM, J.D. 2003. *British bats*. London, Harper Collins: 218 p. (The new naturalist).
- ALTRINGHAM, J.D. & FENTON, M.B. 2003. Sensory ecology and communication in the Chiroptera. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 90-127.
- ALVAREZ, J.A. 2004. From the field : an easily constructed tuttle trap for bats. *Wildlife Society Bulletin* 32(1): 264-266.
- ANCHIETA, M. d' 1882 Liste des mammifères envoyés de Caconda "Angola" [Liste d'espèces de V. Allen]. [S.n.] 33: 25-29
- ANCIAUX DE FAVEAUX, M. 1971. Catalogue des acariens parasites et commensaux des chiroptères. 1ère partie : Ixodoidea & Mesostigmata. Bruxelles, Institut royal des Sciences naturelles de Belgique: IV, 91 p. (Documents de travail, 7).
- ANCIAUX DE FAVEAUX, M. 1971. Catalogue des acariens parasites et commensaux des chiroptères. 2ème partie : Trombidiformes & Sarcoptiformes. Bruxelles, Institut royal des Sciences naturelles de Belgique: 92-200. (Documents de travail, 7).
- ANCIAUX DE FAVEAUX, M. 1971. Catalogue des acariens parasites et commensaux des chiroptères. 3ème partie : tableaux des hôtes et de leurs parasites. Bruxelles, Institut royal des Sciences naturelles de Belgique: 201-327. (Documents de travail, 7).
- ANCIAUX DE FAVEAUX, M. 1971. Catalogue des acariens parasites et commensaux des chiroptères. 4ème et 5ème parties : bibliographie, addenda et corrigenda. Bruxelles, Institut royal des Sciences naturelles de Belgique: 328-451. (Documents de travail, 7).
- ANCIAUX DE FAVEAUX, M. 1975. Définition de l'Équateur biologique en fonction de la reproduction de chiroptères d'Afrique centrale. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.I.], [s.n.]: [1 p.].
- ANCIAUX DE FAVEAUX, M. 1984. Les parasites des chiroptères du continent africain. Tervuren, Musée royal de l'Afrique centrale: IX, 92 p. (Annales / Musée royal de l'Afrique Centrale. Série in-8°. Sciences zoologiques, 244).
- ANCIAUX DE FAVEAUX, M. 1985. Catalogue des acariens parasites et commensaux des chiroptères. 8ème partie : mise à jour des première et deuxième parties. Bruxelles, Institut royal des Sciences naturelles de Belgique: 638-871. (Documents de travail, 7).
- ANCIAUX DE FAVEAUX, M. 1987. Catalogue des acariens parasites et commensaux des chiroptères. 9ème partie : mise à jour des troisième et quatrième parties. Bruxelles, Institut royal des Sciences naturelles de Belgique: 872-1027. (Documents de travail, 7).



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ANCIAX DE FAVEAUX, M. 1987. Catalogue des acariens parasites et commensaux des chiroptères. 10ème partie : index récapitulatifs de tout le catalogue. Bruxelles, Institut royal des Sciences naturelles de Belgique: 1028-1128. (Documents de travail, 7).
- ANDERSON, R.M. 1946. Catalogue of Canadian recent mammals. Ottawa, E. Cloutier: V, 238 p. (Bulletin / National Museum of Canada, 102 : Biological series, 31).
- ANDERSON, R.M. 1946. Order Chiroptera : bats. In: Anderson, R.M. Catalogue of Canadian recent mammals. Ottawa, E. Cloutier: 25-34.
- ANDERSON, S. 1997. Mammals of Bolivia, taxonomy and distribution. Bulletin of the American Museum of Natural History 231: 1-652.
- ANDREWS, M.M. & ANDREWS, P.T. 2003. Ultrasound social calls made by greater horseshoe bats (*Rhinolophus ferrumequinum*) in a nursery roost. *Acta Chiropterologica* 5(2): 221-234.
- ANDREWS, M.M., ANDREWS, P.T. & MACOWAT, T.P. 2004. Ultrasound call made by infant greater horseshoe bats, *Rhinolophus ferrumequinum*, in a nursery roost and a comparison with the ultrasound social calls of adults. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 27.
- ANNAMALAI, R., NARAYANAN, M. & VANITHARANI, J. (Eds.). 2003. Proceedings of 28th Conference of the Ethological Society of India, February 7 and 8, 2003, at Mundanthurai (Kalakad Mundanthurai Tiger Reserve), Tirunelveli District, Tamil Nadu, India. Department of Zoology Sarah Tucker College & Tamil Nadu Forest Departement Kalakad Mundanthurai Tiger Reserve, Tirunelveli: 179 p.
- ANONYME. 1987. Von der Flädermauss / oder Speckmauss. Schweizer Tierschutz : Du + die Natur : offizielles Organ des Schweizer Tierschutzes 114(1): 4-5.
- APPLETON, B.R., MACKENZIE, J.A. & CHRISTIDIS, L. 2004. Molecular systematics and biogeography of the bent-wing bat complex *Miniopterus schreibersii* (Kuhl, 1817) (Chiroptera: Vespertilionidae). *Molecular phylogenetics and evolution* 31(2): 431-439.
- ARAI, Y.T., KUZMIN, I.V., KAMEOKA, Y. & BOTVINKIN, A.D. 2003. New lyssavirus genotype from the Lesser Mouse-eared Bat (*Myotis blythi*), Kyrgyzstan. *Emerging Infectious Diseases* 9(3): 333-337.
- ARAUJO PERINI, F., TAVARES, V. da C. & DIAS NASCIMENTO, C.M. 2003. Bats from the city of Belo Horizonte, Minas Gerais, Southeastern Brazil. *Chiroptera Neotropical* 9(1-2): 169-173.
- ARBULLA, D., BRESSI, N., COLLA, A., SERVENTI, P. & VESCOGNI, A. 2003. I mammiferi volanti. In: Arbuta, D., Bressi, N. Colla, A., Serventi, P. & Vescogni, A. *Archaeopteryx : animali alla conquista dell'aria*. Trieste, Civico Acquario Marino: 47-48.
- ARMSTRONG, K.N. 2002. Morphometric divergence among populations of *Rhinonictis aurantius* (Chiroptera: Hipposideridae) in northern Australia. *Australian journal of zoology* 50: 649-669.
- ARMSTRONG, K.N. 2004. Landscape-scale influence on spatial and genetic population structure in Pliocene relicts, Pilbara region, Western Australia. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 55.
- ARNETT, E.B. 2003. Advancing science and partnerships for the conservation of bats and their habitats : an introduction *Wildlife Society Bulletin* 31(1): 2-5.
- ARNETT, E.B. & HAUFLER, J.B. 2003. A customer-based framework for funding priority research on bats and their habitats. *Wildlife Society Bulletin* 31(1): 98-103.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ARNOLD, A., HÄUSSLER, U. & BRAUN, M. 2003. Zur Nahrungswahl von Zwerg- und Mückenfledermaus (*Pipistrellus pipistrellus* und *P. pygmaeus*) im Heidelberger Stadtwald = Feeding ecology of common and soprano pipistrelles (*Pipistrellus pipistrellus* and *P. pygmaeus*) in Heidelberg communal forest (SW-Germany). *Carolinea* 61: 177-183.
- ARROYO-CABRALES, J. & GARDNER, A.L. 2003. The type specimen of *Anoura geoffroyi lasiopyga* (Chiroptera: Phyllostomidae). *Proceedings of the Biological Society of Washington* 116(3): 737-741.
- ARROYO-CABRALES, J., VAN DEN BUSSCHE, R.A., SIGLER, K.H., CHESSER, R.K. & BAKER, R.J. 1997. Genic variation of mainland and island populations of *Natalus stramineus* (Chiroptera: Natalidae). *Occasional Papers Museum of Texas Tech University* 171: 1-8.
- ARTHUR, L., AULAGNIER, S., FAUVEL, B., GIOSSA, P., HAQUART, A., ISSARTEL, G., ROS, J. & ROUE, S.G. 2000. Suivi des populations des espèces jugées prioritaires : année 1999. Plan de restauration des chiroptères : rapport final : rapport de fin de contrat n° 99-105 / Société Française pour l'Etude et la Protection des Mammifères, groupe chiroptères. Paris : Ministère de l'Environnement, Direction de la Nature et des Paysages: 23 p.
- ARTHUR, L., AULAGNIER, S., FAUVEL, B., GIOSSA, P., HAQUART, A., ISSARTEL, G., ROS, J. & ROUE, S.G. 2001. Suivi des populations des espèces jugées prioritaires : année 2000. Plan de restauration des chiroptères : rapport final : rapport de fin de contrat n° 190-00 / Société Française pour l'Etude et la Protection des Mammifères, groupe chiroptères. Paris, Ministère de l'Environnement, Direction de la Nature et des Paysages: 25 p.
- ARTHUR, L., AULAGNIER, S., FAUVEL, B., GIOSSA, P., HAQUART, A., ISSARTEL, G., ROS, J. & ROUE, S.G. 2002. Suivi des populations des espèces jugées prioritaires : année 2001. Plan de restauration des chiroptères : rapport final. Cuvier, Société Française pour l'Etude et la Protection des Mammifères (groupe chiroptères): 45 p.
- ARTHUR, L., AULAGNIER, S., FAUVEL, B., GIOSSA, P., HAQUART, A., ISSARTEL, G., ROS, J. & ROUE, S.G. 2002. Suivi des populations des espèces jugées prioritaires : année 2002. Plan de restauration des chiroptères : rapport final. Cuvier, Société Française pour l'Etude et la Protection des Mammifères (groupe chiroptères): 44 p.
- ARTHUR, L. & LAJOINIE, N. 2004. Vers un réseau national de soins aux chauves-souris. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). *Symbioses* (n.s.) 10: 21-22.
- ARTHUR, L. & LEMAIRE, M. 2002. Recherche de noctules communes dans les arbres situés en milieu urbain. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (8, 1999, Bourges). *Symbioses* (n.s.) 6: 3-4.
- ARTHUR, L. & LEMAIRE, M. 2002. Compléments sur le suivi de vespertillons à oreilles échancrées isolés en estivage sous les chevrons. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (8, 1999, Bourges). *Symbioses* (n.s.) 6: 55.
- ARTHUR, L. & LEMAIRE, M. 2002. Atlas des chauves-souris du département du Cher. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (8, 1999, Bourges). *Symbioses* (n.s.) 6: 59-72.
- ARTOIS, M. 1990. Menaces sur les chauves-souris en Europe : préface. In: Porlier, B. Les chiroptères et la rage en Europe. Paris, Informations techniques des services vétérinaires, Ministère de l'agriculture et de la forêt : 12 p.
- ASAKAWA, M., MATOBA, Y., KIMURA, A. & SASAKI, N. 2003. Faunal studies of parasites in Nopporo Forest Park : tube-nosed bat, *Murina ussuriensis*. *Annual report of Nopporo Forest* 2: 28-30.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ASAKAWA, M., OHTSUKA, H., YAMAMOTO, E. & DOI, M. 2000. Parasitic nematodes of Chiroptera in Odamiyama and its adjacent areas. *Nature of Odamiyama* 1: 983-994.
- ASOGAN, A., ZUBAID, A. & KAMIS, A.B. 1999. Notes on oxygen consumption and some related blood parameters in two species of bats (*Cynopterus brachyotis* and *Scotophilus kuhlii*) found in Peninsular Malaysia. *Malaysian applied biology* 28(1-2): 123-124.
- ASPETSBERGER, F., BRANDSEN, D. & JACOBS, D.S. 2003. Geographic variation in the morphology, echolocation and diet of the little free-tailed bat, *Chaerephon pumilus* (Molossidae). *African Zoology* 38(2): 245-254.
- AU, W.W.L. 2004. A comparison of the sonar capabilities of bats and dolphins. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: XIII-XXVII.
- AUBER, E. 2004. Les chauves-souris en Auvergne. Ceyrat, FRANCE: 31 p.
- AUBERT, M., LEMARIGNIER, O., GIBON, C., ALVADO-BRETTE, M.-B., BRIE, P. & ROSENTHAL, F. 2002. Cas de rage en France sur une chauve-souris importée d'Afrique. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 35-36.
- AUBOIN, K. 2002. Bilan de dix ans d'étude et de protection de la population de chauves-souris hibernant dans les carrières d'Arsonval et Bossancourt (Aube). In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 57.
- AUBRY, K.B., HAYES, J.P., BISWELL, B.L. & MARCOT, B.G. 2003. The ecological role of tree-dwelling mammals in western coniferous forests. In: Zabel, C.J. & Anthony, R.G. [Eds]. *Mammal community dynamics : management and conservation in the coniferous forests of western North America*. Cambridge, New York [etc], Cambridge University Press: 405-443.
- AULAGNIER, S. & DESTRE, R. 1986. Les chiroptères du sud-marocain : notes éco-éthologiques et biogéographiques. In: *Les chiroptères : Colloque francophone de mammalogie* (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 123-129.
- AVILA-FLORES, R. & MEDELLIN, R.A. 2004. Ecological, taxonomic, and physiological correlates of cave use by Mexican bats. *Journal of Mammalogy* 85(4): 675-687.
- AZZALI, G., ARCARI, M.-L., CACCHIOLI, A. & TONI, R. 2003. Fine structure and photoperiodical seasonal changes in Pars tuberalis of hibernating bats. *Italian journal of anatomy and embryology* 108(1): 49-64.
- AZZALI, G., ARCARI, M.-L., SPAGGIARI, B. & ROMITA, G. 2003. Ultrastructural aspects of the follicular cells of the pars tuberalis in bats related to the seasonal cycle. *The Anatomical Record* 273A (2): 763-771.
- BAAGØE, H.J. 1975. Observations on the biology of the banana bat, *Pipistrellus nanus*. In: *International Bat Research Conference* (4, 1975, Nairobi). [Abstracts]. [S.I.], [s.n.]: [1 p.].
- BAAGØE, H.J. & JENSEN, B. 1973. The spread and present occurrence of the serotine (*Eptesicus serotinus*) in Denmark. In: *International Bat Research Conference* (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 107-109.
- BACH, L., JOHNSON, G. & KEELEY, B.W. 2004. Bat interactions with wind turbines. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference* (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 46.
- BAIN, O., GUERRERO, R., RODRIGUEZ, B., BABAYAN, S. & JOUVENET, N. 2003. Examination of type material of two species of *Litomosoides* (Filarioidea: Onchocercidae), parasites from bats; taxonomic consequences. *Parasite* 10(3): 211-218.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BAKER, A.S. & CRAVEN, J.C. 2003. Checklist of the mites (Arachnida: Acari) associated with bats (Mammalia: Chiroptera) in the British Isles. *Systematic and Applied Acarology Special Publications* 14: 1-20.
- BAKER, R.H. 1964. *Myotis lucifugus lucifugus* (Leconte) and *Pipistrellus hesperus maximus* hatfield in Knox County, new to North-Central Texas. *The Southwestern Naturalist* 9(3): 205.
- BAKER, R.H. 1967. A new subspecies of Pallid bat (Chiroptera: Vespertilionidae) from Northeastern Mexico. *The Southwestern Naturalist* 12(3): 329-330.
- BAKER, R.J. 1970. Karyotypic trends in bats. In: Wimsatt, W.A. [Ed]. *Biology of bats*. Vol. I. New York & London, Academic Press: 65-96.
- BAKER, R.J. 1979. Karyology. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae*. Part III. Lubbock, Texas Tech University: 107-155.
- BAKER, R.J., FONSECA, R.M., PARISH, D.A., PHILLIPS, C.J. & HOFFMANN, F.G. 2004. New bat of the genus *Lophostoma* (Phyllostomidae: Phyllostominae) from northwestern Ecuador. *Occasional Papers Museum of Texas Tech University* 232: 1-16.
- BAKER, R.J., HONEYCUTT, R.L. & BASS, R.A. 1988. Genetics. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 31-40.
- BAKER, R.J., HOOFER, S.R., PORTER, C.A. & VAN DEN BUSSCHE, R.A. 2003. Diversification among New World leaf-nosed bats : an evolutionary hypothesis and classification inferred from digenomic congruence of DNA sequence. *Occasional Papers Museum of Texas Tech University* 230: 1-32.
- BAKER, R.J., JONES, J.K. Jr. & CARTER, D.C. [Eds]. 1976-1979. *Biology of bats of the New World family Phyllostomatidae*. Lubbock, Texas Tech University: 3 vol. (Special publications / The Museum Texas Tech University, 10; 13; 16).
- BALMORI, A. 2003. Avances en el conocimiento de la biología y organización social del murciélago rabudo (*Tadarida teniotis*) = Contribution to the knowledge of the biology and social behavior of the free-tailed bat (*Tadarida teniotis*). *Galemys* 15(Numero Especial): 37-53.
- BANACK, S.A. & GRANT, G.S. 2003. Reproduction and behaviour of the Samoan flying fox, *Pteropus samoensis* (Chiroptera, Pteropodidae). *Mammalia* 67(3): 419-437.
- BANKS, R.C., MACDIARMID, R.W. & GARDNER, A.L. [Eds]. 1987. Checklist of vertebrates of the United States, the U.S. territories, and Canada. Washington D.C., U.S. Fish and Wildlife Service: 79 p. (Resource publication, 166).
- BARATAUD, M. 1999. Structure d'habitats utilisés par la barbastelle en activité de chasse : premiers résultats. *Le Rhinolophe* vol. spéc.(2): 111-116.
- BARATAUD, M. 2002. Inventaire au détecteur d'ultrasons des chiroptères en vallée d'Asco (Corse) et bioévaluation des peuplements forestiers à Pin Laricio. Rapport d'étude: [20 p.].
- BARATAUD, M. 2002. Méthode d'identification acoustique des chiroptères d'Europe. Mise à jour printemps 2002. Mens, Sittelle: [14 p.] + 1 CD.
- BARBER, J.R. 2004. Amazing diversity : different strokes for different moths ? *Bats* 22(2): 12-13.
- BARBOUR, R.W. & DAVIS, W.H. 1969. *Bats of America*. Lexington, The University Press of Kentucky: 286 p.
- BARCLAY, R.M.R. & HARDER, L.D. 2003 Life histories of bats : life in the slow lane. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 209-253.
- BARNABE, C., BRISSE, S. & TIBAYRENC, M. 2003. Phylogenetic diversity of bat trypanosomes of subgenus *Schizotrypanum* based on multilocus enzyme electrophoresis, random amplified



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

polymorphic DNA, and cytochrome b nucleotide sequence analyses. *Infection Genetics and Evolution* 2(3): 201-208.

- BARNARD, S.M. & ABRAM, D. 2004. Body piercing as a method of marking captive bats. *Bat Research News* 45(1): 11-15.
- BARNETT, A.A., SHAPLEY, R.L. & SHAPLEY, L.B. 2004. An unusual day roost of *Rhynchonycteris naso* (Emballonuridae). *Bat Research News* 45(3): 88-89.
- BARON, G. 1973. Volumetrischer Vergleich sensorischer Hirnstrukturen bei Fledermäusen. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 47-53.
- BARON, G. 1975. The vestibular and cerebellar nuclei in relation to flight behaviour among Chiroptera : a volumetric analysis. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- BARQUEZ, R.M., CARRIZO, L.V., FERRO, L.I., FLORES, D.A., MOLLERACH, M.I., SANCHEZ, M.S. & GARCIA LOPEZ, A.P. 2003. Primer caso de albinismo total para *Sturnira erythromos* (Tschudi, 1844) (Chiroptera-Phyllostomidae) = First case of total albinism for *Sturnira erythromos* (Tschudi, 1844) (Chiroptera-Phyllostomidae). *Chiroptera Neotropical* 9(1-2): 166-169.
- BARRAGAN, M.J.L., MARTINEZ, S., MARCHAL, J.A., BULLEJOS, M., DIAZ DE LA GUARDIA, R. & SANCHEZ, A. 2002. Repeated DNA sequences in the microbat species *Miniopterus schreibersi* (Vespertilionidae; Chiroptera). *Hereditas (Lund)* 137(1): 65-71.
- BARRAGAN, M.J.L., MARTINEZ, S., MARCHAL, J.A., FERNANDEZ, R., BULLEJOS, M., DIAZ DE LA GUARDIA, R. & SANCHEZ, A. 2003. Pericentric satellite DNA sequences in *Pipistrellus pipistrellus* (Vespertilionidae; Chiroptera). *Heredity* 91(3): 232-238.
- BARRAQUE, G. & MARTIN, J.-F. (Ill.). 1999. Biglard et Gramulot : la nuit des grandes-oreilles. Paris, Nathan: 134 p. (Lune noire, 31).
- BARRETT, J.L., CARLISLE, M.S. & PROCIV, P. 2002. Neuro-angiostrongylosis in wild black and grey-headed flying foxes (*Pteropus* spp). *Australian Veterinary Journal* 80(9): 554-558.
- BASSETT, J.E. 2004. Role of urea in the postprandial urine concentration cycle of the insectivorous bat *Antrozous pallidus*. *Comparative biochemistry and physiology. Part A : Molecular and integrative physiology* 137(2): 271-284.
- BATES, P.J.J., THI, M.M., NWE, T., HLA BU, S.S., MIE MIE, K., NYO, N., KHAING, A.A., AYE, N.N., OO, T. & MACKIE, I. 2004. A review of *Rhinolophus* (Chiroptera: Rhinolophidae) from Myanmar, including three species new to the country. *Acta Chiropterologica* 6(1): 23-48.
- BEAUCOURNU, J.-C. 2002. Les chauves-souris et leurs parasites externes. In: *Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses (n.s.)* 6: 58.
- BEAUCOURNU, J.-C. & FAHR, J. 2003. Notes sur les Ischnopsyllinae du continent africain. IV : Quelques *Lagaropsylla* Jordan & Rothschild 1921 de Côte d'Ivoire : description de *L. senckenbergiana* n. sp. (Insecta, Siphonaptera, Ischnopsyllidae). *Senckenbergiana biologica* 82(1-2): 157-162.
- BEHR, O. & HELVERSEN, O. VON 2004. Bat serenades - complex courtship songs of the sac-winged bat (*Saccopteryx bilineata*). *Behavioral Ecology and Sociobiology* 56(2): 106-115.
- BEHREND, O. & SCHULLER, G. 2004. New aspects of doppler-shift compensation in the horseshoe bat, *Rhinolophus rouxi*. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 17-21.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BEJARANO, H. & QUINTERO, G. 1981. Revision bibliografica de los quiroptera de Colombia condensada en compendios. Thèse / Universidad nacional de Colombia, Facultad de ciencias, Departamento de biología. Bogota, Universidad nacional de Colombia: 416 p.
- BEKASINSKI, R., KASPRZYK, K. & RUPRECHT, A.L. 1996. [Chronological analysis of the food of the barn owl, *Tyto alba guttata* (C.L.Br.) from Rownina Rychwalska - plain (Great Poland)]. *Badania Fizjograficzne nad Polska Zachodnia. Seria C, Zoologia* 43: 47-54 (texte en polonais, résumé en anglais).
- BENDA, P. & HANAK, V. 2003. Present state of distribution of the Geoffroy's bat (*Myotis emarginatus*) in Bohemia (Czech Republic). *Vespertilio* 7: 71-86.
- BENDA, P. & IVANOVA, T. 2003. Long-eared bats, genus *Plecotus* (Mammalia: Chiroptera), in Bulgaria : a revision of systematic and distributional status. *Casopis Národního muzea, Rada přírodovědná* 172(1-4): 157-172.
- BENDA, P., IVANOVA, T., HORÁČEK, I., HANAK, V., CERVENY, J., GAISLER, J., GUEORGUIEVA, A., PETROV, B. & VOHRALÍK, V. 2003. Bats (Mammalia: Chiroptera) of the Eastern Mediterranean. Part 3 : review of bat distribution in Bulgaria. *Acta Societatis Zoologicae Bohemicae* 67(4): 245-357.
- BENDA, P., KIEFER, A., HANAK, V. & VEITH, M. 2004. Systematic status of African populations of long-eared bats, genus *Plecotus* (Mammalia: Chiroptera). Brno, Institute of Vertebrate Biology Academy of Sciences of the Czech Republic: 47 p. (*Folia Zoologica*, 53 : Monograph, 1).
- BENDA, P., RUEDI, M. & UHRIN, M. 2003. First record of *Myotis alcathoe* (Chiroptera: Vespertilionida) in Slovakia. *Folia Zoologica* 52(4): 359-365.
- BENNETT, F.M., ROE, A.S., BIRRENKOTT, A.H., RYAN, A.C. & BOWERMAN, W.W. 2004. Predation on a Rafinesque's big-eared bat in South Carolina. *Bat Research News* 45(1): 6-7.
- BENZAL, J., FAJARDO, S. & GARCIA, L. 2001. El patrón de distribución del murciélago de bosque (*Barbastella barbastellus*) en España y la posible influencia de su especificidad alimentaria = [The distribution pattern of the barbastelle (*Barbastella barbastellus*) in Spain and the possible influence of feeding specificity]. *Ecología* 15: 361-372.
- BERGALLO, H.G., ESBERARD, C.E., MELLO, M.A.R., LINS, V., MANGOLIN, R., MELO, G.G.S. & BAPTISTA, M. 2003. Bat species richness in Atlantic Forest: What is the minimum sampling effort? *Biotropica* 35(2): 278-288.
- BERGSTROM, A.S. 1980. Preliminary investigations and management of the Indiana bat (*Myotis sodalis*) in New York state. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 217-219.
- BERNARD, E. 2003. *Cormura brevirostris*. *Mammalian species* 737: 1-3.
- BERNARD, E. & FENTON, M.B. 2003. Bat mobility and roosts in a fragmented landscape in central Amazonia, Brazil. *Biotropica* 35(2): 262-277.
- BERNARDOS, D.A., CHAMBERS, C.L. & RABE, M.J. 2004. Selection of gambel oak roosts by southwestern *Myotis* in ponderosa pine-dominated forests, northern Arizona. *Journal of wildlife management* 68(3): 595-601.
- BEUNEUX, G. 2002. Les habitats de chasse du grand murin en Corse (Castifau, Haute-Corse). In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 54.
- BEUNEUX, G. & COURTOIS, J.-Y. 2002. Les chiroptères en milieu forestier en Corse. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 7-10.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BHATNAGAR, K.P. 1980. The chiropteran vomeronasal organ : its relevance to the phylogeny of bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 289-315.
- BHATNAGAR, K.P. 1988. Anatomy. In: Greenhall, A.M. & Schmidt, U. [Eds]. Natural History of Vampire bats. Boca Raton, CRC Press: 41-70.
- BIRCH-JONES, V. 2004. New homes for bats at a Canadian bridge. *Bats* 22(2): 14.
- BLANT, M., MORETTI, M., DELLA TOFFOLA, R. & PIERALLINI, R. 2004. La fauna olocenica del Sud delle Alpi svizzere : chiroterri e mammiferi terrestri tra passato e presente (Grotta del Canalone, Monte Generoso, Ticino). *Bollettino della Società ticinese di Scienze naturali* 92(1-2): 31-44.
- BLEIER, W.J. 1979. Embryology. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part III. Lubbock, Texas Tech University: 379-386.
- BOCHKOV, A.V. & FAIN, A. 2003. New observations on mites of the family Myobiidae Megnin, 1877 (Acari: Prostigmata) with special reference to their host-parasite relationships. *Bulletin de l'Institut royal des sciences naturelles de Belgique. Entomologie* 73: 5-50.
- BODIN, C., HUET, R. & ARTHUR, L. 2002. Identification de débris végétaux collés au guano dans une colonie de reproduction de vespertiliens à oreilles échancrées dans le Cher. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (8, 1999, Bourges). *Symbioses* (n.s.) 6: 56.
- BOGAN, M.A., SETZER, H.W., FINDLEY, J.S. & WILSON, D.E. 1975. Phenetics of *Myotis blythi* in Morocco. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.I.], [s.n.]: [1 p.].
- BOGDARINA, S.V. & STRELKOV, P.P. 2003. Rasprostranenie rukokrylych (Chiroptera) na severe evropejskoj Rossii = Distribution of bats (Chiroptera) in the north of European Russia. *Plecotus et al.* 6: 7-28.
- BOGON, K. 1996. Fledermäuse, heimliche Jäger der Nacht : 30 Postkarten. Kassel, Weidelsburg Verlag: 30 cartes postales.
- BOHN, K.M., BOUGHMAN, J.W., WILKINSON, G.S. & MOSS, C.F. 2004. Auditory sensitivity and frequency selectivity in greater spear-nosed bats suggest specializations for acoustic communication. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 190(3): 185-192.
- BOIREAU, J. & GREMILLET, X. 2004. L'arbre à chauves-souris, outil de sensibilisation. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). *Symbioses* (n.s.) 10: 62.
- BONACCORSO, F.J. & MCNAB, B.K. 2003. Standard energetics of leaf-nosed bats (Hipposideridae): its relationship to intermittent- and protracted-foraging tactics in bats and birds. *Journal of Comparative Physiology B Biochemical Systemic and Environmental Physiology* 173(1): 43-53.
- BONATO, V., GOMES FACURE, K. & UIEDA, W. 2004. Food habits of bats of subfamily Vampyrinae in Brazil. *Journal of Mammalogy* 85(4): 708-713.
- BONG, S.M., YEW, G.S., ZUBAID, A. & KAMIS, A.B. 1999. The reproductive cycle of male insectivorous bat, *Scotophilus kuhlii*, from Peninsular Malaysia. *Malaysian applied Biology* 28 (1-2): 93-97.
- BONGERS, F. 2002. Vleermuizen op defensieterreinen. In *Kort Bestek* 11(8): 4-5.
- BONGERS, F. 2003. Vleermuizen op defensieterreinen = [Bats in military installations.] *Zoogdier* 14(1): 16-19.
- BONGERS, F. 2003. Natuur op defensieterreinen. *Natura* 3: 68-71.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BONJOUR, M. & MARENDAZ, C. 1997. Adélaïde de Grand Murin : chauve-souris d'Eysins. Zurich, Oeuvre Suisse des Lectures pour la Jeunesse: 31 p. (OSL, 2072).
- BOONMAN, M. 2003. Verblijfplaats van watervleermuizen in rotsspleten = [Roosting site of Daubenton's bats in rock crevices]. Zoogdier 14(4): 35.
- BOOTH, C. & BOOTH, J. 1994. The mammals of Orkney : a status, with an appendix on amphibians and reptiles. Kirkwall, C. & J. Booth: 55 p.
- BOOTH, C. & BOOTH, J. 1994. Order Chiroptera : bats. In: Booth, C. & Booth, J. The mammals of Orkney : a status, with an appendix on amphibians and reptiles. Kirkwall, C. & J. Booth: 5-7.
- BORDA, D. 2000-2001 Protectia faunei de chiroptere în România = Bats protection in Romania. Ocrotirea Naturii si a Mediului Inconjurator 44-45: 51-57.
- BORDA, D. 2002. The distribution of bats in Romanian caves (I). Travaux de l'Institut de Speologie "Emile Racovitza" 37-38: 223-230.
- BORG, J. & SAMMUT, P.M. 2002. Note on the diet of a grey long-eared bat, *Plecotus austriacus* (Fischer, 1829) from Mdina, Malta (Chiroptera, Vespertilionidae). Central Mediterranean Naturalist 3(4): 171-172.
- BOS, N.W. 2002. Defensie in natuur en landschap : natuur, aardkunde, cultuurhistorie en recreatie op militaire terreinen. DGW&T/ Ministerie van Defensie: 48 p.
- BOTVINKIN, A.D., POLESCHUK, E.M., KUZMIN, I.V., BORISOVA, T.I., GAZARYAN, S.V., YAGER, P.A. & RUPPRECHT, C.E. 2003. Novel lyssaviruses isolated from bats in Russia. Emerging Infectious Diseases 9(12): 1623-1625.
- BOYLES, J.G., TIMPONE, J.C. & ROBBINS, L.W. 2003. Late-winter observations of red bats, *Lasiurus borealis*, and evening bats, *Nycticeius humeralis*, in Missouri. Bat Research News 44(2): 59-61.
- BRAAKSMA, S. 1970. The distribution of bats in the Netherlands. In: International Bat Research Conference (2, 1970, Amsterdam). Bijdragen tot de Dierkunde 40(1): 10-12.
- BRAAKSMA, S. 1973. Some details about the occurrence of bats in summer and winter-resorts in the Netherlands and about the risks caused by woodpreservation activities in buildings. In: International Bat Research Conference (3, 1972, Plitvice). Periodicum biologorum 75(1): 125-128.
- BRACK, V. Jr. 2004. Increasing versatility of the three-pole netting set. Bat Research News 45(3): 92-93.
- BRACK, V. Jr. & WHITAKER, J.O. Jr. 2004. Bats of the Naval Surface Warfare Center at Crane, Indiana. Proceedings of the Indiana Academy of Science 113(1): 66-75.
- BRACK, V. Jr., WHITAKER, J.O. Jr. & PRUITT, S.E. 2004. Bats of Hoosier National Forest. Proceedings of the Indiana Academy of Science 113(1): 76-86.
- BRADLEY, R.D., MARTINEZ, R., MALTBIE, M., TIEMANN-BOEGE, I., WICHMAN, H.A. & BAKER, R.J. 2003. Rapidly evolving repetitive DNA in a karyotypically megaevaluated genome: factors that affect chromosomal evolution. Occasional Papers Museum of Texas Tech University 223: 1-8.
- BRODERS, H.G. 2003. Another quantitative measure of bat species activity and sampling intensity considerations for the design of ultrasonic monitoring studies. Acta Chiropterologica 5(2): 235-241.
- BRODERS, H.G., FINDLAY, C.S. & ZHENG, L. 2004. Effects of clutter on echolocation call structure of *Myotis septentrionalis* and *M. lucifugus*. Journal of Mammalogy 85(2): 273-281.
- BRODERS, H.G. & FORBES, G.J. 2004. Interspecific and intersexual variation in roost-site selection of northern long-eared and little brown bats in the Greater Fundy National Park Ecosystem. Journal of wildlife management 68(3): 602-610.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BRODERS, H.G., QUINN, G.M. & FORBES, G.J. 2003. Species status, and the spatial and temporal patterns of activity of bats in southwest Nova Scotia, Canada. *Northeastern Naturalist* 10(4): 383-398.
- BROSSET, A. 2003. Les Chiroptères du mont Nimba. *Mémoires du Muséum National d'Histoire Naturelle* 190: 687-693.
- BROWN, P.E. 1975. Vocal communication and the development of hearing in the pallid bat, *Antrozous pallidus*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [2 p.].
- BROWN, P.E. & BERRY, R.D. 2004. Baseline surveys and the developing of monitoring protocol for Lower Colorado River bat species. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 66-67.
- BROWN, R.J. & BRACK, V. (Jr.) 2003. An unusually productive net site over an upland road used as a travel corridor. *Bat Research News* 44(4): 187-188.
- BRUIJN, Z. 2001. Rosse vleermuis markeert baltslocatie. *Zoogdier* 12(4): 32.
- BRUNS, V. 1975. Morphological specializations of the cochlea for peripheral auditory tuning in *Rhinolophus ferrumequinum*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- BRUYERE-MASSON, V., PICARD, E., BARRAT, M.-J., TISSOT, E., COMBEAU, C., PATRON, C., BARRAT, J. & CLIQUET, F. 2004. Etude de la rage des chiroptères en France. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). *Symbioses* (n.s.) 10: 3-7.
- BRYJA, J. & KONECNY, A. 2003. Fast sex identification in wild mammals using PCR amplification of the Sry gene. *Folia Zoologica* 52(3): 269-274.
- BULLEN, R.D. & MACKENZIE, N.L. 2002. Differentiating Western Australian *Nyctophilus* (Chiroptera: Vespertilionidae) echolocation calls. *Australian Mammalogy* 23(2): 89-93.
- BURIC, Z., FURMANKIEWICZ, J., FURMANKIEWICZ, M., KLODEK, R., KOKUREWICZ, T. & TELATYNSKI, S. 2001. Zimowe stanowiska nietoperzy na Ziemi Klodzkiej = Winter localities of bats in Klodzko region (SW Poland). *Szczeliniec* 5: 149-168.
- BURNS, J.M. 1979. General physiology. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part III*. Lubbock, Texas Tech University: 403-408.
- BUYS, J.C. 1990. Nieuwe kolonie grijze Grootoorvleermuizen. *Natuurhistorisch Maanblad* 79(1): 3-4.
- BUYS, J.C. 1991. Overwinterende vleermuizen in Noord-Limburg. *Natuurhistorisch Maanblad* 80(6): 109-113.
- BUYS, J.C. 1991. Grootoorvleermuizen kerkzolders in Limburg. *Nieuwsbrief Vleermuiswerkgroep Nederland* 4(2): 21-22.
- BUYS, J.C. 1992. De vale vleermuis (*Myotis myotis*) in Limburg (2). *Nieuwsbrief Vleermuiswerkgroep Nederland* 11: 13-14.
- BUYS, J.C. 1993. Vleermuis en prikkeldraad, aflevering 17. *Nieuwsbrief Vleermuiswerkgroep Nederland* 16: 17.
- BUYS, J.C. 1996. Grijze grootoorvleermuizen op Noord- en Midden-Limburgse kerkzolders. *Natuurhistorisch Maandblad* 85(3): 50-53.
- BUYS, J.C. 2002. Het rijke kerkzolderleven in Limburg. *Nieuwsbrief Vleermuiswerkgroep Nederland* 40: 19-22.
- BUYS, J.C. 2002. Vleermuizen op zolder in de Utrechtse Vechtstreek. *Nieuwsbrief Vleermuiswerkgroep Nederland* 40: 4.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BUYS, J.C. 2002. Hoe een hermelijn een haas vangt. *Zoogdier* 13(2): 34.
- BUYS, J.C. 2002. Bulgaars veldwerk. *Zoogdier* 13(3): 29-30.
- BUYS, J.C. 2003. Kerkzolders en vleermuizen = [Church roofs and bats]. *Zoogdier* 14(1): 10-13.
- BUYS, J.C. 2003. Dutch visit to Eastern Rhodopes. In: *Historia Naturalis Bulgarica*, nr. 15, p. 142. [version anglaise].
- BUYS, J.C. 2003. Hoe een desman zich liet vangen en weer ontsnapte. *Zoogdier* 14(3): 32-35.
- BUYS, J.C., BEKKER, J.P. & VAN DER LINDEN, P. 2002. Zwart en slim in het Rietland. *Zoogdier* 13(1): 23-25.
- BUYS, J.C., HEIJLIGERS, H. & DORENBOSCH, M. 1999. Voor vleermuizen de kerk in. *Natuurhistorisch Maandblad* 88(5): 82-93.
- BUYS, J.C., HEIJLIGERS, H. & DORENBOSCH, M. 2000. Albino grootoorvleermuis in Nunhem. *Natuurhistorisch Maandblad* 89(6): 114-115.
- BUYS, J.C. & HOLLANDER, H. 1993. Vleermuisonderzoek in Nederland. In: Van Swaay, C.A.M. & Van Halder, I. (éds.). *Jaarboek PGO - Flora en Fauna*. Wageningen, De Vlinderstichting: 192-200.
- BUYS, J.C. & JANSSEN, R. 2002. Waarom kerkzolders bezoeken ? *Nieuwsbrief Vleermuiswerkgroep Nederland* 40: 3.
- BUYS, J.C. & LIMPENS, H. 1998. Vleermuizen en natuurontwikkeling. *De Nieuwe Wildernis* 4(3): 28-35.
- CACERES, N.C. & MOURA, M.O. 2003. Fruit removal of a wild tomato, *Solanum granulosoleprosum* Dunal (Solanaceae), by birds, bats and non-flying mammals in an urban Brazilian environment. *Revista Brasileira de Zoologia* 20(3): 519-522.
- CAMPBELL, S., LUMSDEN, L.F. & COULSON, G. 2004. Fixed foraging, flexible roosting : can we call *Myotis macropus* an ecological specialist? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 63.
- CARMENA, J.M. & HALLAM, J.C.T. 2002. Estimating Doppler shift using bat-inspired cochlear filter bank models: A comparison of methods for echoes from single and multiple reflectors. *Adaptive Behavior* 9(3-4): 241-261.
- CARSTENS, B.C., SULLIVAN, J., DAVALOS, L.M., LARSEN, P.A. & PEDERSEN, S.C. 2004. Exploring population genetic structure in three species of Lesser Antillean bats. *Molecular Ecology* 13: 2557-2566.
- CARTER, T.C., MENZEL, M.A., CHAPMAN, B.R. & MILLER, K.V. 2004. Partitioning of food resources by syntopic eastern red (*Lasiurus borealis*), Seminole (*L. seminolus*) and evening (*Nycticeius humeralis*) bats. *The American midland naturalist* 151(1): 186-191.
- CARTER, T.C., MENZEL, M.A., OWEN, S.F., EDWARDS, J.W., MENZEL, J.M. & FORD, W.M. 2003. Food habits of seven species of bats in the Allegheny Plateau and Ridge and Valley of West Virginia. *Northeastern Naturalist* 10(1): 83-88.
- CASTERET, N. 1951. *Une vie de chauve-souris*. Paris, Didier: 213 p.
- CASTERET, N. 1961. *Mémoire d'une chauve-souris*. Paris, Librairie Académique Perrin: 283 p.
- CATTO, C. 2004. Bats as indicators of environmental quality. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 59.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CELUCH, M. 2004. Flight activity and habitat use of bats : what is correct interpretation of bat detector data? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 62-63.
- CHACON-MADRIGAL, E. & BARRANTES, G. 2004. Blue-crowned motmot (*Momotus momota*) predation on a long-tongued bat (*Glossophaginae*). *The Wilson Bulletin* 116(1): 108-110.
- CHAKRAVARTHY, A.K. & GIRISH, A.C. 2003. Crop protection and conservation of frugivorous bats in orchards of hill and coastal regions of Karnataka. *Zoos' Print Journal* 18(8): 1169-1171.
- CHAMBERS, C.L., ALM, V., SIDERS, M.S. & RABE, M.J. 2002. Use of artificial roosts by forest-dwelling bats in northern Arizona. *Wildlife Society Bulletin* 30(4): 1085-1091.
- CHANDRASHEKARAN, M.K. 2001. The echolocating role of eyes in insectivorous bats. *Journal of the Bombay Natural History Society* 98(3): 434-438.
- CHANDRASHEKARAN, M.K. 2003. Chronobiology, ecology and behaviour of some insectivorous bats of southern India. *Journal of the Bombay Natural History Society* 100(2-3): 250-284.
- CHANEY, B. 2004. Bats along the Amazon. *Bats* 22(3): 7-11.
- CHARLES-DOMINIQUE, P. & BROSSET, A. 2001. Les chauves-souris de Guyane. *Collection patrimoines naturels* 49: 1-172.
- CHAVEZ, J. 1998. Ectoparasites of small mammals: biodiversity assessment in the Lower Urubamba region. In: Biodiversity assessment and monitoring. *SI/MAB Series 2 SPDP & Smithsonian/MAB Biodiversity Program, Lower Urubamba, Perú*: 245-256.
- CHEN, S.-F., ROSSITER, S.J. & JONES, G. 2004. Genetic and echolocation call diversity in the endemic, cave-dwelling Formosan lesser horseshoe bat, *Rhinolophus monoceros*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 59-60.
- CHEUNG, S.-M. 2003. Bats in an underground water channel. *Porcupine* 28: 4-5.
- CHRISTIE, J.E. 2003. Light-tagging observations of microhabitat use and flight behavior by lesser short-tailed bats (*Mystacina tuberculata*). *Bat Research News* 44(2): 54-58.
- CHUNG-MACCOUBREY, A. 1996. Bat species using water sources in pinyon-juniper woodlands. U.S. Forest Service General Technical Report RM-GTR-272: 168-170.
- CHUNG-MACCOUBREY, A. 2003. Monitoring long-term reuse of trees by bats in pinyon-juniper woodlands of New Mexico. *Wildlife Society Bulletin* 31(1): 73-79.
- CIECHANOWSKI, M. & JARZEMBOWSKI, T. 2004. The size and number of harems in the polygynous bat *Pipistrellus nathusii* (Keyserling and Blasius, 1839) (Chiroptera: Vespertilionidae). *Mammalian biology* 69(4): 277-280.
- CLARKE, D.E. 2003. Oral biology and disorders of chiroptera, insectivores, monotremes and marsupials. *Veterinary Clinics of North America : Exotic Animal Practice* 6(3): 523-564.
- CLARKE, F.M. & RACEY, P.-A. 2003. Discovery of the Bartica bat *Glyphoncteris daviesi* (Chiroptera: Phyllostomidae) in Trinidad, West Indies. *Acta Chiropterologica* 5(1): 151-154.
- COLLOQUE FRANCOPHONE DE MAMMALOGIE (9, 1985, Rouen). 1986. Les chiroptères : IXème Colloque francophone de mammalogie de la Société française pour l'étude et la protection des mammifères, 19-20 octobre 1985, Rouen. Rouen, Société française pour l'étude et la protection des mammifères: 144 p.
- CONSTANTINE, D.G. 1970. Bats in relation to the health, welfare, and economy of man. In: Wimsatt, W.A. [Ed]. *Biology of bats. Vol. II*. New York & London, Academic Press: 319-449.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CONSTANTINE, D.G. 1988. Transmission of pathogenic microorganisms by vampire bats. In: Greenhall, A.M. & Schmidt, U. [Eds]. Natural History of Vampire bats. Boca Raton, CRC Press: 167-189.
- CORSO, A. & ALIFFI, D. 2002 Predazione di Chiroterri da parte del Falco della regina Falco eleonorae = Predation on bats by the Eleonora's falcon. Aves Ichnusae 5(1-2): 41-43.
- COSTEN, P. 1995. Bat report 1993/4/5. Report & transactions / La Société Guernesiaise 23(5): 881.
- COSTEN, P. 1996. Bat records 1995 & 1996. Report & transactions / La Société Guernesiaise 24(1): 66.
- COSTEN, P. 1997. Bat records 1997. Report & transactions / La Société Guernesiaise 24(2): 217.
- COSTEN, P. 1998. Bat records 1998. Report & transactions / La Société Guernesiaise 24(3): 401.
- COSTEN, P. 1999. Bat report for 1999. Report & transactions / La Société Guernesiaise 24(4): 616-617.
- COSTEN, P. 2000. Bat report for 1999. Report & transactions / La Société Guernesiaise 24(4): 838-839.
- COSTEN, P. 2001. Bat report for 2000 and 2001. Report & transactions / La Société Guernesiaise 25(1): 96-99.
- COSTEN, P. 2002. Bat report for 2002. Report & transactions / La Société Guernesiaise 25(2): 310.
- COSTEN, P. 2003. Bat report for 2003. Report & transactions / La Société Guernesiaise 25(3): 483.
- COURTOIS, J.-Y. & BEUNEUX, G. 2004. Petit rhinolophe et gîte de transit. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). Symbioses (n.s.) 10: 70.
- COVEY, E. 2004. Midbrain integrative mechanisms and temporal pattern analysis in echolocating bats.. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 123-129.
- COWAN, A. 2003. Trees and bats. 2nd. ed. Romsey, Arboricultural Association: 64 p. (Guidance notes, 1).
- CRIEL, D. 2001. Vogeletende vleermuizen. Zoogdier 12(3): 45.
- CRNKOVIC, A.C. 2003. Discovery of northern long-eared myotis, *Myotis septentrionalis* (Chiroptera: Vespertilionidae), in Louisiana. The Southwestern Naturalist 48(4): 715-717.
- CRUZ-NETO, A.P., CARLOS, R.P. & OTANI, L. 2004. Morpho-physiological responses of bats to changes in diet quality. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 54-55.
- CRYAN, P.M. 2004. Chemistry & migration mysteries : fur holds clues to previous journey. Bats 22(3): 12-13.
- CRYAN, P.M. & BOGAN, M.A. 2003. Recurrence of Mexican long-tongued bats (*Choeronycteris mexicana*) at historical sites in Arizona and New Mexico. Western North American Naturalist 63(3): 314-319.
- CRYAN, P.M. & WOLF, B.O. 2003. Sex differences in the thermoregulation and evaporative water loss of a heterothermic bat, *Lasiurus cinereus*, during its spring migration. Journal of Experimental Biology 206(19): 3381-3390.
- CSORBA, G. 2002. Remarks on some types of the genus *Rhinolophus* (Mammalia, Chiroptera). Annales Historico Naturales Musei Nationalis Hungarici 94: 217-226.
- CSORBA, G., UJHELYI, P. & THOMAS, N. 2003. Horseshoe bats of the world (Chiroptera: Rhinolophidae). Bishop's Castle, Alana Books: XXXII, 160 p.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CYRUS, E., WEISHAAR, M. & ZIMMERMANN, M. 2004. Nachweis einer Wochenstube der Mopsfledermaus (*Barbastella barbastellus* Schreber, 1774) in Rheinland-Pfalz = First recent record of a *Barbastella's* (*Barbastella barbastellus* Schreber, 1774) maternity colony in Rhineland-Palatinate. *Dendrocopos* 31: 9-19.
- CZAPLEWSKI, N.J., KREJCA, J. & MILLER, T.E. 2003. Late quaternary bats from Cebada Cave, Chiquibul Cave System, Belize. *Caribbean Journal of Science* 39(1): 23-33.
- CZAPLEWSKI, N.J., MORGAN, G.S. & NAEHER, T. 2003. Molossid bats from the late Tertiary of Florida with a review of the Tertiary Molossidae of North America. *Acta Chiropterologica* 5(1): 61-74.
- CZAPLEWSKI, N.J. & PEACHEY, W.D. 2003. Late Pleistocene bats from Arkenstone Cave, Arizona. *The Southwestern Naturalist* 48(4): 597-609.
- CZAPLEWSKI, N.J., TAKAI, M., NAEHER, T.M., SHIGEHARA, N. & SETOGUCHI, T. 2003. Additional bats from the Middle Miocene La Venta fauna of Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Físicas y Naturales* 27(103): 263-282.
- DAAN, S. 1970. Photographic recording of natural activity in hibernating bats. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 13-16.
- DANIEL, M.J. 1990. Order Chiroptera. In: King, C.M. [Ed]. *The handbook of New Zealand mammals*. Auckland [etc.], Oxford University Press: 114-137.
- DANIEL, M. & STEKOL'NIKOV, A.A. 2002. New data on chigger mites of the subfamily *Leeuwenhoekinae* (Acari: *Trombiculidae*) parasitizing bats in Cuba. *Acarina* 10(2): 149-154.
- DANIEL, M. & STEKOL'NIKOV, A.A. 2003. To the fauna of chigger mites (Acari: *Trombiculidae*) parasitize bats in Cuba. *Acarologia* 43(1-2): 29-37.
- DANIEL, M. & STEKOL'NIKOV, A.A. 2003. Chigger mites (Acari: *Trombiculidae*) new to the fauna of Cuba, with the description of two new species. *Folia Parasitologica (Ceske-Budejovice)* 50(2): 143-150.
- DANIEL, M. & STEKOL'NIKOV, A.A. 2003. Chigger mites (Acari: *Trombiculidae*) new to the fauna of Cuba, with the description of two new species. *Folia Parasitologica* 50: 143-140
- DANKO, S. & PJENCAK, P. 2002. Nové poznatky o vyskyte netopierov na východnom Slovensku II = New knowledge about bats occurrence in eastern Slovakia. *Natura Carpatica* 43: 137-172.
- DANKO, S., PJENCAK, P. & MATIS, S. 2000. Doterajšie poznatky o faune netopierov slovenskej časti Pienin a blízkeho okolia = Current knowledge of bats in the Slovakian part of the Pieniny Mts and surroundings (NE-Slovakia). *Vespertilio* 4: 27-36.
- DANKO, S., UHRIN, M., PJENCAK, P. & MATIS, S. 2000. Netopiere Vychodoslovenskej roviny, Vychodoslovenskej pahorkatiny a Zemplínskych vrchov = The bats of the Vychodoslovenská rovina Lowland, Vychodoslovenská pahorkatina Mts and of the Zemplínské vrchy Mts(E-Slovakia). *Vespertilio* 4: 37-58.
- DAS, P.K. 2003. Studies on some Indian Chiroptera from West Bengal. *Records of the zoological survey of India. Occasional paper* 217: 1-164.
- DAS, P.K., GHOSE, R.K., CHAKRABORTY, T.K., BHATTACHARYYA, T.P. & GHOSH, M.K. 1995. *Mammalia* : [order Chiroptera]. *State Fauna. Series 4* : Fauna of Meghalaya 1: 23-30,43-73,119-128.
- DAVALOS, L.M. 2004. A new chocean species of *Lonchophylla* (Chiroptera: *Phyllostomidae*). *American Museum Novitates* 3426: 1-14.
- DAVALOS, L.M. & ERIKSSON, R. 2003. New and noteworthy records from ten Jamaican bat caves. *Caribbean Journal of Science* 39(1): 140-144.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DAVALOS, L.M. & ERIKSSON, R. 2004. *Epicrates subflavus* (Jamaican boa) : foraging behavior. *Herpetological Review* 35(1): 66.
- DAVALOS, L.M. & JANSÁ, S.A. 2004. Phylogeny of the Lonchophyllini (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 85(3): 404-413.
- DAVIDSON, S.M. & WILKINSON, G.S. 2004. Function of male song in the greater white-lined bat, *Saccopteryx bilineata*. *Animal Behaviour* 67(5): 883-891.
- DAVIS, W.H. 1970. Hibernation : ecology and physiological ecology In: Wimsatt, W.A. [Ed]. *Biology of bats*. Vol. I. New York & London, Academic Press: 265-300.
- DAWSON, D.A., ROSSITER, S.J., JONES, G. & FAULKES, C.G. 2004. Microsatellite loci for the greater horseshoe bat, *Rhinolophus ferrumequinum* (Rhinolophidae, Chiroptera) and their cross-utility in 17 other bat species. *Molecular Ecology Notes* 4(1): 96-100.
- DE SOUZA, L.C., OCTAVIANI, C.P. & LANGONI, H. 2002. Importância epidemiológica dos morcegos na transmissão de bactérias do trato intestinal no meio ambiente. *Veterinaria e Zootecnia* 11: 123-131.
- DECHMANN, D.K.N., KALKO, E.K.V., KÖNIG, B. & KERTH, G. 2004. Roost making as a cue for mate choice in d'Orbigny's round-eared bat, *Lophostoma silvicolu*m. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 40-41.
- DECU, V., MURARIU, D. & GHEORGHIU, V. 2003. Chiroptere din România: ghid instructiv si educativ. Institut de Speologie "Emil Racovita", Bucuresti: XXII, 521 p.
- DEHONDT, F., GADOUM, S. & MARI, A. 2004. Bilan pré-opérationnel pour la protection des gîtes souterrains de chauves-souris du Parc naturel régional du Vexin français. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (9, 2002, Bourges). *Symbioses* (n.s.) 10: 23-38.
- DEMEL, S., HOLZHAIDER, J., KRINER, E. & ZAHN, A. 2004. Foraging areas of the notch-eared bat, *Myotis emarginatus*, in Upper Bavaria, Germany. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 65.
- DEN BAKKER, H. 1996. Tweekleurige vleermuis : dwaalgast of blijver ? *Zoogdier* 7(2): 8-10.
- DENZINGER, A., KALKO, E.K.V. & JONES, G. 2004. Ecological and evolutionary aspects of echolocation in bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 311-326.
- DER DUNK, K. VON 2003. Daten für die Noctuiden-Fauna aus Nahrungsresten einer Fledermaus (Lep. Noctuidae; Mam. Chiroptera) = [Data on the noctuid fauna from food remnants of a bat (Lep. Noctuidae; Mam. Chiroptera)]. *Galathea* 19(1): 37-42.
- DERENNES, C. 1922. *La chauve-souris*. Paris, Albin Michel: 256 p. (Le bestiaire sentimental).
- DESMET, J.-F. 2001. Les chauves-souris de Haute-Savoie : inventaire, distribution, statut, éléments d'écologie, mesures de conservation. G.R.I.F.E.M., Samoëns : 108 p.
- DEWEY, T.A. 2004. Evolutionary relationships among North American *Myotis* species (Vespertilionidae) and evidence of cryptic variation. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 21-22.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DIAS, D., DA SILVA, S.S.P. & PERACCHI, A.L. 2003. Ocorrência de *Glyphonycteris sylvestris* Thomas (Chiroptera, Phyllostomidae) no Estado do Rio de Janeiro, sudeste do Brasil. *Revista Brasileira de Zoologia* 20(2): 365-366.
- DIAS, D., PERACCHI, A.L. & DA SILVA, S.S.P. 2002. Quirópteros do Parque Estadual da Pedra Branca, Rio de Janeiro, Brasil (Mammalia, Chiroptera). *Revista Brasileira de Zoologia* 19 (Suppl. 2): 113-140.
- DIDIER, R. & RODE, P. 1935. Catalogue systématique des mammifères de France. Paris, Librairie P. Lechevalier: 93 p. (Encyclopédie biologique, 12).
- DIDIER, R. & RODE, P. 1935. Ordre des chiroptères. In: Didier, R. & Roder, P. Catalogue systématique des mammifères de France. Paris, Librairie P. Lechevalier: 35-52. (Encyclopédie biologique, 12).
- DILLINGHAM, C.P., CROSS, S.P. & DILLINGHAM, P.W. 2003. Two environmental factors that influence usage of bat houses in managed forests of southwest Oregon. *Northwestern Naturalist* 84(1): 20-23.
- DIXON, K.J. & ROSE, R.W. 2003. Thermal energetics of *Nyctophilus geoffroyi* (Chiroptera: Vespertilionidae) at the southern limits of its distribution. *Australian Journal of Zoology* 51(1): 43-50.
- DOBSON, G.E. 1876. Monograph of the Asiatic Chiroptera, and catalogue of the species of bats in collection of the Indian Museum, Calcutta. London, Taylor & Francis: VIII, 228 p.
- DOBSON, G.E. 1878. Catalogue of the Chiroptera in the collection of the British Museum. London, The Trustees: XLII, 567 p.
- DONDINI, G., LANZA, B. & VERGARI, S. 2003. The buccal pad of bats and its seasonal cycle in *Nyctalus leisleri* (Kuhl, 1817) (Mammalia, Chiroptera, Vespertilionidae). *Bollettino Museo regionale di scienze naturali* 20(1): 105-118.
- DONDINI, G., PAPALINI, O., SARTI, R. & VERGARI, S. 1999. Bat fauna of the Castell'Azzara cave (Tuscany, Italy) = Chiropterofauna della grotta di Castell'Azzara (Toscana, Italia). In: Dondini, G., Papalini, O. & Vergari, S. [Eds]. *Convegno Italiano sui Chiroterteri* (1, 1998, Castell'Azzara). Castell'Azzara, G.S. L'Orso: 181-189.
- DOS REIS, N.R., BARBIERI, M.L. da S., DE LIMA, I.P. & PERACCHI, A.L. 2003. O que é melhor para manter a riqueza de espécies de morcegos (Mammalia, Chiroptera): um fragmento florestal grande ou vários fragmentos de pequeno tamanho? *Revista Brasileira de Zoologia* 20(2): 225-230.
- DOS REIS, N.R. & Muller, M.F. 1995. Bat diversity of forests and open areas in a subtropical region of South Brazil. *Revista Ecológia Austral* 5: 31-36.
- DOS REIS, N.R., PERACCHI, A.L. & DE LIMA, I.P. 2002. Morcegos da bacia do rio Tibagi. In: M.E. Medri [et al.] (eds.). *A bacia do rio Tibagi*. Londrina, Ed. dos editores: 251-270.
- DREES, M. 1999. Vogel- en habitatrichtlijn: naar een Europees netwerk van beschermde gebieden. *Zoogdier* 10(2): 11-15.
- DRESCHER, C. & NIEDERFRINIGER, O. 2003. Landschaftsnutzung der Grossen Mausohren (*Myotis myotis* Borkh., 1797) (Chiroptera: Vespertilionidae) in Südtirol. Teil 1: Telemetrie - Methodenentwicklung und -evaluation = Landscape use by the great mouse eared bats (*Myotis myotis*) in South Tirol: telemetry. *Gredleriana* 3: 231-242.
- DREXL, M. & KOESSL, M. 2003. Sound-evoked efferent effects on cochlear mechanics of the mustached bat. *Hearing Research* 184(1-2): 61-74.
- DULIC, B. 1975. Morphology of the hair of *Pipistrellus savii* (Bonaparte, 1837). In: *International Bat Research Conference* (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DULIC, B. & MUTERE, F.A. 1973. Comparative study of the chromosomes of some molossid bats from Eastern Africa. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 61-65.
- DUMONT, E.R. 2003. Bats and fruit : an ecomorphological approach. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 398-429.
- DUMONT, E.R. 2004. Patterns of diversity in cranial shape among plant-visiting bats. *Acta Chiropterologica* 6(1): 59-74.
- DUMONT, E.R. & HERREL, A. 2003. The effects of gape angle and bite point on bite force in bats. *Journal of Experimental Biology* 206(13): 2117-2123.
- DUMONT, E.R. & O'NEAL, R. 2004. Food hardness and feeding behavior in Old World fruit bats (Pteropodidae). *Journal of Mammalogy* 85(1): 8-14.
- DUMONT, E.R., WEIBLEN, G.D. & WINKELMANN, J.R. 2004. Preferences of fig wasps and fruit bats for figs of functionally dioecious *Ficus pungens*. *Journal of tropical ecology* 20(2): 233-238.
- DVORAK, L., BUFKA, L. & BYTEL, J. 2003. Netopyri i na zimovistích zapádních Cech v letech 1992-2003 a aktualizace jejich rozšíření = Bats on winter roosts in West Bohemia in 1992-2003 and their current distribution. *Erica* 11: 29-73.
- ECHEVARRIA, J.E., AVELLON, A., JUSTE, J., VERA, M. & IBAÑEZ, C. 2001. Screening of active lyssavirus infection in wild bat populations by viral RNA detection on oropharyngeal swabs. *Journal of Clinical Microbiology* 39(10): 3678-3683.
- EDDY, S.F. & STOREY, K.B. 2001. Gene expression in hibernation : testing skeletal muscle of little brown bats, *Myotis lucifugus*, using commercially available cDNA microarrays. *Proceedings of the Virtual Conference in Genomics and Bioinformatics*, October 15-16, 2001.
<http://www.ndsu.nodak.edu/virtual-genomics/meetings.htm>.
- EDDY, S.F. & STOREY, K.B. 2003. Differential expression of Akt, PPAR[gamma], and PGC-1 during hibernation in bats. *Biochemistry and Cell Biology* 81(4): 269-274.
- EDDY, S.F. & STOREY, K.B. 2004. Up-regulation of fatty acid-binding proteins during hibernation in the little brown bat, *Myotis lucifugus*. *Biochimica et Biophysica Acta* 1676: 63-70.
- EGER, J.L. & FENTON, M.B. 2003. *Rhinolophus paradoxolophus*. *Mammalian species* 731: 1-4.
- EICK, G.N., JACOBS, D.S. & MATHEE, C. 2004. The evolution of echolocation in bats : a phylogenetic perspective based on nuclear intron sequences. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 18-19.
- EISENTRAUT, M. 1937. *Die deutschen Fledermäuse : eine biologische Studie*. Leipzig, P. Schöps: 184 p. (Monographien der Wildsäugetiere, 2).
- EISENTRAUT, M. [1945]. *Biologie der Flederhunde (Megachiroptera) : nach einem hinterlassenen Manuskript von Dr. Heinrich Jansen*. *Biologia generalis* 18(3): 327-435.
- EISENTRAUT, M. 1956. *Der Winterschlaf mit seinen ökologischen und physiologischen Begleiterscheinungen*. Jena, G. Fischer: 160 p.
- EISENTRAUT, M. 1957. *Aus dem Leben der Fledermäuse und Flughunde*. Jena, G. Fischer: 175 p.
- EKLÖF, J. 2004. Visual prey detection in vespertilionids. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 31.
- EKLÖF, J. & JONES, G. 2003. Use of vision in prey detection by brown long-eared bats, *Plecotus auritus*. *Animal Behaviour* 66(5): 949-953.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- EKLÖF, J., SVENSSON, A.M. & RYDELL, J. 2002. Northern bats, *Eptesicus nilssonii*, use vision but not flutter-detection when searching for prey in clutter. *Oikos* 99(2): 347-351.
- EL GARHY, M.F. 2003. Scanning electron microscopy of the tegument of two *Anchitrema* species (Digenea: Dicrocoeliidae) infecting Egyptian bats. *Journal of the Egyptian German Society of Zoology* 40(D): 1-13.
- EL-MONEM, S.A. 2002. Light and scanning electron microscopic studies of the tegumental surface of *Prosthodendrium* (Paralecithodendrium) *isotrema* Salem, 1971 infecting the Egyptian bat, *Rhinopoma hardwickei* cystops. *Egyptian Journal of Zoology* 39: 515-529.
- ELANGO VAN, V., PRIYA, E.-Y.-S., RAGHURAM, H. & MARIMUTHU, G. 2003. Postnatal development in the Indian short-nosed fruit bat *Cynopterus sphinx*: growth rate and age estimation. *Acta Chiropterologica* 5(1): 107-116.
- ELANGO VAN, V., RAGHURAM, H., PRIYA, E.Y.S. & MARIMUTHU, G. 2004. Wing morphology and flight performance in *Rousettus leschenaulti*. *Journal of Mammalogy* 85(4): 806-812.
- ELLIS, A.M., PATTON, L.L. & CASTLEBERRY, S.B. 2002. Bat activity in upland and riparian habitats in the Georgia Piedmont. *Proceedings of the Annual Conference Southeastern Association of Fish and Wildlife Agencies* 56: 210-218.
- ENCARNACAO, J.A., DIETZ, M. & KIERDORF, U. 2004. Reproductive condition and activity pattern of male Daubenton's bats (*Myotis daubentonii*) in the summer habitat. *Mammalian biology* 69(3): 163-172.
- ENCARNACAO, J.A., DIETZ, M., KIERK DORF, U. & WOLTERS, V. 2003. Zur Entwicklung der Körpermasse männlicher Wasserfledermäuse (*Myotis daubentonii*) im Sommerlebensraum : erste Ergebnisse einer Langzeitstudie = Body mass changes of male Daubenton's bats (*Myotis daubentonii*) in the summer habitat. *Säugetierkundliche Informationen* 5(27): 299-304.
- ENDO, H., STAFFORD, B.J. & SASAKI, M. 2002. Skull osteometry in the least horseshoe bat (*Rhinolophus cornutus*) from Hachijo Island, Japan. *Memoirs of the National Science Museum (Tokyo)* 38: 249-254.
- ERICKSON, J.L. & ADAMS, M.J. 2003. A comparison of bat activity at low and high elevations in the Black Hills of western Washington. *Northwest Science* 77(2): 126-130.
- ERKERT, H.G., KRACHT, S. & HÄUSSLER, U. 1980. Characteristics of circadian activity systems in Neotropical bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 95-103.
- ESBERARD, C.E.L. 2001. Infestation of *Rhynchopsyllus pulex* (Siphonaptera: Tungidae) on *Molossus molossus* (Chiroptera) in southeastern [southeastern] Brazil. *Memorias do Instituto Oswaldo Cruz* 96(8): 1169-1170.
- ESBERARD, C.E.L. 2002. Composição de colônia e reprodução de *Molossus rufus* (E. Geoffroy) (Chiroptera, Molossidae) em um refúgio no sudeste do Brasil. *Revista Brasileira de Zoologia* 19(4): 1153-1160.
- ESBERARD, C.E.L. 2003. Armadilha para retirada de morcegos abrigados em telhado = Trap for withdrawing bats sheltered in roofs. *Chiroptera Neotropical* 9(1-2): 164-166.
- ESBERARD, C.E.L., MARTINS, L.F.S., CRUZ, R.C., COSTA, R.C., NUNES, M.S. & CHAGAS, A.S. 1997. Aspectos da biologia de *Lonchorhina aurita* no estado do Rio de Janeiro (Mammalia: Chiroptera: Phyllostomidae). *Bioikos* 11 (1-2): 46-49 (en portugais, résumé anglais).
- ESBERARD, C.E.L., MOTTA, A.G., OLIVEIRA, D.M., AREAS, A.F., RODRIGUES, R.T.V. & BERGALLO, H.G. 2003. Observação de fidelidade ao abrigo em *Molossus rufus* no estado do Rio de



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

Janeiro, Sudeste do Brasil = Roost fidelity in *Molossus rufus* at Southeastern Brazil (Molossidae). *Chiroptera Neotropical* 9(1-2): 175-178.

- ESSER, K.-H. & EIERMANN, A. 2004. Processing of frequency-modulated sounds in the *Carollia* auditory and frontal cortex. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 190-195.
- ESTRADA, A. & COATES ESTRADA, R. 2001. Species composition and reproductive phenology of bats in a tropical landscape at Los Tuxtlas, Mexico. *Journal of Tropical Ecology* 17(5): 627-646.
- ESTRADA PEÑA, A., VENZAL, J.M., BARROS-BATTESTI, D.M., ONOFRIO, V.C., TRAJANO, E. & FIRMINO, J.V.L. 2004. Three new species of *Antricola* (Acari: Argasidae) from Brazil, with a key to the known species in the genus. *The Journal of parasitology* 90(3): 490-498.
- ETEMAD, E. 1973. Occurrence of a rare bat *Eptesicus walli* Thomas, 1919 in Iran. In: *International Bat Research Conference* (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 111-112.
- EUROPEAN BAT RESEARCH SYMPOSIUM (8, 1999, Kraków) ; CRUZ, M. & KOZAKIEWICZ, K. [Eds]. 1999. *Bats & man : million years of existence : VIIIth European Bat Research Symposium, 23-27 August 1999, Kraków, Poland : abstracts*. Kraków, Chiropterological Information Center Institute of Animal Systematics and Evolution PAS: 86 p.
- EVARTS, J.L., RASWEILER, J.J. IV., BEHRINGER, R.R., HENNIGHAUSEN, L. & ROBINSON, G.W. 2004. A morphological and immunohistochemical comparison of mammary tissues from the short-tailed fruit bat (*Carollia perspicillata*) and the mouse. *Biology of Reproduction* 70(6): 1573-1579.
- FAHR, J. & EBIGBO, N.M. 2003. A conservation assessment of the bats of the Simandou Range, Guinea, with the first record of *Myotis welwitschii* (Gray, 1866) from west Africa. *Acta Chiropterologica* 5(1): 125-141.
- FAIRON, J. 1986. L'effort de protection des chiroptères en Belgique. In: *Les chiroptères : Colloque francophone de mammalogie* (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 107-113.
- FALCAO, F.D.C., REBELO, V.F. & TALAMONI, S.A. 2003. Structure of a bat assemblage (Mammalia, Chiroptera) in Serra do Caraça Reserve, South-east Brazil. *Revista Brasileira de Zoologia* 20(2): 347-350.
- FARIA, K. de C. & MORIELLE-VERSUTE, E. 2002. In situ hybridization of bat chromosomes with human (TTAGGG)_n probe, after previous digestion with Alu I. *Genetics and molecular biology* 25(4): 365-371.
- FARINA, F. & BANI, L. 2003. Valutazione della dimensione di alcune "colonie" di chiropteri e nuova segnalazione per la regione Umbria = Bat-roost survey and new data for Umbria region (Italy). *Natura Bresciana* 33: 183-190.
- FAURE, P.A. & HOY, R.R. 2004. Auditory adaptations of katydids for the detection and evasion of bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 372-380.
- FEDERATION DES CLUBS CPN. 2003. *Les chauves-souris vous sourient ! Boult-aux-Bois, Fédération des clubs CPN*: 1 mallette.
- FELDHAMER, G.A., CARTER, T.C., MORZILLO, A.T. & NICHOLSON, E.H. 2003. Use of bridges as day roosts by bats in southern Illinois. *Transactions of the Illinois State Academy of Science* 96(2): 107-112.
- FELTEN, H. 1959. Fliegende Säugetiere. *Natur und Volk* 89(9-10): 326-338.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- FENTON, M.B. 2003. Eavesdropping on the echolocation and social calls of bats. *Mammal Review* 33(3-4): 193-204.
- FENTON, M.B. 2003. Science and the conservation of bats: where to next? *Wildlife Society Bulletin* 31(1): 6-15.
- FENTON, M.B. 2004. Aerial-feeding bats : getting the most out of echolocation. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 350-355.
- FENTON, M.B., JACOBS, D.S., RICHARDSON, E.J., TAYLOR, P.J. & WHITE, W. 2004. Individual signatures in the frequency-modulated sweep calls of African large-eared, free-tailed bats *Otomops martiensseni* (Chiroptera: Molossidae) *Journal of Zoology*, London 262: 11-19.
- FENTON, M.B. & KUNZ, T.H. 1977. Movements and behavior. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae*. Part II. Lubbock, Texas Tech University: 351-364.
- FENZL, T. & SCHULLER, G. 2002. Periaqueductal gray and the region of the paralemniscal area have different functions in the control of vocalization in the neotropical bat, *Phyllostomus discolor*. *European Journal of Neuroscience* 16: 1974-1986.
- FERENC, H., BLASZAK, C. & EHRNSBERGER, R. 2003. Die Milben in der Zoologischen Staatssammlung Muenchen. Teil 2. Familie Spinturnicidae (Acari, Gamasida). *Spixiana* 26(1): 35-41.
- FERENC, H. & MYSLAJEK, R. 2003. *Spinturnix helvetiae* Deunff & Keller & Aellen, 1986 (Acari: Mesostigmata: Spinturnicidae): A new mite species in the Polish fauna. *Acta Zoologica Cracoviensia* 46(3): 277-281.
- FINDLEY, J.S. 1970. Phenetic relationships in the genus *Myotis*. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 26-29.
- FIRBAS, W. 1970. The innervation of the bat Cochlea. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 30-32.
- FIRBAS, W. & WELLESCHIK, B. 1973. A quantitative study on the spiral ganglion of the Chiroptera. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 67-70.
- FIRZLAFF, U. & SCHULLER, G. 2003. Spectral directionality of the external ear of the lesser spear-nosed bat, *Phyllostomus discolor*. *Hearing Research* 185(1-2): 110-122.
- FITZGERALD, J.P., MEANEY, C.A. & ARMSTRONG, D.M. 1994. *Mammals of Colorado*. Denver, Denver Museum of Natural History ; Niwot, University Press of Colorado: XIII, 467 p.
- FITZGERALD, J.P., MEANEY, C.A. & ARMSTRONG, D.M. 1994. Order : Chiroptera : Bats. In: FITZGERALD, J.P., MEANEY, C.A. & ARMSTRONG, D.M. *Mammals of Colorado*. Denver, Denver Museum of Natural History ; Niwot, University Press of Colorado: 92-129.
- FITZSIMONS, P.J.R., HILL, D.A. & GREENAWAY, F. 2004. The automated ultrasound recorder : a broadband system for remotely recording bat activity in the field. *Bat Research News* 45(1): 3-6.
- FLEMING, T.H. & EBY, P. 2003. Ecology of bat migration. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 156-208.
- FLETCHER, C.D., ZUBAID, A. & APPANAH, S. 2000. Fruit bats: a review on the natural durian tree farmers. In: Zainal, A.M., Mohd, S.O., Ahmad, T.S., Zabedah, M. & Salma, I. (Eds). *Proceedings of the Seminar Durian*. *Kearah Menstabilkan Pengeluaran Kualiti dan Pasaran*, 1-3 August 200: 122-131.
- FLETCHER, C.D., ZUBAID, A., APPANAH, S. & NORMAH, M.N. 2001. Diversity and abundance of fruit bats (Pteropodidae): a survey at three selected forest types. *Proceedings of the Malaysian science*



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

and technology congress. Research and development : findings for social and economic development. Symposium A: Life sciences. Magellan Sutura, Kota Kinabalu, Sabah: 73-81.

- FLETCHER, C.D., ZUBAID, A., NORMAH, M.N. & APPANAH, S. 2002. Fruit bats: a review on the natural durian tree farmers. Proceeding of the MSTC. Research and Development findings towards excellence in Science and Technology. Symposium B: Environment, Biodiversity & Resource Management. 17-19 October 2002. Awana golf & country Resorts, Genting Highlands: 239-245.
- FOGG, T., FOGG, P. & WALTHAM, T. 2002. Magharet Qasir Hafit, a significant cave in the United Arab Emirates. *Tribulus* 12(1): 5-14.
- FORGET, F. 2001. De verzopen zomer. *Zoogdier* 12(3): 12-15.
- FORMAN, G.L. & GENOWAYS, H.H. 1979. Sperm morphology. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part III.* Lubbock, Texas Tech University: 177-204.
- FORMAN, G.L., PHILLIPS, C.J. & ROUK, C.S. 1979. Alimentary tract. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part III.* Lubbock, Texas Tech University: 205-227.
- FRANKLIN, D. 2003. Vertebrate pollinators visit flowers of an umbrella tree *Schefflera actinophylla* almost exclusively in the afternoon. *Northern Territory Naturalist* 17: 1-6.
- FREITAS, M.B., WELKER, A.F., MILLAN, S.F. & PINHEIRO, E.C. 2003. Metabolic responses induced by fasting in the common vampire bat *Desmodus rotundus*. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 173(8): 703-707.
- FUNAKOSHI, K. & MAEDA, F. 2003. Foraging activity and night-roost usage in the Japanese greater horseshoe bat, *Rhinolophus ferrumequinum nippon*. *Mammal Study* 28(1): 1-10.
- FURMANKIEWICZ, J. & ALTRINGHAM, J. 2004. Swarming behaviour and small scale genetic differentiation in *Plecotus auritus* populations. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 46-47.
- FURMANKIEWICZ, J., FURMANKIEWICZ, M. & TELATYNSKI, S. 2003. Nowe dane o występowaniu nocka orzesionego *Myotis emarginatus* (Geoffroy, 1806) w południowo-zachodniej Polsce = New data about the distribution of Geoffroy's bat *Myotis emarginatus* (Geoffroy, 1806) in south-western Poland. *Studia Chiropterologica* 3-4: 3-9.
- FURMANKIEWICZ, J., GOTTFRIED, T. & TELATYNSKI, S. 2001. Nowe stanowiska zimowania podkowca malego *Rhinolophus hipposideros* w Sudetach = [The new hibernacula *Rhinolophus hipposideros* in the Sudety Mountains]. *Chronmy Przyrode Ojczyzna* 57(2): 111-116.
- FURMANKIEWICZ, J. & KOKUREWICZ, T. [Eds]. 2002. *The bats of the Sudetes = Nietoperze Sudetów*. *Przyroda Sudetów Zachodnich Suppl.* 2: 1-87.
- FUZESSERY & LOHUIS, T.D. 2004. Sensitivity to interaural time differences in the sound envelope in the inferior colliculus and auditory cortex of the pallid bat. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 129-136.
- FUZESSERY, Z.M., FENG, A.S. & SUPIN, A. 2004. Central auditory processing of temporal information in bats and dolphins. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 115-122.
- GAISLER, J. 1970. Remarks on the thermopreferendum of Palearctic bats in their natural habitats. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 33-35.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GAISLER, J. 1975. Abundance and diversity of some populations of bats in Czechoslovakia. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- GAJDOSIK, M. & GAISLER, J. 2004. Diet of two Eptesicus bat species in Moravia (Czech Republic). *Folia Zoologica* 53(1): 7-16.
- GALAZYUK, A.V., WHITE, K.R. & FENG, A.S. 2004. Temporal dynamics of amplitude-tuning in the inferior colliculus of the little brown bat. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 136-141.
- GALINDO-GONZALEZ, J. 1998. Dispersión de semillas por murciélagos : su importancia en la conservación y regeneración del bosque tropical. *Acta Zoológica Mexicana* (n.s.) 73: 57-74.
- GALINDO-GONZALEZ, J. 2004. Clasificación de los murciélagos de la región de los Tuxtlas, Veracruz, respecto a su respuesta a la fragmentación del hábitat. *Acta Zoológica Mexicana* (n.s.) 20(2): 239-243.
- GALINDO-GONZALEZ, J., GUEVARA, S. & SOSA, V.J. 2000. Bat- and bird-generated seed rains at isolated trees in pastures in a tropical rainforest. *Conservation Biology* 14(6): 1693-1703.
- GALINDO-GONZALEZ, J. & SOSA, V.J. 2003. Frugivorous bats in isolated trees and riparian vegetation associated with human-made pastures in a fragmented tropical landscape. *The Southwestern Naturalist* 48(4): 579-589.
- GANNON, W.L., O'FARRELL, M.J., CORBEN, C. & BEDRICK, E.J. 2004. Call character lexicon and analysis of field recorded bat echolocation calls. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 478-484.
- GANNON, W.L., SHERWIN, R.E. & HAYMOND, S. 2003. On the importance of articulating assumptions when conducting acoustic studies of habitat use by bats. *Wildlife Society Bulletin* 31(1): 45-61.
- GARCIA-MUDARRA, J.L., JUSTE, J. & MUÑOZ, J. 2002. Aplicación de técnicas moleculares a la biología : ¿ Qué nos dicen de los quirópteros ? *Barbastella* 3: 24-28.
- GARDNER, A.L. 1987. Mammals : order Chiroptera : bats. In: Banks, R.C., MacDiarmid, R.W. & Gardner, A.L. [Eds]. *Checklist of the vertebrates of the United States, the U.S. territories, and Canada*. Washington D.C., U.S. Fish and Wildlife Service: 63-66.
- GARIN, I., GARCIA-MUDARRA, J.L., AIHARTZA, J., GOITI UGARTE, U. & JUSTE B., J. 2003. Presence of *Plecotus macrobullaris* (Chiroptera: Vespertilionidae) in the Pyrenees. *Acta Chiropterologica* 5(2): 243-250.
- GARRIDO GARCIA, J.A. 2002. Batallas aéreas. *Barbastella* 3: 7.
- GARRIDO GARCIA, J.A. & NOGUERAS, J. 2002. Atrapados. *Barbastella* 3: 11-12.
- GAS, A. 2003. Migracje *Myotis myotis* z kolonii rozrodczej w Jaskini Studnisko na zimowiska = Migration of *Myotis myotis* from maternity colony in Studnisko Cave to hibernacula. *Studia Chiropterologica* 3-4: 62-66.
- GASCHAK, S.P. 2003. Cikavi zoologični znachidki z pivnoci Kijvs'koj ta Cernigivs'koj oblasti = Interesting zoological records from North of Kyiv and Chernigiv regions. *Vestnik Zoologii* 37(3): 64.
- GAUR, B.S. 1980. Roosting ecology of the Indian desert rat-tailed bat, *Rhinopoma kinneari* Wroughton. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 125-128.
- GAVRIS, G.G. & KOTSERZHINSKAIA, I.M. 2002. [Finding of the *Pipistrellus kuhlii* (Chiroptera, Vespertilionidae) at the northern boundary of its distributional range in Ukraine (Shchorski District of Chernihiv region)]. *Vestnik Zoologii* 36(6): 50. [texte en russe].



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GAZARYAN, S.V. 2003. O sovremennom faunisticeskom statusce vodjanoj nocnicy *Myotis daubentonii* (Chiroptera, Vespertilionidae) na Kavkaze = Current faunal status of the Daubenton's bat *Myotis daubentonii* (Chiroptera, Vespertilionidae) in the Caucasus. *Plecotus et al.* 6: 37-48.
- GEHRT, S.D. & CHELSVIG, J.E. 2004. Species-specific patterns of bat activity in an urban landscape. *Ecological Applications* 14(2): 625-635.
- GELUSO, K.N. 1980. Renal form and function in bats : an ecophysiological appraisal. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 403-414.
- GELUSO, K.N., BENEDICT, R.A. & KOCK, F.L. 2004. Seasonal activity and reproduction in bats of east-central Nebraska. *Transactions of the Nebraska Academy of Sciences* 29: 33-44.
- GENOWAYS, H.H. 2001. Review of Antillean bats of the genus *Ariteus*. *Occasional Papers Museum of Texas Tech University* 206: 1-11.
- GERLACH, J. 2003. Sea-skimming by Seychelles fruit bats. *Phelsuma* 11: 79-80.
- GHAZALI, M.A. & DZEVERIN, I.I. 2004. Lack of function involves the increasing of variation in elements of the teeth system of some mouse-eared bats, *Myotis* (Vespertilionidae). In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 35.
- GHEORGIU, V. & MURARIU, D. 2002. *Pipistrellus kuhlii* Kuhl, 1819 and *P. pygmaeus* Leach, 1825 (Chiroptera: Vespertilionidae) recently reported in the Romanian vertebrate fauna. *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* 44: 443-454.
- GIANNINI, N.P. & BARQUEZ, R.M. 2003. *Sturnira erythromos*. *Mammalian species* 729: 1-5.
- GIANNINI, N.P. & KALKO, E.K.V. 2004. Trophic structure in a large assemblage of phyllostomid bats in Panama. *Oikos* 105(2): 209-220.
- GIANNINI, N.P. & SIMMONS, N.B. 2003. A phylogeny of megachiropteran bats (Mammalian: Chiroptera: Pteropodidae) based on direct optimization analysis of one nuclear and four mitochondrial genes. *Cladistics* 19(6): 496-511.
- GIANNINI, N.P. & SIMMONS, N.B. 2004. Megachiropteran phylogeny : solving apparent conflict between molecular and morphological data. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 21.
- GILLETTE, D.D. & KIMBROUGH, J.D. 1970. Chiropteran mortality. In: Slaughter, B.H. & Walton, D.W. [Eds]. *About bats : a chiropteran biology symposium (1969, Arlington)*. Dallas, Southern Methodist University Press: 262-283.
- GILLMANN, D. 2001. Réunion très privée. *Horizons* 49: 6-8
- GIORGI, M.S., ARLETTAZ, R., GUILLAUME, F., NUSSLE, S., OSSOLA, C., VOGEL, P. & CHRISTE, P. 2004. Causal mechanisms underlying host specificity in bat ectoparasites. *Oecologia* (Berlin) 138: 648-654.
- GIOSA, P. & FOMBONNAT, J. 2002. Quelques données sur les gîtes arboricoles en forêt de Tronçais (Allier). In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 5-6.
- GLASS, B.P. 1970. Feeding mechanisms of bats. In: Slaughter, B.H. & Walton, D.W. [Eds]. *About bats : a chiropteran biology symposium (1969, Arlington)*. Dallas, Southern Methodist University Press: 84-92.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GLEZER, I.L., HOF, P., MORGANE, P.J., FRIDMAN, A., ISAKOVA, T., JOSEPH, D., NAIR, A., PARHAR, P., THENGAMPALLIL, A., THOMAS, S., VENUGOPAL, R. & JUNG, G.H. 2004. Chemical neuroanatomy of the inferior colliculus in brains of echolocating and nonecholocating mammals : immunocytochemical study. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 161-172.
- GODLEVSKAYA, E.V. 2003. Svedenija o rukokrylych Kercenskogo poluostrova (Krym) = Data on bats of the Kerch Peninsula (the Crimea). *Plecotus et al.* 6: 29-36.
- GOETZE, J.R. 1998. The mammals of the Edwards Plateau, Texas. *Texas Tech Univ. Mus., Spec. Publ.* 41: 1-263.
- GOETZE, J.R., TOVAR, J. & FLORES A. 2001. Spider assemblages along the Rio Grande at Laredo, Texas. *Texas journal of science* 53(1): 29-38.
- GOITI, U., AIHARTZA, J., GARIN, I. & ZABALA, J. 2003. Influence of habitat on the foraging behaviour of the Mediterranean horseshoe bat, *Rhinolophus euryale*. *Acta Chiropterologica* 5(1): 75-84.
- GOITI UGARTE, U. 2002. Análisis de dieta en quirópteros. *Barbastella* 3: 17-19.
- GOITI UGARTE, U., VECIN, P., GARIN, I., SALOÑA, M. & AIHARTZA, J. 2003. Diet and prey selection in Kuhl's pipistrelle *Pipistrellus kuhlii* (Chiroptera: Vespertilionidae) in south-western Europe. *Acta Theriologica* 48(4): 457-468.
- GONZALEZ, J.C. 2003. Primeiro registro de *Eumops patagonicus* Thomas, 1924 para o Brasil (Mammalia: Chiroptera: Molossidae). *Comunicações do Museu de Ciências e Tecnologia da PUCRS. Série zoologia* 16(2): 255-258.
- GORLINSKY, I.A. & KONSTANTINOV, A.I. 1975. Auditory localization of ultrasonic source by *Rhinolophus ferrum-equinum*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [2 p.].
- GÖRNER, M. 2003. Historische Hinweise auf das Vorkommen der Kleinen Hufeisennase (*Rhinolophus hipposideros*) im Mittleren Saaletal bei Jena = [Historical information on the occurrence of the lesser horseshoe bat (*Rhinolophus hipposideros*) in the central Saale Valley at Jena]. *Säugetierkundliche Informationen* 5(27): 362-363.
- GORRESEN, P.M. & WILLIG, M.R. 2004. Landscape responses of bats to habitat fragmentation in Atlantic forest of Paraguay. *Journal of Mammalogy* 85(4): 688-697.
- GOULD, E. 1970. Bat conservation. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 313.
- GOULD, E. 1977. Echolocation and communication. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part II. Lubbock, Texas Tech University: 247-279.
- GOURET, L., GAIVORT, R. & MASLAK, S. 2003. Sur les traces des chauves-souris. Boulton-aux-Bois, Fédération des clubs CPN: 83 p. (Cahier technique de la Gazette des Terriers, 105).
- GRACIOLLI, G. 2003. Nova espécie de *Anatrichobius* Wenzel, 1966 (Diptera, Streblidae) do Brasil meridional. *Revista Brasileira de Entomologia* 47(1): 55-58.
- GRACIOLLI, G. 2003. Uma nova espécie de *Strebla* Wiedemann, 1824 (Diptera, Streblidae, Streblinae) sobre *Anoura caudifer* (E. Geoffroy, 1818) (Chiroptera, Phyllostomidae, Glossophaginae). *Revista Brasileira de Entomologia* 47(3): 435-436.
- GRACIOLLI, G. & DICK, C.W. 2004. A new species of *Metelasmus* (Diptera: Streblidae: Streblinae) from southern South America. *Zootaxa* 509: 1-8.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GRACIOLLI, G., PASSOS, F.C., PEDRO, W.A. & LIM, B.K. 2002. Records of Streblidae and Nycteribiidae (Diptera) on vespertilionid bats (Chiroptera: Vespertilionidae) from São Paulo State, Brazil. *Journal of the New York Entomological Society* 110(3-4): 402-404.
- GRANT, C. 2004. The conservation biology of the Southern bent-wing bat, *Miniopterus schreibersii bassanii*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 39.
- GREEN, N., ALTRINGHAM, J. & BUTLIN, R. 2004. Is autumn swarming in bats important in maintaining genetic diversity ? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 47.
- GREENHALL, A.M. 1970. The use of a precipitin test to determine host preferences of the vampire bats, *Desmodus rotundus* and *Diaemus youngi*. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 36-39.
- GREENHALL, A.M. 1988. Feeding behavior. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 111-131.
- GREENHALL, A.M. & SCHMIDT, U. [Eds]. 1988. *Natural history of vampire bats*. Boca Raton, CRC Press: 246 p.
- GREGORIN, R. & TADDEI, V.A. 2002. Chave artificial para a identificação de Molossídeos brasileiros (Mammalia, Chiroptera). *Mastozoología Neotropical* 9(1): 13-32.
- GREIMEL, B. 2004. Back to the future : flying fox conservation in orchard systems in Queensland, Australia. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 56.
- GREMILLET, X. & BOIREAU, J. 2004. Intoxication mortelle par le plomb et par le fongicide P.C.P. des juvéniles dans un gîte de parturition de grands rhinolophes, *Rhinolophus ferrumequinum*, dans le Finistère : difficultés du diagnostic et réalisation d'un gîte alternatif. In: *Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges)*. *Symbioses (n.s.)* 10: 59-61.
- GRIFFIN, D.R. 1958. *Listening in the dark : the acoustic orientation of bats and men*. New Haven, Yale University Press: XVIII, 413 p.
- GRIFFIN, D.R. 1970. Migrations and homing of bats. In: Wimsatt, W.A. [Ed]. *Biology of bats*. Vol. I. New York & London, Academic Press: 233-264.
- GRIFFIN, D.R. 1976. Bats : animal sonar experts. *Animal kingdom* 72(3)(Special issue): 12-16.
- GRIFFIN, D.R. & HOLLANDER, P. 1973. Directional patterns of bats' orientation sounds. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 3-6.
- GRISARD, E.C., STURM, N.R. & CAMPBELL, D.A. 2003. A new species of trypanosome, *Trypanosoma desterrensis* sp. n., isolated from South American bats. *Parasitology* 127(3): 265-271.
- GRUPE CHIROPTERES RHONE-ALPES & ISSARTEL, G. [Ed]. 2002. *Atlas des chiroptères de Rhône-Alpes*. Lyon, Centre Ornithologique Rhône-Alpes: 134 p. (Le Bièvre, hors série n° 2).
- GRUPE D'ETUDE DES MAMMIFERES DE LORRAINE. 1986. Etude éco-toxicologique d'une colonie estivale de petits rhinolophes (*Rhinolophus hipposideros*) en Lorraine. In: *Les chiroptères : Colloque francophone de mammalogie (9, 1985, Rouen)*. Rouen, Société française pour l'étude et la protection des mammifères: 69-83.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- GRUNWALD, J.-E., SCHÖRNICH, S. & WIEGREBE, L. 2004. Classification of natural textures in echolocation. Proceedings of the National Academy of Sciences of the United States of America : PNAS 101(15): 5670-5674.
- GU, X.M., LU, J., HAN, J., PENG, Y. & TU, Y. 2003. Karyotypes of seven species of Vespertilionidae bats. Acta Theriologica Sinica 23(2): 127-132.
- GUARDIOLA GOMEZ, A. & PILAR FERNANDEZ, M. 2002. Ilso del hábitat por quirópteros en el Parque Regional de las Salinas de San Pedro (Murcia). Barbastella 3: 20-23.
- GUERRERO, R., MARTIN, C. & BAIN, O. 2003. Litomosoides yutajensis n. sp., first record of this filarial genus in a mormoopid bat. Parasite 10(3): 219-225.
- GUILLEN SERVENT, A., FRANCIS, C.M. & RICKLEFS, R.E. 2003. Phylogeny and biogeography of the horseshoe bats. In: Csorba, G., Ujhelyi, P. & Thomas, N. Horseshoe bats of the world (Chiroptera: Rhinolophidae). Bishop's Castle, Alana Books: XII-XXIV.
- GUMAL, M.T. 2004. Diurnal home range and roosting trees of a maternity colony of Pteropus vampyrus natunae (Chiroptera: Pteropodidae) in Sedilu, Sarawak. Journal of tropical ecology 20(3): 247-258.
- GUNNELL, G.F., JACOBS, B.F., HERENDEEN, P.S., HEAD, J.J., KOWALSKI, E., MSUYA, C.P., MIZAMBWA, F.A., HARRISON, T., HABERSETZER, J. & STORCH, G. 2003. Oldest placental mammal from sub-Saharan Africa: Eocene microbat from Tanzania - evidence for early evolution of sophisticated echolocation. Palaeontologia Electronica 5(3): 1-10.
- GUYATT, K.J., TWIN, J., DAVIS, P., HOLMES, E.C., SMITH, G.A., SMITH, I.L., MACKENZIE, J.S. & YOUNG, P.L. 2003. A molecular epidemiological study of Australian bat lyssavirus. Journal of General Virology 84: 485-496.
- HAAN, A. 1997. Baardvleermuizen ontdekt in Dordrecht. Zoogdier 8(4): 29.
- HAARSMA, A.-J. 2001. Watervleermuizen in de Waterleidingduinen: onderzoek naar voedsel en habitat = [Daubenton's bat in the Waterleiding Dunes: feeding and habitat survey.] Zoogdier 12 (1): 15-19. (en hollandais).
- HAARSMA, A.-J. 2002. Een wijk vol mannen: resultaten van het eerste telemetrische onderzoek naar vleermuizen in Nederland = [A district full of men: results of the first telemetric study of bats in the Netherlands.] Zoogdier 13(4): 14-17. (en hollandais).
- HAARSMA, A.-J. 2002. Het analyseren van vleermuismest = [Analysing bat droppings]. Zoogdier 13(2): 13-15.
- HAARSMA, A.-J. 2003. Meervleermuizen ringen en dan terugvinden! = [Ringing pond bats and recovering them!] Zoogdier 14(2): 26-27.
- HAARSMA, A.-J. 2003. Meervleermuizen nemen heel Zuid-Holland over : resultaten van een tweede jaar telemetrie onderzoek aan vleermuizen in Nederland. Zoogdier 14(4): 18-21.
- HAENSEL, J. 1973. Ergebnisse der Fledermausberingungen im norden der DDR, unter besonderer Berücksichtigung des Massenwinterquartiers Rüdersdorf. In: International Bat Research Conference (3, 1972, Plitvice). Periodicum biologorum 75(1): 135-143.
- HAENSEL, J. 1975. Searching for intermediate quarters during seasonal migrations in the mouse-eared bat (Myotis myotis). In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.I.], [s.n.]: [1 p.].
- HAILINGER, R. & RUPRECHT, A.L. 1977. [Contribution to the ectoparasites fauna of bats from Bialowieza Primeval Forest]. Przegląd Zoologiczny 21(4): 332-334 (texte en polonais, résumé en anglais).



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HAITLINGER, R. & RUPRECHT, A.L. 1982. *Spinturnix acuminatus* (Koch, 1836) (Acarina, Spinturnicidae) a new mite species for the fauna of Poland. *Przegląd Zoologiczny* 26(2): 171-172 (texte en polonais, résumé en anglais).
- HAITLINGER, R. & RUPRECHT, A.L. 1985. Arthropods collected from Kujawian bats (Acari and Siphonaptera). *Polskie Pismo Entomologiczne = Bulletin entomologique de Pologne* 55: 615-618 (texte en polonais, résumé en anglais).
- HALL, L.S. & RICHARDS, G. 2000. Flying foxes : fruit and blossom bats of Australia. Malabar, Krieger: VI, 135 p.
- HALLS, J.A.T. 1975. Radar studies of bat sonar. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- HALPIN, K., YOUNG, P.L., FIELD, H. & MACKENZIE, J.S. 1999. Newly discovered viruses of flying foxes. *Veterinary microbiology* 68: 83-87.
- HALPIN, K., YOUNG, P.L., FIELD, H. & MACKENZIE, J.S. 2000. Isolation of Hendra virus from pteropid bats : a natural reservoir of Hendra virus. *Journal of General Virology* 81: 1927-1932.
- HAMILTON-SMITH, E. 1980. The status of Australian Chiroptera. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 199-205.
- HAMON, B. 1986. Recherche de produits organochlores dans du guano de chauves-souris. In: Les chiroptères : Colloque francophone de mammalogie (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 47-67.
- HANAK, V. & GAISLER, J. 1970. Comments on the protection of bats in Czechoslovakia and some suggestions on the research on bat populations. In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 5-7.
- HARBUSCH, C., ENGEL, E. & PIR, J.B. 2002. Die Fledermäuse Luxemburgs (Mammalia: Chiroptera) = [The bats of Luxembourg (Mammalia: Chiroptera)]. Luxembourg, Musée national d'histoire naturelle: 156 p. (Ferrantia : Travaux scientifiques du Musée national d'Histoire naturelle de Luxembourg, 33).
- HARBUSCH, C. & RACEY, P.A. 2004. Foraging habitat and insect preferences in serotine bats in relation to variations in land use. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 66.
- HARDT-GOMES, L. 2001. Order Chiroptera (bats). Public health. In: Fowler, M. E. & Cubas, Z.S. [Eds]. *Biology, medicine, and surgery of South American wild animals*. Iowa State University Press, Ames: 223-224.
- HARVEY, M.J. 1980. Status of the endangered bats *Myotis sodalis*, *M. grisescens*, and *Plecotus townsendii ingens* in the Southern Ozarks. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 221-223.
- HASLER, E. & WILKON, J. 1986. *Le cirque magique*. Zurich, Bohem-Press ; Paris, Cerf: [27 p.].
- HÄUSELMANN, P. 2004. Flora und Fauna der St. Beatus-Höhlen = Flore et faune des grottes de Saint-Béat. In: HÄUSELMANN, P. *Die St. Beatus-Höhlen : Entstehung, Geschichte, Erforschung = Les grottes de Saint-Béat : formation, historique, exploration*. Allschwill, Speleo Projects: 108-113. (Publikation der HRH, 7).
- HÄUSSLER, U., BRAUN, M., DORKA, V. & SPROLL, A. 2003. Wochenstubenfund der Mopsfledermaus im Hinteren Odenwald = Nursery colony of the barbastelle bat discovered in the region "Hinterer Odenwald" near Hardheim (SW-Germany). *Carolinea* 61: 185-190.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HAWKEY, C.M. 1988. Salivary antihemostatic factors. In: Greenhall, A.M. & Schmidt, U. [Eds]. Natural History of Vampire bats. Boca Raton, CRC Press: 133-141.
- HAYMAN, R.W., MISONNE, X. & VERHEYEN, W. 1966. The bats of the Congo and of Rwanda and Burundi. Tervuren, Musée royal de l'Afrique centrale: VII, 105 p. (Annales / Musée royal de l'Afrique Centrale. Série in-8°. Sciences zoologiques = Annalen / Koninklijk Museum voor Midden-Afrika. Reeks in-8°. Zoologische wetenschappen, 154).
- HECKEL, G. & VON HELVERSEN, O. 2002. Male tactics and reproductive success in the harem polygynous bat *Saccopteryx bilineata*. Behavioral Ecology 13(6): 750-756.
- HECKEL, G. & VON HELVERSEN, O. 2003. Genetic mating system and the significance of harem associations in the bat *Saccopteryx bilineata*. Molecular Ecology 12: 219-227.
- HECKENROTH, H. & POTT-DOERFER, B. [Eds]. 1991. Beiträge zum Fledermausschutz in Niedersachsen II. Hannover, Niedersächsisches Landesverwaltungsamt - Fachbehörde für Naturschutz: 176 p. (Naturschutz und Landschaftspflege in Niedersachsen, 26).
- HEFFNER, R.S., KOAY, G. & HEFFNER, H.E. 2003. Hearing in American leaf-nosed bats. III: *Artibeus jamaicensis*. Hearing Research 184(1-2): 113-122.
- HEIDEMAN, P.D. & UTZURRUM, R.C.B. 2003. Seasonality and synchrony of reproduction in three species of nectarivorous Philippines bats. BMC Ecology 3(11): 14 p.
- HELDMAIER, G. 1970. Variations of body temperature and metabolism during entrance into cold lethargy in the bat *Myotis myotis*. In: International Bat Research Conference (2, 1970, Amsterdam). Bijdragen tot de Dierkunde 40(1): 45-50.
- HELLER, K.-G., VOLLETH, M. & ACHMANN, R. 2001. First record of *Myotis emarginatus* (Chiroptera: Vespertilionidae) from Cyprus. Myotis 39: 123.
- HELVERSEN, D. VON & HELVERSEN, O. VON. 2003. Object recognition by echolocation : a nectar-feeding bat exploiting the flowers of a rain forest vine. Journal of comparative physiology. A : Sensory, neural and behavioral physiology 189(5): 327-336.
- HELVERSEN, O. VON & WINTER, Y. 2003. Glossophagine bats and their flowers : costs and benefits for plants and pollinators. In: Kunz, T.H., Fenton, M.B. [Eds]. Bat ecology. Chicago & London, The University of Chicago Press: 346-397.
- HENDRICKS, P., CARLSON, J. & CURRIER, C. 2003. Fatal entanglement of western long-eared *Myotis* in burdock. Northwestern Naturalist 84(1): 44-45.
- HENRY, M., BARRIERE, P., GAUTIER-HION, A. & COLYN, M. 2004. Species composition, abundance and vertical stratification of a bat community (Megachiroptera: Pteropodidae) in a West African rain forest. Journal of tropical ecology 20(1): 21-29.
- HENSHAW, R.E. 1970. Thermoregulation in bats. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 188-232 + suppl. de 6 p.
- HENSON, O.W. Jr. 1970. The central nervous system. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. II. New York & London, Academic Press: 57-152.
- HENSON, O.W. Jr. 1970. The ear and audition. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. II. New York & London, Academic Press: 181-263.
- HINES, J. & HINES, M. 1986. The secret world of bats. London, Methuen: 64 p.
- HINKEL, A. 2003. Ein Beitrag über die wissenschaftliche Umbenennung der Zweifarbfledermaus. Nyctalus 9(1): 51-56.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HITCHCOCK, H.B. & KEEN, R. 1980. Possible geographical influence on survival by sex in *Myotis lucifugus*. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 129-133.
- HO, Y.Y. & LEE, L.L. 2003. Roost selection by Formosan leaf-nosed bats (*Hipposideros armiger terasensis*). *Zoological Science (Tokyo)* 20(8): 1017-1024.
- HODGKISON, R. 2004. Carving out a home. *Bats* 22(1): 14.
- HOEVE, R., MOSTERT, K. & ZOON, K. 1996. Overwinterende vale vleermuis in Overijssel. *Zoogdier* 7(2): 34.
- HOFFMANN, F.G. & BAKER, R.J. 2003. Comparative phylogeography of short-tailed bats (Carollia: Phyllostomidae). *Molecular Ecology* 12(12): 3403-3414.
- HOFFMANN, F.G., OWEN, J.G. & BAKER, R.J. 2003. mtDNA perspective of chromosomal diversification and hybridization in Peters' tent-making bat (*Uroderma bilobatum*: Phyllostomidae). *Molecular Ecology* 12(11): 2981-2993.
- HOLDEN, C.P. & STOREY, K.B. 1998. Protein kinase A from bat skeletal muscle: a kinetic study of the enzyme from a hibernating mammal. *Archives of biochemistry and biophysics* 358(2): 243-250.
- HOLDERIED, M.W., JONES, G. & HELVERSEN, O. VON 2004. Optimising localisation performance in echolocation. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 29.
- HOLLAND, R., WINTER, P. & WATERS, D.A. 2004. Sensory systems and spatial memory in the megachiropteran bat *Rousettus aegyptiacus*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 27-28.
- HOLZHAIDER, J. & ZAHN, A. 2002. Verbreitung und Bestandssituation der Fledermause in Bayern unter besonderer Berücksichtigung der Alpen. [Distribution and population status of bats in Bavaria under particular consideration of the Alps.] *Jahrbuch des Vereins zum Schutze der Bergwelt* 67: 231-240.
- HOOFFER, S.R. & VAN DEN BUSSCHE, R.A. 2003. Molecular phylogenetics of the chiropteran family Vespertilionidae. *Acta Chiropterologica* 5(suppl.): 1-63.
- HOOGEVEEN, N. & VERHEGGEN, L. 1997. Vleermuizen kunnen weer naar de kerk. *Zoogdier* 8(4): 7-11.
- HOOPER, P.T., FRASER, G.C., FOSTER, R.A. & STORIE, G.J. 1999. Histopathology and immunohistochemistry of bats infected by Australian bat lyssavirus. *Australian Veterinary Journal* 77(9): 595-599.
- HOPE, G.M. & BHATNAGAR, K.P. 1980. Comparative electroretinography in phyllostomid and vespertilionid bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 79-89.
- HORÁČEK, I. & POUTIL, F. 2004. Why tribosphenic? On mystery of chiropteran teeth. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 35.
- HOUSTON, R.D., BOONMAN, A.M. & JONES, G. 2004. Do echolocation signal parameters restrict bats' choice of prey? In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 339-345.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HOUSTON, R.D. & JONES, G. 2004. Discrimination of prey during trawling by the insectivorous bat, *Myotis daubentonii*. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 356-361.
- HOWELL, K.M. 1975. Reproduction in the bat *Hipposideros ruber* (Noack). In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- HOYE, G. & SPENCE, J. 2004. The large bent-wing bat *Miniopterus schreibersii* in urban environments : a survivor? In: Lunney, D. & Burgin, S. [eds]. Urban wildlife : more than meets the eye. Mosman, Royal Zoological Society of New South Wales: 138-147.
- HRISTOV, N. 2004. Dueling in the dark : what moths tell bats in the heat of battle. *Bats* 22(2): 10-12.
- HSU, M.J. 2003. Albinism in the Japanese house bat *Pipistrellus abramus* and the Formosan leaf-nosed bat *Hipposideros terasensis* in Taiwan. *Mammalia* 67(3): 451-453.
- HU, J.-R. 2003. [Eight new records of Chiroptera in Chongqing Municipality]. *Sichuan Journal of Zoology* 22(2): 65.
- HUITEMA, H. 2001. Kernhems vleermuizenreservaat: bescherming of indianenverhalen ? = [The bat reserve at Kernhem, protection or simply a tall story?]. *Zoogdier* 12 (1): 3-8. (en hollandais).
- HUITEMA, H. 2003. Vleermuizen in de Schijnwerpers. *Zoogdier* 14(4): 27-28.
- HULVA, P., HORÁČEK, I., STRELKOV, P.P. & BENDA, P. 2004. Phylogeography of *Pipistrellus pipistrellus* / *P. pygmaeus* complex (Chiroptera: Vespertilionidae). In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 24-25.
- HULVA, P., HORÁČEK, I., STRELKOV, P.P. & BENDA, P. 2004. Molecular architecture of *Pipistrellus pipistrellus*/*Pipistrellus pygmaeus* complex (Chiroptera: Vespertilionidae) : further cryptic species and Mediterranean origin of the divergence. *Molecular phylogenetics and evolution* 32(3): 1023-1035.
- HUMPHREY, S.R. & BONACCORSO, F.J. 1979. Population and community ecology. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part III. Lubbock, Texas Tech University: 409-441.
- HUNT, J.L., MACWILLIAMS, L.A., BEST, T.L. & SMITH, K.G. 2003. *Eumops bonariensis*. *Mammalian species* 733: 1-5.
- HUTCHEON, J.M. 2004. Comparing chiropteran colliculi : neuroanatomical correlates of bat sensory ecology and foraging strategy. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 34.
- HUTCHEON, J.M. & KIRSCH, J.A.W. 2004. Camping in a different tree : results of molecular systematic studies of bats using DNA-DNA hybridization. *Journal of mammalian evolution* 11(1): 17-47.
- HUTCHINSON, J.T. 2003. Cursory assessment of bat activity in state parks of coastal southeast Florida. *Bat Research News* 44(2): 50-53.
- HUTCHINSON, J.T. & MEISENBURG, M. 2004. Two winter roost sites of Lasiurines in North-central Florida. *Bat Research News* 45(3): 90-91.
- HUTSON, A.M. 2000. Bats. Stillwater, Wordlife Library-Voyageur Press: 72 p.
- IBAÑEZ, C. 2002. Situación de las nuevas especies crípticas de murciélagos de Europa. *Barbastella* 3: 10.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- IBAÑEZ, C., JUSTE B., J., LOPEZ-WILCHIS, R. & NUÑEZ-GARDUÑO, A. 2004. Habitat variation and jamming avoidance in echolocation calls of the sac-winged bat (*Balantiopteryx plicata*). *Journal of Mammalogy* 85(1): 38-42.
- IL'IN, V.J., SMIRNOV, D.G. & JANJAEVA, N.M. 2003. Vlijanie antropogennogo faktora na rukokrylych (Chiroptera: Vespertilionidae) Povolz'ja = [Effects of the anthropogenic factor on bats (Chiroptera: Vespertilionidae) in the Volga region]. *Ekologija (Moscow)* 1: 69-74.
- ILLOLDI-RANGEL, P., SANCHEZ-CORDERO, V. & PETERSON, A.T. 2004. Predicting distributions of Mexican mammals using ecological niche modeling. *Journal of Mammalogy* 85(4): 658-662.
- ILYINA, G.V., SMIRNOV, D.G., YANYAEVA, N.M. & ILYIN, V.Y. 2003. K voprosu o sostave mikroflory, naseljajuscej produkty ziznedatelj'nosti rukokrylych v duplach derev'ev = On the composition of microflora colonizing excrements of bats in tree hollows. *Plecotus et al.* 6: 63-64.
- INTERNATIONAL BAT RESEARCH CONFERENCE (13, 2004, Mikolajki) ; BOGDANOWICZ, W., LINA, P.H.C., PILOT, M. & RUTKOWSKI, R. [Eds]. 2004. Programme and abstracts for the 13th International Bat Research Conference, Poland, Mikolajki, 23-27 August 2004. Warszawa, Museum and Institute of Zoology PAS: 120 p.
- INTERNATIONAL BAT RESEARCH CONFERENCE (13, 2004, Mikolajki) ; BOGDANOWICZ, W., LINA, P.H.C., PILOT, M. & RUTKOWSKI, R. [Eds]. 2004. Abstracts of papers presented at the 13th International Bat Research Conference, Mikolajki, Poland, 23-27 August 2004. *Bat Research News* 45(3): 95-170.
- INTERNATIONAL BAT RESEARCH CONFERENCE (2, 1970, Amsterdam). 1970. Proceedings of the Second International Bat Research Conference, Amsterdam, March 17-22, 1970. *Bijdragen tot de Dierkunde* 40(1): 1-102.
- INTERNATIONAL BAT RESEARCH CONFERENCE (3, 1972, Plitvice) ; DULIC, B. 1973. [Third International Bat Research Conference, held in Plitvice, Croatia, Yugoslavia from 5th to 10th September 1972]. *Periodicum biologorum* 75(1): 1-225.
- INTERNATIONAL BAT RESEARCH CONFERENCE (4, 1975, Nairobi). 1975. Fourth International Bat Research Conference, Sept. 22nd - Oct. 1st 1975 : [abstracts]. [S.l.], [s.n.]: [67 p.].
- INTERNATIONAL BAT RESEARCH CONFERENCE (4, 1975, Nairobi) ; OLEMBO, R.J., CASTELINO, J.B. & MUTERE, F.A. [Eds]. 1978. Proceedings of the Fourth International Bat Research Conference. Nairobi, Kenya Literature Bureau: 328 p.
- IRWIN, N.R. & SPEAKMAN, J.R. 2003. Azorean bats *Nyctalus azoreum*, cluster as they emerge from roosts, despite the lack of avian predators. *Acta Chiropterologica* 5(2): 185-192.
- ISSARTEL, G. 1999-2003. Réunions des Coordinateurs Chauves-Souris, 1999-2003 Procès-verbaux: [31 p.].
- ISSARTEL, G. 2004. Les chiroptères de Martinique : note sur l'occupation de quelques gîtes. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). *Symbioses (n.s.)* 10: 15-18.
- IUDICA, C.A., ARROYO-CABRALES, J., MACCARTHY, T.J. & PARDINAS, U.F.J. 2003. An insect-eating bat (Mammalia: Chiroptera) from the Pleistocene of Argentina. *Current research in the Pleistocene* 20: 101-103.
- IVANOVA, T. 2004. The secret life of the long-fingered bat (*Myotis capaccinii*) on the Balkans : conservation applications. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 60.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- JACOBS, D.S., EICK, G.N., RICHARDSON, E.J. & TAYLOR, P.J. 2004. Genetic similarity amongst phenotypically diverse little free-tailed bats, *Chaerephon pumilus*. *Acta Chiropterologica* 6(1): 13-21.
- JACOBS, D.S., EICK, G.N., SCHOEMAN, C.M. & MATHEE, C. 2004. Sympatric speciation in the insectivorous bat *Scotophilus dinganii*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 23-24.
- JACOBS, D.S. & FENTON, M.B. 2001. The status of *Sauromys petrophilus* and *Chaerephon pumilus* (Chiroptera: Molossidae) in the Western Cape Province of South Africa. *African Zoology* 36(2): 129-136.
- JACOBS, D.S. & FENTON, M.B. 2003. *Mormopterus petrophilus* : erratum. *Mammalian species* 703: 1.
- JAHELKOVA, H. 2003. Prehled a srovnání echolakních a sociálních signálu čtyř evropských druhů netopyru rodu *Pipistrellus* (Chiroptera: Vespertilionidae) = Review and comparison of the echolocation and social calls in four European bat species of the genus *Pipistrellus* (Chiroptera: Vespertilionidae). *Lynx (Praha)* 34: 13-28.
- JANSEN, R. & SPOELSTRA, K. 2001. Zeldzame vleermuizen terug in Nederland ? *Zoogdier* 12(2): 28-29.
- JANSEN, S. 1997. Vleermuiskelder en faunapassage in geluidswal. *Zoogdier* 8(4): 24.
- JANSEN, R. & BUYS, J. 2001. Inventarisatie van vleermuizen op kerkzolders: handleiding. R. Janssen, Buurmalsen: 28 p.
- JARZEMBOWSKI, T. 2003. Migration of the Nathusius' pipistrelle *Pipistrellus nathusii* (Vespertilionidae) along the Vistula Split. *Acta Theriologica* 48(3): 301-308.
- JAY, M. 2000. Oiseaux et mammifères, auxiliaires des cultures. Ctifl, Paris: 203 p.
- JAY, M. & TROTTIN, H. 2002. Contribution à l'étude de quelques gîtes artificiels pour chiroptères. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses (n.s.)* 6: 49-51.
- JAY, M. & TUPINIER, Y. 2003. Chauves-souris et vergers. *Infos-Ctifl* 193: 24-28.
- JAYARAJ, V.K., LAMAN, C.J. & ABDULLAH, M.T. 2004. Morphological variation in the genus *Cynopterus* of Peninsular Malaysia and Borneo. In: *Regional Conference on Environmental and Ecological Modeling (2004, Universiti Sains Malaysia)*: 11 p.
- JEN, P.H.-S. & GOLD, C.G. 2004. Detection of stationary and moving targets under clutter interference by the big brown bat *Eptesicus fuscus*. *Acta Zoologica Sinica* 50(1): 9-18.
- JEN, P.H.-S., MACCARTY, J.K. & LEE, Y.H. 1980. Avoidance of obstacles by little brown bats, *Myotis lucifugus*. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 23-27.
- JEN, P.H.-S., SUN, X., CHEN, Q.C., ZHANG, J. & ZHOU, X. 2004. Corticofugal modulation of midbrain auditory sensitivity in the bat. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 196-200.
- JEN, P.H.-S. & ZHOU, X. 2003. Corticofugal modulation of amplitude domain processing in the midbrain of the big brown bat, *Eptesicus fuscus*. *Hearing Research* 184(1-2): 91-106.
- JENNESS, R. & STUDIER, E.H. 1976. Lactation and milk. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part I*. Lubbock, Texas Tech University: 201-218.
- JENNINGS, N.V., PARSONS, S., BARLOW, K.E. & GANNON, M.R. 2004. Echolocation calls and wing morphology of bats from the West Indies. *Acta Chiropterologica* 6(1): 75-90.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- JEPSEN, G.L. 1970. Bat origins and evolution. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. I. New York & London, Academic Press: 1-64.
- JIA, G., ZHANG, Y. WU, T., ZHANG, S. & WANG, Y. 2003. Fruit bats as natural reservoir of zoonotic viruses. Chinese Science Bulletin 48(12): 1179-1182.
- JOHNSON, G.D., ERICKSON, W.P., STRICKLAND, M.D., SHEPHERD, M.F., SHEPHERD, D.A. & SARAPPO, S.A. 2003. Mortality of bats at a large-scale wind power development at Buffalo Ridge, Minnesota. American Midland Naturalist 150(2): 332-342.
- JOHNSON, J.B., MENZEL, M.A., EDWARDS, J.W. & FORD, W.M. 2002. A comparison of 2 acoustical bat survey techniques. Wildlife Society Bulletin 30(3): 931-936.
- JOHNSON, J.B., MENZEL, M.A., EDWARDS, J.W. & FORD, W.M. 2002. Gray bat night-roosting under bridges. Journal of the Tennessee Academy of Science 77(4): 91-93.
- JONES, C. 1976. Economics and conservation. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part I. Lubbock, Texas Tech University: 133-145.
- JONES, G., BARABAS, A., ELLIOTT, W. & PARSONS, S. 2002. Female greater wax moths reduce sexual display behavior in relation to the potential risk of predation by echolocating bats. Behavioral Ecology 13(3): 375-380.
- JONES, G. & BARLOW, K.E. 2004. Cryptic species of echolocating bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 345-349.
- JONES, G. & RYDELL, J. 2003. Attack and defense : interactions between echolocating bats and their insect prey. In: Kunz, T.H., Fenton, M.B. [Eds]. Bat ecology. Chicago & London, The University of Chicago Press: 301-345.
- JONES, G., WEBB, P.I., SEDGELEY, J.A. & O'DONNELL, C.F.J. 2003. Mysterious Mystacina : how the New Zealand short-tailed bat (*Mystacina tuberculata*) locates insect prey. Journal of Experimental Biology 206(23): 4209-4216.
- JONES, J.K. Jr. & CARTER, D.C. 1976. Annotated checklist, with keys to subfamilies and genera. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part I. Lubbock, Texas Tech University: 7-38.
- JONES, J.K. Jr. & CARTER, D.C. 1979. Systematic and distributional notes. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part III. Lubbock, Texas Tech University: 7-11.
- JONES, J.K. Jr. & GENOWAYS, H.H. 1970. Chiropteran systematics. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 3-21.
- JONES, K.E., BININDA-EMONDS, O.R.P. & GITTLEMAN, J.L. 2004. Bats, clocks and rocks : diversification patterns in Chiroptera. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 19.
- JONES, K.E. & MACLARNON, A.M. 2004. Affording larger brains : testing hypotheses of mammalian brain evolution on bats. The American naturalist 164(1): E20-E31.
- JUSTE B., J., IBAÑEZ, C. & MUÑOZ, J. 2004. Genetic structure in serotine bats, *Eptesicus serotinus*, at two different geographic scales from mtDNA sequences. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 23.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- JUSTE B., J., IBAÑEZ, C., MUÑOZ, J., TRUJILLO, D., BENDA, P., KARATAS, A. & RUEDI, M. 2004. Mitochondrial phylogeography of the long-eared bats (*Plecotus*) in the Mediterranean Palaeartic and Atlantic islands. *Molecular phylogenetics and evolution* 31(3): 1114-1126.
- KALKO, E.K.V. 2004. Sniffing it out : sensory ecology of fruit-eating bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 32.
- KALKO, E.K.V. 2004. Flexibility and stability : historical and ecological correlates of dietary diversity in Neotropical leaf-nosed bats (*Phyllostomidae*). In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 52-53.
- KALLEN, F.C. 1977. The cardiovascular systems of bats : structure and function. In: Wimsatt, W.A. [Ed]. *The Biology of Bats. Vol. III. New York [etc.]*, Academic Press: 289-483.
- KANUCH, P. 2004. Roosting and population ecology of three sympatric tree-dwelling bat species (*Myotis nattereri*, *M. daubentonii* and *Nyctalus noctula*). In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 40.
- KANUCH, P. & KRISTIN, A. 2003. First record of complete albinism in a vespertilionid bat (*Chiroptera: Vespertilionidae*) in Slovakia. *Lynx (Praha)* 34: 223-224.
- KANWAL, J.S., PENG, J.P. & ESSER, K.-H. 2004. Auditory communication and echolocation in the mustached bat : computing for dual functions within single neurons. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 201-208.
- KARATAS, A., BENDA, P., TOPRAK, F. & KARAKAYA, H. 2003. New and significant records of *Myotis capaccinii* (*Chiroptera: Vespertilionidae*) from Turkey, with some data on its biology. *Lynx (Praha)* 34: 39-46.
- KARIM, K.B. & BHATNAGAR, K.P. 2000. Early embryology, fetal membranes, and placentation. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 59-92.
- KAWAGUCHI, S. & YAMAMOTO, T. 2003. Food item found in pellets of long-eared owls wintering in Ehime, Japan. *Japanese Journal of Ornithology* 52(1): 29-31.
- KAWAMOTO, K. 2003. Endocrine control of the reproductive activity in hibernating bats. *Zoological science* 20(9): 1057-1069.
- KAYANJA, F.I.B. & KAYANJA, F.I.B. 1975. The first structure of the testis of the insectivorous bat, *Otomops martiensseni*. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- KAYIKCIOGLU, A. & ZAHN, A. 2004. High temperatures and the use of satellite roosts in *Rhinolophus hipposideros*. *Mammalian biology* 69(5): 337-341.
- KAZIAL, K.A. & MASTERS, W.M. 2004. Female big brown bats, *Eptesicus fuscus*, recognize sex from a caller's echolocation signals. *Animal Behaviour* 67(5): 855-863.
- KEELEY, A.T.H. & KEELEY, B.W. 2004. The mating system of *Tadarida brasiliensis* (*Chiroptera: Molossidae*) in a large highway bridge colony. *Journal of Mammalogy* 85(1): 113-119.
- KEELEY, B.W., FENTON, M.B. & ARNETT, E. 2003. A North American partnership for advancing research, education, and management for the conservation of bats and their habitats. *Wildlife Society Bulletin* 31(1): 80-86.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KELM, D. 2004. Thermoregulation in nectarivorous bats : how to respond when the nectar runs dry ? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 54.
- KERTH, G. 2004. Co-operation in bats : information transfer in colonies of the Bechstein's bat. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 41-42.
- KERTH, G., ALMASI, B., RIBI, N., THIEL, D. & LUEPOLD, S. 2003. Social interactions among wild female Bechstein's bats (*Myotis bechsteinii*) living in a maternity colony. *Acta Ethologica* 5(2): 107-114.
- KERTH, G. & RECKARDT, K. 2003. Information transfer about roosts in female Bechstein's bats: An experimental field study. *Proceedings of the Royal Society, Biological Sciences Series B* 270(1514): 511-515.
- KERVYN, T. 2001. Boer en vleermuis. *Zoogdier* 12(3): 46.
- KERVYN, T. 2002. Le radiopistage des chiroptères. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (8, 1999, Bourges). *Symbioses* (n.s.) 6: 37-38.
- KIEFER, A. & VEITH, M. 2001. A new species of long-eared bat from Europe (Chiroptera: Vespertilionidae). *Myotis* 39: 5-16.
- KIEFER, A. & VEITH, M. 2004. Gene flow versus bat new : why do bats swarm at underground sites ? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 42.
- KIFUNE, T. 1994. A tentative list of trematode parasitic on the Japanese bats. *Transactions of the Nagasaki Biological Society* 43: 1-13. [Texte en japonais, résumé en anglais].
- KIFUNE, T., IWATA, K. & SATO, M. 2004. Records of trematode parasites of several bats in Hokkaido. *Rishiri Studies* 23: 15-17.
- KILLANGO, A.B.C. 1975. The distribution of some fruit and insectivorous bats in East Africa. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- KINGDON, J. 1974. East African mammals : an atlas of evolution in Africa. Volume II, part A (insectivores and bats). London & New York, Academic Press: XI, 341, L p.
- KINGDON, J. 1974. Bats : Chiroptera. In: Kingdon, J. East African mammals : an atlas of evolution in Africa. Volume II, part A (insectivores and bats). London & New York, Academic Press: 111-341.
- KINGDON, J. 1975. African bats in the context of forest-savanna interaction. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- KINGSTON, T., FRANCIS, C.M., AKBAR, Z. & KUNZ, T.K. 2003. Species richness in an insectivorous bat assemblage from Malaysia. *Journal of tropical ecology* 19(1): 67-79.
- KINGSTON, T., KUNZ, T.H., HODGKISON, R. & ZUBAID, A. 1997. *Phoniscus jagorii*, a Vespertilionid bat newly recorded from Peninsular Malaysia. *Malayan Nature Journal* 50: 363.
- KINGSTON, T. & ROSSITER, S.J. 2004. Harmonic-hopping in Wallacea's bats. *Nature* (London) 429(6992): 654-657.
- KINJO, K., NAKAMOTO, A., IZAWA, M., BABA, M., DOI, T. & BOEADI. 2003. Preliminary report on the bat fauna in an agricultural field in West Java, Indonesia. *Bulletin of the Kitakyushu Museum of Natural History and Human History. Series A, Natural History* 1: 51-55.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KLEIMAN, D.G. & DAVIS, T.M. 1979. Ontogeny and maternal care. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part III.* Lubbock, Texas Tech University: 387-402.
- KOAY, G., HEFFNER, R.S., BITTNER, K.S. & HEFFNER, H.E. 2003. Hearing in American leaf-nosed bats. II: *Carollia perspicillata*. *Hearing Research* 178(1-2): 27-34.
- KOCK, D. 2004. Comment on the proposed conservation of the specific name of *Vespertilio nanus* Peters, 1852 (currently *Pipistrellus nanus*; Mammalia, Chiroptera): (case 3240; see BZN 60: 42-44, 314-315). *Bulletin of Zoological Nomenclature* 61(1): 48.
- KOCK, D. & ZINNER, D. 2004. Martienssen's mastiff bat, *Otomops martiensseni* (Matschie 1897) (Molossidae) in Eritrea. *African Bat Conservation News* 2: 3-4.
- KOENIG, S.E. & SCHWARTZ, M. 2003. *Epicrates subflavus* (Jamaican yellow boa): diet. *Herpetological Review* 34(4): 374-375.
- KOKUREWICZ, T. 2004. "Nietoperek" bat reserve: the origin, current protection status, importance for bats and bat research. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 39-40.
- KOKUREWICZ, T. 2004. Sex and age related habitat selection and mass dynamics of Daubenton's bats *Myotis daubentonii* (Kuhl, 1817) hibernating in natural conditions. *Acta Chiropterologica* 6(1): 121-144.
- KONSTANTINOV, A.I. 1973. Development of echolocation in bats in postnatal ontogenesis. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 13-19.
- KONSTANTINOV, A.I., MAKAROV, A.K. & SOKOLOV, B.V. 1975. Doppler-pulses sonar system in *Rhinolophus ferrum-equinum*. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- KONSTANTINOV, A.I., MOVTCHEV, V.N. & MAKAROV, A.K. 1973. Influence of band limited noises on the efficiency of echolocation detection of targets by *Rhinolophus ferrum-equinum*. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 7-11.
- KOOPMAN, K.F. 1973. Systematics of Indo-Australian *Pipistrellus*. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 113-116.
- KOOPMAN, K.F. 1975. The genus *Nycticeius* (Vespertilionidae) with special reference to Tropical Australia. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- KOOPMAN, K.F. 1988. Systematics and distribution. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 7-17.
- KOOPMAN, K.F. & MACINTYRE, G.T. 1980. Phylogenetic analysis of chiropteran dentition. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 279-288.
- KORINE, C. & PINSHOW, B. 2004. Guild structure, foraging space use, and distribution in a community of insectivorous bats in the Negev Desert. *Journal of Zoology, London* 262(2): 187-196.
- KORINE, C., SANCHEZ, F., PINSHOW, B. & DUDLEY, R. 2004. Does ethanol in ripe fruit serve as an olfactory cue and/or as an appetitive stimulant to Egyptian fruit bats, *Rousettus aegyptiacus*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 32-33.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KORINE, C., SPEAKMAN, J.R. & ARAD, Z. 2004. Reproductive energetics of captive and free-ranging Egyptian fruit bats (*Rousettus aegyptiacus*). *Ecology* 85(1): 220-230.
- KORSTEN, E. 2003. Oude vondst van een bosvleermuis *Nyctalus leisleri* (Kuhl, 1817) in Noord-Brabant = Old find of a Leisler's bat *Nyctalus leisleri* (Kuhl, 1817) in Noord-Brabant. *Lutra* 46(1): 35-38.
- KÖSSL, M., FOELLER, E. & FAULSTICH, M. 2004. Otoacoustic emissions and cochlear mechanisms in echolocating bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 104-109.
- KOVALYOVA, I.M. & TARABORKIN, L.A. 2001. The empirical estimation of adaptive transformations in the bats' thorax using the cluster analysis methods. In: Woloszyn, B. W. [Ed]. *Distribution, ecology, paleontology and systematics of bats : Bats & man: million years of coexistence : proceedings of the VIIIth EBRIS 2*. Krakow, Chiropterological Information Center: 59-80.
- KOVALYOVA, I.M. & TARABORKIN, L.A. 2004. Feasibility of active flight in bats : prerequisites and consequences. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 36.
- KOZAKIEWICZ, K. 2003. Letnie stanowiska nietoperzy na strychach budynków sakralnych w Beskidzie Niskim i Sadeckim oraz na Pogórzu Srodkowobeskidzkim - kontrole w latach 1999-2001 = Summer shelters of bats in church lofts in the Beskid Niski Mts., Beskid Sadecki Mts. and the Carpathian Foothills between 1999 and 2001. *Studia Chiropterologica* 3-4: 21-30.
- KRAPP, F. (Ed). 2001. *Chiroptera I : Rhinolophidae, Vespertilionidae 1*. Wiebelsheim, AULA: X, 602 p. (Handbuch der Säugetiere Europas, Bd 4 : Fledertiere, I).
- KRAPP, F. (Ed). 2004. *Chiroptera II : Vespertilionidae 2, Molossidae, Nycteridae*. Wiebelsheim, AULA: X, 606-1186 (Handbuch der Säugetiere Europas, Bd 4 : Fledertiere, II).
- KRUSKOP, S.V. 2003. Nachodki rukokrylych v doline reki Silki = Records of bats in the Shilka River valley. *Plecotus et al.* 6: 59-62.
- KRUSKOP, S.V. & MATVEEV, V.A. 2004. Topical issues of bat taxonomy in Russia. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 25.
- KUENZI, A.J. & MORRISON, M.L. 2003. Temporal patterns of bat activity in southern Arizona. *Journal of Wildlife Management* 67(1): 52-64.
- KUIPERS, B. & DAAN, S. 1970. "Internal migration" of hibernating bats : response to seasonal variation in cave microclimate. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 51-55.
- KUNZ, T.H. 1980. Daily energy budgets of free-living bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 369-392.
- KUNZ, T.H. 2004. Roost selection, social organization, and mating systems in the Chiroptera. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 42-43.
- KUNZ, T.H. & FENTON, M.B. [Eds]. 2003. *Bat ecology*. Chicago & London, The University of Chicago Press: XIX, 779 p.
- KUNZ, T.H. & LUMSDEN, L.F. 2003. Ecology of cavity and foliage roosting bats. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 3-89.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KÜNZLI, D., STUTZ, H.-P.B., MOECKLI, M. & HAFFNER, M. 1992-1993 Aktiver Fledermausschutz in der Gemeinde. Zürich, Koordinationsstelle Ost für Fledermausschutz: 1 classeur.
- KURTA, A. 1995. Mammals of the Great Lakes Region. Rev. ed. Ann Arbor, The University of Michigan Press: XII, 376 p.
- KURTA, A. 1995. Bats : order Chiroptera. In: Kurta, A. Mammals of the Great Lakes Region. Rev. ed. Ann Arbor, The University of Michigan Press: 60-90.
- KURTA, A. 2001. Bats on the surface: the need for shelter, food, and water. In: Vories, K.C. & Throgmorton (Eds). Bat conservation and mining. Office of Surface Mining, U.S. Department of the Interior, Alton, Illinois: 197-204.
- KURTA, A., CARYL, J. & LIPPS, T. 1997. Bats and Tippy Dam: species composition, seasonal use, and environmental parameters. Michigan Academician 29 (4): 473-490.
- KURTA, A. & KENNEDY, J. (Eds.). 2002. The Indiana bat : biology and management of an endangered species. Bat Conservation, Austin: 253 p. + 1 CD-ROM.
- KURTA, A. & RICE, H. 2002. Ecology and management of the Indiana Bat in Michigan. Michigan Academician 34(2): 175-190.
- KURTA, A. & STEWART, M.E. 1990. Parturition in the silver-haired bat, *Lasionycteris noctivagans*, with a description of the Neonates. The Canadian Field-Naturalist 104 (4): 598-600.
- KUSCH, J., WEBER, C., IDELBERGER, S. & KOOB, T. 2004. Foraging habitat preferences of bats in relation to food supply and spatial vegetation structures in a western European low mountain range forest. Folia Zoologica 53(2): 113-128.
- KUTT, A.S. 2003. Two north-western Queensland records of Gould's long-eared bat *Nyctophilus gouldi* (Chiroptera: Vespertilionidae) and evidence of cave roosting. The Australian zoologist 32(3): 480-481.
- KUZYAKIN, A.P. 1973. Review of investigation of the order Chiroptera by zoologists of the Soviet Union for the last two decades. In: International Bat Research Conference (3, 1972, Plitvice). Periodicum biologorum 75(1): 117-123.
- LA VAL, R.K. 2004. Impact of global warming and locally changing climate on tropical cloud forest bats. Journal of Mammalogy 85(2): 237-244.
- LACKI, M.J. 2004. Forest bats in the Timberlands : searching for the long-legged myotis in southern Oregon. Bats 22(2): 8-9.
- LACKI, M.J. & BAKER, M.D. 2003. A prospective power analysis and review of habitat characteristics used in studies of tree-roosting bats. Acta Chiropterologica 5(2): 199-208.
- LANE, A.C. 2003. The relative importance of various freshwater habitats found in the East Riding of Yorkshire (VC61) as bat (Chiroptera; Vespertilionidae) feeding sites. Yorkshire Naturalists Union Bulletin 40(Supplement): 102-110.
- LANGE, R. 1994. Orde Vleermuizen : Chiroptera. In: Lange, R. [et al.]. Zoogdieren van West-Europa. Utrecht, Vereniging voor Zoogdierkunde en Zoogdiergescherming: 41-77. (Veldgids, 8).
- LANGE, R. 2001. Slapen boven de vleermuizen. Zoogdier 12(4): 21-23.
- LANSZKI, J. & PURGER, J.J. 2001. Somogy megye emlos faunája (Mammalia) = The mammal fauna of Somogy county (Mammalia). Natura Somogyiensis 1: 481-494. [Texte en hongrois, résumé en anglais].
- LANZA, B., MUCEDDA, M. & AGNELLI, P. 2002. On the orange Sardinian *Rhinolophus mehelyi* Matschie 1901 (Mammalia Chiroptera Rhinolophidae). Museo Regionale di Scienze Naturali Bollettino (Torino) 19(2): 427-432.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LARNAC, G. & VIGNAL, P. 2004. La pédagogie et les chauves-souris : "La menace chauve-souris ?", malle pédagogique. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). Symbioses (n.s.) 10: 69.
- LAU, M. 2004. Bat pollination in the climber *Mucuna birdwoodiana*. Porcupine 30: 11-12.
- LAVAL, R.K. 2004. An ultrasonically silent night : the tropical dry forest without bats. In: Frankie, G.W., Mata, A. & Vinson, S.B. [Eds]. Biodiversity conservation in Costa Rica : learning the lessons in a seasonal dry forest. Berkeley, Los Angeles & London, University of California Press: 160-176.
- LAVENDER, W.A., CHILDS, J. & SIMMONS, J.A. 1975. High-frequency sensitivity and acoustic behavior in *Tadarida brasiliensis*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.I.], [s.n.]: [1 p.].
- LAW, B.S. 2004. Challenges for managing bats in the state forests of New South Wales. In: Lunney, D. [Ed]. Conservation of Australia's forest fauna. 2nd ed. Mosman, Royal Zoological Society of New South Wales: 748-760.
- LAW, B.S. & CHIDEL, M. 2004. Roosting and foraging ecology of the golden-tipped bat (*Kerivoula papuensis*) on the south coast of New South Wales. Wildlife Research 31(1): 73-82.
- LAZAREV, A.M. 2004. Letucie mysi - druž'ja sadov i ogorodov = [Bats - friends of orchards and gardens]. Zashita i Karantin Rastenij 2: 66-67.
- LE COMBER, S.C., BURLAND, T.M. & POLLY, D.P. 2004. Morphological and genetic divergence in vespertilionid bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 22.
- LE LAY-ROGUES, G. & CHASTEL, C. 1986. Arbovirus et chiroptères. In: Les chiroptères : Colloque francophone de mammalogie (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 35-46.
- LEBLANC, F. 2004. Chauves-souris de Guyane française : premiers éléments pour une reconnaissance acoustique. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). Symbioses (n.s.) 10: 9-13.
- LEBLANC, F. & ISSARTEL, G. 2004. Bats of French Antilles : elements to recognize them by their calls. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 47-48.
- LEBLANC, F. & TAUPIN, F. 2003. Découverte d'un jeune grand murin (*Myotis myotis*) albinos en Corrèze (19). L'envol des chiros 8: 1-2.
- LEEN, N. & NOVICK, A. 1969. The world of bats. Lausanne, Edita ; New York [etc.], Holt, Rinehart and Winston: 171 p.
- LEFEVRE, A. 2001. Kerken voor vleermuizen. Zoogdier 12(3): 45-46.
- LEFEVRE, A. 2001. Gedragsregels voor vleermuizen onderzoek. Zoogdier 12(3): 10-11.
- LEFEVRE, A. & CRIEL, D. 2001. Vleermuizenonderzoek en -bescherming in België. Zoogdier 12(3): 3-6.
- LEKAGUL, B. & MACNEELY, J.A. 1977. Order Chiroptera : bats. In: Lekagul, B. & MacNeely, J.A. Mammals of Thailand. Bangkok, B. Lekagul: 43-267;723-746.
- LERA, T.M. & FORTUNE, S. 1980. Bat management in the United States : survey of legislative actions, court decisions, and agency interpretations. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 207-212.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LESIŃSKI, G., FUSZARA, E., FUSZARA, M., KOWALSKI, M. & WOJTOWICZ, B. 2001. The parti-coloured bat *Vespertilio murinus* in Warsaw, Poland. *Myotis* 39: 21-25.
- LIANG, L. & HOUYONG, W. 2003. A new species and a new record of *Nycteridopsylla Oudemans*, 1906 (Siphonaptera: Ischnopsyllidae) from China. *Systematic Parasitology* 56(1): 57-61.
- LIBOIS, R.M. 1986. A propos d'écholocalisation chez les chiroptères. In: Les chiroptères : Colloque francophone de mammalogie (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 99-106.
- LIM, B.K., ENGSTROM, M.D., LEE, T.E. Jr., PATTON, J.C. & BICKHAM, J.W. 2004. Molecular differentiation of large species of fruit-eating bats (*Artibeus*) and phylogenetic relationships based on the cytochrome b gene. *Acta Chiropterologica* 6(1): 1-12.
- LIM, B.K., ENGSTROM, M.D., SIMMONS, N.B. & DUNLOP, J.M. 2004. Phylogenetics and biogeography of least sac-winged bats (*Balantiopteryx*) based on morphological and molecular data. *Mammalian biology* 69(4): 225-237.
- LIM, B.K., GENOWAYS, H.H. & ENGSTROM, M.D. 2003. Results of the alcoa foundation-Suriname expeditions. XII. First record of the giant fruit-eating bat, *Artibeus amplus*, (Mammalia: Chiroptera) from Suriname with a review of the species. *Annals of Carnegie Museum* 72(2): 99-107.
- LIMPENS, H. 2001. Het bos en zijn vleermuizen serieus genomen. *Zoogdier* 12 (2): 33-34. (en hollandais).
- LIMPENS, H. 2002. Beschermd vleermuizenleefgebied! Een nieuw informatiebordje in het landschap? = [Protected living area for bats! A new information notice board in the landscape?]. *Zoogdier* 13(4): 18-20.
- LIMPENS, H. & BONGERS, W. 2001. Een beschermingsplan voor de meervleermuis = [A protection plan for the pond bat.] *Zoogdier* 12 (1): 20-23. (en hollandais).
- LIMPENS, H., BONGERS, W. & HELMER, W. 2001. Territorium en strategie van de rosse vleermuis in de paartijd = [Territory and strategy of the common noctule during the breeding season.] *Zoogdier* 12 (2): 26-27. (en hollandais).
- LIMPENS, H.J.G.A. 2003. Nog kleiner dan de dwergvleermuis, en toch te vinden ? = [Even smaller than the common pipistrelle, and can it be found?]. *Zoogdier* 14(1): 32-33.
- LIMPENS, H.J.G.A. 2003. De boer op voor de franjestaart! = [Farmers on the side of Natterer's bats.] *Zoogdier* 14(2): 21-24.
- LIN, L.K., MOTOKAWA, M. & HARADA, M. 2002. Karyological study of the house bat *Pipistrellus abramus* (Mammalia: Chiroptera) from Taiwan with comments on its taxonomic status. *Raffles Bulletin of Zoology* 50(2): 507-510.
- LIN, L.K., MOTOKAWA, M., HARADA, M. & CHENG, H.C. 2002. New record of *Barbastella leucomelas* (Chiroptera: Vespertilionidae) from Taiwan. *Mammalian Biology* 67(5): 315-319.
- LINDHE NORBERG, U.M. & WINTER, Y. 2004. Changes in flight kinematics with increasing flight speed in a nectar-feeding bat, *Glossophaga soricina*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 46.
- LOBOVA, T.A. & MORI, S.A. 2004. Epizoochorous dispersal by bats in French Guiana. *Journal of tropical ecology* 20: 581-582.
- LOBOVA, T.A., MORI, S.A., BLANCHARD, F., PECKHAM, H. & CHARLES-DOMINIQUE, P. 2003. Cecropia as a food resource for bats in French Guiana and the significance of fruit structure in seed dispersal and longevity. *American Journal of Botany* 90(3): 388-403.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LOCARD, A. 1889. Chiroptera. In: Locard, A. Catalogue descriptif des mammifères sauvages et domestiques qui vivent dans le département du Rhône et dans les régions avoisinantes. Paris, J.-B. Baillière: 9-22.
- LOCARD, A. 1889. Catalogue descriptif des mammifères sauvages et domestiques qui vivent dans le département du Rhône et dans les régions avoisinantes. Paris, J.-B. Baillière: 78 p.
- LOCKE, R. 2004. A bat's eye view of a hidden world: ultraviolet vision helps bats find flowers. *Bats* 22(1): 6-7.
- LOCKE, R. 2004. Bat talk : do bats possess language ? *Bats* 22(3): 1-6.
- LOLLAR, A. & SCHMIDT-FRENCH, B. 2002. Captive care and medical reference for the rehabilitation of insectivorous bats. 2e éd. Mineral Wells, Bat World: XI, 340 p.
- LONG, G.R. 1975. Sound detection in bats. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- LOPEZ, J.E. & VAUGHAN, C. 2004. Observations on the role of frugivorous bats as seed dispersers in Costa Rican secondary humid forests. *Acta Chiropterologica* 6(1): 111-119.
- LOPEZ-FORMENT, W. 1980. Longevity of wild *Desmodus rotundus* in Mexico. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 143-144.
- LOPEZ-GONZALEZ, C. 2003. Murciélagos (Chiroptera) del estado de Durango, México: composición, distribución y estado de conservación. *Vertebrata Mexicana* 13: 15-23.
- LOPEZ-GONZALEZ, C. 2004. Ecological zoogeography of the bats of Paraguay. *Journal of Biogeography* 31(1): 33-45.
- LOPEZ-ORTEGA, G. 2004. Hábitos alimentarios de una colonia de *Dermanura azteca* en una zona templada de México = [Feeding habits of a colony of *Dermanura azteca* in a temperate area of Mexico]. *Vertebrata Mexicana* 14: 9-20.
- LOPEZ-ORTEGA, G. & GAONA, S. 2003. Cactáceas columnares como refugios para *Rhogeessa gracilis* en Zapotitlán Salinas, Puebla, México = [Columnar cacti as refuges for *Rhogeessa gracilis* in the valley of Zapotitlan Salinas, Puebla, Mexico.] *Vertebrata Mexicana* 13: 11-14.
- LORD, R.D. 1988. Control of vampire bats. In: Greenhall, A.M. & Schmidt, U. [Eds]. Natural History of Vampire bats. Boca Raton, CRC Press: 215-226.
- LOURENÇO, S.I. & PALMEIRIM, J.M. 2004. Ectoparasite loads and their impact on the physical condition of Schreiber's bat, *Miniopterus schreibersii*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 50-51.
- LOURENÇO, S.I. & RAINHO, A. 2004. Educational campaign about bat conservation in the Alqueva region (Southern Portugal). In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 58.
- LU, Y. & JEN, P.H.-S. 2002. Interaction of excitation and inhibition in inferior collicular neurons of the big brown bat, *Eptesicus fuscus*. *Hearing Research* 169(1-2): 140-150.
- LUCKETT, W.P. 1980. The use of fetal membrane data in assessing chiropteran phylogeny. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 245-265.
- LUFT, S. & CURIO, E. 2002. An improved necklace for marking fruit bats (Pteropodidae). *Ecotropica* 8(2): 249-251.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LÜFTL, S., FREITAG, B., DEUTZ, A. & TATARUCH, F. 2003. Concentrations of heavy metals in European bats (Microchiroptera). *Fresenius Environmental Bulletin* 12(4): 353-358.
- LUMSDEN, L.F. & BENNETT, A.F. 2004. Impacts of land-use and habitat change on insectivorous bats in rural landscapes, south-eastern Australia. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 49-50.
- LUNASCHI, L. 2002. Redescrípción y comentarios taxonómicos sobre *Ochoterenatrema labda* (Digenea: Lecithodendriidae), parásito de quirópteros en México. *Anales del Instituto de Biología, Universidad Nacional Autónoma de México, Serie Zoología* 73(1): 11-18.
- LUNASCHI, L. 2002. Tremátodos Lecithodendriidae y Anenterotrematidae de Argentina, México y Brasil. *Anales del Instituto de Biología, Universidad Nacional Autónoma de México, Serie Zoología* 73(1): 1-10.
- LUNASCHI, L., URRIZA, M. & MERLO-ALVAREZ, V.H. 2003. *Limatulum oklahomense* Macy, 1932 in *Myotis nigricans* (Chiroptera) from Argentina and a redescription of *L. umbilicatum* (Vélez et Thatcher, 1990) comb. nov. (Digenea, Lecithodendriidae). *Acta Parasitologica* 48(3): 172-175.
- LUSTRAT, P. 1996. Découverte d'une importante colonie de sérotines communes *Eptesicus serotinus* en lisière de la forêt de Fontainebleau. *Bulletin de l'Association des naturalistes de la Vallée du Loing et du Massif de Fontainebleau* 72(4): 149-151.
- LUSTRAT, P. 1998. Les animaux sauvages de la forêt de Fontainebleau. Hericy, Ed. du Puits Fleuri: 253 p.
- LUSTRAT, P. 1998. Les chauves-souris. In: Lustrat, P. *Les animaux sauvages de la forêt de Fontainebleau*. Hericy, Ed. du Puits Fleuri: 89-125.
- LUSTRAT, P. & JULIEN, J.-F. 2003. Douze années de suivi d'un important gîte d'hibernation de pipistrelles communes, *Pipistrellus pipistrellus*, à Paris. *Arvicola* 15(1): 6-7.
- LYMAN, C.P. 1970. Thermoregulation and metabolism in bats. In: Wimsatt, W.A. [Ed]. *Biology of bats*. Vol. I. New York & London, Academic Press: 301-330.
- MA, J. 2004. A Chinese fishing bat. *Bats* 22(2): 15.
- MA, J., ZHANG, L., LIANG, B., SHEN, J.X., ZHANG, S.Y. & JONES, G. 2003. Piscivorous habit and echolocation sound of *Myotis ricketti* at Fangshan, Beijing. *Zoological Research* 24(4): 265-268. [Texte en chinois, résumé en anglais].
- MA, L.M., LIU, J.Y. & YE, R.Y. 2003. New species of the genera *Dendrolaelaps* (Rhodacaridae) and *Celaenopsis* (Celaenopsidae) (Acari, Mesostigmata). *Acta Zootaxonomica Sinica* 28(2): 252-255.
- MACCRACKEN, G.F.M., HALLAM, T.G. & KUNZ, T.H. 2004. The role of bats in conventional agricultural landscapes. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 45.
- MACDANIEL, V.R. 1976. Brain anatomy. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae*. Part I. Lubbock, Texas Tech University: 147-200.
- MACIAS, S. & MORA, E.C. 2003. Variation of echolocation calls of *Pteronotus quadridens* (Chiroptera: Mormoopidae) in Cuba. *Journal of Mammalogy* 84(4): 1428-1426.
- MACKENNA, M.C. & BELL, S.K. 1997. *Classification of mammals : above the species level*. New York, Columbia University Press: XII, 631 p.
- MACKENZIE, N.L. & BULLEN, R.D. 2003. Identifying little sandy desert bat species from their echolocation calls. *Australian Mammalogy* 25: 73-80.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MACMANUS, J.J. 1977. Thermoregulation. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part II. Lubbock, Texas Tech University: 281-292.
- MAEDA, K. 1975. Variations in bent-winged bats, *Miniopterus schreibersii*, Kuhl, and least? horseshoe bats, *Rhinolophus cornutus* Temminck, in the Japanese Islands. 1. External characters. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- MAGRIS, L. 2003. The Jersey bat survey. Jersey, Environment Department Environment and Public Services Committee: 37 p.
- MAHARADATUNKAMSI, HISHEH, S., KITCHENER, D.J. & SCHMIT, L.H. 2003. Relationships between morphology, genetics and geography in the cave fruit bat *Eonycteris spelaea* (Dobson, 871) from Indonesia. *Biological Journal of the Linnean Society* 79(4): 511-522.
- MARIMUTHU, G., RAJAN, K.E., KOILRAJ, A.J., ISAAC, S.S. & BALASINGH, J. 1998. Observations on the foraging behavior of a tent roosting megachiropteran bat *Cynopterus sphinx*. *Biotropica* 30(2): 321-324.
- MARINA, M.T., TAY, T.W., WONG, C.H., ZUBAID, A. & KAMIS, A.B. 2003. Sperm counts, abnormalities and viability in an insectivorous bat, *Hipposideros larvatus*. *Malaysian applied biology* 32(1): 29-34.
- MARINA, M.T., WONG, C.H., TAY, T.W., ZUBAID, A. & KAMIS, A.B. 2002. Annual changes in testes mass in *Hipposideros larvatus*, *Cynopterus brachyotis* and *C. horsfieldi* (Chiroptera) from Peninsular Malaysia. *Malaysian applied Biology* 31(2): 85-86.
- MARINHO-FILHO, J. 2003. Notes on the reproduction of six phyllostomid bat species in Southeastern Brazil. *Chiroptera Neotropical* 9(1-2): 173-175.
- MARQUES, T.J., RAINHO, A., CARAPUÇO, M., OLIVEIRA, P. & PALMEIRIM, J.M. 2004. Foraging behaviour and habitat use by the European free-tailed bat *Tadarida teniotis*. *Acta Chiropterologica* 6(1): 99-110.
- MARSHALL, A.G. 1980. The comparative ecology of insects ectoparasitic upon bats in West Malaysia. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 135-142.
- MARTIN, K.W., LESLIE, D.M. (Jr.), PAYTON, M.E., PUCKETTE, W.L. & HENSLEY, S.L. 2003. Internal cave gating for protection of colonies of the endangered gray bat (*Myotis grisescens*). *Acta Chiropterologica* 5(1): 143-150.
- MARTIN, R.L. 1973. The current status of bat protection in the United States of America. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 153-154.
- MASLAK, S., GOURET, L. & MELBECK, D. 2003. Protégez les chauves-souris. Boulton-aux-Bois, Fédération des clubs CPN: 43 p. (Cahier technique de la Gazette des Terriers, 107).
- MASTERS, W.M. & HARLEY, H.E. 2004. Performance and cognition in echolocating mammals. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 249-259.
- MASTERS, W.M. & RAVER, K.A.S. 2004. Bats learning to use echoes with unfamiliar time-frequency structures. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 273-277.
- MATIS, S., DANKO, S., PJENCAK, P., UHRIN, M. & FULIN, M. 2000. Dalsie poznatky o vyskyte netopiera pobrezného (*Myotis dasycneme*) na Slovensku = New data on the occurrence of pond bat (*Myotis dasycneme*) in Slovakia. *Vespertilio* 4: 127-134.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MATIS, S., PJENCAK, P. & DANKO, S. 2000. Netopiere Chránenej krajinej oblasti Vychodné Karpaty a Národného parku Poloniny = Bats of the protected landscape area eastern Carpathians and the National Park Poloniny (NE-Slovakia). *Vespertilio* 4: 135-144.
- MCCOLL, K.A., CHAMBERLIN, T., LUNT, R.A., NEWBERRY, K.M., MIDDLETON, D. & WESTBURY, H.A. 2002. Pathogenesis studies with Australian bat lyssavirus in grey-headed flying foxes (*Pteropus poliocephalus*). *Australian Veterinary Journal* 80(10): 636-641.
- MCNAB, B.K. 2003. Standard energetics of phyllostomid bats: the inadequacies of phylogenetic-contrast analyses. *Comparative biochemistry and physiology Part A* 135: 357-368.
- MCNAB, B.K. 2003. Sample size and the estimation of physiological parameters in the field. *Functional Ecology* 17(1): 82-86.
- MEANS, D.B. 2003 Churning the food chain. *Bats* 21(4): 5-7.
- MEDELLIN, R.A. 2003. Diversity and conservation of bats in Mexico: research priorities, strategies, and actions. *Wildlife Society Bulletin* 31(1): 87-97.
- MEDELLIN, R.A., EQUIHUA, M. & AMIN, M.A. 2000. Bat diversity and abundance as indicators of disturbance in Neotropical rainforests. *Conservation Biology* 14(6): 1666-1675.
- MEHRANI, H. & STOREY, K.B. 1997. Protein kinase C from bat brain: the enzyme from a hibernating mammal. *Neurochemistry international* 31(1): 139-150.
- MEIN, P. & GINSBURG, L. 2002. Sur l'âge relatif des différents dépôts karstiques miocènes de la Grive-Saint-Alban (Isère). *Cahiers scientifiques / Muséum d'histoire naturelle de Lyon* 2: 7-47.
- MEIN, P. & PICKFORD, M. 2003. Fossil bat (Microchiroptera, Mammalia) from Arrisdrift, Namibia. *Memoir Geological Survey of Namibia* 19: 115-117.
- MELLANBY, R., MEE, A., CRESSWELL, W., IRWIN, M. & JENSEN, M. 1997. Glasgow University expedition to the Seychelles 1996: report. In: McKean, M. et al. [Eds]. Glasgow Univ.: 1-78.
- MELLO, M.A.R. 1999. Wer sind die Fledermäuse. *Boletim Inter-Cultural / APA-Rio* 5(23): [1 p.]
- MELLO, M.A.R. 1999. Quem são os morcegos. *Tribuna do Sul* 489: [1 p.]
- MELLO, M.A.R. 2002. Projeto morcegos & plantas. *Ciência online* 2(8): 1-4.
- MELLO, M.A.R. 2002. Morcegos gostam de pimentas. *Ciência hoje* 32(189): 74-76.
- MELLO, M.A.R. 2002. Interações entre o morcego *Carollia perspicillata* (Linnaeus, 1758) (Chiroptera: Phyllostomidae) e plantas do gênero *Piper* (Linnaeus, 1737) (Piperales: Piperaceae) em uma área de Mata Atlântica. Diss. Instituto de Biologia da Universidade do Estado do Rio de Janeiro: 79 p.
- MELLO, M.A.R., SCHITTINI, G.M., SELIG, P. & BERGALLO, H.G. 2004. Seasonal variation in the diet of the bat *Carollia perspicillata* (Chiroptera: Phyllostomidae) in an Atlantic forest area in southeastern Brazil. *Mammalia* 68(1): 49-55.
- MENDEZ, E. 1988. Parasites of vampire bats. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 191-206.
- MENSING-SOLICK, Y.R. & BARCLAY, R.M.R. 2003. The effect of canine tooth wear on the diet of big brown bats (*Eptesicus fuscus*). *Acta Chiropterologica* 5(1): 91-95.
- MERINO, M.L., UDRIZAR SAUHIER, D.E. & ABBA, A.M. 2003. New distributional records of bats species in the provinces of Buenos Aires and Entre Ríos, Argentina. *Biogeographica* 79(3): 85-95.
- MESCHEDE, A., HELLER, K.-G. & BOYE, P. (Eds). 2002. *Oekologie, Wanderungen und Genetik von Fledermäusen in Wäldern: Untersuchungen als Grundlage für den Fledermausschutz*. Schriftenreihe für Landschaftspflege und Naturschutz 71: 1-288.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MESCHEDE, A., HELLER, K.-G. & LEITL, R. 2002. Oekologie und Schutz von Fledermäusen in Wäldern: unter besonderer Berücksichtigung wandernder Arten. Schriftenreihe für Landschaftspflege und Naturschutz 66: 1-374.
- MESCHEDE, A., HELLER, K.-G. & LEITL, R. 2003. Ecologie et protection des chauves-souris en milieu forestier. *Le Rhinolophe* 16: 1-214.
- MESSENGER, S.L., RUPPRECHT, C.E. & SMITH, J.S. 2003. Bats, emerging virus infections, and the rabies paradigm. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 622-679.
- MESSENGER, S.L., SMITH, J.S., ORCIARI, L.A., YAGER, P.A. & RUPPRECHT, C.E. 2003. Emerging pattern of rabies deaths and increased viral infectivity. *Emerging Infectious Diseases* 9(2): 151-154.
- MEYER, C.F.J., SCHWARZ, C.J. & FAHR, J. 2004. Activity patterns and habitat preferences of insectivorous bats in a West African forest-savanna mosaic. *Journal of tropical ecology* 20: 397-407.
- MICHAELSEN, T.C., ANONBY, J.E., OLSEN, O., GRIMSTAD, K.J. & SOOT, K.M. 2003. Fenologi hos flaggermus på Nordvestlandet = Bat phenology in western Norway. *Fauna* 56(3): 122-132.
- MICHAELSEN, T.C., RØSBERG, T.A. & GRIMSTAD, K.J. 2002. Vannflaggermus *Myotis daubentonii* på insektjakt i marine fjorder med lav salinitet i øvre vannsjikt = Daubenton's bat *Myotis daubentonii* with hunting grounds above marine waters with low salinity surface layer. *Fauna* 55(3): 136-144.
- MIKICH, S.B. 2002. A dieta dos morcegos frugívoros (Mammalia, Chiroptera, Phyllostomidae) de um pequeno remanescente de Floresta Estacional Semidecidual do sul do Brasil. *Revista Brasileira de Zoologia* 19(1): 239-249.
- MIKICH, S.B., BIANCONI, G.V., SALES MAIA, B.H.L.N. & TEIXEIRA, S.D. 2003. Attraction of the fruit-eating bat *Carollia perspicillata* to *Piper gaudichaudianum* essential oil. *Journal of Chemical Ecology* 29(10): 2379-2383.
- MILLER, D.A. 2003. Species diversity, reproduction, and sex ratios of bats in managed pine forest landscapes of Mississippi. *Southeastern Naturalist* 2(1): 59-72.
- MILLER, D.A., ARNETT, E.B. & LACKI, M.J. 2003. Habitat management for forest-roosting bats of North America : a critical review of habitat studies. *Wildlife Society Bulletin* 31(1): 30-44.
- MILLER, L.A., FUTTRUP, V. & DUNNING, D.C. 2004. How extrinsic sounds interfere with bat biosonar. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 380-385.
- MILNE, D.J. & NASH, K.L. 2003. Range extension for the white-striped freetail bat *Tadarida australis* in the northern territory, from Anabat recording. *Northern Territory Naturalist* 17: 46-49.
- MILNE, D.J., REARDON, T.B. & WATT, F. 2003. New records for the Arnhem sheath-tail bat *Taphozous kapalgensis* (Chiroptera: Emballonuridae) from voucher specimens and Anabat recordings. *The Australian zoologist* 32(3): 439-445.
- MIRETZKI, M. 2003. Morcegos do Estado do Paraná, Brasil (Mammalia, Chiroptera) : riqueza de espécies, distribuição e síntese do conhecimento atual = [Bats of Parana state, Brazil (Mammalia, Chiroptera) : species richness, distribution and summary of current knowledge]. *Papéis Avulsos de Zoologia* 43(6): 101-138.
- MIROWSKY, K.-M., HORNER, P.A., MAXEY, R.W. & SMITH, S.A. 2004. Distributional records and roosts of southeastern *Myotis* and Rafinesque's big-eared bat in eastern Texas. *The Southwestern Naturalist* 49(2): 294-298.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MITCHELL-JONES, A.J. & MACLEISH, A.P. 2004. Bat worker's manual. 3rd ed. Peterborough, Joint Nature Conservation Committee: 178 p.
- MOHD-AZLAN, J., MARYANTO, I., KARTONO, A.P. & ABDULLAH, M.T. 2003. Diversity, relative abundance and conservation of chiropterans in Kayan Menterang National Park, East Kalimantan, Indonesia. *Sarawak Museum Journal* 58(79): 251-265.
- MOLINA-FREANER, F. & EGUIARTE, L.E. 2003. The pollination biology of two paniculate agaves (Agavaceae) from northwestern Mexico : contrasting roles of bats as pollinators. *American Journal of Botany* 90(7): 1016-1024.
- MOLINA-FREANER, F., ROJAS-MARTINEZ, A., FLEMING, T.H. & VALIENTE-BANUET, A. 2004. Pollination biology of the columnar cactus *Pachycereus pecten-aboriginum* in north-western Mexico. *Journal of Arid Environments* 56(1): 117-127.
- MONADJEM, A. 2004. Research on survival and movements of the common slit-faced bat (*Nycteris thebaica*) in north-eastern Swaziland. *African Bat Conservation News* 1: 4-5.
- MONSON, C.S., BANACK, S.A. & COX, P.A. 2003. Conservation implications of chamorro consumption of flying foxes as a possible cause of amyotrophic lateral sclerosis-Parkinsonism dementia complex in Guam. *Conservation Biology* 17(3): 678-686.
- MOORE, N.P., JONES, S., HUTSON, A.M. & GARTHWAITE, D. 2003. Assessing the outcome of English Nature advice on bat colony management and mitigation works. *English Nature Research Reports* 517: 9-59.
- MORA, E.C. & KÖSSL, M. 2004. Ambiguities in sound-duration selectivity by neurons in the inferior colliculus of the bat *Molossus molossus* from Cuba. *Journal of Neurophysiology* 91(5): 2215-2226.
- MORA, E.C., MACIAS, S., VATER, M., CORO, F. & KÖSSL, M. 2004. Specializations for aerial hawking in the echolocation system of *Molossus molossus* (Molossidae, Chiroptera). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 190: 561-574.
- MORENO BEJARANO, L.M. 1981. Distribucion de los chiroptera en el Parque nacional natural Tayrona. Thèse / Universidad nacional de Colombia, Facultad de ciencias, Departamento de biologia. Bogota, Universidad nacional de Colombia: 126 p.
- MORENO-VALDEZ, A., HONEYCUTT, R.L. & GRANT, W.E. 2004. Colony dynamics of *Leptonycteris nivalis* (Mexican long-nosed bat) related to flowering Agave in northern Mexico. *Journal of Mammalogy* 85(3): 453-459.
- MORETTI, M., ROESLI, M., GAMBONI, A.-S. & MADDALENA, T. 2003. I pipistrelli del Cantone Ticino. Lugano, Societa Ticinese di Scienze Naturali: 91 p. (Memorie, 6).
- MORMANN, B., MILAM, M. & ROBBINS, L. 2004. Hibernation : red bats do it in the dirt. *Bats* 22(2): 6-9.
- MORTON, J.M. & WILES, G.J. 2002. Observations of Mariana fruit bats (*Pteropus mariannus*) in the upper Talofofu watershed on southern Guam. *Micronesica* 34(2): 155-163.
- MORVAN, J.M., DEUBEL, V., GOUNON, P., NAKOUNE, E., BARRIERE, P., MURRI, S., PERPETE, O., SELEKON, B., COUDRIER, D., GAUTIER-HION, A., COLYN, M. & VOLEHKOV, V. 1999. Identification of Ebola virus sequences present as RNA or DNA in organs of terrestrial small mammals of the Central African Republic. *Microbes and Infection* 1: 1193-1201.
- MOSTERT, K. 1996. Bosmuis eet watervleermuis. *Zoogdier* 7(4): 33.
- MOSTERT, K. 1997. Overwinterende grootoorvleermuizen in een boom. *Zoogdier* 8(4): 27.
- MOSTERT, K., WONDERGEM, J. & VAN DER KUIL, R. 1996. Ook's winters vleermuizen in Zuid-Hollandse kerken. *Zoogdier* 7(4): 11-13.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MOTTE, G. & LIBOIS, R. 2004. Régime alimentaire des Plecotus en périodes pré-hivernale et hivernale en Belgique. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). Symbioses (n.s.) 10: 71.
- MOURA, M.O., BORDIGNON, M.O. & GRACIOLLI, G. 2003. Host characteristics do not affect community structure of ectoparasites on the fishing bat *Noctilio leporinus* (L., 1758) (Mammalia: Chiroptera). Memórias do Instituto Oswaldo Cruz 98(6): 811-815.
- MOUTOU, F. 1986. Les chauves-souris de la Réunion (Océan Indien). In: Les chiroptères : Colloque francophone de mammalogie (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 131-134.
- MUCHHALA, N. 2003. Exploring the boundary between pollination syndromes : bats and hummingbirds as pollinators of *Burmeistera cyclostigmata* and *B. tenuiflora* (Campanulaceae). Oecologia (Berlin) 134(3): 373-380.
- MUCHHALA, N. & JARRIN-V., P. 2002. Flower visitation by bats in cloud forests of western Ecuador. Biotropica 34(3): 387-395.
- MUKHIDA, M., ORPRECIO, J. & FENTON, M.B. 2004. Echolocation calls of *Myotis lucifugus* and *M. leibii* (Vespertilionidae) flying inside a room and outside. Acta Chiropterologica 6(1): 91-97.
- MUMFORD, R.E. 1973. Natural history of the red bat (*Lasiurus borealis*) in Indiana. In: International Bat Research Conference (3, 1972, Plitvice). Periodicum biologorum 75(1): 155-158.
- MUMFORD, R.E. & KNUDSON, D.M. 1975. Ecology of bats at Vicosá, Brazil. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- MUÑIZ-MARTINEZ, R., LOPEZ-GONZALEZ, C. ARROYO-CABRALES, J. & ORTIZ GOMEZ, M. 2003. Noteworthy records of free-tailed bats (Chiroptera: Molossidae) from Durango, Mexico. The Southwestern naturalist 48(1): 138-144.
- MUÑOZ-ROMO, M. & HERRERA, E.A. 2003. Leaf modifying behavior in *Artibeus lituratus*. Acta Chiropterologica 5(2): 273-276.
- MURAI, H. 2003. Field study of mammals for keeping and exhibition in zoo : study on hibernation of great horseshoe bats. Honyurui Kagaku Supplement Vol 3: 63-67.
- MURARIU, D. 2002. Contributions to the knowledge of mammal fauna (Mammalia) from south west Romania. Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa" 44: 431-441.
- MURRAY, S.W. & KURTA, A. 2004. Nocturnal activity of the endangered Indiana bat (*Myotis sodalis*). Journal of Zoology, London 262(2): 197-206.
- MUSEU DE CIENCIAS E TECNOLOGIA PUCRS (Ed.). 2003. IV encontro brasileiro para o estudo de quirópteros: 13 a 15 de dezembro de 2002: Anais. Divulgações do Museu de Ciências e Tecnologia UBEA PUCRS, Publicação Especial 2: 1-65.
- MUTERE, F.A. 1970. The breeding biology of Equatorial vertebrates : reproduction in the insectivorous bat, *Hipposideros caffer*, living at 0° 27' N. In: International Bat Research Conference (2, 1970, Amsterdam). Bijdragen tot de Dierkunde 40(1): 56-58.
- MUTERE, F.A. 1973. On the food of the Egyptian fruit bat *Rousettus aegyptiacus*, E. Geoffroy. In: International Bat Research Conference (3, 1972, Plitvice). Periodicum biologorum 75(1): 159-162.
- MUTERE, F.A. 1980. Eidolon helvum revisited. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 145-150.
- NADER, I.A. 1975. Zoogeographical notes on the bat fauna of Saudi Arabia. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- NADER, I.A. 1978. Zoogeographical notes on the bat fauna of Saudi Arabia. In: Olembo, R.J., Castelino, J.B. & Mutere, F.A. [Eds]. International Bat Research Conference (4, 1975, Nairobi). Nairobi, Kenya Literature Bureau: 173-176.
- NAGY, Z.L. & SZANTO, L. 2003. The occurrence of hibernating *Pipistrellus pipistrellus* (Schreber, 1774) in caves of the Carpathian Basin. *Acta Chiropterologica* 5(1): 155-160.
- NAVARRO, L. & SEBASTIAN, J. 2001. Un tesoro inesperado = An unexpected treasure. *Bat Conservation International*: 49 p.
- NAVARRO-FRIAS, F., GONZALEZ-RUIZ, N. & ALVAREZ-CASTAÑEDA, S.T. 2004. New record of two species of *Myotis* from Distrito Federal, México. *Bat Research News* 45(1): 7-8.
- NEMEC, P., LUCOVA, M., SKALOVA, H. & HORÁČEK, I. 2004. Bearing of neuromorphological traits on reconstruction of chiropteran phylogeny. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 17.
- NEMOZ, M., BARATAUD, M., ROUE, S.G. & SCHWAAB, F. 2002. Protection et restauration des habitats de chasse du petit rhinolophe (*Rhinolophus hipposideros*) : cartographie des habitats autour des colonies de mise bas : année 2002. Plan de restauration des chiroptères : rapport final : contrat d'étude BC02001597 / Ministère de l'Aménagement du Territoire et de l'Environnement, Direction de la Nature et des Paysages. Cuvier, Société Française pour l'Étude et la Protection des Mammifères (groupe chiroptères): 58 p.
- NERETTI, N., SANDERSON, M.I., INTRATOR, N. & SIMMONS, J.A. 2003. Time-frequency model for echo-delay resolution in wideband biosonar. *Journal of the Acoustical Society of America* 113(4): 2137-2145.
- NEUWEILER, G. 1970. Neurophysiological investigations in the colliculus inferior of *Rhinolophus ferrumequinum*. In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 59-61.
- NEWTON, L.R., NASSAR, J.M. & FLEMING, T.H. 2003. Genetic population structure and mobility of two nectar-feeding bats from Venezuelan deserts : inferences from mitochondrial DNA. *Molecular Ecology* 12(11): 3191-3198.
- NICHOLLS, B. & RACEY, P.A. 2004. Habitat preferences and resource partitioning in sympatric pipistrelle bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 68-69.
- NIEDERFRINIGER, O. 2002. Zur Verbreitung der Fledermäuse (Chiroptera) in Südtirol (1) : Hufeisennasen (Rhinolophidae) und Bulldogg-Fledermäuse (Molossidae) = [Notes on the dispersal of bats (Chiroptera) in South Tyrol (1) : horseshoe bats (Rhinolophidae) and free-tailed bats (Molossidae)]. *Gredleriana* 2: 163-182.
- NIEDERFRINIGER, O. 2003. Zur Verbreitung der Fledermäuse (Chiroptera) in Südtirol (2) : Glattnasen (Vespertilionidae). *Gredleriana* 3: 243-312.
- NIEDERFRINIGER, O. & DRESCHER, C. 2001. Distribution of bats (Chiroptera) in south Tyrol. In: Woloszyn, B. W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence*. Chiropterological Information Center, Krakow: 95-110.
- NOBLET, J.-F. & BERTHOUD, G. 1985. Les chauves-souris de France : étude et protection. Grenoble, Fédération Rhône-Alpes de protection de la nature Section Isère: 59 p.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- NOVACEK, M.J. 1980. Phylogenetic analysis of the chiropteran auditory region. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 317-330.
- NOVICK, A. 1977. Acoustic orientation. In: Wimsatt, W.A. [Ed]. The Biology of Bats. Vol. III. New York [etc.], Academic Press: 73-287.
- O'DONNELL, C.F.J. & PRYDE, M. 2004. Factors influencing survival and population viability in long-tailed bats, *Chalinolobus tuberculatus* : results of a long term mark-recapture study from New Zealand. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 56.
- O'NEILL, W.E. 2004. Feature extraction in the mustached bat auditory cortex. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 176-185.
- O'SHEA, T.J., BOGAN, M.A. & ELLISON, L.E. 2003. Monitoring trends in bat populations of the United States and territories: status of the science and recommendations for the future. *Wildlife Society Bulletin* 31(1): 16-29.
- OBRIST, M.K., BOESCH, R., FLÜCKIGER, P.F. & DIECKMANN, U. 2004. Who's calling ? : acoustic bat species identification revised with synergetics. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 484-492.
- ODHIAMBO, T.R. 1978. Bat science and technology. In: Olembo, R.J., Castelino, J.B. & Mutere, F.A. [Eds]. International Bat Research Conference (4, 1975, Nairobi). Nairobi, Kenya Literature Bureau: 3-5.
- OKON, E.E. 1980. Histological changes of the interscapular brown adipose tissue in *Eidolon helvum* in relation to diurnal activities of the bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 91-93.
- OKUMARA FINATO, A., VARELLA-GARCIA, M., TAJARA, E.H., TADDEI, V.A. & MORIELLE-VERSUTE, E. 2000. Intrachromosomal distribution of telomeric repeats in *Eumops glaucinus* and *Eumops perotis* (Molossidae, Chiroptera). *Chromosome Research* 8(7): 563-569.
- OLNHAUSEN, L.R. & GANNON, M.R. 2004. An evaluation of bat rabies prevention in the United States, based on an analysis from Pennsylvania. *Acta Chiropterologica* 6(1): 163-168.
- OMATSU, T., ISHII, Y., KYUWA, S., MILANDA, E.G., TERAOKA, K. & YOSHIKAWA, Y. 2003. Molecular evolution inferred from immunological cross-reactivity of immunoglobulin G among Chiroptera and closely related species. *Experimental Animals (Tokyo)* 52(5): 425-428.
- OPPLIGER, J. & BLANT, J.-D. 2002. Wanted : petit rhinolophe. *Cavernes* 46(1): 3-4.
- ORLOV, O.L., TARASOV, O. & SMAGIN, A. 2004. Ectoparasite loads and their impact on the physical condition of Schreiber's bat, *Miniopterus schreibersii*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 51.
- ORR, R.T. 1970. Development : prenatal and postnatal. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. I. New York & London, Academic Press: 217-231.
- ORSZAGHOVA, Z., MIKULICEK, P. & PACHINGER, K. 2003. Whiskered bat (*Myotis mystacinus*) as a prey of the edible frog (*Rana esculenta*). *Biológia (Bratislava)* 58(2): 291-293.
- OSBORNE, J.C., RUPPRECHT, C.E., OLSON, J.G., KSIAZEK, T.G., ROLLIN, P.E., NIEZGODA, M., GOLDSMITH, C.S., AN, U.S. & NICHOL, S.T. 2003. Isolation of Kaeng Khoi virus from dead *Chaerephon plicata* bats in Cambodia. *Journal of General Virology* 84(10): 2685-2689.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- OWEN, J.G. 2001. Effect of scale on a pattern of mammalian geographical distribution: a comparison between Texas and North America. *Texas Journal of Science* 53(3): 267-272.
- OWEN, S.F., MENZEL, M.A., FORD, W.M., CHAPMAN, B.R., MILLER, K.V., EDWARDS, J.W. & WOOD, P.B. 2003. Home-range size and habitat used by the northern myotis (*Myotis septentrionalis*). *American Midland Naturalist* 150(2): 352-359.
- PACHECO, V., SOLARI, S. & VELAZCO, P.M. 2004. A new species of *Carollia* (Chiroptera: Phyllostomidae) from the Andes of Peru and Bolivia. *Occasional Papers Museum of Texas Tech University* 236: 1-15.
- PAGE, R.A. & RYAN, M.J. 2004. Foraging flexibility and response to prey mating calls in the frog-eating bat, *Trachops cirrhosus*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 30.
- PALAKAL, M.J. & WONG, D. 2004. A biologically plausible framework for auditory perception in FM bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 459-468.
- PALMANS, G. 2001. Vleermuizenvangsten in de Limburgse mergelgroeven. *Zoogdier* 12(3): 21-24.
- PANOUSE, J.B. 1951. Les chauves-souris du Maroc. Tanger, Ed. Internationales: 120 p. (Travaux de l'Institut scientifique chérifien, 1).
- PARISOT, C. 2003. Mammalogie : nouvelles observations de la Barbastelle, *Barbastella barbastellus*, dans le sud Seine-et-Marnais et les environs. *Bulletin de l'Association des Naturalistes de la Vallée du Loing et du Massif de Fontainebleau* 79(1): 37-39.
- PARK, T.J., KLUG, A., HOLINSTAT, M. & GROTHE, B. 2004. Interaural level difference processing in the lateral superior olive and the inferior colliculus *Journal of Neurophysiology* 92(1): 289-301.
- PARMENTIER, E. & SANTUNE, V. 2004. Aires d'alimentation du grand murin et du murin à oreilles échanquées dans le Nord-Pas-de-Calais : identification des milieux et problématiques de protection de ces zones. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (9, 2002, Bourges). *Symbioses* (n.s.) 10: 57-58.
- PARSONS, K.N., JONES, G., DAVIDSON-WATTS, I. & GREENAWAY, F. 2003. Swarming of bats at underground sites in Britain : implications for conservation. *Biological Conservation* 111(1): 63-70.
- PARSONS, K.N., JONES, G. & GREENAWAY, F. 2003. Swarming activity of temperate zone microchiropteran bats : effects of season, time of night and weather conditions. *Journal of Zoology, London* 261(3): 257-264.
- PARSONS, S., GUILBERT, J. & WALKER, M. 2004. Visual prey detection in vespertilionids. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 31-32.
- PARSONS, S., LEWIS, K.J. & PSYLLAKIS, J.M. 2003. Relationships between roosting habitat of bats and decay of aspen in the sub-boreal forests of British Columbia. *Forest Ecology and Management* 177(1-3): 559-570.
- PARSONS, S. & OBRIST, M.K. 2004. Recent methodological advances in the recording and analysis of chiropteran biosonar signals in the field In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 468-477.
- PASSOS, F.C., SILVA, W.R., PEDRO, W.A. & BONIN, M.R. 2003. Frugivoria em morcegos (Mammalia, Chiroptera) no Parque Estadual Intervales, sudeste do Brasil = Frugivory in bats



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

(Mammalia, Chiroptera) at the Intervales State Park, Southeastern Brazil. *Revista Brasileira de Zoologia* 20(3): 511-517.

- PATTEN, M.A. 2004. Correlates of species richness in North American bat families. *Journal of Biogeography* 31(6): 975-985.
- PATTERSON, B.D., WILLIG, M.R. & STEVENS, R.D. 2003. Trophic strategies, niche partitioning, and patterns of ecological organization. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 536-579.
- PAVLINIC, I. & TVRTKOVIĆ, N. 2003. The presence of *Eptesicus nilssonii* and *Vespertilio murinus* in the Croatian bat fauna confirmed. *Natura Croatica* 12(2): 55-62.
- PECK, J.M. & KUENZI, A.J. 2003. Relationship of orientation of internal temperature of artificial bat roosts, southwestern Montana. *Intermountain Journal of Sciences* 9(1): 19-25.
- PEDERSEN, S.C. 2000. Skull growth and the acoustical axis of the head in bats. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 174-213.
- PEDERSEN, S.C., GENOWAYS, H.H., MORTON, M.N., JOHNSON, J.W. & COURTS, S.E. 2003. Bats of Nevis, northern Lesser Antilles. *Acta Chiropterologica* 5(2): 251-267.
- PENICAUD, P. & BOIREAU, J. 2002. Les fissures étroites, des gîtes attractifs pour les chauves-souris arboricoles : résultats de sept années de prospection en Bretagne. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 17-22.
- PENNAY, M., LAW, B.S. & REINHOLD, L. 2004. Bat calls of New South Wales : region based guide to the echolocation calls of microchiropteran bats. Hurstville, NSW Department of Environment and Conservation: 87 p.
- PENNYCUICK, C.J. 1973. Wing profile shape in a fruit-bat gliding in a wind tunnel determined by photogrammetry. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 77-82.
- PEPPERS, J.A., HAMILTON, M.J., MUÑIZ-MARTINEZ, R., ARROYO-CABRALES, J. & BRADLEY, R.D. 1997. Noteworthy karyotypes of rodents from Durango, Mexico. *Occasional Papers Museum of Texas Tech University* 168: 1-6.
- PEREZ, G.S.A. 1973. Notes on the ecology and life history of Pteropidae on Guam. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 163-168.
- PEREZ-TORRES, J. & AHUMADA, J.A. 2004. Assembling changes of high mountain cloud forest chiropterans in response to habitat fragmentation. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 68.
- PERONICO, C. & SBREK-ARAUJO, A.C. 2002. Diversidade faunística baseada em escavação tafonômica orientada de material sub-recente preservado em caverna da região cárstica de Lagoa Santa, Minas Gerais. *Arquivos do Museu Nacional (Rio de Janeiro)* 60(3): 195-198.
- PERRY, A.E. & ROGERS, G. 1964. Predation by great horned owl (*Bubo virginianus*) on young Mexican freetail bats (*Tadarida brasiliensis mexicana*) in major county, Oklahoma. *The Southwestern Naturalist* 9(3): 203.
- PESTANO, J., BROWN, R.P., SUAREZ, N.M., BENZAL, J. & FAJARDO, S. 2003. Intraspecific evolution of Canary Island plecotine bats, based on mtDNA sequences. *Heredity* 90(4): 302-307.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PETERS, S. 2004. Banishing the vampires of the jungle : a remote village finds a new appreciation for bats. *Bats* 22(2): 1-3.
- PETRZELKOVA, K.J. & ZUKAL, J. 2003. Does a live barn owl (*Tyto alba*) affect emergence behavior of serotine bats (*Eptesicus serotinus*)? *Acta Chiropterologica* 5(2): 177-184.
- PETTERSSON, S. 2004. Bat pollination in a West African rain forest community. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 62.
- PETTERSSON, S., ERVIK, F. & KNUDSEN, J.T. 2004. Floral scent of bat-pollinated species : West Africa vs. the New World. *Biological Journal of the Linnean Society* 82(2): 161-168.
- PFALZER, G. 2002. Inter- und intraspezifische Variabilität der Soziallaute heimischer Fledermausarten (Chiroptera: Vespertilionidae). Dissertation / Univ. Kaiserslautern. Berlin, Mensch & Buch: IV, 251, XVI p.
- PFALZER, G. & KUSCH, J. 2003. Structure and variability of bat social calls: implications for specificity and individual recognition. *Journal of Zoology (London)* 261(1): 21-33.
- PHILLIPS, C.J. 2000. A theoretical consideration of dental morphology, ontogeny, and evolution in bats. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 247-274.
- PHILLIPS, C.J., GRIMES, G.W. & FORMAN, G.L. 1977. Oral biology. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part II*. Lubbock, Texas Tech University: 121-246.
- PIENKOWSKI, J. 1992. Fliegenfresser ! München, Ars: [10 p.].
- PIERALLINI, R., KELLER, A. & MORETTI, M. 2004. Chiave di determinazione dei chiroteri (Mammalia) della Svizzera attraverso l'osservazione al microscopio ottico della struttura dei peli = Identification key of bats (Chiroptera) from Switzerland based on hair structure observed through optical microscope. *Revue suisse de zoologie* 111(2): 381-393.
- PILIPSKI, J.D., PILIPSKI, L.M. & RISLEY, L.S. 2004. West Nile virus antibodies in bats from New Jersey and New York. *Journal of Wildlife Diseases* 40(2): 335-337.
- PINKLEY, J. 2003. Counting bats the hard way. *Bats* 21(4): 1-4.
- POLESCHUK, E.M., KUZMIN, I.V., GAZARYAN, S.V. & BOTVINKIN, A.D. 2003. Zapadno-kavkazskij lissavirus rukokrylych : otsutstvie vakcinnoj zascity = West Caucasian bat virus : vaccine protection failure. *Plecotus et al.* 6: 67-71.
- POPE, C.R. 2003. Bats (Chiroptera) - 2002. *Proceedings of the Isle of Wight Natural History and Archaeological Society* 19: 51-53.
- PORTER, C.A. & BAKER, R.J. 2004. Systematics of *Vampyressa* and related genera of phyllostomid bats as determined by cytochrome-B sequences. *Journal of Mammalogy* 85(1): 126-132.
- PORTER, C.A., HOOFFER, S.R., VAN DEN BUSSCHE, R.A., LEE, T.E. Jr. & BAKER, R.J. 2003. Systematics of round-eared bats (*Tonatia* and *Lophostoma*) based on nuclear and mitochondrial DNA sequences. *Journal of Mammalogy* 84(3): 791-808.
- PORTFORS, C.V. & WENSTRUP, J.J. 2004. Neural processing of target distance : transformations of combination-sensitive responses. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 141-146.
- POWELL, V.J. & WEHNELT, S.C. 2003. A new estimate of the population size of the critically endangered Rodrigues fruit bat *Pteropus rodricensis*. *Oryx* 37(3): 353-357.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PRAT, C. 2004. La barbastelle en hibernation dans le Centre-Est de la France. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). Symbioses (n.s.) 10: 65-66.
- PRESETNIK, P. 2001. Popis netopirjev v okolici Turjaka = A survey of the bat fauna in the vicinity of Turjak (south central Slovenia). *Natura Sloveniae* 3(1): 5-18.
- PRESETNIK, P. & BERGANT, M. 2002. Kolonija velikega podkovnjaka *Rhinolophus ferrumequinum* (Schreber, 1774) v jami Loba^ogrote blizu Kocevja = Observations of the greater horseshoe bat *Rhinolophus ferrumequinum* maternity colony in the Loba^ogrote Cave near Kocevje (South Slovenia). *Natura Sloveniae* 4(2): 39-43.
- PRESETNIK, P. & CERAR, M. 2003. Opazovanja kolonije belorobega netopirja *Pipistrellus kuhlii* Kra^onji (osrednja Slovenija) v letu 2002 : spremembe ^otevilčnosti, čas izletavanja in prehranjevalni hitati = Monitoring of the Kuhl's pipistrelle *Pipistrellus kuhlii* colony at Kra^onja (Central Slovenia) in 2002 : changes in their numbers, emergence time and foraging habitats. *Natura Sloveniae* 5(2): 47-57.
- PRETI, V. 2001. D'où viens-tu, Grand Murin ? *Horizons* 49: 9.
- PRICE, L. 2000. Bats in Dark Caves at Batu Caves. *Malaysian Naturalist* 54(2): 44-45.
- PRICE, L. 2000. Bats, really. *Malaysian Naturalist* 54(2): 40-43.
- PRICE, L. 2001. Flora and fauna. In: Price, L. Caves and karst of Peninsular Malaysia. KL Malaysia, Gua Publications: 19.
- PRICE, L. 2003. Cave racers : bat meals dead or alive? *Malaysian Naturalist* 57(2): 32-33.
- PROVOST, P. 2003. Application d'un système de vidéo surveillance sur une colonie de grands murins dans la Manche. *L'envol des chiros* 8: 7-10.
- PUNT, A. 1970. Round table discussion on bat-conservation : summary. In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 3-4.
- PURRO, C. 2002. Suivi de la colonie de Grands Murins (*Myotis myotis*) du Pont de Corbières: rapport saison 2002. *Econat Fribourg*: 5 p.
- PUSTERLA, N., JOHNSON, E.M., CHAE, J.S. & MADIGAN, J.E. 2003. Digenetic trematodes, *Acanthatrium* sp. and *Lecithodendrium* sp., as vectors of *Neorickettsia risticii*, the agent of Potomac horse fever. *Journal of Helminthology* 77(4): 335-339.
- PYE, A. 1970. The aural anatomy of bats. In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 67-70.
- PYE, A. 1973. The structure of the cochlea in Chiroptera from Africa. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 83-87.
- PYE, A. 1975. Aspects of cochlear structure and function in bats. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- PYE, A. 1980. The structure of the cochlea in some New World bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 39-49.
- PYE, D. 1980. A review of bat-detector techniques. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 15-21.
- PYE, D. & THREADGALL, C. 1968. Bats. London [etc.], The Bodley Head: 31 p. (A Bodley Head natural science picture book).
- PYE, J.D. 1973. Echolocation by constant frequency in bats. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 21-26.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PYE, J.D. 1975. Some preliminary observations on flexible echolocation systems. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- QUAY, W.B. 1970. Integument and derivatives. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. II. New York & London, Academic Press: 1-56.
- QUAY, W.B. 1970. Peripheral nervous system. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. II. New York & London, Academic Press: 153-179.
- QUAY, W.B. 1970. Pineal organ. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. II. New York & London, Academic Press: 311-318.
- QUEIROZ DA SILVA, L.H., SEQUETIN CUNHA, E.M., PEDRO, W.A., CARDOSO, T.C., DE SOUZA, M.C.C. & FERRARI, C.I.L. 1999. Isolamento do vírus rábico em *Molossus ater* (Chiroptera: Molossidae) no Estado de São Paulo = Rabies in insectivorous bat - *Molossus ater* in S. Paulo State, Brazil. *Revista de Saúde Pública* 33 (6): 626-628.
- QUETGLAS, J., MIGENS, E. & IBÁÑEZ, C. 2002. Los murciélagos cavernícolas del Parque Natural Los Alcornocales y el porqué de las medidas compensatorias = [Cave-dwelling bats of the Los Alcornocales Natural Park and the reason for compensatory measures]. *Almoraima* 27: 33-39.
- QUMSIYEH, M.B. 1996. Order Chiroptera : bats. In: QUMSIYEH, M.B. *Mammals of the Holy Land*. Lubbock, Texas Tech University Press: 76-140.
- QUMSIYEH, M.B. 1996. *Mammals of the Holy Land*. Lubbock, Texas Tech University Press: X, 389 p.
- RACEY, P.A. 1973. The viability of spermatozoa after prolonged storage by male and female European bats. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 201-205.
- RACEY, P.A. 1975. The environmental control of reproduction in hibernating bats. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- RACEY, P.A. 2004. 8'000'000 fruit bats: Africa's best-kept wildlife secret. *Bats* 22(1): 1-5.
- RACEY, P.A. & ENTWISTLE, A.C. 2003. Conservation ecology of bats. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 680-743.
- RACHWALD, A. 2001. Barbastelle *Barbastella barbastellus* (Chiroptera: Vespertilionidae) in bats community of Bialowieza primeval forest (eastern Poland). In: Woloszyn, B. W. [Ed.]. *Distribution, ecology, paleontology and systematics of bats. Bats & man: million years of coexistence*. Chiropterological Information Center, Krakow: 133-141.
- RACHWALD, A., BRADFORD, T. & RACEY, P.A. 2004. Use of two forest types by bats in Deeside, Scotland. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 67.
- RACZYNSKI, J. & RUPRECHT, A.L. 1974. The effect of digestion on the osteological composition of owl pellets. *Acta ornithologica* 14: 25-38.
- RADTKE-SCHULLER, S. 2004. The auditory cortex of the horseshoe bat : neuroarchitecture and thalamic connections of physiologically characterized fields. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 208-214.
- RADULET, N. 2003. Contributions to the morphological study of the coxal bone of 11 bat species (Mammalia: Chiroptera) from Romania. *Travaux du Muséum d'Histoire Naturelle "Grigore Antipa"* 45: 373-380.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RAHM, U. 1976. Die Säugetiere der Schweiz. Basel, Naturhistorisches Museum: 87 p. (Veröffentlichung aus dem Naturhistorischen Museum Basel, 9).
- RAHM, U. 1976. Ordnung: Fledermäuse (Chiroptera). In: Rahm, U. Die Säugetiere der Schweiz. Basel, Naturhistorisches Museum: 17-20. (Veröffentlichung aus dem Naturhistorischen Museum Basel, 9).
- RAHMAN, M.A. & ABDULLAH, M.T. 2002. Notes on birds and mammals in a limestone forest of Banggi Island, Sabah, Malaysia. *Malayan Nature Journal* 56(2): 145-152.
- RAINHO, A., MARQUES, T.J., SALGUEIRO, P. & PALMEIRIM, J.M. 2004. Bats of the Atlantic archipelagos of Azores and Madeira : status and habitat use. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 50.
- RAMOS PEREIRA, M.J., REBELO, H., TEELING, E.C. & BATES, P.J.J. 2004. Globally endangered *Craseonycteris thonglongyai* in Myanmar. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 58-59.
- RANSOME, R.D. 1973. Factors affecting the timing of births of the greater horse-shoe bat (*Rhinolophus ferrumequinum*). In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 169-175.
- RANSOME, R.D. 1975. Daily activity patterns of the greater horseshoe bat *Rhinolophus ferrumequinum*, from April to September. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- RASWEILER, J.J. IV. 1977. The care and management of bats as laboratory animals. In: Wimsatt, W.A. [Ed]. *The Biology of Bats. Vol. III. New York [etc.]*, Academic Press: 519-617.
- RATCLIFFE, J.M. & DAWSON, J.W. 2003. Behavioural flexibility : the little brown bat, *Myotis lucifugus*, and the northern long-eared bat, *M. septentrionalis*, both glean and hawk prey. *Animal Behaviour* 66(5): 847-856.
- RATCLIFFE, J.M., TER HOFSTEDE, H.M., AVILA-FLORES, R., FENTON, M.B., MACCRACKEN, G.F.M., BISCARDI, S., BLASKO, J., GILLAM, E., ORPRECIO, J. & SPANJER, G. 2004. Conspicuous influence call design in the Brazilian free-tailed bat, *Tadarida brasiliensis*. *Canadian journal of zoology = Revue canadienne de zoologie* 82: 966-971.
- RAUSCHKOLB, M. 2004. A partnership for bats & mines: BCI and U.S. Borax go to work in Death Valley. *Bats* 22(1): 11-13.
- RAY, C.E., LINARES, O.J. & MORGAN, G.S. 1988. Paleontology. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 19-30.
- REBELO, H. & RAINHO, A. 2004. Bat conservation and big dams : the case study of Alqueva and Pedrógão dams. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 60.
- RED'KIN, Y.A. & GANITSKY, I.V. 2003. Novye nachodki rukokrylych (Chiroptera, Vespertilionidae) na ostrove Sachalin = New records of bats (Chiroptera, Vespertilionidae) on Sakhalin Island. *Plecotus et al.* 6: 65-66.
- REDDY, E. & FENTON, M.B. 2003. Exploiting vulnerable prey: Moths and red bats (*Lasiurus borealis*; Vespertilionidae). *Canadian Journal of Zoology* 81(9): 1553-1560.
- REEDER, D.A.M., KOSTECZKO, N.S., KUNZ, T.H. & WIDMAIER, E.P. 2004. Changes in baseline and stress-induced glucocorticoid levels during the active period in free-ranging male and female little



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

brown myotis, *Myotis lucifugus* (Chiroptera: Vespertilionidae). *General and Comparative Endocrinology* 136(2): 260-269.

- REEDER, D.A.M., KUNZ, T.H. & WIDMAIER, E.P. 2004. Baseline and stress-induced glucocorticoids during reproduction in the variable flying fox *Pteropus hypomelanus* (Chiroptera: Pteropodidae). *Journal of experimental zoology. Part A, Comparative experimental biology* 301: 682-690.
- REEP, R.L. & BHATNAGAR, K.P. 2000. Brain ontogeny and ecomorphology in bats. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 93-136.
- REGIDOR, H., MOSA, S. & NUNEZ, A. 2003. Confinamiento de una colonia de *Tadarida brasiliensis*, una alternativa de manejo compatible con la conservación = Confinement of a colony of *Tadarida brasiliensis*, an alternative of management compatible with conservation. *Chiroptera Neotropical* 9(1-2): 157-162.
- REHAK, Z., CHYTIK, J., BARTONICKA, T. & GAISLER, J. 2003. Vyskyt drobných savců na území Biosférické rezervace Dolní Morava (rozšířená Biosférická rezervace Pálava). Část II : Netopyři - Microchiroptera = Distribution of small mammals in the Biosphere Reserve Lower Morava (extended BR Pálava). Part II : Bats - Microchiroptera. *Lynx (Praha)* 34: 181-203.
- REID, F.A. 1997. *A field guide to the mammals of Central America & Southeast Mexico*. New York & Oxford, Oxford University Press: XIV, 334 p.
- REID, F.A. 1997. Bats : order Chiroptera. In: REID, F.A. *A field guide to the mammals of Central America & Southeast Mexico*. New York & Oxford, Oxford University Press: 71-172.
- REIDINGER, R.F. Jr. & COCKRUM, E.L. 1975. Organochlorine residues in free-tailed bats (*Tadarida brasiliensis*) at Eagle Creek Cave, Greenlee Co., Arizona. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [2 p.].
- REITER, A., HANAK, V., BENDA, P. & BARCIOVA, L. 2003. Netopyři (Chiroptera) jihozápadní Moravy = Bats (Chiroptera) of South-Western Moravia (Czech Republic). *Lynx (Praha)* 34: 79-180.
- REITER, G. 2004. Postnatal growth and reproductive biology of *Rhinolophus hipposideros* (Chiroptera: Rhinolophidae). *Journal of Zoology, London* 262(3): 231-241.
- RHODES, M. 2004. Fission-fusion in *Tadarida australis*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 38.
- RIDEAU, C. 2004. Densité et comportement reproducteur de la pipistrelle de *Nathusius* en Normandie. In: *Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges)*. *Symbioses (n.s.)* 10: 63-64.
- RIECHERS PEREZ, A., MARTINEZ-CORONEL, M. & VIDAL LOPEZ, R. 2003. Consumo de polen de una colonia de maternidad de *Leptonycteris curasoae yerbabuenae* en Tuxtla Gutiérrez, Chiapas, México = [Pollen consumption by a maternity colony of *Leptonycteris curasoae yerbabuenae* in Tuxtla Gutierrez, Chiapas, Mexico]. *Anales del Instituto de Biología, Universidad Nacional Autónoma de México, Serie Zoológica* 74(1): 53-66.
- RIEDEL, M.L. 1977. Blood physiology. In: Wimsatt, W.A. [Ed]. *The Biology of Bats*. Vol. III. New York [etc.], Academic Press: 485-517.
- RIENKS, F. 2004. Een grootoorvleermuis is geweldig om te tekenen : interview met Peter Twisk = [A long-eared bat is a wonderful animal to draw : interview with Peter Twisk]. *Zoogdier* 15(2): 18-20.
- RIENKS, F. & TWISK, P. 2003. Ingekorven vleermuis terug in Noord-Brabant. *Zoogdier* 14(4): 34.
- RIPPER, C.L. 1954. *Bats*. New York, W. Morrow: 63 p.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RIQUIMAROUX, H. 2003. Signal processing systems for echolocation in the bat's brain. *Japanese Journal of Animal Psychology* 53(1): 27-40.
- ROBBINS, R.G., BANGS, M.J. & KEIRANS, J.E. 2004. First report of *Ixodes kopsteini* Oudemans (Acari: Ixodida: Ixodidae) from the Kingdom of Cambodia, with a summary of known hosts of this tick in continental southeastern Asia. *Proceedings of the Entomological Society of Washington* 106(2): 472-474.
- ROBERTS, L.H. 1973. Cavity resonances in the production of orientation cries. In: *International Bat Research Conference* (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 27-32.
- ROBERTS, T.J. 1997. Chiroptera. In: Roberts, T.J. *The mammals of Pakistan*. Rev. ed. Oxford, Oxford University Press: 46-122.
- ROBINSON, M.F., JENKINS, P.D., FRANCIS, C.M. & FULFORD, A.J.C. 2003. A new species of the *Hipposideros pratti* group (Chiroptera, Hipposideridae) from Lao PDR and Vietnam. *Acta Chiropterologica* 5(1): 31-48.
- RODE, P. 1947. Les chauves-souris de France : clef de systématique, caractères morphologiques et dentaires, caractères physiologiques et biologiques. Paris, N. Boubée: 69 p. (Atlas des vertébrés, 6).
- RODRIGUES, L., ZAHN, A., RAINHO, A. & PALMEIRIM, J.M. 2003. Contrasting the roosting behaviour and phenology of an insectivorous bat (*Myotis myotis*) in its southern and northern distribution ranges. *Mammalia* 67(3): 321-335.
- RODRIGUES NORONHA, R.C., NAGAMACHI, C.Y., PIECZARKA, J.C., MARQUES-AQUIAR, S. & DE SOUZA BARROS, R.M. 2001. Sex-autosome translocations : meiotic behaviour suggests an inactivation block with permanence of autosomal gene activity in phyllostomid bats. *Caryologia* 54(3): 267-277.
- RODRIGUEZ, R.L. & GREENFIELD, M.D. 2004. Behavioural context regulates dual function of ultrasonic hearing in lesser waxmoths : bat avoidance and pair formation. *Physiological Entomology* 29(2): 159-168.
- RODRIGUEZ-DURAN, A. & SOTO-CENTENO, J.A. 2003. Temperature selection by tropical bats roosting in caves. *Journal of Thermal Biology* 28(6-7): 465-468.
- ROER, H. 1970. Zur Wasserversorgung der Microchiropteren *Eptesicus zuluensis vansoni* (Vespertilionidae) und *Sauromys petrophilus erongensis* (Molossidae) in der Namibwüste. In: *International Bat Research Conference* (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 71-73.
- ROER, H. 1980. Population trends of bats in the Federal Republic of Germany with particular reference to the Rhineland. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 193-198.
- ROMIJN, P.C., SILVA, M.V., DE OLIVEIRA, A.N. & ANDRADE, M.C.R. 1996. Contenção de quirópteros : a utilização da pinça Collin = The use of Collin forceps as an aid for bat handling. *Revista Universidade rural. Série Ciências da Vida* 18 (1-2): 111-114.
- ROMO, M., TUOMISTO, H. & LOISELLE, B.A. 2004. On the density-dependence of seed predation in *Dipteryx micrantha*, a bat-dispersed rain forest tree. *Oecologia* (Berlin) 140(1): 76-85.
- ROS, J. 2002. Le statut du grand rhinolophe en France. In: *Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses* (n.s.) 6: 33-34.
- ROSENBAUM, R.M. 1970. Urinary system. In: Wimsatt, W.A. [Ed]. *Biology of bats*. Vol. I. New York & London, Academic Press: 331-387.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ROSENBERGER, M.H., FREMOUW, T., CASSEDAY, J.H. & COVEY, E. 2003. Expression of the Kv1.1 ion channel subunit in the auditory brainstem of the big brown bat, *Eptesicus fuscus*. *Journal of Comparative Neurology* 462(1): 101-120.
- ROSSINA, V.V. 2003. Murinogontija - osobyj tip stroenija koronok niznich moljarov rukokrylych = Murinodonty as a distinct type of the crown structure of lower molars in bats. *Plecotus et al.* 6: 3-6.
- ROSSITER, S.J., RANSOME, R.D., FAULKES, C.G. & JONES, G. 2004. Breeding behaviour and its implications for sociality in temperate bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 41.
- ROUE, S.G. 1998. Plan de restauration sur les chiroptères : état des connaissances : document de travail. Etude / C.P.E.P.E.S.C. Franche-Comté, S.F.E.P.M. [S.l.], Ministère de l'aménagement du territoire et de l'environnement, Direction régional de l'environnement Franche-Comté: 24 p.
- ROUE, S.G. & SIRUGUE, D. 2002. Le minioptère de Schreibers en Bourgogne. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris" (8, 1999, Bourges)*. *Symbioses (n.s.)* 6: 52.
- ROUE, S.G. & SIRUGUE, D. 2003. Les chauves-souris. *La feuille de Neomys* 7: 6-7.
- ROUE, S.G. & SIRUGUE, D. 2004. Plan régional d'actions chauves-souris en Bourgogne : de la genèse aux résultats. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris" (9, 2002, Bourges)*. *Symbioses (n.s.)* 10: 51-56.
- ROUE, S.Y. & GUILLAUME, C. 2004. Impact de la protection de cavités en Franche-Comté : comparaison d'évolution de populations hivernales entre deux cavités naturelles. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris" (9, 2002, Bourges)*. *Symbioses (n.s.)* 10: 67-68.
- RUEDI, M., BENDA, P., BERTHIER, P. & SCARAVELLI, D. 2004. A molecular appraisal of the *Myotis myotis - blythii - punicus* species complex : the Good, the Bad and the Ugly ! In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 24.
- RUPP, D., ZAHN, A. & LUDWIG, P. 2004. Actual records of bat ectoparasites in Bavaria (Germany). *Spixiana* 27(2): 185-190.
- RUPRECHT, A.L. 1983. [Criteria for species identification in the genus *Plecotus* Geoffroy (Chiroptera, Vespertilionidae)]. *Zoologichesky zhurnal* 62(8): 1252-1257 (texte en russe, résumé en anglais).
- RUPRECHT, A.L. 1984. Remarks concerning vernacular names for Polish bats. *Przeglad zoologiczny* 28(2): 215-220 (texte en polonais, résumé en anglais).
- RUPRECHT, A.L. 1987. A key for mandible identification of Polish bats *Przeglad zoologiczny* 31(1): 89-105 (texte en polonais, résumé en anglais).
- RUPRECHT, A.L. & YABLOKOV, A.V. 1977. [Patterns of patagium venation in two species of the genus *Plecotus* Geoffroy, 1818 (Chiroptera, Vespertilionidae)]. *Zoologichesky zhurnal* 56(9): 1366-1371 (texte en polonais, résumé en anglais).
- RUSS, J.M., BRIFFA, M. & MONTGOMERY, W.I. 2003. Seasonal patterns in activity and habitat use by bats (*Pipistrellus* spp. and *Nyctalus leisleri*) in Northern Ireland, determined using a driven transect. *Journal of Zoology, London* 259(3): 289-299.
- RUSSELL, A.L., PALKOVACS, E.P., GOODMAN, S.M., RANIVO, J. & YODER, A.D. 2004. A complex inter-species phylogeny reveals distinctive biogeographic patterns of diversification in triple nose-leaf bats (*Triaenops* spp.) in Madagascar. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. &



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 22-23.
- RUSSELL, I.J., DREXL, M., FOELLER, E., VATER, M. & KÖSSL, M. 2003. Synchronization of a nonlinear oscillator : processing the CF component of the echo-response signal in the cochlea of the mustached bat. *Journal of Neuroscience* 23(29): 9508-9518.
- RUSSELL, I.J., DREXL, M., FOELLER, E., VATER, M. & KÖSSL, M. 2003. The development of a single frequency place in the mammalian cochlea : the cochlear resonance in the mustached bat *Pteronotus parnellii*. *Journal of Neuroscience* 23(34): 10971-10981.
- RUSSO, D., CISTONE, L., GAROFANO, F. & MASTROBUONI, G. 2002. Caratterizzazione bioacustica di *Pipistrellus pipistrellus* (Schreber, 1774) e *Pipistrellus pygmaeus* (Leach, 1825) e prima segnalazione di *Pipistrellus nathusii* (Keyserling & Blasius, 1839) per il Parco Nazionale d'Abruzzo, Lazio e Molise = Acoustical identification of *Pipistrellus pipistrellus* (Schreber, 1774) and *Pipistrellus pygmaeus* (Leach, 1825), and first record of *Pipistrellus nathusii* (Keyserling & Blasius, 1839) for the Abruzzo, Lazio and Molise National Park. *Bollettino Museo regionale di scienze naturali* 20(1): 167-176.
- RUSSO, D. & JONES, G. 2003. Use of foraging habitats by bats in a Mediterranean area determined by acoustic surveys : conservation implications. *Ecography* 26(2): 197-209.
- RYAN, M.J. & RAND, A.S. 2003. Mate recognition in túngara frogs : a review of some studies of brain, behavior, and evolution. *Acta Zoologica Sinica* 49(6): 713-726.
- RYBAR, P. 1973. Remarks on banding and protection of bats. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 177-179.
- RYBERG, O. 1947. Studies on bats and bat parasites : especially with regard to Sweden and other neighbouring countries of the North. Stockholm, Bokförlaget Svensk Natur: XVI, 330 p.
- RYDELL, J. 2004. Evolution of bat defense in Lepidoptera : alternatives and complements to ultrasonic hearing. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 327-331.
- SABOURIN, E., LUGON, A., URCUN, J.-P. & COUZI, L. 2002. Plan de restauration des chiroptères : étude sur le régime alimentaire du Rhinolophe euryale (*Rhinolophus euryale*), site de Petexaenea, Pyrénées-Atlantiques. Rapport de fin de contrat n° 121-01 / Société Française pour l'Étude et la Protection des Mammifères, groupe chiroptères. Paris : Ministère de l'Écologie et du Développement Durable, Direction de la Nature et des Paysages: 16 p.
- SACHANOWICZ, K. & CIECHANOWSKI, M. 2004. Distribution and status of Polish bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 57-58.
- SAFI, K. & KERTH, G. 2004. Adaptive significance of male sociality in temperate bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 43-44.
- SAINT GIRONS, H. & SAINT GIRONS, M.-C. 1986. Quelques problèmes d'écophysiologie chez le grand rhinolophe et d'autres microchiroptères français. In: *Les chiroptères : Colloque francophone de mammalogie* (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 17-22.
- SAKAI, T., KIKKAWA, Y., TSUCHIYA, K., HARADA, M., KANOE, M., YOSHIYUKI, M. & YONEKAWA, H. 2003. Molecular phylogeny of Japanese Rhinolophidae based on variations in the



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

complete sequence of the mitochondrial cytochrome b gene. *Genes and Genetic Systems* 78(2): 179-189.

- SALGUEIRO, P., COELHO, M.M., PALMEIRIM, J.M. & RUEDI, M. 2004. Mitochondrial DNA variation and population structure of the island endemic Azorean bat (*Nyctalus azoreum*). *Molecular Ecology* 13: 3357-3366.
- SAMPAIO, E.M., KALKO, E.K.V., BERNARD, E., RODRIGUEZ-HERRERA, B. & HANDLEY, C.O. JR. 2003. A biodiversity assessment of bats (Chiroptera) in a tropical lowland rainforest of Central Amazonia, including methodological and conservation considerations. *Studies on Neotropical Fauna and Environment* 38(1): 17-31.
- SANCHEZ, F., KORINE, C., PINSHOW, B., DUDLEY, R. & STEEGHS, M. 2004. Products of fermentation and other possible odor cues for bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 65.
- SANDERSON, I.T. 1940. The mammals of the North Cameroons forest area : being the results of the Percy Sladen expedition to the Mamfe division of the British Cameroons. *Transactions of the Zoological Society of London* 24(7): 623-725.
- SANDERSON, I.T. 1940. Chiroptera. In: Sanderson, I.T. *The mammals of the North Cameroons forest area : being the results of the Percy Sladen expedition to the Mamfe division of the British Cameroons*. *Transactions of the Zoological Society of London* 24(7): 665-678.
- SARKOZI, D.L. & BROOKS, D.M. 2003. Eastern red bat (*Lasiurus borealis*) impaled by a loggerhead shrike (*Lanius ludovicianus*). *The Southwestern Naturalist* 48(2): 301-303.
- SAWADA, I. 1992. On the distribution of cave bats and their endoparasite fauna in Saga Prefecture. *Transactions of the Nagasaki Biological Society* 40: 10-14.
- SAWADA, I. 1998. Further note on a list of caves of bat habitation in Japan : Rashomon, past and present. *Transactions of the Nagasaki Biological Society* 49: 116-119.
- SAWADA, I. 2003. On the main nursery roosts and hibernating roosts for cave-dwelling bat species in Japan. *Transactions of the Nagasaki Biological Society* 56: 16-24.
- SAWADA, I. 2004. A list of endoparasites parasitic on the cave bats at Niigata Prefecture. [Titre du périodique en japonais] 16(7): 37-48.
- SCARAVELLI, D. & MARTINOLI, A. [Eds]. 2002. Workshop G.I.R.C 2002 : I rinolofidi italiani : status e conservazione : 26-27.1.2002, Riserva Naturale Orientata di Onferno, Gemmano (RN). *Memorie del Museo Riserva Naturale Orientata di Onferno* 1(Suppl.): 1-28.
- SCARBOROUGH, H. & SMITH, T. 2001. Biodiversity : linking the habitat action plan for wood pasture and parkland with the requirements of priority and other species. Peterborough, English Nature: 186 p. (*English Nature Research Reports*, 432).
- SCHLIEMANN, H. & HOEBER, M. 1975. The structure and function of the pads on the thumb and foot of *Tylonycteris*. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- SCHMIDT, C. 1988. Reproduction. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 99-109.
- SCHMIDT, C., SCHMIDT, U. & MANSKE, U. 1980. Observations of the behavior of orphaned juveniles in the common vampire bat (*Desmodus rotundus*). In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 105-111.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SCHMIDT, S. 2004. Effects on emotion on bat communication calls. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 26.
- SCHMIDT, S. 2004. Multimodal foraging behaviour in *Megaderma lyra*: strategies, environmental constraints and psychoacoustics. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 33.
- SCHMIDT, U. 1973. Olfactory threshold and odour discrimination of the vampire bat (*Desmodus rotundus*). In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 89-92.
- SCHMIDT, U. 1975. Olfactory thresholds in four microchiropteran bat species. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- SCHMIDT, U. 1988. Orientation and sensory functions in *Desmodus rotundus*. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 143-166.
- SCHMIDT, U., GREENHALL, A.M. & LOPEZ-FORMENT, W. 1970. Vampire bat control in Mexico. In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 74-76.
- SCHMIDT, U., SCHLANGEN, M., KRASEMANN, P. & HÖLLER, P. 2004. The significance of multimodal orientation in phyllostomid bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 260-262.
- SCHNEIDER, J.-F. 1983. Les chauves-souris. *Bibliothèque de Travail Junior* 239: 7-26.
- SCHNITZLER, H.-U. 1970. Comparison of the echolocation behavior in *Rhinolophus ferrum-equinum* and *Chilonycteris rubiginosa*. In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 77-80.
- SCHNITZLER, H.-U. 1975. Doppler shift compensation and auditory tuning in the bat, *Rhinolophus ferrumequinum*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- SCHNITZLER, H.-U., KALKO, E.K.V. & DENZINGER, A. 2004. Evolution of echolocation and foraging behavior in bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 331-339.
- SCHOEMAN, C.M. & JACOBS, D.S. 2004. The influence of prey defense, competition and environmental factors on the structure of insectivorous bat ensembles in South Africa. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 49.
- SCHULLER, G. 1975. Dynamic properties of the doppler-shift compensation system of *Rhinolophus ferrumequinum*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- SCHULLER, G. & MOSS, C.F. 2004. Vocal control and acoustically guided behavior in bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 3-16.
- SCHWAAB, F. 2002. Utilisation des nichoirs dans l'étude chiroptérologique menée depuis 1994 en forêt du Romersberg (Moselle). In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses (n.s.)* 6: 45-48.
- SENDOR, T. & SIMON, M. 2003. Population dynamics of the pipistrelle bat: effects of sex, age and winter weather on seasonal survival. *The journal of animal ecology* 72(2): 308-320.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SENIOR, P., ALTRINGHAM, J. & BUTLIN, R. 2004. Sexual segregation and mating strategies in *Myotis daubentonii*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 45.
- SERRA-COBO, J. & BALCELLS ROCAMORA, E. 1986. Mise à jour des résultats des campagnes de baguage de *Miniopterus schreibersi* dans le n.e. espagnol et le s.e. français. In: Les chiroptères : Colloque francophone de mammalogie (9, 1985, Rouen). Rouen, Société française pour l'étude et la protection des mammifères: 85-98.
- SEVILLE, R.S. & GRUVER, J. 2004. Species of *Eimeria* (Apicomplexa: Eimeriidae) from bats (Chiroptera: Vespertilionidae) in central Wyoming. *The Journal of parasitology* 90(2): 348-351.
- SEWALL, B.J. 2003. Giant bats face a shrinking forest. *Bats* 21(4): 8-11.
- SEWALL, B.J., GRANER, E.F. & TREWHELLA, W.J. 2003. The endemic Comoros Islands fruit bat *Rousettus obliviosus*: Ecology, conservation, and Red List status. *Oryx* 37(3): 344-352.
- SEYJAGAT, J. [1999]. The captive management of the Philippine little golden-mantled fruit bat (*Pteropus pumilus*) : a conservation consortium. *Sylvatrop* 8(1-2): 94-102.
- SGRO, M.P. & WILKINS, K.T. 2003. Roosting behavior of the Mexican free-tailed bat (*Tadarida brasiliensis*) in a highway overpass. *Western North American Naturalist* 63(3): 366-373.
- SHARIFI, M. 2004. Postnatal growth and age estimation in the Mehely's horseshoe bat (*Rhinolophus mehelyi*). *Acta Chiropterologica* 6(1): 155-161.
- SHARIFI, M. & AKMALI, V. 2004. Bat associations in a group of non-breeding Mehely's horseshoe bat, *Rhinolophus mehelyi*, kept in a flight cage. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 38.
- SHARIFI, M., GHORBANI, R., FAZELI, A. & HOLT, W. 2004. Evidence of sperm storage in *Pipistrellus kuhlii* (Chiroptera: Vespertilionidae) in western Iran. *Folia Zoologica* 53(1): 1-6.
- SHARIFI, M. & HEMMATI, Z. 2004. Diversity pattern in the diet of Mehely's horseshoe bat *Rhinolophus mehelyi* in three contrasting environments in western Iran. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 63-64.
- SHARMA, G.P., HANDA, S.M. & MEHTA, K.K. 1975. Karyometrical analysis and its significance in three species of bats from India. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- SHERWOOD, C.C., LEE, P.W.H., RIVARA, C.B., HOLLOWAY, R.L., GILISSEN, E.P.E., SIMMONS, R.M.T., HAKEEM, A., ALLMAN, J.M., ERWIN, J.M. & HOF, P.R. 2003. Evolution of specialized pyramidal neurons in primate visual and motor cortex. *Brain Behavior and Evolution* 61(1): 28-44.
- SHIEL, C.B. 1999. Bridge usage by bats in County Leitrim and County Sligo. Kilkenny, The Heritage Council: <http://www.heritagecouncil.ie/publications/bats/index.html> [page consultée le 10.12.2004].
- SIEMERS, B.M. & GÜTTINGER, R. 2004. The amplitudes of arthropod rustling sounds can explain the apparent prey selectivity in the ground-gleaning bat *Myotis myotis*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 30-31.
- SIEMERS, B.M. & IVANOVA, T. 2004. Ground gleaning in horseshoe bats : comparative evidence from *Rhinolophus blasii*, *R. euryale* and *R. mehelyi*. *Behavioral Ecology and Sociobiology* 56(5): 464-471.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SIEMERS, B.M. & SCHNITZLER, H.-U. 2004. Echolocation signals reflect niche differentiation in five sympatric congeneric bat species. *Nature (London)* 429(6992): 657-661.
- SIERRA-COBO, J. & MACH, N. 1986. Los quirópteros de la mina de los Banhs de Les, primeras citas para el Valle de Arán. *Pirineos* 127: 175-179.
- SIEWERT, I., SCHILLINGER, T. & SCHMIDT, S. 2004. Forward masking and the consequences on echo perception in the gleaning bat, *Megaderma lyra*. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 266-268.
- SIGE, B., MIHEVC, A. & AGUILAR, J.-P. 2003. Les chiroptères actuels et fossiles (Pléistocène supérieur) d'une grotte d'altitude des Alpes de Slovénie, témoins d'une détérioration climatique = Recent and Late Pleistocene bats in a mountain cave of Slovenia : evidence of a climatic drop. *Coloquios de Paleontología Vol. Extr. 1*: 637-645.
- SIGMUND, L. & ZAJICOVA, A. 1970. Quantitative Zusammensetzung des Gehirns der mitteleuropäischen Fledermäuse (Rhinolophidae und Vespertilionidae). In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 81-86.
- SIMMONS, J.A. 1970. Distance perception by echolocation : the nature of echo signal-processing in the bat. In: *International Bat Research Conference (2, 1970, Amsterdam)*. *Bijdragen tot de Dierkunde* 40(1): 87-90.
- SIMMONS, J.A. 1980. Phylogenetic adaptations and the evolution of echolocation in bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 267-278.
- SIMMONS, J.A. 2004. Donald R. Griffin (1915-2003). *Bat Research News* 45(1): 28-30.
- SIMMONS, J.A. & HOWELL, D.J. 1973. Multiple sonar systems in bats. In: *International Bat Research Conference (3, 1972, Plitvice)*. *Periodicum biologorum* 75(1): 33-35.
- SIMMONS, J.A., LAVENDER, W.A. & LAVENDER, B.A. 1975. Adaptation of echolocation to the acoustic environment by *Eptesicus fuscus*. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.I.], [s.n.]: [1 p.].
- SIMMONS, N.B. 2000. Bat phylogeny : an evolutionary context for comparative studies. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 9-58.
- SIMMONS, N.B. & CONWAY, T.M. 2003. Evolution of ecological diversity in bats. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 493-535.
- SINGARAVELAN, N. & MARIMUTHU, G. 2003. Mist net captures of the rarest fruit bat *Latidens salimalii*. *Current Science (Bangalore)* 84(1): 24-26.
- SINGARAVELAN, N. & MARIMUTHU, G. 2003. Discovery of a cave as the day roost of a rarest fruit bat *Latidens salimalii*. *Current Science (Bangalore)* 84(9): 1253-1256.
- SINGARAVELAN, N. & MARIMUTHU, G. 2004. Nectar feeding and pollen carrying from *Ceiba pentandra* by pteropodid bats. *Journal of Mammalogy* 85(1): 1-7.
- SINGARAVELAN, N. & MARIMUTHU, G. 2004. Nectar feeding behaviour of pteropodid bats on *Ceiba pentandra*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 64.
- SIRUGUE, D. & ROUE, S.G. 2002. Nouvelles données de pipistrelle de *Nathusius* en Bourgogne. In: *Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris"* (8, 1999, Bourges). *Symbioses (n.s.)* 6: 53.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SKIBA, R. 2003. Europäische Fledermäuse : Kennzeich, Echoortung und Detektoranwendung = [European bats : identification, echolocation and detector application]. Die Neue Brehm-Bücherei Bd 648: 212 p.
- SLAUGHTER, B.H. 1970. Evolutionary trends of chiropteran dentitions. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 51-83.
- SLAUGHTER, B.H. & WALTON, D.W. 1970. About bats : a chiropteran biology symposium [held at the 1969 meeting of the Texas Academy of Science, at The University of Texas at Arlington]. Dallas, Southern Methodist University Press: VII, 339 p. (Fondren science series, 11).
- SLUITER, J.W., VOUTE, A.M. & VAN HEERDT, P.F. 1973. Hibernation of *Nyctalus noctula*. In: International Bat Research Conference (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 181-188.
- SMIRNOV, D.G. & TSYTSULINA, K. 2003. The ontogeny of the baculum in *Nyctalus noctula* and *Vespertilio murinus* (Chiroptera: Vespertilionidae). *Acta Chiropterologica* 5(1): 117-123.
- SMITH, J.D. 1976. Chiropteran evolution. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part I. Lubbock, Texas Tech University: 49-69.
- SMITH, J.D. 1980. Chiropteran phylogenetics : introduction. In: Smith, J.D. [Ed]. North American Bat Research Symposium (9, 1978, Albuquerque). Lubbock, Texas Tech Press: 233-244.
- SMITH, J.D. & MADKOUR, G. 1980. Penial morphology and the question of chiropteran phylogeny. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 347-365.
- SMITH, J.D. & STARRETT, A. 1979. Morphometric analysis of chiropteran wings. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part III. Lubbock, Texas Tech University: 229-316.
- SMITH, P.G. 2004. Automated log-ratio analysis of compositional data : software suited to analysis of habitat preference from radiotracking data. *Bat Research News* 45(1): 16.
- SMITH, P.G. & RACEY, P.A. 2002. Habitat management for Natterer's bat : *Myotis nattereri*. London, People's Trust for Endangered Species: 14 p.
- SNITKO, V.P. 2003. Pescery Juznogo Urala kak ubezisca rukokrylych v period letnej aktivnosti = Caves of the South Urals as shelters for bats in the period of summer activity. *Plecotus et al.* 6: 49-58.
- SOCIETE FRANCAISE D'ETUDES ET DE PROTECTION DES MAMMIFERES. 2004. Plan de restauration des chiroptères : bilan & perspectives : réunion du 8 avril 2004, M.E.D.D., Paris. [Paris], Ministère de l'Ecologie et du Développement durable: [28 p.].
- SOCIETE FRANCAISE D'ETUDES ET DE PROTECTION DES MAMMIFERES. RENCONTRES NATIONALES "CHAUVES-SOURIS" (8, 1999, Bourges). 2002. Actes des huitièmes rencontres nationales "Chauves-souris" de la Société française d'étude et de protection des mammifères, Bourges, 27 et 28 novembre 1999. *Symbioses* (n.s.) 6: 1-72.
- SOCIETE FRANCAISE D'ETUDES ET DE PROTECTION DES MAMMIFERES. RENCONTRES NATIONALES "CHAUVES-SOURIS" (9, 2002, Bourges). 2004. Actes des neuvièmes rencontres nationales "Chauves-souris" de la Société française d'étude et de protection des mammifères, Bourges, 23 et 24 mars 2002. *Symbioses* (n.s.) 10: 1-72.
- SOLOMON RAJU, A.J., PURNACHANDRA RAO, S. & EZRADANAM, V. 2004. Pollination by bats and passerine birds in a dry season blooming tree species, *Careya arborea* in the Eastern Ghats. *Current Science* (Bangalore) 86(4): 509-511.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SOMOGYVARI, O. & DOMBI, I. 2002. A Zselic denevérfaunája = [Bat fauna in Zselic hills]. Somogyi Múzeumok Közleményei 15: 157-160.
- SOTO-CENTENO, J.A. & KURTA, A. 2003. Description of fetal and newborn brown flower bats, *Erophylla sezekorni* (Phyllostomida). Caribbean Journal of Science 39 (2): 233-234.
- SPARKS, D.W. & VALDEZ, E.W. 2003. Food habits of *Nyctinomops macrotis* at a maternity roost in New Mexico, as indicated by analysis of guano. The Southwestern Naturalist 48(1): 132-135.
- SPARKS, J.K.F., JAGGER FOSTER, B. & SPARKS, D.W. 2004. Utility pole used as a roost by a Northern *Myotis*, *Myotis septentrionalis*. Bat Research News 45(3): 94.
- SPEAKMAN, J.R., LANCASTER, W.C., WARD, S., JONES, G. & COLE, K.C. 2004. Energy cost of echolocation in stationary insectivorous bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 361-365.
- SPEAKMAN, J.R. & THOMAS, D.W. 2003. Physical ecology and energetics of bats. In: Kunz, T.H., Fenton, M.B. [Eds]. Bat ecology. Chicago & London, The University of Chicago Press: 430-490.
- SPEHN, S.E. & KALKO, E.K.V. 2004. Echolocation behavior of two gleaning phyllostomid bats catching katydids in the air. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 29-30.
- SPITZENBERGER, F., STRELKOV, P. & HARING, E. 2003. Morphology and mitochondrial DNA sequences show that *Plecotus alpinus* Kiefer & Veith, 2002 and *Plecotus microdontus* Spitzenberger, 2002 are synonyms of *Plecotus macrobullaris* Kuzjakin, 1965. Natura Croatica 12(2): 39-53.
- SPOELSTRA, K. & DOUMA, T. 2004. Verhuis je franjestaartje = [Moving the Natterer's bat]. Zoogdier 15(2): 3-7.
- SPRADLING, K.D., STANGL, F.B. Jr. & COOK, W.B. 2003. Evidence for a case of multiple paternity in the red bat (*Lasiurus borealis*) as indicated by DNA fingerprinting. Occasional Papers Museum of Texas Tech University 224: 1-10.
- SRIPATHI, K., RAGHURAM, H., RAJASEKAR, R., KARUPPUDURAI, T. & ABRAHAM, S.G. 2004. Population size and survival in the Indian false vampire bat *Megaderma lyra*. Acta Chiropterologica 6(1): 145-154.
- STADELMANN, B., HERRERA M., L.G., ARROYO-CABRALES, J., FLORES-MARTINEZ, J.J., MAY, B.P. & RUEDI, M. 2004. Molecular systematics of the fishing bat *Myotis (Pisonyx) vivesi*. Journal of Mammalogy 85(1): 133-139.
- STANLEY, W.T. & KOCK, D. 2004. New records and notes on *Laephotis* Thomas, 1901 (Chiroptera: Vespertilionidae). Mammalian biology 69(3): 173-181.
- STEBBINGS, R.E. 1970. A comparative study of *Plecotus auritus* and *P. austriacus* (Chiroptera, Vespertilionidae) inhabiting one roost. In: International Bat Research Conference (2, 1970, Amsterdam). Bijdragen tot de Dierkunde 40(1): 91-94.
- STEBBINGS, R.E. 1973. Size clines in the bat *Pipistrellus pipistrellus* related to climatic factors. In: International Bat Research Conference (3, 1972, Plitvice). Periodicum biologorum 75(1): 189-194.
- STEBBINGS, R.E. 1980. An outline global strategy for the conservation of bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 173-178.
- STEBUT, B. VON & SCHMIDT, S. 2004. Frequency processing at search call frequencies in *Eptesicus fuscus* : adaptations for long-distance target classification ? In: Thomas, J.A., Moss, C.F. & Vater, M.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 262-265.
- STEPHAN, H. & PIRLOT, P. 1970. Volumetric comparisons of brain structures in bats (an attempt at a phylogenetic interpretations). In: International Bat Research Conference (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 95-98.
- STERNER, R.T., SHUMAKE, S.A., GADDIS, S.E., LADD, E.R. & PETERSON, J.W. 1980. Note on preliminary laboratory and field tests of select chemicals as bat repellents. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 225-230.
- STEVENS, R.D. 2004. Untangling latitudinal richness gradients at higher taxonomic levels : familial perspectives on the diversity of New World bat communities. *Journal of Biogeography* 31(4): 665-674.
- STEVENS, R.D., WILLIG, M.R. & DE FOX, I.G. 2004. Comparative community ecology of bats from eastern Paraguay : taxonomic, ecological, and biogeographic perspectives. *Journal of Mammalogy* 85(4): 698-707.
- STOFFBERG, S., JACOBS, D.S. & MILLER-BUTTERWORTH, C.M. 2004. Field identification of two morphologically similar bats, *Miniopterus schreibersii natalensis* and *Miniopterus fraterculus* (Chiroptera: Vespertilionidae). *African Zoology* 39(1): 47-53.
- STRANEY, D.O., SMITH, M.H., GREENBAUM, I.F. & BAKER, R.J. 1979. Biochemical genetics. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part III*. Lubbock, Texas Tech University: 157-176.
- STRAUSS, J. fils 1987-1988. *La chauve-souris : opéra*. Lyon, Opéra de Lyon: 1 livret.
- STRELKOV, P.P., ABRAMSON, N.I. & DZEVERIN, I.I. 2002. Geograficeskaja izmencivost' kranioметрических признаков u pyzej vecernicy, *Nyctalus noctula* (Chiroptera), v svjazi s osobennostjami ee obraza zizni = Geographic variation of craniometric characteristics in the noctule bat *Nyctalus noctula* (Chiroptera) related to its life history. *Zoologicheskij Zhurnal* 81(7): 850-863.
- STRICKLER, T.L. 1980. Downstroke muscle histochemistry in two bats. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 61-68.
- STRUVE, W. 1959. Die Eroberung der Luft in der Geschichte der Tierwelt. *Natur und Volk* 89(9-10): 277-296.
- STUDIER, E.H. & O'FARRELL, M.J. 1980. Physiological ecology of *Myotis*. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 415-424.
- SUCHEKI, J.R., AMMAN, B.R., BAXTER, D., CAJIMAT, M., CARROL, D.S., DURISH, N.D., FULHORST, C.F., HANSON, J.D., HAYNIE, M.L., KAGEYAMA, M., LONGHOFER, L.K., MENDEZ-HARCLERODE, F., MILAZZO, C. Jr., MILAZZO, M.L., REEDER, S.A., RUTHVEN, D.C., SYNATZKE, D.R. & BRADLEY, R.D. 2003. *Lasiurus ega* and other small mammal records from Dimmit and La Salle Counties, Texas. *Occasional Papers Museum of Texas Tech University* 225: 1-3.
- SUGA, N. 2004. Feature extraction and neural activity : advances and perspectives. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 173-175.
- SUGA, N., ZHANG, Y., OLSEN, J.F. & YAN, J. 2004. Modulation of frequency tuning of thalamic and midbrain neurons and cochlear hair cells by the descending auditory system in the mustached bat. In:



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 214-221.
- SULKIN, S.E. & ALLEN, R. 1970. Bats : carriers of human disease-producing agents. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 284-302.
- SURLYKKE, A. 2004. The relationship of detection thresholds to the number of echoes in the big brown bat, *Eptesicus fuscus*. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 268-272.
- SURLYKKE, A., YACK, J.E., SPENCE, A.J. & HASENFUSS, I. 2003. Hearing in hooktip moths (Drepanidae: Lepidoptera). *Journal of Experimental Biology* 206(15): 2653-2663.
- SUTHERS, R.A. 1970. Vision, olfaction, taste. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. II. New York & London, Academic Press: 265-309.
- SUTHERS, R.A. 1975. Responses of visual neurons in the echolocating bat, *Rousettus*. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- SUTHERS, R.A. & BRAFORD, M.R. Jr. 1980. Visual systems and the evolutionary relationships of the Chiroptera. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 331-346.
- SVENSSON, G.P., LÖFSTEDT, C. & SKALS, N. 2004. The odour makes the difference : male moths attracted by sex pheromones ignore the threat by predatory bats. *Oikos* 104(1): 91-97.
- SWANEPOEL, P. & GENOWAYS, H.H. 1979. Morphometrics. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part III. Lubbock, Texas Tech University: 13-106.
- SWARTZ, S.M., FREEMAN, P.W. & STOCKWELL, E.F. 2003. Ecomorphology of bats : comparative and experimental approaches relating structural design to ecology. In: Kunz, T.H., Fenton, M.B. [Eds]. Bat ecology. Chicago & London, The University of Chicago Press: 257-300.
- SWIFT, S.M. & SIEMERS, B.M. 2004. Coexistence in *Myotis nattereri* and *M. bechsteinii* : do differences in sensory ecology contribute to resource partitioning ? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 33-34.
- TAN, K.H., ZUBAID, A. & KUNZ, T.H. 1997. Food habits of *Cynopterus brachyotis* (Muller) (Chiroptera: Pteropodidae) in Peninsular Malaysia. *Journal of Tropical Ecology* 14 (3): 299-307.
- TAN, K.H., ZUBAID, A. & KUNZ, T.H. 1999. Roost selection and social organisation in *Cynopterus horsfieldi* (Chiroptera: Pteropodidae). *Malayan Nature Journal* 53 (4): 295-298.
- TAN, K.H., ZUBAID, A. & KUNZ, T.H. 2000. Fruit dispersal by the lesser dog-faced fruit bat, *Cynopterus brachyotis* (Muller) (Chiroptera: Pteropodidae). *Malayan Nature Journal* 54 (1): 57-62.
- TAN, K.H., ZUBAID, A., KUNZ, T.H. & AHMAD, Y. 1996. Landscaping and bat conservation. *The Malayan Naturalist* 50 (1): 38-39.
- TARBURTON, M.K. 2002. Demise of the Polynesian sheath-tailed bat *Emballonura semicaudata* in Samoa. *Micronesica* 34(2): 105-108.
- TAY, T.W., MARINA, M.T., WONG, C.H., ZUBAID, A. & KAMIS, A.B. 2001. Reproductive cycle of an insectivorous bat, *Hipposideros larvatus*, from an undisturbed tropical forest. *Malaysian applied Biology* 30(1-2): 93-98.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TAY, T.W., MARINA, M.T., WONG, C.H., ZUBAID, A. & KAMIS, A.B. 2001. The reproductive pattern of *Hipposideros larvatus* and *Cynopterus horsfieldi* from an agricultural habitat. *Malaysian applied Biology* 30(1-2): 93-98.
- TEELING, E.C., MURPHY, W.J., MADSEN, O., BATES, P.J.J., SPRINGER, M.S. & O'BRIEN, S.J. 2004. A complete interfamilial molecular phylogeny illuminates chiropteran biogeographical history. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 18.
- TEJEDOR, A. 2003. First records of *Saccopteryx canescens* (Chiroptera: Emballonuridae) for Southeastern Peru. *Chiroptera Neotropical* 9(1-2): 162-164.
- TEJEDOR, A., SILVA-TABOADA, G. & RODRIGUEZ-HERNANDEZ, D. 2004. Discovery of extant *Natalus major* (Chiroptera: Natalidae) in Cuba. *Mammalian biology* 69(3): 153-162.
- TELLO, J.G. & VELAZCO, P.M. 2003. First description of a tent used by *Platyrrhinus helleri* (Chiroptera: Phyllostomidae). *Acta Chiropterologica* 5(2): 269-276.
- TER HOFSTEDE, H.M., FENTON, M.B. & WHITAKER, J.O. Jr. 2004. Host and host-site specificity of bat flies (Diptera: Streblidae and Nycteribiidae) on Neotropical bats (Chiroptera). *Canadian journal of zoology = Revue canadienne de zoologie* 82(4): 616-626.
- THI, M.M. & NWE, T. 2004. Bat research in the Department of Zoology, Yangon University, Myanmar. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 61.
- THOMAS, D. & PITRE, M.-H. 2004. Polyunsaturated fatty acids and hibernation in bats : problems extrapolating from diet analysis to the true composition of depot fats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 53.
- THOMAS, J.A., MOSS, C.F. & VATER, M. [Eds]. 2004. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: XXVII, 604 p.
- THOMAS, S.P. 1980. The physiology and energetics of bat flight. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 393-402.
- THOMPSON, S. 1998. *Exploring the world of bats*. London, The Bat Conservation Trust: 1 classeur.
- TICHY, H. 2002. Zimoviste netopyru ve Strádonicích na okrese Louny = Winterquartier der Fledermäuse in Strádonice im Kreise Louny = [Hibernation records of bats in Stradonice in the district of Louny]. *Fauna Bohemiae Septentrionalis* 27: 71-73.
- TICHY, H. 2002. Zajímavé pozorování netopyru = Eine interessante Beobachtung der Fledermäuse = [An interesting bat observation]. *Fauna Bohemiae Septentrionalis* 27: 69.
- TIDEMANN, C.R. & NELSON, J.E. 2004. Long-distance movements of the grey-headed flying fox (*Pteropus poliocephalus*). *Journal of Zoology, London* 263(2): 141-146.
- TILLON, L. 2002. Etude du comportement des chauves-souris en forêt domaniale de Rambouillet dans un but de gestion conservatoire. In: Société française d'études et de protection des mammifères. *Rencontres nationales "Chauves-souris" (8, 1999, Bourges)*. *Symbioses (n.s.)* 6: 23-30.
- TIMM, R.M. & GENOWAYS, H.H. 2003. West Indian mammals from the Albert Schwartz Collection : biological and historical information. *Scientific Papers / Natural History Museum, the University of Kansas* 29: 1-47.
- TOPAL, G. 1969. Denevérek : Chiroptera. *Magyarország állatvilága = Fauna Hungaria* 22(2): 1-81.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TOSKAN, B. 2003. Late Pleistocene small mammals (Insectivora, Chiroptera, Rodentia) from Divje babe I cave (Western Slovenia). *Atti del Museo Civico di Storia Naturale di Trieste* 49(Suppl.): 115-126.
- TOUGAARD, J., MILLER, L.A. & SIMMONS, J.A. 2004. The role of arctiid moth clicks in defense against echolocating bats : interference with temporal processing. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 365-372.
- TRIMARCHI, C.V. & DEBBIE, J.G. 1980. Report on the northeastern symposium on bat rabies management. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 213-216.
- TRUJILLO, D. 2002. El murciélago de Bosque Canario (*Barbastella barbastellus guanchae*), un nuevo endemismo de las Islas Canarias. *Barbastella* 3: 8-9.
- TSCHAPKA, M. 2003. Pollination of the understory palm *Calyptrogyne ghiesbreghtiana* by hovering and perching bats. *Biological Journal of the Linnean Society* 80(2): 281-288.
- TSCHAPKA, M. 2004. Hovering thieves and perching pollinators : bat pollination of *Calyptrogyne ghiesbreghtiana*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference* (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 26-27.
- TSCHAPKA, M. 2004. Energy density patterns of nectar resources permit coexistence within a guild of Neotropical flower-visiting bats. *Journal of Zoology*, London 263(1): 7-21.
- TSCHAPKA, M., SPERR, E., CABALLERO MARTINEZ, L.A. & MEDELLIN, R.A. 2004. Ecology of the specialized nectar-feeding bat *Musonycteris harrisoni*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference* (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 48.
- TSOAR, A. & KADMON, R. 2004. Evaluating the performance of climatic envelope models (CEMs) in predicting regional patterns of bat distribution. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference* (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 67-68.
- TUITERT, D., JANSSEN, R. & SPOELSTRA, K. 2003. Bechsteins vleermuizen in Overijssel = [Bechstein's bats in Overijssel]. *Zoogdier* 14(4): 25-26.
- TUPINIER, Y. 1973. Etude de la morphologie des poils des chiroptères d'Europe occidentale au microscope électronique à balayage. In: *International Bat Research Conference* (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 93-95.
- TUPINIER, Y. 1996. *L'univers acoustique des chiroptères d'Europe*. Lyon, Société Linnéenne de Lyon: 132 p.
- TUPINIER, Y. 2003. Comment une espèce passe de *Vespertilio murinus* à *Myotis myotis* (Chiroptera) : un siècle et demi de systématique. *Arvicola* 15(2): 48-50.
- TUPINIER, Y., BIRAUD, Y., CHIOLLAZ, M. & ESCUDIE, B. 1980. Analysis of vespertilionid sonar signals during cruise, pursuit, and prey capture. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 29-38.
- TUPINIER, Y. & MARTELLI, J.-L. 2003. *Les chiroptères actuels du Muséum d'Histoire naturelle, Lyon*. Cahiers scientifiques 1: 17-76.
- TURBILL, C., KÖRTNER, G. & GEISER, F. 2003. Natural use of heterothermy by a small, tree-roosting bat during summer. *Physiological and Biochemical Zoology* 76(6): 868-876.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TUTTLE, M.D. 1988. Introduction to the natural history of vampire bats. In: Greenhall, A.M. & Schmidt, U. [Eds]. Natural History of Vampire bats. Boca Raton, CRC Press: 1-5.
- TUTTLE, M.D. 2004. Wind energy & the threat to bats : BCI, industry and government join to resolve a new danger facing America's bats. *Bats* 22(2): 4-5.
- TUTTLE, M.D. & MITCHELL, J.D. 2004. Bat Conservation International : annual report 2003-2004. *Bats* 22(3): 20 p.
- TWISK, P. 2003. Vleermuisbescherming.... vanuit een ivoren toren ? = [Bat protection..... from an ivory tower?]. *Zoogdier* 14(1): 27-29.
- UBELAKER, J.E. 1970. Some observations on ecto- and endoparasites of Chiroptera. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 247-261.
- UBELAKER, J.E., SPECIAN, R.D. & DUSZYNSKI, D.W. 1977. Endoparasites. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. Biology of bats of the New World family Phyllostomidae. Part II. Lubbock, Texas Tech University: 7-56.
- ULANOVSKY, N., FENTON, M.B., TSOAR, A. & KORINE, C. 2004. Dynamics of jamming avoidance in echolocating bats. *Proceedings of the Royal Society of London. Series B : Biological sciences* 271: 1467-1475.
- UNGERER, T. 1980. Rufus : die farbige Fledermaus. Zürich, Diogenes: [31 p.]. (Kinder-detebe, 36).
- URBAN, R. & ZIEJA, A. 2003. Obserwacje dziennej aktywnosci borowca wielkiego *Nyctalus noctula* (Schreber, 1774) w okresie przedzimia i przedwiosnia = Observations of daylight activity of *Nyctalus noctula* (Schreber, 1774) during early winter and early spring. *Studia Chiropterologica* 3-4: 73-81.
- URCUN, J.-P., ARTHUR, C., BERTRAND, A. & SIRUGUE, D. 2004. Inventaire de la guilde des chiroptères de l'espace Parc national des Pyrénées (1998-2001). In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (9, 2002, Bourges). *Symbioses* (n.s.) 10: 39-50.
- VALIM, M.P., DE AZEVEDO BOTAO-MIRANDA, R., BERNARDINELLI GITTI, C., AMORIM, M. & SERRA-FREIRE, N.M. 2002. Ocorrença de *Hesperoctenes hermsi* Ferris & Usinger, 1939 (Hemiptera: Polyctenidae) parasitando *Molossus ater* Geoffroy, 1805 (Chiroptera: Molossidae) em Silva Jardim, estado do Rio de Janeiro, Brasil. *Entomologia y Vectores* 9(3): 359-364.
- VAN CAKENBERGHE, V. 2003. Comments on the proposed conservation of the specific name of *Vespertilio nanus* Peters, 1852 (currently *Pipistrellus nanus*; Mammalia, Chiroptera) : (case 3240; see BZN 60: 42-44). *Bulletin of Zoological Nomenclature* 60(4): 314-315.
- VAN DEN BRINK, F.-H. 1967. Guide des mammifères sauvages d'Europe. Neuchâtel, Delachaux et Niestlé: 263 p. (Les guides du naturalistes).
- VAN DEN BRINK, F.-H. 1971. Guide des mammifères d'Europe. Neuchâtel, Delachaux et Niestlé: 263 p. (Les guides du naturalistes).
- VAN DEN BUSSCHE, R.A. & HOOFFER, S.R. 2004. Phylogenetic relationships among recent chiropteran families and the importance of choosing appropriate outgroup taxa. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 17-18.
- VAN DEN BUSSCHE, R.A. & HOOFFER, S.R. 2004. Phylogenetic relationships among recent chiropteran families and the importance of choosing appropriate out-group taxa. *Journal of Mammalogy* 85(2): 321-330.
- VAN DEN SIJPE, M. 2001. Licht op groen. *Zoogdier* 12(3): 39-42.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VAN DER KUIL, R., HAARSMA, A.J. & VAN BEEK, J. 2001. Van vleermuis in den Haag = [Greater mouse-eared bat in The Hague.] *Zoogdier* 12 (1): 27-28. (en hollandais).
- VAN DER MERWE, M. 1975. Aspects of post-natal development and mother-infant relationship in the Natal clinging bat *Miniopterus schreibersi natalensis* (A. Smith, 1834). In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- VAN DER MERWE, M. 1980. Delayed implantation in the natal clinging bat *Miniopterus schreibersii natalensis* (A. Smith, 1834). In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 113-123.
- VAN DER WIJDEN, B., VERKEM, S., DE BRUYN, L. & VERHAGEN, R. 2001. Vleermuizen en boomholten: liefde op het eerste gezicht ? *Zoogdier* 12(3): 16-20.
- VAN DER WIJDEN, B., VERKEM, S., LUST, N. & VERHAGEN, R. 2002. L'importance du type de cavité et de la structure forestière pour la sélection de gîtes par des chauves-souris arboricoles. In: Société française d'études et de protection des mammifères. Rencontres nationales "Chauves-souris" (8, 1999, Bourges). *Symbioses* (n.s.) 6: 11-16.
- VAN DER ZEE, F. 1994. Natuur op defensieterreinen. Wageningen, Adviesgroep Vegetatiebeheer: 48 p.
- VAN NOORT, B. & JANSEN, E. 2001. Kolonie twee-kleurige vleermuizen groeit = [Colony of parti-coloured bats is increasing in size.] *Zoogdier* 12 (1): 27. (en hollandais).
- VAN PARIJS, S.M. & CORKERON, P.J. 2002. Ontogeny of vocalisations in infant black flying foxes, *Pteropus alecto*. *Behaviour* 139(9): 1111-1124.
- VAN ZANDT, E. & DE LISLE, H.F. 2003. *Sceloporus magister uniformis* (yellow-backed spiny lizard) : prey. *Herpetological Review* 34(2): 145.
- VANDENDRIESSCHE, B. 2001. Vleermuizen in West-Vlaanderen: een overzicht van 4 jaar zomeronderzoek. *Zoogdier* 12(3): 25-29.
- VANDENDRIESSCHE, B. 2003. Tweekleurige vleermuizen (*Vespertilio murinus*) in België: nieuw of nu pas ontdekt ? = [Parti-coloured bats (*Vespertilio murinus*) in Belgium: new or only recently discovered?]. *Zoogdier* 14(1): 3-6.
- VANDOROS, J.D. & DUMONT, E.R. 2004. Use of the wings in manipulative and suspensory behaviors during feeding by frugivorous bats. *Journal of experimental zoology. Part A, Comparative experimental biology* 301(4): 361-366.
- VANITHARANI, J., LINDHE NORBERG, U.M., PEARCH, M.J. & CHELLADURAI, V. 2004. Implications of wing morphology and flight performance in the dietary selection and feeding habits of Salim Ali's fruit bat, *Latidens salimalii*. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 37.
- VANTORRE, R. 1995. Overwinterende vleermuizen in Noord-Frankrijk een merkwaardige toestand. *Zoogdier* 6(4): 10-15.
- VATER, M. 2000. Evolutionary plasticity and ontogeny of the bat cochlea. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 137-173.
- VATER, M. 2004. Cochlear anatomy related to bat echolocation. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 99-103.
- VATER, M. & KÖSSL, M. 2004. The ears of whales and bats. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 89-99.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VAUGHAN, T.A. 1970. The skeletal system. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. I. New York & London, Academic Press: 97-138.
- VAUGHAN, T.A. 1970. The muscular system. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. I. New York & London, Academic Press: 139-194.
- VAUGHAN, T.A. 1970. Flight patterns and aerodynamics. In: Wimsatt, W.A. [Ed]. Biology of bats. Vol. I. New York & London, Academic Press: 195-216.
- VAUGHAN, T.A. 1970. Adaptations for flight in bats. In: Slaughter, B.H. & Walton, D.W. [Eds]. About bats : a chiropteran biology symposium (1969, Arlington). Dallas, Southern Methodist University Press: 127-143.
- VAUGHAN, T.A. & BATEMAN, M.M. 1980. The molossid wing : some adaptations for rapid flight. In: Wilson, D.E. & Gardner, A.L. [Eds]. International Bat Research Conference (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 69-78.
- VEILLEUX, J.P. & VEILLEUX, S.L. 2004. Intra-annual and interannual fidelity to summer roost areas by female eastern pipistrelles, *Pipistrellus subflavus*. *The American midland naturalist* 152(1): 196-200.
- VEILLEUX, J.P., WHITAKER, J.O. Jr. & VEILLEUX, S.L. 2003. Tree-roosting ecology of reproductive female eastern pipistrelles, *Pipistrellus subflavus*, in Indiana. *Journal of Mammalogy* 84(3): 1068-1075.
- VEILLEUX, J.P., WHITAKER, J.O. Jr. & VEILLEUX, S.L. 2004. Reproductive stage influences roost use by tree roosting female eastern pipistrelles, *Pipistrellus subflavus*. *EcoScience* 11(2): 249-256.
- VEILLEUX, S.L., VEILLEUX, J.P., DUCHAMP, J. & WHITAKER, J.O. (Jr.) 2003. Possible predation attempt at a roost tree of evening bats (*Nycticeius humeralis*). *Bat Research News* 44(4): 186-187.
- VELAZCO, P.M. & SOLARI, S. 2003. Taxonomía de *Platyrrhinus dorsalis* y *Platyrrhinus lineatus* (Chiroptera: Phyllostomidae) en Perú = Taxonomy of *Platyrrhinus dorsalis* and *Platyrrhinus lineatus* (Chiroptera: Phyllostomidae) in Peru. *Mastozoología Neotropical* 10(2): 303-319.
- VENZAL, J.M., AUTINO, A.G., NAVA, S. & GUGLIELMONE, A.A. 2004. *Ornithodoros mimon* Kohls, Clifford & Jones, 1969 (Acari: Argasidae) on Argentinean bats, and new records from Uruguay. *Systematic and Applied Acarology* 9: 37-39.
- VENZAL, J.M., GONZALEZ, E.M., CAPELLINO, D., ESTRADA PEÑA, A. & GUGLIELMONE, A.A. 2003. First record of *Amblyomma triste* Koch, 1844 (Acari: Ixodidae) and new records of *Ornithodoros mimon* Kohls, Clifford & Jones, 1969 (Acari: Argasidae) from Neotropical bats. *Systematic and Applied Acarology* 8: 93-96.
- VERBOOM, B., LIMPENS, H. & MERTENS, F. 2001. Vleermuizen onder da,: een kerkzolderonderzoek in het rijk van nijmegen. *Zoogdier* 12(4): 3-9.
- VERHEGGEN, L.S.G.M. 2000. Zomerwaarneming ingekorven vleermuis. *Zoogdier* 11 (1): 26.
- VERHEGGEN, L.S.G.M. 2001. Nieuwe kolonie ingekorven vleermuis = [A new colony of Geoffroy's bat.] *Zoogdier* 12 (2): 32.
- VERKEM, S. 2003. Zoogdieren in Vlaanderen, een voorproefje. *Zoogdier* 14(2): 15-16.
- VERKEM, S., MOERMANS, T., VAN DER WIJDEN, B., DE BRUYN, L. & VERHAGEN, R. 2001. Ingekorven vleermuizen op de rand van hun verspreidingsgebied. *Zoogdier* 12(3): 30-33.
- VERKEM, S., VAN DER WIJDEN, B. & VERHAGEN, R. 2001. Radio-telemetry: wondermiddel of niet ? *Zoogdier* 12(3): 34-38.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VERSCHUREN, J. 1957. Ecologie, biologie et systématique des cheiroptères. Bruxelles, Institut des Parcs nationaux du Congo belge: 473 p. (Exploration du Parc National de la Garamba : Mission H. de Saeger, fasc. 7).
- VERWIMP, N. 2001. Vleermuizenbeleid in Vlaanderen. Zoogdier 12(3): 7-9.
- VILLA-C., B. & CANELA-R., M. 1988. Man, gods, and legendary vampire bats. In: Greenhall, A.M. & Schmidt, U. [Eds]. Natural History of Vampire bats. Boca Raton, CRC Press: 233-240.
- VILLALOBOS, F. & VALERIO, A.A. 2002. The phylogenetic relationships of the bat genus *Sturnira* Gray, 1842 (Chiroptera: Phyllostomidae). Mammalian Biology 67(5): 268-275.
- VILLAR-R., B. 1966. Los murciélagos de México : su importancia en la economía y la salubridad, su clasificación sistemática. México, Universidad Nacional Autónoma de México Instituto de Biología: XVI, 491 p.
- VILLEGAS-GUZMAN, G.A., POLACO, O.J., NAVARRO, F.J. & VARGAS, M. 2003. Nuevo registro de *Cimex pilosellus* (Horvath, 1912) (Hemiptera: Cimicidae) en murciélagos de Mexico = [New record of *Cimex pilosellus* (Horvath, 1912) (Hemiptera: Cimicidae) in bats of Mexico]. Vertebrata Mexicana 13: 7-10.
- Vincent Wildlife Trust 1997. The Vincent Wildlife Trust : review of 1996 : and an overview of the Trust's mammal work since its inception. London, The Vincent Wildlife Trust: 92 p.
- VLAMING, P. 2001. Vleermuizenopvang. Zoogdier 12(2): 32-33. (en hollandais).
- VLAMING, P. 2002. Tweekleurige vleermuis = [The frosted bat.] Zoogdier 13(4): 26 (en hollandais).
- VOIGT, C.C. 2000. Intraspecific scaling of flight power in the bat *Glossophaga soricina* (Phyllostomidae). Journal of Comparative Physiology B, 170(5-6): 403-410.
- VOIGT, C.C. 2003. Reproductive energetics of the nectar-feeding bat *Glossophaga soricina* (Phyllostomidae). Journal of comparative physiology. B : Biochemical, systemic and environmental physiology 173(1): 79-85.
- VOIGT, C.C. 2004. Are harems harems ? In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 44.
- VOIGT, C.C., HELVERSEN, O. VON, MICHENER, R.H. & KUNZ, T.H. 2003. Validation of a non-invasive blood-sampling technique for doubly-labelled water experiments. Journal of Experimental Zoology 296A(2): 87-97.
- VOIGT, C.C. & MATT, F. 2004. Nitrogen stree causes unpredictable enrichments of ¹⁵N in two nectar-feeding bat species. Journal of Experimental Biology 207: 1741-1748.
- VOIGT, C.C., MATT, F. & KELM, D. 2004. Nitrogen and stable carbon isotopes in the study of bat ecophysiology. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 52.
- VOIGT, C.C., MATT, F., MICHENER, R.H. & KUNZ, T.H. 2003. Low turnover rates of carbon isotopes in tissues of two nectar-feeding bat species. Journal of Experimental Biology 206(8): 1419-1427.
- VOLLETH, M., HAMEISTER, H. & HELLER, K.-G. 2004. Chiropteran phylogeny : the karyological view. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 20.
- VONHOF, M.J. & FENTON, M.B. 2004. Roost availability and population size of *Thyroptera tricolor*, a leaf-roosting bat, in north-eastern Costa Rica. Journal of Tropical Ecology 20: 291-305.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VONHOF, M.J., WHITEHEAD, H. & FENTON, M.B. 2004. Analysis of spix's disc-winged bat association patterns and roosting home ranges reveal a novel social structure among bats. *Animal Behaviour* 68: 507-521.
- VOUTE, A.M. 1980. The pond bat (*Myotis dasycneme*, Boie 1825) an endangered bat species in Northwestern Europe. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference* (5, 1978, Albuquerque). Lubbock, Texas Tech Press: 185-192.
- VOUTE, A.M. 2003. Vleermuisdetectors = [Bat detectors]. *Zoogdier* 14(2): 14.
- WALSH, A. 2004. Lubee bat conservancy : research projets and worldwide conservation programs for fruti and nectar bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference* (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 57.
- WANG, H., LIANG, B., FENG, J., SHENG, L. & ZHANG, S.Y. 2003. Molecular phylogenetic of hipposiderids (Chiroptera: Hipposideridae) and rhinolophids (Chiroptera: Rhinolophidae) in China based on mitochondrial cytochrome b sequences. *Folia zoologica* 52(3): 259-268.
- WARRELL, M.J. & WARRELL, D.A. 2004. Rabies and other lyssavirus diseases. *The Lancet* 363: 959-969.
- WARRILOW, D., HARROWER, B., SMITH, I.L., FIELD, H., TAYLOR, R., WALKER, C. & SMITH, G.A. 2003. Public health surveillance for Australian bat lyssavirus, in Queensland, Australia, 2000-2001. *Emerging Infectious Diseases* 9(2): 262-264.
- WATERS, D.A. & VOLLRATH, C. 2003. Echolocation performance and call structure in the megachiropteran fruit-bat *Rousettus aegyptiacus*. *Acta Chiropterologica* 5(2): 209-219.
- WATSON, A. 1970. Electronic aids to the identification of bats in flight and to their study under natural conditions. In: *International Bat Research Conference* (2, 1970, Amsterdam). *Bijdragen tot de Dierkunde* 40(1): 99-102.
- WEBB, J.P. Jr. & LOOMIS, R.B. 1977. Ectoparasites. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part II*. Lubbock, Texas Tech University: 57-119.
- WEBSTER, W.D. 2000. Westernmost record of the Seminole bat (*Lasiurus seminolus*) in North Carolina. *Journal of the Elisha Mitchell Scientific Society* 116(1): 91-92.
- WEIDNER, H. 2003. Nutzungsaspekte überwinternder Fransenfledermäuse, *Myotis nattereri* (Kuhl, 1817), in unterirdischen künstlichen Quartieren des Ostthüringer Schiefergebirges = [Utilization of winter quarters by Natterer's bat *Myotis nattereri* (Kuhl, 1817), in artificial underground cavities in the Eastern Thuringian Slate Mountains]. *Säugetierkundliche Informationen* 5(27): 287-298.
- WELLESCHIK, B. & FIRBAS, W. 1973. Quantitative investigations on the organ of corti of the Microchiroptera. In: *International Bat Research Conference* (3, 1972, Plitvice). *Periodicum biologorum* 75(1): 97-100.
- WEN, T.H., ZHOU, M.S. & JIANG, Z.Y. 2001. Description of a new sand-mite, *Whartonia furcappa* sp. nov. (Acariformes: Leeuwenhoekiidae). *Systematic and applied Acarology* 6: 195-198.
- WENSTRUP, J.J., LEROY, S.A., PORTFORS, C.V. & GROSE, C.D. 2004. Neural mechanisms underlying the analysis of target distance. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. *Echolocation in bats and dolphins*. Chicago & London, The University of Chicago Press: 146-153.
- WHITAKER, J.O. Jr. 2004. Prey selection in a temperate zone insectivorous bat community. *Journal of Mammalogy* 85(3): 460-469.



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01
E-mail: pascal.moeschler@ville-ge.ch
<http://www.ville-ge.ch/mhng/cco>
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WHITAKER, J.O. Jr., DANNELLY, H.K. & PRENTICE, D.A. 2004. Chitinase in insectivorous bats. *Journal of Mammalogy* 85(1): 15-18.
- WHITAKER, J.O. Jr. & HAMILTON, W.J. Jr. 1998. *Mammals of the Eastern United States*. 3rd ed. Ithaca & London, Cornell University Press: XI, 583 p.
- WHITAKER, J.O. Jr. & HAMILTON, W.J. Jr. 1998. Order Chiroptera : bats. In: Whithaker, J.O. Jr. & Hamilton, W.J. Jr. *Mammals of the Eastern United States*. 3rd ed. Ithaca & London, Cornell University Press: 73-155.
- WIBLE, J.R. & DAVIS, D.L. 2000. Ontogeny of the chiropteran basicranium, with reference to the Indian false vampire bat, *Megaderma lyra*. In: Adams, R.A. & Pedersen, S.C. [Eds]. *Ontogeny, functional ecology, and evolution of bats*. Cambridge [etc.], Cambridge University Press: 214-246.
- WICKLIFFE, J.K., HOFFMANN, F.G., CARROLL, D.S., DUNINA-BARKOVSKAYA, Y.V., BRADLEY, R.D. & BAKER, R.J. 2003. Intron 7 (FGB-17) of the fibrinogen, B beta polypeptide (FGB): a nuclear DNA phylogenetic marker for mammals. *Occasional Papers Museum of Texas Tech University* 219: i, 1-6.
- WILKINSON, G.S. 1988. Social organization and behavior. In: Greenhall, A.M. & Schmidt, U. [Eds]. *Natural History of Vampire bats*. Boca Raton, CRC Press: 85-97.
- WILKINSON, G.S. 2003. Social and vocal complexity in bats. In: De Waal, F.B.M. & Tyack, P.L. [Eds]. *Animal social complexity : intelligence, culture, and individualized societies*. Cambridge & London, Harvard University Press: 322-341, 559-568.
- WILKINSON, G.S. & MACCRACKEN, G.F.M. 2003. Bats and balls : Sexual selection and sperm competition in the Chiroptera. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 128-155.
- WILLIG, M.R., PATTERSON, B.D. & STEVENS, R.D. 2003. Patterns of range size, richness, and body size in the Chiroptera. In: Kunz, T.H., Fenton, M.B. [Eds]. *Bat ecology*. Chicago & London, The University of Chicago Press: 580-621.
- WILLIS, C.K.R. & BRIGHAM, R.M. 2003. Defining torpor in free-ranging bats : experimental evaluation of external temperature-sensitive radiotransmitters and the concept of active temperature. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 173(5): 379-389.
- WILLIS, C.K.R., KOLAR, K.A., KARST, A.L., KALCOUNIS-RUEPPEL, M.C. & BRIGHAM, R.M. 2003. Medium- and long-term reuse of trembling aspen cavities as roosts by big brown bats (*Eptesicus fuscus*). *Acta Chiropterologica* 5(1): 85-90.
- WILSON, D.E. 1975. The ontogeny of fat deposition in *Tadarida brasiliensis*. In: *International Bat Research Conference (4, 1975, Nairobi)*. [Abstracts]. [S.l.], [s.n.]: [1 p.].
- WILSON, D.E. 1979. Reproductive patterns. In: Baker, R.J., Jones, J.K. Jr. & Carter, D.C. [Eds]. *Biology of bats of the New World family Phyllostomidae. Part III*. Lubbock, Texas Tech University: 317-378.
- WILSON, D.E. 1997. Long-term monitoring of bats in the Lower Urubamba region. In: Dallmeier, F. & Alonso, A. [Eds]. *Biodiversity assessment and monitoring of the Lower Urubamba region, Perú : San Martin-3 and Cashiriari-2 well sites*. Washington DC, SI/Monitoring & Assessment of Biodiversity Program (SI/MAB): 303-310. (SI/MAB Series 1).
- WILSON, D.E., BAKER, R.J., SOLARI, S. & RODRIGUEZ, J.J. 1997. Bats : biodiversity assessment in the Lower Urubamba region. In: Dallmeier, F. & Alonso, A. [Eds]. *Biodiversity assessment and monitoring of the Lower Urubamba region, Perú : San Martin-3 and Cashiriari-2 well sites*. Washington DC, SI/Monitoring & Assessment of Biodiversity Program (SI/MAB): 293-301. (SI/MAB Series 1).



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WILSON, D.E., GELUSO, K.N. & ALTENBACH, J.S. 1978. The ontogeny of fat deposition in *Tadarida brasiliensis*. In: Olembo, R.J., Castelino, J.B. & Mutere, F.A. [Eds]. International Bat Research Conference (4, 1975, Nairobi). Nairobi, Kenya Literature Bureau: 15-19.
- WILSON, W.W. & MOSS, C.F. 2004. Sensory-motor behavior of free-flying FM bats during target capture. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 22-27.
- WIMSATT, W.A. [Ed]. 1970-1977. Biology of bats. New York & London, Academic Press: 3 vol.
- WINTER, Y., LOPEZ, J. & HELVERSEN, O. VON 2003. Ultraviolet vision in a bat. *Nature (London)* 425(6958): 612-614.
- WINTER, Y. & VON HELVERSEN, O. 2003. Operational tongue length in phyllostomid nectar-feeding bats. *Journal of Mammalogy* 84(3): 886-896.
- WOLOSZYN, B.W. & BASHTA, A.-T.V. 2001. Nietoperze Karpat : polowy klucz do oznaczania nietoperzy = Field key to the bats of the Carpathians. Kraków-Lwów, Chiropterological Information Center, Poland, Bat Research and Protection Group & Institute of Ecology of the Carpathians NAN: 168 p.
- WONG, C.H., GEE, Y.L., ZUBAID, A. & KAMIS, A.B. 2002. Twinning in *Scotophilus kuhlii* (Microchiroptera: Vespertilionidae) from Peninsular Malaysia. *Malaysian applied Biology* 31(1): 71-73.
- WONG, C.H., TAY, T.W., MARINA, M.T., ZUBAID, A. & KAMIS, A.B. 2002. Reproductive biology of the male *Cynopterus brachyotis* in a fragmented forest and an agricultural habitat in Peninsular Malaysia. *Malaysian applied biology* 31(2): 57-61.
- WONG, D. 2004. The auditory cortex of the little brown bat, *Myotis lucifugus*. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 185-189.
- WONG, D. & CHEN, K. 2004. Relationship between frequency and delay tuning in the FM bat *Myotis lucifugus*. In: Thomas, J.A., Moss, C.F. & Vater, M. [Eds]. Echolocation in bats and dolphins. Chicago & London, The University of Chicago Press: 222-226.
- WOODSIDE, D.P. 1999. Masters of the night sky. Gosford, Boosshelf: 32 p.
- YALDEN, D.W. & MORRIS, P.A. 1975. The lives of bats. Newton [etc.], David & Charles: 247 p.
- YEAP, C.A. & ZUBAID, A. 2002. *Harpiocephalus mordax* (Thomas 1923), a new record for Taman Negara, Peninsular Malaysia. *Malayan Nature Journal* 56(2): 195-197.
- YOSHIYUKI, M. & ENDO, H. 2003. Catalogue of chiropteran specimens in Spirit. Tokyo, National Science Museum: 153 p.
- YOUDEOWEI, A. & MANGO, C. 1975. Bat's wing membrane for entomological research : in particular the feeding behaviour of two haematophagous arthropods. In: International Bat Research Conference (4, 1975, Nairobi). [Abstracts]. [S.l.], [s.n.]: [1 p.].
- ZAHN, A., HASELBACH, H. & GÜTTINGER, R. 2004. Foraging activity of Central European *Myotis myotis* in a landscape dominated by spruce monocultures. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. International Bat Research Conference (13, 2004, Mikolajki). [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 64.
- ZAHN, A. & RUPP, D. 2004. Ectoparasite load in European vespertilionid bats. *Journal of Zoology, London* 262(4): 383-391.
- ZDZITOWIECKI, K. & RUPRECHT, A.L. 1982. [Helminth parasites of bats from the genus *Plecotus* Geoffroy, 1818 from Kujawy]. *Wiadomosci parazytologiczne* 28(3-4): 445-448.



CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ZHANG, L., LU, L., ZHOU, S., DAI, Q., ZHAO, H., LOU, G. & ZHANG, S.Y. 2002. Comparison of the echolocation signals in two species of flat-headed bats at flying. *Zoological Research* 23(4): 296-300. [Texte en chinois, résumé en anglais].
- ZHANG, S.Y., ZHAO, H., FENG, J., SHENG, L., LI, Z. & WANG, L. 2000. Echolocation calls of *Myotis frater* (Chiroptera: Hipposideridae) during search flight. *Chinese Science Bulletin* 45 (18): 1690-1691.
- ZHANG, S.Y., ZHAO, H., FENG, J., SHENG, L., WANG, H. & WANG, L. 2000. Relationship between echolocation frequency and body size in two species of hipposiderid bats. *Chinese Science Bulletin* 45 (17): 1587-1590.
- ZHANG, Y., SUGA, N. & YAN, J. 1997. Corticofugal modulation of frequency processing in bat auditory system. *Nature (Lond.)* 387 (6636): 900-903.
- ZHAO, H., ZHANG, S., ZUO, M. & ZHOU, J. 2003. Correlations between call frequency and ear length in bats belonging to the families Rhinolophidae and Hipposideridae. *Journal of Zoology, London* 259(2): 189-195.
- ZHUKOVA, N.F. & KOVTUN, M.F. 2004. Peculiarities of the prenatal development of digestive system of bats. In: Bogdanowicz, W., Lina, P.H.C., Pilot, M. & Rutkowski, R. [Eds]. *International Bat Research Conference (13, 2004, Mikolajki)*. [Abstracts]. Warszawa, Museum and Institute of Zoology PAS: 36-37.
- ZIEGLER, R. 2003. Bats (Chiroptera, Mammalia) from Middle Miocene karstic fissure fillings of Petersbuch near Eichstätt, Southern Franconian Alb (Bavaria). *Geobios* 36: 447-490.
- ZIEGLER, R. 2003. *Myotis horaceki* pro *Myotis intermedius* Ziegler 2000 (Chiroptera, Mammalia) (=non *Myotis bechsteini intermedius* Rybar 1976). *Senckenbergiana lethaea* 83(1-2): 2.
- ZINCK, J.M., DUFFIELD, D.A. & ORMSBEE, P.C. 2004. Primers for identification and polymorphism assessment of vespertilionid bats in the Pacific Northwest. *Molecular Ecology Notes* 4(2): 239-242.
- ZOOK, J.M. & CASSEDAY, J.H. 1980. Identification of auditory centers in lower brain stem of two species of echolocating bats : evidence from injection of horseradish peroxidase into inferior colliculus. In: Wilson, D.E. & Gardner, A.L. [Eds]. *International Bat Research Conference (5, 1978, Albuquerque)*. Lubbock, Texas Tech Press: 51-59.
- ZORTEA, M. 2003. Reproductive patterns and feeding habits of three nectarivorous bats (Phyllostomidae: Glossophaginae) from the Brazilian Cerrado. *Brazilian Journal of Biology* 63(1): 159-168.
- ZORTEA, M. & ALVES DE BRITO, B.F. 2000. Tents used by *Vampyressa pusilla* (Chiroptera: Phyllostomidae) in southeastern Brazil. *Journal of tropical ecology* 16(3): 475-480.
- ZUBAID, A. 1999. Insectivorous bats as natural predators of insect pests. *Symposium on Biological Control in the Tropics*. MARDI Training Centre, Serdang, Selangor, Malaysia, 18-19 March 1999: 34-36.
- ZUKAL, J., REHAK, Z. & KOVARIK, M. 2003. *Netopyri Sloupsko-sosuvských jeskyní (Moravský kras) = Bats of the Sloupsko-sosuvské jeskyne cave (Moravian Karst, central Moravia)*. *Lynx (Praha)* 34: 205-220.