



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

### **Publications scientifiques reçues ou cataloguées en 2009 au Centre chauves-souris (1100 références)**

### ***Scientific publications received or catalogued at the Swiss bat center in 2009 (1100 references)***

La direction et la bibliothèque du Centre chauves-souris remercient chaleureusement les auteurs qui ont envoyé leurs publications sur les chauves-souris  
*The management and the library of Swiss Bat Center warmly thank all the authors who sent their bat publications.*

1972. Zum Vorkommen der beiden Bartfledermausarten in den Kalkstollen von Rüdersdorf (vorläufige Mitteilung). *Nyctalus* 4: 5-7.
1993. Long-fingered bats of the genus *Miniopterus* (Chiroptera: Vespertilionidae) from Madagascar. *Mammalia* 57(3): 401-405.
- 2008 Scientists target gravest threat to bats. *Bats* 26(2) : 12-13.
- AAS, C.K. & KOUIJ, J. van der 2007. Sannsynlig kollisjon mellom dverflaggermus *Pipistrellus pygmaeus* og fly pa Stavanger lufthavn. *Fauna* 60(3-4): 294-296.
- ABADIE, R. d'.1948. Note sur les captures dans le nord du département de la Haute-Vienne de trois micromammifères méridionaux. *Mammalia* 12(4): 155-157.
- ABEL, G. 1960. 24 Jahre Beringung von Fledermäusen im Lande Salzburg. *Bonner zoologische Beiträge* 11(Sonderheft): 25-32.
- ABEL, G. 1961. Ergebnisse der Fledermausberingung in Salzburg. *Säugetierkundliche Mitteilungen* 9: 39.
- ACOSTA Y LARA, E.F. & MUÑOZ, J.I. 1962. Quiropteros del Uruguay : revision de nomenclatura. *Comunicaciones zoologicas del Museo de historia natural de Montevideo* 7(96): 1-15.
- ADAM, K.D. 1961. Die Bedeutung der pleistozänen Säugetier-Faunen Mitteleuropas für die Geschichte des Eiszeitalters. *Stuttgarter Beiträge zur Naturkunde aus dem Staatlichen Museum für Naturkunde in Stuttgart* 78: 1-34.
- ADAMS, D.B. & BAER, G.M. 1966. Cesarean section and artificial feeding device for suckling bats. *Journal of Mammalogy* 47(3): 524-525.
- ADAMS, R.A. 1990. Biogeography of bats in Colorado : ecological implications of species tolerances. *Bat Research News* 31(2): 17-21.
- ADAMS, R.A. 1990. Resource partitioning between age partitioned little brown bats *Myotis lucifungus* in a mosaic habitat setting. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 69-70.
- ADAMS, R.A. 1992. Stages of development and sequence of bone formation in the little brown bat, *Myotis lucifugus*. *Journal of Mammalogy* 73(1): 160-167.
- ADAMS, R.A. 2009. Chap. 13 : Methods for assessing prenatal growth and development in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 265-272.
- ADAMS, R.A. 2009. The threat of Climate Change : bat reproduction may suffer in the American West. *Bats* 27(1): 1-4.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- ADEMA, G. & HAMELERS, B. 1980. De vleermuizenstand in een aantal kleine mergelgroeven in Zuid-Limburg. *Lutra* 22: 60-65.
- ADHIKARI, H. 2008. Bat conservation takes root in Nepal : education makes a difference in the Madanpokhara Valley. *Bats* 26(4): 9-10.
- AELLEN, V. 1972. Un *Rhinolophus* nouveau d'Afrique centrale. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 53.
- AGRAWAL, K.A. & GUPTA, B.B. 1982. The gastric morphology and histology of an insectivorous bat - *Rhinopoma kinneari*. *Lynx (Praha)* 21: 5-14.
- AGUILAR JULIO, C. 2009. El Gran Chaco Paraguayo : Material para la educación de grupos escolares parte 3 : animales típicos del chaco : los mamíferos (PRIMATES, CHIROPTERA, ARTIODACTYLA Y PERISSODACTYLA) = [The Paraguayan Gran Chaco : material for the education of school groups part 3 : typical animals of Chaco : mammals (Primates, Chiroptera, Artiodactyla & Perissodactyla)]. <http://www.faanaparaguay.com/jedu3.html>
- AHARONI, J. 1930. Die Säugetiere Palästinas. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 5: 327-343.
- AL-SAFADI, M.M. 1991. Chiropteran fauna of Yemen Arab Republic. *Mammalia* 55(2): 269-274.
- ALCALDE, J.T. 1994. Conservation problems of a *Miniopterus schreibersii* roost. In : SCHMIDT, U. & HÖLLER, P. *BAT SYMPOSIUM (1994, BONN)*. Bonn, Deutsche Gesellschaft für Säugetierkunde : [ 1 p.].
- ALLEN, A.A. 1921. Banding bats. *Journal of Mammalogy* 2(2): 53-57.
- ALLEN, G.M. 1938. Zoological results of the second Dolan Expedition to Western China and Eastern Tibet, 1934-1936. Part III, Mammals. *Proceedings of the Academy of Natural Sciences of Philadelphia* 90: 261-294.
- ALLISON, V.C. 1937. Evening bat flight from Carlsbad Caverns. *Journal of Mammalogy* 18: 80-82.
- ALTENBACH, J.S. & DALTON, D. C. 2009. Chap. 4 : Techniques for photographing bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 78-90.
- ALTENBACH, J.S. & PETIT, M.G. 1972. Stratification of guano deposits of the tree-tailed bat, *Tadarida brasiliensis*. *Journal of Mammalogy* 53(4): 890-893.
- AMELON, S.K., DALTON, D. C., MILLSPAUGH, J. J. & WOLF, S. 2009. Chap. 3 : Radiotelemetry : techniques and analysis. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 57-77.
- AMERICAN SOCIETY OF MAMMALOGISTS. 1992. Guidelines for the protection of bat roosts. *Journal of Mammalogy* 73(3): 707-710.
- AMREIN, I., DECHMANN, D.K.N., YORK, W. & LIPP, H.-P. 2007. Absent or low rate of adult neurogenesis in the hippocampus of bats (chiroptera). *PLoS ONE*. 2007; 2(5):1-8.
- ANDERSEN, B.B. & MILLER, L.A. 1977. A portable ultrasonic detection system for recording bat cries in the field. *Journal of Mammalogy* 58(2): 226-229.
- ANTHONY, M.C. & KITCHIN, R.M. 1976. Sex chromosomes and giemsa banding pattern of *Plecotus townsendii*. *Journal of Mammalogy* 57(1): 163-166.
- AO, L., MAO, X., NIE, W., GU, X., FENG, Q., WANG, J., SU, W., WANG, Y.-X., VOLLETH, M. & YANG, F. 2007. Karyotypic evolution and phylogenetic relationships in the order Chiroptera as revealed by G-banding comparison and chromosome painting. *Chromosome Research* 15: 257-267.
- ARIAGNO, D., DELAGE, R. & HEIM DE BALSAC, H. 1968. Compléments à la faunistique mammalienne du Vercors. *Mammalia* 32: 521-523.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ARITA, H.T. 1991. Spatial segregation in long-nosed bats, *Leptonycteris nivalis* and *Leptonycteris curasoae*, in Mexico. *Journal of Mammalogy* 72(4): 706-714.
- ARITA, H.T. 1993. Conservation biology of the cave bats of Mexico. *Journal of Mammalogy* 74(3): 693-702.
- ARNONE, I. S. 2007. Estrutura de comunidade da quiropteroфаuna (Mammalia, Chiroptera) do Parque Estadual de Campinhos, Parana, Brasil. *Revista Brasileira de Zoologia* 24(3): 573-581.
- ARTHUR, L. & LEMAIRE, M. 2009. Anatomie. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 96-98. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Annexe : Cahier d'identification : carte de distribution. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 39 p. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Biogéographie. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 74-82. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Cahier d'identification des adultes à vue ou tenus en main. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 238-262. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Cahier d'identification par les ultrasons. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 544 p. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Cohabiter. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 183-233. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Ecologie. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 83-93. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Evolution. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 41-43. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Hypothermie, la vie au ralenti. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 115-118. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Introduction aux monographies. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 270-273. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. L'écholocation. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 106-111. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. L'homme vu par la chauve-souris. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 161-182. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. La chauve-souris vue par l'homme. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 138-151. (Collection : Parthénope).



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- ARTHUR, L. & LEMAIRE, M. 2009. La diversité des espèces dans le monde. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 44-49. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. La famille des *Minioptèridés*. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 320-331. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. La famille des *Molossidés*. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 312-319. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. La famille des *Rhinolophidés*. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 274-311. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. La famille des *Vespertilionidés*. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 332-526. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Le cycle vital. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 114p. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Le vol. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 99-105. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Les autres sens. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 112-113. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle, 544 p.
- ARTHUR, L. & LEMAIRE, M. 2009. Les familles actuelles. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 50-71. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Mieux les appréhender. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 152-160. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Migration. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 126-127. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Paléontologie. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 26-40. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Position de chauves-souris parmi les vertébrés. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 16-25. (Collection : Parthénope).
- ARTHUR, L. & LEMAIRE, M. 2009. Reproduction. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 119-125. (Collection : Parthénope).



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ARTHUR, L. & LEMAIRE, M. 2009. Socialité. In : ARTHUR, L. & LEMAIRE, M. Les chauves-souris de France, Belgique, Luxembourg et Suisse. Paris, Biotope, Mèze, Muséum national d'histoire naturelle : 128-135. (Collection : Parthénope).
- ASA, C. S. & BARNARD, S.M. 2009. Chap. 3 : Controlling reproduction. In : BARNARD, S. M. Bats in captivity. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 59-76.
- AUDET, D., ENGSTROM, M.D. & FENTON, M.B. 1993. Morphology, karyology, and echolocation calls of *Rhogeessa* (Chiroptera : Vespertilionidae) from the Yucatán Peninsula. *Journal of Mammalogy* 74(2): 498-502.
- AULAGNIER, S., HAFFNER, M., MITCHELL-JONES, T., MOUTOU, F. & ZIMA, J. 2009. Mammals of Europe, North Africa and the Middle East. Londres, A&C Black Publishers : 272 p.
- AYALA-BERDON, J., SCHONDUBE, J.E., STONER, K.E., RODRIGUEZ-PENA, N. & MARTINEZ DEL RIO, C. 2008. The intake responses of three species of leaf-nosed Neotropical bats. *Journal of Comparative Physiology Biochemical Systemic and Environmental Physiology* 178(4): 477-485.
- BAAGØE, H.J., JENSEN, B. 1972. The spread and present occurrence of the serotine (*Eptesicus serotinus*) in Denmark. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 53-54.
- BADWAIK, N.K. 1989. Gestation period in some Indian hipposiderids bats. *Bat Research News* 30(2): 21.
- BADWAIK, N.K. 1991. Seasonal migration of two species of Microchiroptera in relation to breeding cycles. *Mammalia* 55(4): 625-628.
- BADWAIK, N.K. 1992. A note on the longevity of two Indian bats. *Bat Research News* 33(1): 11.
- BADWAIK, N.K. 1992. Seasonal migration of two species of microchiroptera in relation to breeding cycles. *Mammalia* 56(2): 287-290.
- BADWAIK, N.K. 1993. Reproductive adaptation in the male of *Hipposideros speoris* at different locations in Maharashtra. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 11.
- BAERWALD, E.F., EDWORTHY, J., HOLDER, M. & BARCLAY, R.M.R. 2009. A large-scale mitigation experiment to reduce bat fatalities at wind energy facilities. *Journal of wildlife management* 73(7): 1077-1081.
- BAKER, R.J., MACDONOUGH, M.M., SWIER, V.J., LARSEN, P.A., CARRERA, J.P. & AMMERMAN, L.K. 2009. New species of bonneted bat, genus *Eumops* (Chiroptera: Molossidae) from the lowlands of western Ecuador and Peru. *Acta Chiropterologica* 11(1): 1-13.
- BAKKA, A.I. & BAKKA, S.V. 1994. The current state and protection of bats in Nizhni Novgorod province (Russia). In : SCHMIDT, U. & HÖLLER, P. BAT SYMPOSIUM (1994, BONN). Bonn, Deutsche Gesellschaft für Säugetierkunde : [ 2 p.].
- BALASINGH, J. 1993. Night roosting and lunar phobia in the Indian false vampire *Megaderma lyra*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 11.
- BALASINGH, J., ISAAC, S.S. & SUBBARAJ.R. 1992. A convenient device for tagging bats in the field. *Bat Research News* 33(1): 6.
- BALASINGH, J., ISAAC, S.S., KING EMMANUEL, J., NATHAN, P.T. & BIJU SELVAN, B. 1996. Rehabilitation and conservation measures concerning the Indian false vampire bat, *Megaderma lyra*. *Bat Research News* 38(3): 71-72.
- BALCOMBE, J.P. 1990. Vocal recognition in Mexican free-tailed bats : do pups recognize mothers? In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 70.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BANERJEE, A., MEENAKUMARI, K.J. & KRISHNA, A. 2007. Relationship between delayed embryonic development and metabolic factors and fat deposition in fruit bat *Cynopterus sphinx*. *Reproduction, fertility and development* (19):626–633
- BARATAUD, M. 2002. Bioévaluation des peuplements de mélèze commun (*Larix decidua*) dans le massif du Mercantour, par l'étude des chiroptères en activité de chasse. Session 2009 : 14 p.
- BARCLAY, R.M.R. & THOMAS, D.W. 1979. Copulation call of *Myotis lucifugus* : a discrete situation-specific communication signal. *Journal of Mammalogy* 60(3): 632-634.
- BARCLAY, R.M.R., DOLAN, M.-A. & DYCK, A. 1990. The digestive efficiency of insectivorous bats. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 70.
- BARIOD, J. & GAUTHEY, A. 1991. Rage et chauves-souris. *Spelunca* : 5e série : revue trimestrielle de la Fédération française de spéléologie 42: 25-26.
- BARNARD, S.M. 2009. Chap. 14 : Euthanasia. In : BARNARD, S.M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- BARNARD, S.M. 2009. Appendix I : abbreviations used in veterinary medicine and husbandry. In : BARNARD, S.M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- BARNARD, S.M. 2009. Appendix II : Measurement conversion factors. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- BARNARD, S.M. 2009. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos press : XII, 587 p.
- BARNARD, S.M. 2009. Chap. 16 : Maintaining bats for captive studies. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 329-372.
- BARON, G. 1972. Volumetrischer Vergleich von Hirnstrukturen Verschiedener Orientierungsmechanismen bei Fledermäusen. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 28-29.
- BARRETT, J., OLSSON, A., KEMMERER COTTRELL, D. & CRAWSHAW, G. J. 2009. Chap. 9 : Chemical restraint and anesthesia. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- BASSETT, J.E. & WIEBERS, J.E. 1979. Subspecific differences in the urine concentrating ability of *Myotis lucifugus*. *Journal of Mammalogy* 60(2): 395-397.
- BASSETT, J.E., PINSHOW, B. & KORINE, C. 2009. Chap. 32 : Methods for investigating water balance in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 659-673.
- BASSIN, A., GILLIERON, G., ECOFFEY, P. & VALLOTTON, L. 2008. Etudes faunistiques au col de Jaman : rapport d'activité 2008. Lausanne, Groupe d'études faunistiques de Jaman (GEFJ) : 36 p.
- BAT SYMPOSIUM (1994, BONN), DEUTSCHE GESELLSCHAFT FÜR SÄUGETIERKUNDE, SCHMIDT, U. & HÖLLER, P. 1994 Symposium on "Current Problems of bat protection in Central and Eastern Europe" Abstracts. Bonn, Deutsche Gesellschaft für Säugetierkunde : [64 p.].
- BATEMAN, G.C. & VAUGHAN, T.A. 1974. Nightly activities of mormoopid bats. *Journal of Mammalogy* 55(1): 45-65.
- BATES, M.E., SIMMONS, J.A. & STAMPER, S.A. 2008. Jamming avoidance response of big brown bats in target detection. *Journal of Experimental Biology* 211(1): 106-113.
- BATS. 2009. Clothing caves for WNS. *Bats* 27(1): 14.
- BATS. 2009. The bats in the wells. *Bats* 27(1): 16.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- BAUMGARTEN, J.E. & VIEIRA, E.M. 1994. Reproductive seasonality and development of *Anoura geoffroyi* (Chiroptera: Phyllostomidae) in central Brazil. *Mammalia* 58(3): 415-422.
- BEAUCOURNU, J.-C. 1955. Note sur la présence de *Rhinolophus euryale* dans la Mayenne. *Mammalia* 19: 478-481.
- BEAUCOURNU, J.-C. 1956. La colonie de chiroptères du château des ducs de Nantes. *Mammalia* 20(1): 66-74.
- BEAUCOURNU, J.-C. 1957. Note sur la répartition de *Rhinolophus euryale* (Blasius) dans l'ouest de la France. *Mammalia* 21: 90-95.
- BEAUCOURNU, J.-C. 1967. Contribution à la connaissance de la biologie d'*Ixodes* (*Eschatocephalus*) *vespertilionis* Koch 1844 et d'*Ixodes* (*Pomerantzevella*) *simplex* Neumann 1906 (Acarina, Ixodoidea), parasite des chiroptères. *Annales de Spéléologie* 22(3): 543-580.
- BEGUM, K.M. & ALEXANDER, K.M. 1993. Specialized skin glands of behavioural relevance in the microchiropteran bat, *Megaderma lyra*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 11-12.
- BEILSTEIN, K. 1992. Untersuchungen zum Vorkommen und zur Verbreitung von Fledermausarten an der schleswig-holsteinischen Westküste. *Säugetierkundliche Informationen* 3(16): 339-351.
- BEKKUM, S. 2007. Fotografering av jaktende flaggermus om natten. *Fauna* 60(3-4): 297-299.
- BELL, G.P. & FENTON, M.B. 1986. Visual acuity, sensitivity and binocularity in a gleaning insectivorous bat, *macrotus californicus* (Chiroptera: Phyllostomidae). *Animal Behaviour* 34(2): 409-414.
- BELWOOD, J.J. 1990. The University of Florida Bat Relocation Project : an experiment with important management implications. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 71.
- BENEDICT, J.E. 1926. Notes on the feeding habits of *Noctilio*. *Journal of Mammalogy* 7: 58-59.
- BENNETT, M.B. 1993. Functional adaptation of the hind limbs for hanging in three species of *Pteropus*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 12.
- BENNETT, M.B., SWARTZ, S.M. & CARRIER, D.R. 1993. In-flight bone stress measurement in *Pteropus poliocephalus* forelimbs. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 12.
- BERNER, R.S. 2009. *Le livre de la nuit Genève, La Joie de Lire*: 1 album.
- BERTRAND, F. 2004. Une pipistrelle germanique au château de Jehay. *La feuille de contact Plecotus* 26: 4 p.
- BEST, T.L., MILAM, B.A., HAAS, T.D., CVILIKAS, W.S. & SAIDAK, L.R. 1997. Variation in diet of the gray bat (*Myotis grisescens*). *Journal of Mammalogy* 78(2): 569-583.
- BHAT, H.R. 1993. Observations on the food regimen and feeding behaviour of *Cynopterus sphinx* at Pune. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 12.
- BHAT, H.R. 1994. Observations on the food and feeding behaviour of *Cynopterus sphinx* Vahl (Chiroptera, Pteropodidae) at Pune, India. *Mammalia* 58(3): 363-370.
- BHATI, U.S. 1992. A note on the Brunner's glands of two insectivorous bats. *Mammalia* 56(2): 295-296.
- BHATI, U.S. & SRIVASTAGA, M. 1993. Histochemical differences in the intestinal mucous of *Rhinopoma kinneari*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 12.
- BHATNAGAR, K.P. 1978. Breech presentation in the hairy-legged vampire, *Diphylla ecaudata*. *Journal of Mammalogy* 59(4): 864-866.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BHATNAGAR, K.P. 1978. Head presentation in *Artibeus jamaicensis* with some notes on parturition. *Mammalia* 42(3): 359-363.
- BHATNAGAR, K.P. & KARIM, K.B. 1993. Light and ultrastructural observations on the pineal gland of the Indian flying fox, *Pteropus giganteus*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 13.
- BHATNAGAR, K.P., FENTIE, I.H. & WIBLE, J.R. 1992. Are the mandibular lateral incisors of the hairy-legged vampire bat, *Diphylla ecaudata*, really seven-lobed? *Mammalia* 56(2): 251-254.
- BHATNAGAR, K.P., GENTIE, I.H. & WIBLE, J.R. 1990. The lobed mandibular incisors of the hairy-legged vampire, *Diphylla ecaudata*, with notes on lobed incisor crowns in some other mammals. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 71.
- BHATNAGAR, S. & LALL, S.B. 1993. Morphometric and histoarchitectural alteration in the pineal gland of an insectivorous microchiropteran : *Rhinopoma kinneari* exposed to various forms of photic stimulation. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 13.
- BHIWGADE, D.A. & THAKUR, V.A. 1993. The fine structure of term placenta in Indian molossid bat, *Chaerephon plicata*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 14.
- BHIWGADE, D.A., PATEL, A.J. & JOSHI, V.P. 1993. Comparative ultrastructural observations on the anterior pituitary in some Indian bats. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 14.
- BIEDERMANN, M., DIETZ, M., SCHORCHT, W. 2008. From a "Plattenbau" block of flats into a tower for bats : a report with hints for planning. Laubach-Gonterskirchen, Institut für Tierökologie und Naturbildung: 26 p.
- BILGIN, R., CORAMAN, E., KARATAS, A. & MORALES, J.C. 2009. Phylogeography of the greater horseshoe bat, *Rhinolophus ferrumequinum* (Chiroptera: Rhinolophidae), in southeastern Europe and Anatolia, with a specific focus on whether the sea of Marmara is a barrier to gene flow. *Acta Chiropterologica* 11(1): 53-60.
- BISHOP, K.L. 2008. The evolution of flight in bats: Narrowing the field of plausible hypotheses. *Quarterly Review of Biology* 83(2): 153-169.
- BLACK, J.D. 1936. Mammals of Northwestern Arkansas. *Journal of Mammalogy* 17: 29-35.
- BLANT, M., MORETTI, M., TINNER, W. 2008. Fréquence de quelques chiroptères durant l'Holocène. *Geographica Helvetica* 63(3): 188-192.
- BLOCK, G. de 1959. Sur une maternité de sérotines *Eptesicus serotinus* près de Wavre (Brabant). *Mammalia* 23: 374-377.
- BLOEKER, J.C. Jr. Von 1932. The roosting-place of *Pipistrellus hesperus*. *Journal of Mammalogy* 13: 273.
- BOETTICHER, H. VON 1940. Lampenkörper als Fledermausfallen. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 15: 325-326.
- BOGAN, M.A. 1990. Additional records of Wyoming bats. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 71-72.
- BOGDANOWICZ, W. 2009. Chap. 19 : Analysis of bat morphology. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 409-435.
- BONACCORSO, F.J. 1990. Feeding behavior of *Artibeus toltecus* in Costa Rica : flight cage experiments with native fruits. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 72.





## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BONACCORSO, F.J., ARENDS, A., GENOUD, M., CANTONI, D. & MORTON, T. 1992. Thermal ecology of moustached and ghost-faced bats (Mormoopidae) in Venezuela. *Journal of Mammalogy* 73(2): 365-378.
- BONACCORSO, F.J., SMYTHE, N. & HUMPHREY, S.R. 1976. Improved techniques for marking bats. *Journal of Mammalogy* 57(1): 181-182.
- BONACCORSO, F.J., WINKELMANN, J.R., SHIN, D., AGRAWAL, C.I., ASLAMI, M., BONNEY, C., HSU, A., JEKIELEK, P.E., KNOX, A.K., KOPACH, S.J., JENNINGS, T.D., LASKY, J.R., MENESALE, S.A., RICHARDS, J.H., RUTLAND, J.A., SESSA, A.K., ZHAUROVA, L. & KUNZ, T.H. 2008. Evidence for exploitative competition: comparative foraging behavior and roosting ecology of short-tailed fruit bats (phyllostomidae). *Biotropica*. 2007 March; 39(2):249-256.
- BORELL, A.E. 1937. A new method of collecting bats. *Journal of Mammalogy* 18: 478-480.
- BORISENKO, A.V., KRUSKOP, S.V. & IVANOVA, T. 2008. A new mouse-eared bat (Mammalia : Chiroptera : Vespertilionidae) from Vietnam *Russian Journal of Theriology* 7(2): 57-69.
- BOSHAMER, J.P.C. & BEKKER, J.P. 2008. Nathusius' pipistrelles (*Pipistrellus nathusii*) and other species of bats on offshore platforms in the Dutch sector of the North Sea. *Lutra* 51(1): 17-36.
- BOUTIN, M.J. & WILLIS, C.K.R. 1996. A new longevity record for *Myotis yumanensis*. *Bat Research News* 37(1): 11.
- BRAAKSMA, S. 1969. Summer-resorts of bats on lofts and towers of churches in the Netherlands. *Lynx (Praha)* 10: 7-12.
- BRAAKSMA, S. 1972. Bat conservation in the Netherlands In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 60.
- BRAAKSMA, S. & GLAS, G.H. 1980. Overwinterende vleermuizen in enkele ijs- en kasteelkelders. *Lutra* 22: 78-84.
- BRACK, V. Jr. & CARTER, J.C. 1985. Use of an underground burrow by *Lasionycteris*. *Bat Research News* 26(3): 28-29.
- BRACK, V. Jr. & JOHNSON, S.A. 1990. An albino *Myotis sodalis*. *Bat Research News* 31(1): 8.
- BRADBURY, J.W. 1972. The significance of Lek or Arena display in the Epomophorines *Hypsignathus monstrosus* and *Epomops franqueti*. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 13.
- BRADBURY, J.W. & NOTTEBOHM, F. 1969. The use of vision by the little brown bat, *Myotis lucifugus*, under controlled conditions. *Animal Behaviour* 17(3): 480-485.
- BRAMWELL, C.D. 1972. The elastic Properties of Bat Membrane In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 61.
- BRASWELL, L. & BARNARD, S.M. 2009. Chap. 8 : Oral Finding. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & LAPRELL, E. 1998. Die pädagogische Arbeit mit Kindern aus fledermauskundlicher Sicht. *Der Flattermann* 20: 8-10.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & BENK, A. 1998. Originalbeiträge und Besprechungen von Artikeln zur Fledermausfauna von Niedersachsen : Feldmammalogische Merkmale zwischen Teich - (*Myotis dasycneme*) und Wasserfledermaus (*Myotis daubentonii*). *Der Flattermann* 20: 7.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & BENK, A. 1998. Die Arbeitsgemeinschaft Zoologische Heimatforschung Niedersachsen e. V. - AZHN. *Der Flattermann* 20: 3-7.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & KURTZE, W. 1998. Die Breitflügel-Fledermaus *Eptesicus serotinus* in Niedersachs. *Der Flattermann* 20: 10-11.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & POTT-DÖRFER, B. 1998. Eine Region wird vorgestellt : Niedersachsen : Behördlicher Fledermausschutz in Niedersachsen. *Der Flattermann* 20: 2-3.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & RACKOW, W. 1998. Zum aktuellen Kenntnisstand der Fledermausfauna (Chiroptera) am südwestlichen Harzand. *Der Flattermann* 20: 11.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & VOWINKEL, K. 1998. Zur Verbreitung des Wasserfledermaus *Myotis daubentoni* im südlichen Leinebergland. *Der Flattermann* 20: 11.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., & VOWINKEL, K. 1998. Zur Verbreitung des Grauen Langohrs *Plecotus austriacus*, Fischer 1829, in Niedersachsen. *Der Flattermann* 20: 10.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., BENK, A. & HECKENROTH, H. 1998. Zur Verbreitung und populationsentwicklung des Mausohrs *Myotis myotis*, Borkhausen, 1797, in Niedersachsen. *Der Flattermann* 20: 10.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., BENK, A. & MITTENDORF, H. 1998. Beobachtungen an baumbewohnenden Fledermäusen in der Gohrde, Landkreis Lüneburg. *Der Flattermann* 20: 12.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., LAPRELL, E., HEMMER, C. & BENK, A. 1998. Flugstasse der Teichfledermaus (*Myotis dasycneme*) in der Stüdeilenriede. *Der Flattermann* 20: 11-12.
- BRAUN, M., BRAUN, H., FLÖSSER, R., KULZER, E., LAPRELL, E., HEMMER, C. & BENK, A. 1998. Wochenstube der Teichfledermaus (*Myotis dascneme*) in Diethe, Landkreis Nienburg. *Der Flattermann* 20: 12.
- BRAVERMAN, I., KORINE, C. & ELIDAN, J. 1993. Auditory brainstem evoked response (ABR) of the fruit-bat, *Rousettus aegyptiacus*. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 14.
- BRICKLIN, R.B., KURTA, A., SMITH, S. M. & SCULLON, B. 2007. Long-term philopatry of a hibernating eastern Pipistrelle (*Pipistrellus subflavus*). *Michigan birds and natural history* 14(5): 183-185.
- BRIGHAM, R.M. & FIRMAN, M.C. 1990. Activity periods and use of torpor by two goatsuckers, the poorwill, *Phalaenoptilus nuttallii*, and the common nighthawk, *Chrodeiles minor*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 72-73.
- BRIGHAM, R.M. & SMISHEK, M.E. 1991. A new adhesive for use on sticky traps. *Bat Research News* 32(1): 1-2.
- BRIGHAM, R.M., ALDRIDGE, H.D.J.N. & MACKEY, R.L. 1992. Variation in habitat use and prey selection by Yuma bats, *Myotis yumanensis*. *Journal of Mammalogy* 73(3): 640-645.
- BRISORGUEIL, A., Ministère de l'Ecologie, de l'Energie, du Développement durable et de l'Aménagement du territoire & Société Française pour l'Etude et la Protection des Mammifères. [s.d.]. Les chauves-souris : plan de restauration 2008 - 2012. Paris, Direction de l'eau et de la biodiversité.
- BROOKE, A.P. 1990. Social organization of the fishing bat *Noctilio leporinus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 73.
- BROOKE, A.P. 1992. Sure-footed Bats. *Bulletin of the American Museum of Natural History* 101(10): 60-63
- BROSSET, A. 1975. Le régime alimentaire de *Myotis daubentoni* : commentaires sur l'observation de J.F. Terrasse. *Mammalia* 39(1): 148.
- BROSSET, A. & DUBOST, G. 1967. Chiroptères de la Guyane française. *Mammalia* 31: 583-594.
- BROSSET, A. & HEIM DE BALSAC, H. 1967. Les micromammifères du Vercors. *Mammalia* 31: 325-346.
- BROWN, R.E. 1967. Bacula of some New World molossid bats. *Mammalia* 31: 645-667.
- BROWN, R.E., GENOWAYS, H.H. & JONES, J.K. Jr. 1971. Bacula of some Neotropical bats. *Mammalia* 35(3): 456-464.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- BRUNET-ROSSINNI, A. K. & WILKINSON, G.S. 2009. Chap. 15 : Methods for age estimation and the study of senescence in bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 315-328.
- BUCHLER, E.R. 1975. Food transit time in *Myotis lucifugus* (Chiroptera: Vespertilionidae). *Journal of Mammalogy* 56(1): 252-255.
- BUDDENHAGEN, I.W. 2008. Bats and disappearing wild bananas : can bats keep commercial bananas on supermarket shelves? *Bats* 26(4): 1-6.
- BUDEN, D.W. 1975. A taxonomic and zoogeographic appraisal of the big-eared bat (*Macrotus waterhousii* Gray) in the West Indies. *Journal of Mammalogy* 56(4): 758-769.
- BUDEN, D.W. 1975. *Monophyllus redmani* Leach (Chiroptera) from the Bahamas, with notes on variation in the species. *Journal of Mammalogy* 56(2): 369-377.
- BUDEN, D.W. 1977. First records of bats of the genus *Brachyphylla* from the Caicos Islands, with notes on geographic variation. *Journal of Mammalogy* 58(2): 221-225.
- BUDENZ, T., HEIB, S. & KUSCH, J. 2009. Functions of bat social calls : the influence of local abundance, interspecific interactions and season on the production of pipistrelle (*Pipistrellus pipistrellus*) type D social calls. *Acta Chiropterologica* 11(1): 173-182.
- BUECHER, D.C., SIDNER, R.M. & BUECHER, R.H. 1990. Status report on the two year pre-development study of *Myotis velifer* in Kartchner Caverns State Park, Arizona. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 73.
- BULLEN, R.D. & MACKENZIE, N.L. 2007. Bat wing airfoil and planform structures relating to aerodynamic cleanliness. *Australian Journal of Zoology* (55): 237-247
- BULLEN, R.D. & MACKENZIE, N.L. 2008. Aerodynamic cleanliness in bats. *Australian Journal of Zoology* (56): 281-296
- CADENILLAS, R. 2008. Rejuvenating pacific forests : Peru counts on the fraternal fruit bat. *Bats* 26(4): 7-8.
- CAIRE, W. & STEVENS, S.L. 1990. Variations in urine osmolatities of hibernating *Myotis velifer*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 73-74.
- CALINESCU, R.J. 1931. Verzeichnis und Bibliographie der Säugetiere Rumäniens. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 6: 78-84.
- CAMARGO, L. & TAMSITT, J.R. 1990. Second occurrence of the smoky bat (*Euripterus horrens*) in Colombia. *Mammalia* 54(1): 157-159.
- CAMPBELL, B. 1931. Bats on the Colorado desert. *Journal of Mammalogy* 12: 430.
- CAMPBELL, B. 1934. Notes on bats collected in Arizona during the summer of 1933. *Journal of Mammalogy* 15: 241-242.
- CAMPBELL, K.A. 1990. A preliminary study of roost aggregations in a *Myotis lucifugus* maternity colony. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 74.
- CAMPBELL, L.A., HALLETT, J.G. & O'Connell, M.A. 1996. Conservation of bats in managed forests : use of roosts by *Lasionycteris noctivagans*. *Journal of Mammalogy* 77(4): 976-984.
- CAMPBELL, P., SCHNEIDER, C.J., ZUBAID, A., ADNAN, A.M. & KUNZ, T.H. 2007. Morphological and ecological correlates of coexistence in Malaysian fruit bats (Chiroptera: Pteropodidae). *Journal of Mammalogy*. 2007 February; 88(1):105-118.
- CAPANNA, E., MANFREDI ROMANINI, M.G. 1972. DNA Content in postkynetic nuclei of Chiroptera. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 29.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- CARTWRIGHT, A. 1990. Enhancing public awareness toward bats through the exemplary use of bat houses in conservation and management. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 74.
- CARTWRIGHT, A. & KIRKWOOD, J.J. 1990. The use of infrared imaging in making behavioral observation of the big brown bat, *Eptesicus fuscus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 74.
- CARVALHO, F., CRUZ-NETO, A.P. & ZOCHE, J.J. 2008. Ampliação da distribuição e descrição da dieta de *Mimon bennettii* (Phyllostomidae, Phyllostominae) no sul do Brasil. *Chiroptera Neotropical* 14(2): 403-408.
- CASTERET, N. 1938. Observations sur une colonie de chauves-souris migratrices. *Mammalia* 2: 29-34.
- CASTILHO, J.G. 2008. Antigenic and genetic characterization of the first rabies virus isolated from the bat *Eumops perotis* in Brazil. *Revista do Instituto de Medicina Tropical de Sao Paulo* 50(2): 95-99.
- CASTRO-LUNA, A.A., SOSA, V.J. & CASTILLO-CAMPOS, G. 2007. Bat diversity and abundance associated with the degree of secondary succession in a tropical forest mosaic in south-eastern Mexico. *Animal Conservation* 10(2): 219-228.
- CAVIEDES-VIDAL, E., MACWHORTER, T.J., LAVIN, S. R., CHEDIACK, J. G., TRACY, C. R. & KARASOV, W. H. 2007. The digestive adaptation of flying vertebrates : high intestinal paracellular absorption compensates for smaller guts. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 104(48): 19132–19137.
- CESON [s.d.] Omalovanky. Bulletin CESON = CBCT Newsletter: 16 p.
- CHACKO, K.G., VIBHUTE, H.G. & NALAVADE, M.N. 1993. Studies on holocrine cells in the epididymis of some bats. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 15.
- CHANDRASHEKARAN, M.K. 1993. Living clocks inside a cave. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 15.
- CHANDRASHEKARAN, M.K. & MARIMUTHU, G. 1987. Sighting of a colony of the Indian false vampire bat *Megaderma lyra*. *Bat Research News* 28(3-4): 26.
- CHASE, J. 1972. Vision of New World Microchiroptera and its relationship to echolocation and life habits. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 17.
- CHASE, J. & SUTHERS, R.A. 1969. Visual obstacle avoidance by echolocating bats. *Animal Behaviour* 17(2): 201-207.
- CHAUVE SOURIS 1994. Le grand spectacle du monde animal : sauvages : la chauve-souris [S.l.], Partridge Ltd.: 1 cassette VHS.
- CHAUVE-SOURIS 2008. La chauve-souris sort de l'ombre. *Terre & Nature (hors-série)*: 31 p.
- CHAVERRI, G. 2006. Flora bacteriana aeróbica del tracto digestivo del vampiro común, *desmodus rotundus* (chiroptera: phyllostomidae). *Revista de Biología Tropical*, 54:717-724.
- CHAVERRI, G. 2007. Ecological correlates of range size in the tent-making bat *Artibeus watsoni*. *Journal of Mammalogy*. 2007 April; 88(2):477-486.
- CHAVERRI, G. & KUNZ, T.H. 2006. Reproductive biology and postnatal development in the tentmaking bat *Artibeus watsoni* (chiroptera: phyllostomidae) *Journal of Zoology* (270):650-656.
- CHAVERRI, G. & KUNZ, T.H. 2006. Roosting ecology of the tent-roosting bat *artibeus watsoni* (chiroptera: phyllostomidae) in southwestern Costa Rica. *Biotropica* 38(1): 77–84
- CHAVERRI, G., GAMBA-RIOS, M. & KUNZ, T.H. 2007. Range overlap and association patterns in the tent-making bat *Artibeus watsoni*. *Animal Behaviour*; 73(1):157-164.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- CHAVERRI, G., QUIRO, O.E., GAMBA-RIOS, M. & KUNZ, T.H. 2007. Ecological correlates of roost fidelity in the tent-making bat *Artibeus watsoni*. *Ethology* 113(6): 598-605.
- CHAVERRI, G., SCHNEIDER, C.J. & KUNZ, T.H. 2008. Mating system of the tent-making bat *artibeus watsoni* (chiroptera: phyllostomidae) *Journal of Mammalogy* 89(6):1361-1371
- CHIU, C. & MOSS, C.F. 2007. The role of the external ear in vertical sound localization in the free flying bat, *Eptesicus fuscus*. *Journal of the Acoustical Society of America* 121(4): 2227-2235.
- CHOKACHI, D. 2008. *Bats 2 : Human Harvest = la nuit des chauves-souris 2* [S.l.], Destination Films: 1 DVD
- CLARK, D.R. Jr. & HOTHEM, R.L. 1990. Bat mortality at gold mines in Arizona, California, and Nevada. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 75.
- COCKRUM, E.L. 1956. Homing, movements, and longevity of bats. *Journal of Mammalogy* 37(1): 48-57.
- COLE, F.R., REEDER, D.A.M. & WILSON, D.E. 1994. A synopsis of distribution patterns and the conservation of mammal species. *Journal of Mammalogy* 75(2): 266-276.
- COLEMAN, J. 2009. A strange tale of taillessness in a vespertilionid bat. *Acta Chiropterologica* 11(1): 212-215.
- COOL, S.M. & BENNETT, M.B. 1993. Age estimation of megachiropteran bats by dental cementum lines. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 15.
- CORBETT, R.J.M. 2008. A strategic approach to protecting Bats and Mines in the Southwest. *Bats* 26(3): 8-10.
- COSTA, L.M., OLIVEIRA, D.M., DIAS E FERNANDES, A.F.P. & ESBERARD, C.E.L. 2008. Occurrence of *Diaemus youngi* (Jentink 1893), Chiroptera, in the State of Rio de Janeiro. *Ocorrência de Diaemus youngi* (Jentink 1893), Chiroptera, no Estado do Rio de Janeiro. *Biota Neotropica*. 2008; 8(1):217-220.
- COX, D.R., LACKI, M.J., BAKER, M.D., & JOHNSON, J.S. 2008. Sample size and the characterization of roosting habitat of forest-living bats. *Bat Research News* 49(1).
- COX, P.A. 1984. Flying fox nearly extinct in Samoa. *Bats* December: 1-3.
- CPEPESC France-Comté 2008. Plan de gestion de la réserve naturelle de la grotte de Gravelle (39) 2006-2010. Plan de gestion. Besançon, CPEPESC France-Comté: 54 p.
- CPEPESC France-Comté 2008. Plan de gestion de la réserve naturelle de la grotte du Carroussel (70) 2006-2010. Plan de gestion. Besançon, CPEPESC France-Comté : 58 p.
- CPEPESC Lorraine 2009. Connaître et protéger les chauves-souris de Lorraine. Sarreguemines, CPEPESC Lorraine: 562 p.
- CRAWSHAW, G. J., HELLIWELL, L. M. & OLSSON, A. 2009. Chap. 4 : Clinic Environment and physical examination. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 77-94.
- CRYAN, P.M. 2008. Mating behavior as a possible cause of bat fatalities at wind turbines. *Journal of Wildlife Management*. 2008 April; 72(3):845-849.
- CRYAN, P.M. & DIEHL, R. H. 2009. Chap. 22 : Analyzing bat migration. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 476-490.
- CSADA, R.D. 1992. The use of daily torpor during the breeding season by common poorwills *Phalaenoptilus nuttallii*. In: North American Bat Research Symposium (22, 1992, Quebec). Abstracts. *Bat Research News* 33(4): 52.
- CSORBA, G. 1997. Description of a new species of *Rhinolophus* (Chiroptera: Rhinolophidae) from Malaysia. *Journal of Mammalogy* 78(2): 342-347.
- CZAPLEWSKI, N.J. 1987. Deciduous teeth of *Thyroptera tricolor*. *Bat Research News* 28(3-4): 23-25.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- CZAPLEWSKI, N.J. 1990. Nebraska's tertiary bats. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 75-76.
- DA Silva, M.V., DE MATOS XAVIER, S., CAL MOREIRA, W., PEREIRA DOS SANTOS, B.C. & ESBERARD, C.E.L. 2007. Rabies virus in *Nyctinomops laticaudatus* bats in the City of Rio de Janeiro: isolation, titration and epidemiology. *Revista da Sociedade Brasileira de Medicina Tropical*. 2007 Jul-Ago; 40(4): 479-481.
- DAAN, S. 1969. Frequency of displacements as a measure of activity of hibernating bats. *Lynx (Praha)* 10: 13-18.
- DAAN, S. 1980. Long term changes in bat populations in the Netherlands : a summary. *Lutra* 22: 95-118.
- DAL FERRO, L. 1990. Evasive flight behavior of moths. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 76.
- DALE, G., SUNDE, O. & KOOIJ, J. van der 2007. Observasjoner av dagaktive langoreflaggermus *Plecotus auritus*. *Fauna* 60(3-4): 280-282.
- DALQUEST, W.W. 1965. Mammals from the Save River, Mozambique, with descriptions of two new bats. *Journal of Mammalogy* 46(2): 254-264.
- DALQUEST, W.W. 1968. Additional notes on mammals from Mozambique. *Journal of Mammalogy* 49(1): 117-121.
- DAMM, J.P. & GELUSO, K. 2008. Use of a mine by eastern pipistrelles (*perimyotis subflavus*) in east central Nebraska. *Western North American Naturalist* 68(3): 382-389.
- DAPSON, R.W. & IRLAND, J.M. 1972. An accurate method of determining age in small mammals. *Journal of Mammalogy* 53(1): 100-106.
- DAPSON, R.W., STUDIER, E.H., BUCKINGHAM, M.J. & STUDIER, A.L. 1977. Histochemistry of odoriferous secretions from integumentary glands in three species of bats. *Journal of Mammalogy* 58(4): 531-535.
- DAS, S.C. & SINGH, S.N. 1993. Comparative studies of H4 : purified lactate dehydrogenase (LDH) from the heart of *Scotophilus heathi* (microchiroptera) and *Cynopterus sphinx* (megachiroptera). In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 15.
- DAVIS, R. 1969. Growth and development of young pallid bats, *Antrozous pallidus*. *Journal of Mammalogy* 50(4): 729-736.
- DAVIS, R. 1969. Wing loading in pallid bats. *Journal of Mammalogy* 50(1): 140-144.
- DAVIS, W.H. & DOURSON, D. 1991. Little brown bat, *Myotis lucifugus*, living in a bluebird box. *Bat Research News* 32(2-3): 41.
- DAVIS, W.H. & HITCHCOCK, H.B. 1965. Biology and migration of the bat, *Myotis lucifugus*, in New England. *Journal of Mammalogy* 46(2): 296-313.
- DEBERNARDI, P. & PATRIARCA, E. 2007. The bats of the Lake Maggiore Piedmont shore (NW Italy). *Hystrix* 18(1): 39-55.
- DELACOUR, J. 1940. Liste provisoire des mammifères de l'Indochine française. *Mammalia* 4: 21-29.
- DELEUIL, R. 1957. Une nouvelle chauve-souris pour la Tunisie : *Otonycteris Hemprichi* Peters 1860. *Mammalia* 21: 190.
- DELL, J. 2008. Status of white-striped free-tailed bat, *Tarida Australis*, on Rottneest Island. [The western Australian naturalist 26(1): 21-26 ].
- DELPIETRO, H.A. & RUSSO, R.G. 2009. Acquired resistance to saliva anticoagulants by prey previously fed upon by vampire bats (*Desmodus rotundus*) : evidence for immune response. *Journal of Mammalogy* 90(5): 1132-1138.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- DEMMA, L. J., SCHMITZ, A., HANLON, C. A. & RUPPRECHT, C.E. 2009. Chap. 41 : Public health concerns and bat researchers. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 828-848.
- DENYS, C., BOGDANOWICZ, W. & AULAGNIER, S. 1995. First record of *Tadarida aegyptiaca* (Chiroptera, Molossidae) from Morocco. *Mammalia* 59(2): 266-268.
- DESHMUKH, B.G. & NALAVADE, M.N. 1993. Histological and histochemical studies of the stomach of six Indian bats. In: International Conference on Bat Research (9, 1992, Madurai). Abstracts. *Bat Research News* 34(1): 16.
- DESVARS, A., DUVAL, T., PUNELLE, C., PASCAL, M. & VOURE'H, G. 2009. The flying Fox *Pteropus seychellensis* of Mayotte (Comoros) : method of capture and blood sampling. *Journal of Wildlife Diseases* 45(3): 870-873.
- DEUNFF, J., WHITAKER, J.O. Jr. & KURTA, A. 2007. Description of *Cameroneta torrei dusbabeki* (Acari : Mesostigmata : Spinturnicidae), new subspecies with Nymphs, parasitizing *Pteronotus quadridens fuliginosus* (Chiroptera : Mormoopidae) from Puerto Rico. *Journal of medical entomology* 44(2): 179-185.
- DEUNFF, J., WHITAKER, J.O. Jr. & KURTA, A. 2007. Description of *Cameroneta torrei dusbabeki* (Acari : Mesostigmata : Spinturnicidae), new subspecies with nymphs, parasitizing *Pteronotus quadridens fuliginosus* (Chiroptera : Mormoopidae) from Puerto Rico. *Journal of medical entomology* 44(2): 179-185.
- DIAMOND, J.M. 1985. How many unknown species are yet to be discovered? *Nature (London)* 315: 538-539.
- DICK, C.W. & PATTERSON, B.D. 2006. Bat flies - obligate ectoparasites of bats. In: *Micromammals and macroparasites: from evolutionary ecology to management*. 179-194
- DIDIER, R. 1965. Etude systématique de l'os pénién des mammifères (suite) : chiroptères, mégachiroptères : fam. des Pteropodidae. *Mammalia* 29: 331-342.
- DIETZ, C., DIETZ, I. & SIEMERS, B.M. 2006. Wing measurement variations in the five European horseshoe bat species (Chiroptera: Rhinolophidae). *Journal of Mammalogy* 87(6): 1241-1251.
- DIETZ, C., HELVERSEN, O. VON & NILL, D. 2009. *Bats of Britain, Europe and Northwest Africa*. Londres, A&C Black : 400 p.
- DIETZ, C.L. 1973. Bat walking behavior. *Journal of Mammalogy* 54(3): 790-792.
- DIETZ, M., HELVERSEN, O. VON & NILL, D. 2009. L'encyclopédie des chauves-souris d'Europe et d'Afrique du Nord : biologie, caractéristiques, protection. Paris, Delachaux et Niestlé : 400 p. (Les encyclopédies du naturaliste).
- DINALE, G. 1972. Biometrical notes on a collection of *Rhinolophus euryale* from Corse (France). *Mammalia* 36(3): 536-538.
- DONOVAN, M. 1984. Comments on training *Eptesicus fuscus*. *Bat Research News* 25(3-4): 28.
- DOOLEY, T.J., BRISTOL, J.R. & CANARIS, A.G. 1976. Ectoparasites from bats in extreme West Texas and South-Central New Mexico. *Journal of Mammalogy* 57(1): 189-191.
- DORST, J. 1948. Les chiroptères du genre *Triaenops* Dobson (Hipposidérinés). *Mammalia* 12(1-2): 15-21.
- DORST, J. 1949. Remarques sur la dentition de lait des chiroptères. *Mammalia* 13(1-2): 45-48.
- DORST, J. 1953. A propos de la répartition de quelques mammifères dans l'archipel malayo-papou. *Mammalia* 17: 306-317.
- DORST, J. 1953. Note sur la dentition d'un foetus de *Lavia frons* (chiroptères, mégadermatidés). *Mammalia* 17: 83-84.
- DORST, J. 1957. Coloration anormale chez un minioptère de Schreibers. *Mammalia* 21: 191.
- DORST, J. 1957. Un cas d'albinisme complet chez un rhinolophe euryale. *Mammalia* 21: 306.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- DUCKWORTH, J.W., HARRISON, D.L. & TIMMINS, R.J. 1993. Notes on a collection of small mammals from the Ethiopian Rift Valley. *Mammalia* 57(2): 278-282.
- DULIC, B., MUTERE, A. 1972. Comparative study of the chromosomes of some molossid bats from Eastern Africa. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 30.
- DUMONT, E.R. & SWARTZ, S.M. 2009. Chap. 20 : Biomechanical approaches and ecological research for the study of bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 436-458.
- DUNBAR, M.B. & TOMASI, T.E. 2006. Arousal patterns, metabolic rate, and an energy budget of eastern red bats (*Lasiurus borealis*) in winter. *Journal of Mammalogy* 87(6): 1096-1102.
- DUNN, L.H. 1933. Observations on the carnivorous habits of the spear-nosed bat, *Phyllostomus hastatus panamensis* Allen, in Panama. *Journal of Mammalogy* 14(3): 188-199.
- DUSBABEK, F. 1969. To the phylogeny and zoogeography of bats (Chiroptera) based on the study of their parasitic mites (Acarina). *Lynx (Praha)* 10: 19-24.
- DUSBABEK, F., HURKA, K. 1972. On the difference of ectoparasite fauna in some sibling species of bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 55.
- DWYER, P.D. 1970. Foraging behaviour of the Australian large-footed *Myotis* (Chiroptera). *Mammalia* 34(1): 76-80.
- DWYER, P.D. 1971. Temperature regulation and cave-dwelling in bats : an evolutionary perspective. *Mammalia* 35(3): 424-455.
- DWYER, P.D. 1975. Notes on *Dobsonia moluccensis* (Chiroptera) in the New Guinea Highlands. *Mammalia* 39(1): 113-118.
- ENGLE, E.T. 1926. The copulation plug and the accessory genital glands of mammals. *Journal of Mammalogy* 7: 119-126.
- ESBERARD, C.E.L. 2008. *Latrocimex spectrans* Lent, 1941 parasitando *Noctilio leporinus* (Linnaeus, 1758) em Casimiro de Abreu, Rio de Janeiro, Brasil. *Chiroptera Neotropical* 14(2): 419-420.
- ESTRADA VILLEGAS, S. & MARTINEZ LUQUE, L. 2008. Teaching colombian children : to protect the bats of Macaregua Cave. *Bats* 26(1): 10-12.
- ETEMAD, E. 1964. On three new mammals from Iran (one rat and two bats). *Mammalia* 28: 652-654.
- ETEMAD, E. 1970. A note on the occurrence of the giant noctule, *Nyctalus lasiopterus* Schreber, 1780, in Iran (Chiroptera: Vespertilionidae). *Mammalia* 34(3): 547.
- ETEMAD, E. 1972. Occurrence of a rare bat *Eptesicus walli* Thomas, 1919 in Iran. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 56.
- Eurobats Advisory Committee. [2007] Protecting and managing underground sites for bats. Eurobats Advisory Committee : 25 p.
- EVANS, C.A. 1934. Hibernating bats in Minnesota. *Journal of Mammalogy* 15: 240-241.
- EVIN, A., LECOQ, V., DURAND, M.-O., TILLON, L. & PONS, J.-M. 2009. A new species for the French bat list: *Myotis escaleraei* (chiroptera: Vespertilionidae). *Mammalia* 73: 142-144.
- FANKHAUSER, T. 2006. Grosse Hufeisennasen im Berner Oberland. Bernische Informationsstelle für Fledermausschutz 14: 31 p.
- FARHANG-AZAD, A. 1969. Bats from North Khorassan, Iran. *Mammalia* 33: 730-732.
- FASCIONE, N., MARCERON, T. & FENTON, M.B. 1991. Evidence for mosquito consumption in *M. lucifugus*. *Bat Research News* 32(1): 2-3.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- FAURE, P.A., RE, D.E. & CLARE, E.L. 2009. Wound healing in the flight membranes of big brown bats. *Journal of Mammalogy* 90(5): 1148-1156.
- FAYENUWO, J.O. & HALSTEAD, L.B. 1974. Breeding cycle of straw-colored fruit bat, *Eidolon helvum*, at Ile-Ife, Nigeria. *Journal of Mammalogy* 55(2): 453-454.
- FEDERICO, P., HALLAM, T.G., MACCRACKEN, G.F., PURUCKER, T., GRANT, W.E., CORREA SANDOVAL, A.N., WESTBROOK, J.K., MEDELLIN, R.A., CLEVELAND, A.G., SANSONE, C.G., LOPEZ, C.G., BETKE, M., MORENO-VALDEZ, A. & KUNZ, T.H. 2008. Brazilian free-tailed bats as insect pest regulators in transgenic and conventional cotton crops. *Ecological Applications* 18(4): 826-837.
- FENTON, M.B. 1990. The origin of blood-feeding in bats. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 77.
- FENTON, M.B. 1992. Raptors and bats : threats and opportunities. In: North American Bat Research Symposium (22, 1992, Quebec). Abstracts. *Bat Research News* 33(4): 56.
- FENTON, M.B., AUDET, D., DUNNING, D.C., LONG, J., MERRIMAN, C.B., PEARL, D.L., SYME, D.M., ADKINS, B., PEDERSEN, S.C. & WOHLGENANT, T.J. 1993. Activity patterns and roost selection by *Noctilio albiventris* (Chiroptera : Noctilionidae) in Costa Rica. *Journal of Mammalogy* 74(3): 607-613.
- FINDLEY, J.S. 1990. Tropical bat alpha diversity : a product of history, geography, or community processes? In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 77.
- FINDLEY, J.S. & JONES, C. 1967. Taxonomic relationships of bats of the species *Myotis fortidens*, *M. lucifugus*, and *M. occultus*. *Journal of Mammalogy* 48(3): 429-444.
- FIRBAS, W., WELLESCHIK, B. 1972. A quantitative Study on the Spiral Ganglion of the Chiroptera. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 35-36.
- FISCHER, J., STOTT, J., LAW, B.S., ADAMS, M.D. & FORRESTER, R.I. 2009. Designing effective habitat studies : quantifying multiple sources of variability in bat activity. *Acta Chiropterologica* 11(1): 127-137.
- FLANNERY, T.F. & SERI, L. 1993. Rediscovery of *Aproteles bulmerae* (Chiroptera: Pteropodidae) : morphology, ecology and conservation. *Mammalia* 57(1): 19-25.
- FLAQUER, C., PUIG-MONTSERRAT, X., GOITI UGARTE, U., VIDAL, F., CURCÓ, A. & RUSSO, D. 2009. Habitat selection in *Nathusius' pipistrelle* (*Pipistrellus nathusii*) : the importance of wetlands. *Acta Chiropterologica* 11(1): 149-155.
- FLATEN, M. & ROED, T. 2007. Bredoreflaggermusa *Barbastella barbatellus* ikke utdodd likevel ! *Fauna* 60(3-4): 142-144.
- FLEMING, T.H. & SOSA, V.J. 1994. Effects of nectarivorous and frugivorous mammals on reproductive success of plants. *Journal of mammalogy* 75(4): 845-851.
- FLEMING, T.H. & TUTTLE, M.D. 1990. *Leptonycteris curasoae* and the evolution of sexuality in the columnar cactus, *Pachycereus pringlei*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 77-78.
- FLIEGER, E. 1972. Obstacle avoidance by the Greater Horseshoe Bat *Rhinolophus ferrumequinum* with one and both ears plugged. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 18-19.
- FORBES, B. & NEWHOOK, E.M. 1990. A comparison of the performance of three models of bat detectors. *Journal of Mammalogy* 71(1): 108-110.
- FORMAN, G.L. 1973. Studies of gastric morphology in North American Chiroptera (Emballonuridae, Noctilionidae, and Phyllostomatidae). *Journal of Mammalogy* 54(4): 909-923.
- FORMAN, G.L. 1974. Structure of Peyer's patches and their associated nodules in relation to food habits of New World bats. *Journal of Mammalogy* 55(4): 738-746.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- FORMAN, G.L., SMITH, J.D. & HOOD, C.S. 1989. Exceptional size and unusual morphology of spermatozoa in *Noctilio albiventris* (Noctilionidae). *Journal of Mammalogy* 70(1): 179-184.
- FOSTER, G.W., HUMPHREY, S.R. & HUMPHREY, P.P. 1978. Survival rate of young southeastern brown bats, *Myotis austroriparius*, in Florida. *Journal of Mammalogy* 59(2): 299-304.
- FOSTER, R.W. 1996. A source of error in measuring temperature of tree roosts. *Bat Research News* 37(1): 9-10.
- FRAFJORD, K. 2007. Foretrekker nordflaggermus *Eptesicus oppvarma* hus ? *Fauna* 60(3-4): 239-245.
- FRAFJORD, K. 2007. Kjemper blant dverger: megaflaggermus (Megachiroptera). *Fauna* 60(3-4): 146-152.
- FRAFJORD, K. 2007. Mulige overvintringsplasser for nordflaggermus *Eptesicus nilssonii* i Nord-Norge. *Fauna* 60(3-4): 246-254.
- FRANCL, K.E. 2008. Summer bat activity at woodland seasonal pools in the northern Great Lakes region. *Wetlands* 28(1): 117-124.
- FREEMAN, P.W. 1979. Specialized insectivory : beetle-eating and moth-eating molossid bats. *Journal of Mammalogy* 60(3): 467-479.
- FRICK, W.F., HEADY, P.A. & HAYES, J.P. 2009. Facultative nectar-feeding behavior in a gleaning insectivorous bat (*Antrozous pallidus*). *Journal of Mammalogy* 90(5): 1157-1164.
- FULLARD, J.H. 1989. Echolocation survey of the distribution of the Hawaiian hoary bat (*Lasiurus cinereus semotus*) on the island of Kaua'i. *Journal of Mammalogy* 70(2): 424-426.
- FULLARD, J.H. 1990. The coevolution of Hawaiian moths and bats : conundra in paradise. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 78.
- GAISLER, J. 1972. Netting as a possible approach to study bat activity. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 38.
- GARCIA-MUDARRA, J.L., IBÁÑEZ, C. & JUSTE B., J. 2009. The Straits of Gibraltar : barrier or bridge to Ibero-Moroccan bat diversity? *Biological Journal of the Linnean Society* 96:434-450.
- GARCIA-VARGAS, F., OSORIO S., D. & PEREZ-PONCE DE LEON, G. 1996. Helminth parasites of bats (Mormoopidae and Phyllostomidae) from the estación de biología Chamela, Jalisco State, México. *Bat Research News* 37(1): 7-8.
- GARDNER, J.E., GARNER, J.D. & HOFMANN, J.E. 1990. Summer roost selection by *Myotis sodalis*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 79.
- GARDNER, S. L. & JIMÉNEZ-RUIZ, A. 2009. Chap. 39 : Methods for the study of bat endoparasites. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 795-805.
- GARIN, I., AIHARTZA, J., AGIRRE-MENDI, P.T., ALCALDE, J.T., DE LUCAS, J., DE PAZ, O. GOITI, U. & ARTAZCOZ, A. 2008. Seasonal movements of the Schreibers' bat, *Miniopterus schreibersii*, in the northern Iberian Peninsula. *Italian Journal of Zoology (Modena)* 75(3): 263-270.
- GARROWAY, C.J. 2008. Day roost characteristics of northern long-eared bats (*Myotis septentrionalis*) in relation to female reproductive status. *Ecoscience* 15(1): 89-93.
- GATES, W.H. 1937. Notes on the big brown bat. *Journal of Mammalogy* 18: 97-98.
- GATES, W.H. 1938. Raising the young of red bats on an artificial diet. *Journal of Mammalogy* 19: 461-464.
- GAUCHER, P. 1992. New record of an Epauleted fruit bat *Epomophorus labiatus* Temminck, 1837 (Mammalia: Chiroptera: Pteropodidae) in Saudi Arabia. *Mammalia* 56(4): 657-659.
- GAUCHER, P. 1993. First record of *Scotophilus leucogaster* (Cretzschmar, 1826) (Mammalia: Chiroptera: Vespertilionidae) in Saudi Arabia. *Mammalia* 57(1): 146-147.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- GAZARINI, J., BRITO, J. E. C. & BERNARDI, I. P. 2008. Predações oportunísticas de morcegos por *Didelphis albiventris* no sul do Brasil. = [Opportunistic predation of bats by *Didelphis albiventris* in southern Brazil]. *Chiroptera Neotropical* 14(2): 408-411.
- GEBHARD, J. & BECK, A. 1994. Tagflug des Grossen Abendseglers (*Nyctalus noctula*) im Herbst in der Region Basel. *Deutsche Gesellschaft für Säugetierkunde* 68: 14.
- GEISELMAN, C., LOBOVA, T.A. & MORI, S.A. 2009. Bags of bats, fruits and seeds : the long road to a book on neotropical seed dispersers. *Bats* 27(1): 8-10.
- GELFAND, D.L. & MACCRACKEN, G.F. 1986. Individual variation in the isolation calls of Mexican free-tailed bat pups (*Tadarida brasiliensis mexicana*). *Animal Behaviour* 34(4): 1078-1086.
- GELUSO, K. 2008. Spotted bats (*Euderma maculatum*) from Mt. Taylor, New Mexico. *Western North American Naturalist*. 2008 March; 68(1):119-122.
- GELUSO, K. 2008. Winter activity of Brazilian free-tailed bats (*Tadarida brasiliensis*) at Carlsbad Cavern, Mexico. *Southwestern Naturalist*. 2008 June; 53(2):243-247.
- GELUSO, K., DAMM, J.P. & VALDEZ, E.W. 2008. Late-seasonal activity and diet of the evening bat (*Nycticeius humeralis*) in Nebraska. *Western North American Naturalist*. 2008 March; 68(1):21-24.
- GELUSO, K., HARNER, M.J., LEMEN, C.A. & FREEMAN, P.W. 2009. A survey of bats in northern Trinidad late in the rainy seasason. *Occasional Papers Museum of Texas Tech University* 285
- GELUSO, K.N. 1978. Urine concentrating ability and renal structure of insectivorous bats. *Journal of Mammalogy* 59(2): 312-323.
- GETTINGER, D. 1990. The geometry of parasitism in free-tail bat caves. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 79.
- GHOSH, M.K. 2008. Catalogue of Chiroptera in the collection of the Zoological Survey of India (part II : Microchiroptera). *Records of the zoological survey of India. Occasional paper* 281: 1-339.
- GIANNINI, N.P., GOSWAMI, A. & SANCHEZ-VILLAGRA, M.R. 2006. Development of integumentary structures in *Rousettus amplexicaudatus* (Mammalia: Chiroptera: Pteropodiade) during late-embryonic and fetal stages. *Journal of Mammalogy* 87(5): 993-1001.
- GILSON, R. 1975. Les premières réserves naturelles pour cheiroptères en Belgique : résumé d'une conférence tenue à la réunion du 3.V.1975. *Lutra* 17: 64-66.
- GILSON, R., TERCAFS, R. & THINES, G. 1973. Observations sur l'apprentissage spatial de *Myotis daubentoni* (Kuhl) (Chiroptera) au cours de la période d'hibernation. *Annales de Spéléologie* 28(2): 267-270.
- GIROUD, J.-C. 2008. *La conquête de l'air à travers l'affiche suisse*. Genève, Patrick Cramer Editeur: 158 p.
- GIROUX, L. 1994. La chauve-souris sort de l'ombre. *Franc vert* 11(3): 14-17.
- GJERDE, L. 1994. Atlas on bats in south-eastern Norway. *Fennoscandian* 1: 1.
- GJERDE, L. 1994. Background for fennoscandian Bats. *Fennoscandian* 1: 1.
- GJERDE, L. 1994. Batline - an international network. *Fennoscandian* 2: 3.
- GJERDE, L. 1994. Conserving 5 bats denied. *Fennoscandian* 2: 3.
- GJERDE, L. 1994. Destroyed colonies. *Fennoscandian* 2: 3.
- GJERDE, L. 1994. Distribution patterns and habitat use by bats in relation to landscape heterogeneity, and consequences for conservation. *Fennoscandian* 2: 1.
- GJERDE, L. 1994. Doctoral dissertation on bats at Uppsala. *Fennoscandian* 2: 1.
- GJERDE, L. 1994. Hibernacula destroyed 3000 bats killed in Rogaland County. *Fennoscandian* 2: 2.
- GJERDE, L. 1994. New observation of *myotis brandtii*. *Fennoscandian* 2: 3.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- GJERDE, L. 1994. NOBI and Pettersson donate detectors to Bulgaria. *Fennoscandian* 1: 1.
- GJERDE, L. 1994. Ostensjovannet - an eldorado for bats. *Fennoscandian* 1: 1.
- GJERDE, L. 1994. Pettersson Elektronik AB launches new detectors. *Fennoscandian* 2: 1.
- GJERDE, L. 1994. Popular bat excursions. *Fennoscandian* 1: 1.
- GJERDE, L. 1994. *Vespertilio murinus* recorded from Trondhjem. *Fennoscandian* 2: 3.
- GJERDE, L. 1994. *Vespertilio murinus* surveyed along an 860 km coast. *Fennoscandian* 2: 3.
- GLAS, G.H. 1975. Over het voorkomen van grootoorvleermuizen (*Plecotus E. Geoffroy*, 1818) en dwergvleermuizen (*Pipistrellus Kaup*, 1829) in oostelijk Zeeuwsch-Vlaanderen = On the occurrence of long-eared bats (*Plecotus E. Geoffroy*, 1818) and pipistrelles (*Pipistrellus Kaup*, 1829) in Eastern Zeeuwsch-Vlaanderen. *Lutra* 17: 16-21.
- GLAS, G.H. & BRAAKSMA, S. 1980. Aantalsontwikkelingen in zomerverblijfplaatsen van vleermuizen in Kerken. *Lutra* 22: 84-95.
- GODLEVSKAYA, E.V., PANCHENKO, P. & FORMANJUK, O. 2008. New data on cave-dwelling bats of Odessa city vicinities. In: Rare theriofauna and its conservation. Luhansk, I. Zagorodniuk 9: 93-101.
- GOERLITZ, H.R., HÜBNER, M. & WIEGREBE, L. 2008. Comparing passive and active hearing: spectral analysis of transient sounds in bats. *Journal of Experimental Biology*. 2008 June 15; 211(12):1850-1858.
- GOODMAN, S.M., MAMINIRINA, C.P., WEYENETH, N., BRADMAN, H.M., CHRISTIDIS, L., RUEDI, M. & APPLETON, B. 1990. The use of molecular and morphological characters to resolve the taxonomic identity of cryptic species: the case of *Miniopterus manavi* (Chiroptera, Miniopteridae). *Zoologica Scripta* 38: 339-363.
- GOPALAKRISHNA, A., MADHAVAN, A. & BADWAIK, N.K. 1991. Breeding biology of the Indian leaf-nosed bat, *Hipposideros speoris* (Schneider) with notes on its ecology in Marathwada, Maharashtra state, India. *Mammalia* 55(2): 275-283.
- GORGAS, M. 1999. Dr. rer. nat. Wilhelm Peter Issel (9.VI.1915-28.X.1998). *Nyctalus* 7(2): 215-217.
- GOSLING, N.M. 1977. Winter record of the silver-haired bat, *Lasionycteris noctivagans* Le Conte, in Michigan. *Journal of Mammalogy* 58(4): 657.
- GOULD, E., WOLF, N.K. & TURNER, D.C. 1973. Double-note communication calls in bats : occurrence in three families. *Journal of Mammalogy* 54(4): 998-1001.
- GRACIOLLI, G. & DICK, C.W. 2009. A new species of *Basilia Miranda-Ribeiro* (Diptera: Nycteribiidae) from Honduras, parasite of *Bauerus dubiaquercus* (Van Gelder) (Chiroptera: Vespertilionidae: Antrozoinae). *Zootaxa* 1972: 59-64.
- GRACIOLLI, G., AUTINO, A.G. & GUILLERMO, L.C. 2007. Catalogue of American Nycteribiidae (Diptera, Hippoboscoidea). *Revista Brasileira de Zoologia* 24(1): 246-249.
- GRANT, J.D. 1988. Food-passage time in *Nyctophilus gouldi* (Microchiroptera: Vespertilionidae). *Journal of Mammalogy* 69(3): 653-655.
- GREENHALL, A.M. 1965. Notes on behavior of captive vampire bats. *Mammalia* 29: 441-451.
- GREENHALL, A.M. 1972. Vampire Bat (*Desmodus rotundus*) and wildlife. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 62.
- GREENWALD, N.S. 1990. Cladistic analysis of chiropteran relationships : why megachiropterans are not primates. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 79-80.
- GREGG, H.R. 1937. Occurrence of the hoary bat at Hot Springs National Park, Arkansas. *Journal of Mammalogy* 18: 98.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- GRIBEL, R. & TADDEI, V.A. 1989. Notes on the distribution of *Tonatia schulzi* and *Tonatia carrikeri* in the Brazilian Amazon. *Journal of Mammalogy* 70(4): 871-873.
- GRIFFIN, D.R. 1934. Marking bats. *Journal of Mammalogy* 15: 202-207.
- GRIFFIN, D.R. 1936. Bat banding. *Journal of Mammalogy* 17: 235-239.
- GRIFFIN, D.R. 1971. The importance of atmospheric attenuation for the echolocation of bats (Chiroptera). *Animal Behaviour* 19(1): 55-61.
- GRIFFIN, D.R. & WELSH, J.H. 1937. Activity rhythms in bats under constant external conditions. *Journal of Mammalogy* 18: 337-342.
- GRIFFIN, D.R., DUNNING, D.C., CAHLANDER, D.A. & WEBSTER, F.A. 1962. Correlated orientation sounds and ear movements of horseshoe bats. *Nature (London)* 196(4860): 1185-1188.
- GRIFFIN, D.R., HOLLANDER, P. 1972. Directional Patterns of orientation sounds. In: *International Bat Research Conference* (3, 1972, Plitvice). [Abstracts]: 20.
- GRIFFITHS, T.A. 1978. Modification of *M. cricothyroideus* and the larynx in the Mormoopidae, with reference to amplification of high-frequency pulses. *Journal of Mammalogy* 59(4): 724-730.
- GRIFFITHS, T.A. 1978. Muscular and vascular adaptations for nectar-feeding in the glossophagine bats *Monophyllus* and *Glossophaga*. *Journal of Mammalogy* 59(2): 414-418.
- GRIFFITHS, T.A. 1998. Karl F. Koopman : 1920-1997. *Journal of Mammalogy* 79(3): 1070-1075.
- GRIFFITHS, T.A. & CRILEY, B.B. 1989. Comparative lingual anatomy of the bats *Desmodus rotundus* and *Lonchophylla robusta* (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 70(3): 608-613.
- GRIFFITHS, T.A., KOOPMAN, K.F. & STARRETT, A. 1990. The systematic relationship of *Emballonura nigrescens* to other species of *Emballonura* and to *Coleura* (Emballonuridae). In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 80.
- GRIMMBERGER, E. & BORK, H. 1978. Untersuchungen zur Biologie, Ökologie und Populationsdynamik der Zwergfledermaus, *Pipistrellus p. pipistrellus* (Schreber 1774), in einer grossen Population im Norden der DDR. Teil 1. *Nyctalus* 1(1): 55-73.
- GRIMSTAD, K.J. & MICHAELSEN, T.C. 2007. Jaktfalk *Falco rusticolus* på flaggermusjakt. *Fauna* 60(3-4): 289-291.
- GRINNELL, A.D. 1989. Listening to the voice within. *Nature (London)* 341: 488-489.
- GROOD, E. de 1980. Twaalf jaar Keerderberggroeve. *Lutra* 22: 57-60.
- GROOD, E. de & VOUTE, A.M. 1980. De vleermuizenstand in de groeven van Caestert. *Lutra* 22: 65-69.
- GRUBER, J. 1960. Vier Jahre Fledermausberingung in Eberschwang, Ob.-Österreich (1956-59). *Bonner zoologische Beiträge* 11(Sonderheft): 33-35.
- GUERRERO, J.A., DE LUNA, E. & GONZALEZ, D. 2004. Taxonomic status of *Artibeus jamaicensis triomylus* inferred from molecular and morphometric data. *Journal of Mammalogy* 85(5): 866-874.
- GUFFEY, S.Z., MACCRACKEN, G.F., CEVALLOS, J. & ALBUJA V., L. 1990. The Galapagos bats : what are they doing? In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 80.
- GUNNELL, G.F., SIMONS, E. L., & SEIFFERT, E. R. 2008. New bats (Mammalia : Chiroptera) from the late eocene and early oligocene, fayum depression, Egypt. *Journal of Vertebrate Paleontology* 28(1): 1-11.
- GUPTA, B.B. 1966. Morphology of the heart in bats. *Mammalia* 30: 498-506.
- GUPTA, B.B. 1967. The histology and musculature of Plagiopatagium in bats. *Mammalia* 31: 313-321.
- GUSTIN, M.K. & MACCRACKEN, G.F. 1987. Scent recognition between females and pups in the bat *Tadarida brasiliensis mexicana*. *Animal Behaviour* 35(1): 13-19.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- GUTHRIE, M.J. 1933. Notes on the seasonal movements and habits of some cave bats. *Journal of Mammalogy* 14(1): 1-19.
- GUTHRIE, M.J. 1933. The reproductive cycles of some cave bats. *Journal of Mammalogy* 14(3): 199-216.
- HAAGNER, A.K. 1921. Red bat at sea. *Journal of Mammalogy* 2(1): 36.
- HACKETHAL, H. 1971. Zum Problem der Geschwisterarten bei einheimischen Fledermäusen. *Nyctalus* 3: 60-64.
- HADDOW, J. F. 1997. Bats in scottish castles. *Scottish bats* 4: 23-35.
- HADDOW, J. F. & HERMAN, J.S. 1997. New record of *Nathusius'pipistrelle* from scotland. *Scottish bats* 4: 6-7.
- HADDOW, J. F. & HERMAN, J.S. 1997. Scottish bat group adresses. *Scottish bats* 4: 22.
- HADDOW, J. F. & HERMAN, J.S. 1997. Scottish bats. *Scottish bats* 4: 37 p.
- HAENSEL, J. 1972. Zum Vorkommen der beiden Bartfledermausarten in den Kalkstollen von Rüdersdorf (vorläufige Mitteilung). *Nyctalus* 4: 5-7.
- HAFFNER, M. 1994. Morphological and microscopic-anatomical investigations of the possibilities of scent-marking in the mouse-eared bat *Myotis myotis* and the Noctule bat *Nyctalus noctula* (Mammalia, Chiroptera). *Deutsche Gesellschaft für Säugetierkunde* 68: 15-16.
- HALL, E.R. & BEE, J.W. 1960. The red fig-eating bat *Stenoderma rufum* Besmarest found alive in the West Indies. *Mammalia* 24: 67-75.
- HALLAM, T.G. & FEDERICO, P. 2009. Chap. 9 : Application of dynamic population models to bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 177-194.
- HALLOWELL, E. 1846. Description of a new species of bat from Western Africa. *Proceedings of the Academy of Natural Sciences of Philadelphia* 3: 52-53.
- HAMILTON, W.J. Jr. 1933. The insect food of the big brown bat. *Journal of Mammalogy* 14(2): 155-156.
- HANLON, C. A. 2009. Chap. 1 : Health precautions for bat workers. In : BARNARD, S. M. *Bats in captivity*. Vol.1 : Biological and medical aspects. [s.l.], Logos Press : 1-24.
- HANZAL, V. & PRUCHA, M. 1988. Sezónní dynamika netopýřích společenstev na zimovištích Českého krasu v letech 1984-1986 = Seasonal dynamics of bat communities at winter shelters of Český kras (Central Bohemia) during 1984-1986. *Lynx (Praha)* 24: 15-35.
- HAPPOLD, D.C.D. & HAPPOLD, M. 1990. The domiciles, reproduction, social organisation and sex ratios of the Banana bat *Pipistrellus nanus* (Chiroptera, Vespertilionidae) in Malawi, Central Africa. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 55: 145-160.
- HAPPOLD, D.C.D., HAPPOLD, M. & HILL, J.E. 1987. The bats of Malawi. *Mammalia* 51(3): 337-414.
- HARBUSCH, C. 1994. Erstnachweis der Rauhhautfledermaus (*Pipistrellus nathusii*) und der Zweifarbfledermaus (*Vespertilio murinus*) im Saarland. *Dendrocopos* 21: 3-5.
- HARMATA, W. 1995. Prof. Dr. habil. Adam Krzanowski (16.VII.1920-8.III.1994). *Nyctalus* 5(6): 609-610.
- HARPER, F. 1929. Mammal notes from Randolph County, Georgia. *Journal of Mammalogy* 10: 84-85.
- HARRIS, A.H. 1974. *Myotis yumanensis* in interior Southwestern North America, with comments on *Myotis lucifugus*. *Journal of Mammalogy* 55(3): 589-607.
- HARRISON, D.L. 1968. On three mammals new to the fauna of Oman, Arabia, with the description of a new subspecies of bat. *Mammalia* 32: 317-325.
- HARRISON, D.L. 1985. John Edwards Hill, mammalogist : a tribute. *Bat Research News* 26(3): 27-28.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- HARRISON, D.L. & PENDLETON, N.G.E. 1973. The palate and baculum of some funnel-eared bats (Chiroptera: Natalidae). *Mammalia* 37(3): 427-432.
- HARVEY, C.A., MEDINA, A., MERLO SANCHEZ, D., VILCHEZ, S., HERNANDEZ, B., SAENZ, J. C., MAES, J. M., CASANOVES, F. & SINCLAIR, F. L. 2006. Patterns of animal diversity in different forms of tree cover in agricultural landscapes. *Ecological applications* 16(5): 1986-1999.
- HARVEY, M.J. & GONZALEZ VILLALOBOS, J.A. 2007. Agroforestry systems conserve species-rich but modified assemblages of tropical birds and bats. *Biodiversity and Conservation* 16: 2257-2292.
- HATFIELD, D.M. 1937. Notes on the behavior of the California leaf-nosed bat. *Journal of Mammalogy* 18: 96-97.
- HAUPT, M., MENZLER, S. & SCHMIDT, S. 2006. Flexibility of habitat use in *Eptesicus nilssonii* : does the species profit from anthropogenically altered habitats? *Journal of Mammalogy* 87(2): 351-361.
- HAYES, J.P. 1997. Temporal variation in activity of bats and the design of echolocation-monitoring studies. *Journal of Mammalogy* 78(2): 514-524.
- HAYES, J.P., OBER, H.K. & SHERWIN, R.E. 2009. Chap. 6 : Survey and Monitoring of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 112-133.
- HAYMAN, D.T.S., FOOKS, A.R., HORTON, D., SUU-IRE, R., BREED, A.C., CUNNINGHAM, A.A. & WOOD, J.L.N. 2008. Antibodies against Lagos bat virus in Megachiroptera from West Africa. *Emerging Infectious Diseases*. 2008 June; 14(6):926-928.
- HAYMAN, T.S.H., SUU-IRE, R., BREED, A.C., MCEACHER, J.A., WANG, L., WOOD, J.L.N. & CUNNINGHAM, A.A. 2008. Evidence of henipavirus infection in west african fruit bats. *PLoS One*, 3(7), e2739
- HAYWARD, B. & DAVIS, R. 1964. Flight speeds in western bats. *Journal of Mammalogy* 45(2): 236-242.
- HEIDECHE, D. & STUBBE, M. 1989. *Populationsökologie von Fledermausarten*. Teil 2. Halle, Martin-Luther-Universität Halle-Wittenberg : 368 p.
- HEIDEMAN, P.D. & ERICKSON, K.R. 1992. A new task for an old tool : using crochet hooks to remove bats from mist nets. *Bat Research News* 33(1): 7.
- HEINRICHS, S. 1990. Feeding behavior of the Linneaus' false vampire bat *Vampyrum spectrum* in captivity. *Bat Research News* 31(4): 64-65.
- HELGEN, K.M., KOCK, D., GOMEZ, R.K.S.C., INGLE, N.R. & SINAGA, M. H. 2007. Taxonomy and natural history of the southeast Asian fruit-bat genus *Dyacopterus*. *Journal of Mammalogy* 88(2): 302-318.
- HENRICKSON, W. D. G. 1997. Daytime observation of a large bat on deeside. *Scottish bats* 4: 8.
- HENRY, M. & JOUARD, S. 2007. Effect of bat exclusion on patterns of seed rain in tropical rain forest in french Guiana. *Biotropica* 39(4): 510-518.
- HENRY, M. & KALKO, E.K.V. 2007. Foraging strategy and breeding constraints of *rhinophylla pumilio* (phyllostomidae) in the Amazon lowlands. *Journal of Mammalogy* 88(1): 81-93.
- HENRY, M., COSSON, J.-F. & PONS, J.-M. 2007. Abundance may be a misleading indicator of fragmentation-sensitivity: the case of fig-eating bats. *Biological Conservation* 139: 462-467.
- HENRY, M., PONS, J.-M. & COSSON, J.-F. 2007. Foraging behaviour of a frugivorous bat helps bridge landscape connectivity and ecological processes in a fragmented rainforest. *Journal of animal ecology* 76: 801-813.
- HERMAN, J.S. & HADDOW, J. F. 1997. Recorded distribution of bats in scotland. *Scottish bats* 4: 16-21.
- HERMANSON, J.W. & FARNUM, C.E. 2008. Bat skeletal growth : molecular and environmental perspectives. *Cells Tissues Organs* 187(1): 1- 88.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- HERREID, C.F. 1959. Notes on a baby free-tailed bat. *Journal of Mammalogy* 40(4): 609-610.
- HERREID, C.F. 1963. Survival of migratory bat at different temperatures. *Journal of Mammalogy* 44(3): 431-433.
- HERRERA M., L.G., FLEMING, T.H. & FINDLEY, J.S. 1993. Geographic variation in carbon composition of the pallid bat, *Antrozous pallidus*, and its dietary implications. *Journal of Mammalogy* 74(3): 601-606.
- HEYMER, A. 1963. Demande de spécimens pour l'étude de l'os pénien chez les chiroptères. *Mammalia* 27: 312-313.
- HIBBARD, C.W. 1934. *Antrozous bunkerii*, a new bat from Kansas. *Journal of Mammalogy* 15: 227-228.
- HILL, J.E. 1965. Asiatic bats of the genera *Kerivoula* and *Phoniscus* (Vespertilionidae), with a note on *Kerivoula aerea* Tomes. *Mammalia* 29: 524-556.
- HILL, J.E. 1966. The status of *Pipistrellus regulus* Thomas (Chiroptera, Vespertilionidae). *Mammalia* 30: 302-307.
- HILL, J.E. 1975. Occurrence of *Nycteris parisii* (De Beaux, 1923) (Chiroptera: Nycteridae) in Ethiopia. *Mammalia* 39(3): 506-508.
- HILL, J.E. 1993. Long-fingered bats of the genus *Miniopterus* (Chiroptera: Vespertilionidae) from Madagascar. *Mammalia* 57(3): 401-405.
- HILL, J.E. & TOPAL, G. 1990. Records of Marshall's horseshoe bat, *Rhinolophus marshalli* Thonglongya, 1973 (Chiroptera: Rhinolophidae) from Vietnam. *Mammalia* 54(3): 490-491.
- HINCHCLIFFE, G. 1997. Bats in Trust turrets. *Scottish bats* 4: 12.
- HOLDERIED, M.W. & JONES, G. 2009. Chap. 21 : Flight dynamics of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 459-475.
- HOOD, C.S. & SMITH, J.D. 1989. Sperm storage in a tropical nectar-feeding bat, *Macroglossus minimus* (Pteropodidae). *Journal of Mammalogy* 70(2): 404-406.
- HOOD, W.R., VOLTURA, M. B. & OFTEDAL, O. T. 2009. Chap. 25 : Methods of measuring milk composition and yield in small mammals. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 529-553.
- HOOFFER, S.R., BUSSCHE, R.A. van den & HORÁČEK, I. 2006. Generic status of the American pipistrelles (Vespertilionidae) with description of a new genus. *Journal of Mammalogy* 87(5): 981-992.
- HOORN, J.M. van den 1980. De vleermuizenstand in de Koelebosgroeve. *Lutra* 22: 54-56.
- HORÁČEK, D. 2000. Vysledky vyzkumu netopyru Jestedskeho hrabetu a okoli provadeného v letech 1989-1999. *Vespertilio* 4: 67-95
- HORÁČEK, D. 2007. Vysledky odchytu netopyru na Jestedskem hřebeni v letech 1995 az 2000. *Vespertilio* 11: 47-55.
- HORÁČEK, I. 1972. To the knowledge of the life of Bats in the transient roosts. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 39-40.
- HORÁČEK, I. 2006. Netopyri podzemnich prostor Ceského raje. *Piskovcovy Fenomén Ceského Raje*: 225-228.
- HORNER, M.A., FLEMING, T.H. & TUTTLE, M.D. 1990. Foraging and movement patterns of a nectar feeding bat : *Leptonycteris curasoae*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 81.
- HORST, G.R. & KWIECINSKI, G.G. 1985. William Abell Wimsatt (1917-1985) : a memorial tribute. *Bat Research News* 26(2): 11-16.
- HOWE, C. 1997. An account of three tree roosts in Motherwell. *Scottish bats* 4: 9-11.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- HOWE, H.F. 1974. Additional records of *Phyllonycteris aphylla* and *Ariteus flavescens* from Jamaica. *Journal of Mammalogy* 55(3): 662-663.
- HOWELL, D.J. 1972. Physiological adaptations of Bat Pollinators and their hosts. In: *International Bat Research Conference* (3, 1972, Plitvice). [Abstracts]: 41.
- HOWELL, D.J. 1974. Acoustic behavior and feeding in glossophagine bats. *Journal of Mammalogy* 55(2): 293-308.
- HOWELL, K.J. 1990. A two year study on the effects of monthly rainfall on weight gain in the big brown bat *Eptesicus fuscus*. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 82.
- HUMPHREY, S.R. 1966. Flight behavior of *Myotis lucifugus* at nursery colonies. *Journal of Mammalogy* 47(2): 323.
- HUMPHREY, S.R. 1975. Nursery roosts and community diversity of Nearctic bats. *Journal of Mammalogy* 56(2): 321-346.
- HUMPHREY, S.R. & COPE, J.B. 1977. Survival rates of the endangered Indiana bat, *Myotis sodalis*. *Journal of Mammalogy* 58(1): 32-36.
- HUMPHREY, S.R. & KUNZ, T.H. 1976. Ecology of a Pleistocene relict, the western big-eared bat (*Plecotus townsendii*), in the Southern Great Plains. *Journal of Mammalogy* 57(3): 470-494.
- HURST, T.E. & LACKI, M.J. 1997. Food habits of Rafinesque's big-eared bat in Southeastern Kentucky. *Journal of Mammalogy* 78(2): 525-528.
- HUSAR, S.L. 1976. Behavioral character displacement : evidence of food partitioning in insectivorous bats. *Journal of Mammalogy* 57(2): 331-338.
- INGLE, N.R. 1990. Reproduction and growth in two species of Philippine fruit bats. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 82-83.
- ISAAC, S.S. & MARIMUTHU, G. 1996. Postnatal growth and age estimation in the Indian pygmy bat *Pipistrellus mimus*. *Journal of Mammalogy* 77(1): 199-204.
- ISAKSEN, K. 2007. Ekkolokalisering hos flaggermus: virkemåte og artsbestemmelse. *Fauna* 60(3-4): 153-165.
- ISAKSEN, K. 2007. Masseforekomst av dvergflaggermus *Pipistrellus pygmaeus* i et hus i Forsand, Rogaland i desember 1985 : hendelsesforløp og mulige årsaker. *Fauna* 60(3-4): 226-238.
- ISAKSEN, K. 2007. Tusseflaggermus *Pipistrellus pipistrellus* pavidus i Stavanger - ny art for Norge. *Fauna* 60(3-4): 120-132.
- ISAKSEN, K. 2007. Ultralyddetektorer og lydopptaksutstyr for studier av ekkolokaliseringe flaggermus. *Fauna* 60(3-4): 166-175.
- ISAKSEN, K. & LANDSGARD, M. 2007. Dvergflaggermus *Pipistrellus pygmaeus* overvintrer i Norge. *Fauna* 60(3-4): 212-225.
- ISAKSEN, K. & OLSEN, K.M. 2007. Kartleggingsarbeid utført av Norsk Zoologisk Forenings flaggermusgruppe. *Fauna* 60(3-4): 176-182.
- ISSAC, S.S. & MARIMUTHU, G. 1997. Infant's calls attract mother *Pipistrellus mimus*. *Bat Research News* 34(2-3): 57.
- IVERSEN, F. 2007. Flaggermussafari i Tafjord. *Fauna* 60(3-4): 304-306.
- IZOR, R.J. 1979. Winter range of the silver-haired bat. *Journal of Mammalogy* 60(3): 641-643.
- JAMESON, J.W. & HARE, J.F. 2009. Group-specific signatures in the echolocation calls of female little brown bats (*Myotis lucifugus*) are not an artefact of clutter at the roost entrance. *Acta Chiropterologica* 11(1): 163-172.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- JOHANSEN, B.S. & DIDRIKSEN, O. 2007. En flaggermus pa besok. *Fauna* 60(3-4): 300-301.
- JOHNSON, J.B., GATES, J.E. & FORD, M.W. 2008. Distribution and activity of bats at local and landscape scales within a rural-urban gradient. *Urban Ecosystems* 11(2):227-242.
- JOHNSON, W.E., FRANKLIN, W.L. & IRIARTE, J.A. 1990. The mammalian fauna of the Northern Chilean Patagonia : a biogeographical dilemman. *Mammalia* 54(3): 457-469.
- JONES, C. 1967. Growth, development, and wing loading in the evening bat, *Nycticeius humeralis* (Rafinesque). *Journal of Mammalogy* 48(1): 1-19.
- JONES, C. 1990. The status and conservation of British bats : past, present and future. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 83.
- JONES, E. 1985. Upside-down world in bat's brain. *Nature (London)* 313: 434.
- JONES, G. 2009. Chap. 2 : Anatomy and physiology. In : BARNARD, S. M. *Bats in captivity. Vol. 1 : Biological and medical aspects.* [s.l.], Logos Press : 25-58.
- JONES, K.E. & TEELING, E.C. 2009. Chap. 35 : Phylogenetic tools for examining character and clade evolution in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 715-738.
- JONES, T.S. 1962. Twins in an African bat (*Scotophilus nigrita*). *Mammalia* 26: 136.
- JULLIEN, R. 1969. Interprétation des surfaces articulaires du coude des chiroptères. *Mammalia* 33: 659-665.
- JUSTE, J., BILGIN, R., MUÑOZ, J. & IBAÑEZ, C. 2009. Mitochondrial DNA signatures at different spatial scales: from the effects of the Straits of Gibraltar to population structure in the meridional serotine bat (*Eptesicus isabellinus*). *Heredity* 103: 1-10.
- KALKA, M. 2008. New respect for tropical bats : demonstrating the value of insect-eating bats. *Bats* 26(2): 1-3.
- KALKO, E.K.V. & AYASSE, M. 2009. Chap. 23 : Study and analysis of odor involved in the behavioral ecology of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 491-499.
- KANDAUROV, A., YAVROUYAN, E.G., RAKHMATULINA, I.K., BUKHNIKASHVILI, A., NATRADZE, J. & GAZARYAN, S.V. 2008. *Bats conservation action plan for the Caucasus.* Tbilisi, Universal : 87 p.
- KAY, L. 1961. Perception of distance in animal echolocation. *Nature (London)* 190(4773): 361-362.
- KEELER, J.O., RUMMEL, M.C. & STUDIER, E.H. 1990. Nutrition in pregnant *Eptesicus fuscus* feeding on June beetles. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 83-84.
- KELLEHER, C. & WILSON, J. 2009. *Knowing, studying and conserving : the bats of Ireland : an interactive guide on how to identify, study, appreciate and care for Irish bats.* Cork County Bat Group : 1 DVD, 83 min.
- KELM, D. 2008. Restoring lost rainforests : artificial bat roosts attract seed-dispersing bats. *Bats* 26(2) : 6-7.
- KEMMERER COTTRELL, D., MOLNÁR, V. & LANDESS, J. 2009. Chap. 10 : Small bat surgery. In : BARNARD, S. M. *Bats in captivity. Vol. 1 : Biological and medical aspects.* [s.l.], Logos Press : 109-272.
- KENAGY, G.J. & TROMBULAK, S.C. 1986. Size and function of mammalian testes in relation to body size. *Journal of Mammalogy* 67(1): 1-22.
- KENNEDY, J. 2008. Moving a mountain for big-eared bats : BCI and cavers clear a huge trash pile from a critical cave. *Bats* 26(4): 11-13.
- KERTH, G. & DECHMANN, D.K.N. 2009. Chap 18 : Field-based observations and experimental studies of bat behavior. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 393-408.
- KHAJURIA, H. 1970. A new leaf-nosed bat from Central India. *Mammalia* 34(4): 622-627.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- KHAJURIA, H. 1972. Courtship and mating in *Rhinopoma h. hardwickei* Gray (Chiroptera: Rhinopomatidae). *Mammalia* 36(2): 307-309.
- KHAJURIA, H. & GHOSAL, D.K. 1970. Small mammals eaten by the barn owl, *Tyto alba* (Scopoli). *Mammalia* 34(4): 718-720.
- KILBURN, K.S., BEST, T.L., HILTON, C.D. & HENRY, T.H. 1990. Demography of two coexisting species of bats, *Eptesicus fuscus* and *Tadarida brasiliensis*, in Alabama. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 84.
- KINGSTON, T. 2009. Chap. 10 : Analysis of species diversity of bat assemblages. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 195-215.
- KINGSTON, T., LIM, B.L. & ZUBAID, A. 2009. Bats of Krau Wildlife Reserve. Bangi, Penerbit University Kebangsaan Malaysia: 145 p.
- KITCHENER, D.J., GUNNELL, A. & MAHARADATUNKAMSI 1990. Aspects of the feeding biology of fruit bats (Pteropodidae) on Lombok Island, Nusa Tenggara, Indonesia. *Mammalia* 54(4): 561-578.
- KITCHENER, D.J., HISHEH, S., SCHMITT, L.H. & MARYANTO, I. 1993. Morphological and genetic variation in *Aethalops alecto* (Chiroptera, Pteropodidae) from Java, Bali and Lombok Is, Indonesia. *Mammalia* 57(2): 255-272.
- KITCHENER, D.J., SCHMITT, L.H., HISHEH, S., HOW, R.A., COOPER, N.K. & MAHARADATUNKAMSI 1993. Morphological and genetic variation in the bearded tomb bats (Taphozous: Emballonuridae) of Nusa Tenggara, Indonesia. *Mammalia* 57(1): 63-83.
- KLANN, M. 2007. Flaggermussamling i Fredrikstad 2006. *Fauna* 60(3-4): 302-303.
- KLAWITTER, J. & VIERHAUS, H. 1975. Feldkennzeichen fliegender Abensegler, *Nyctalus noctula* (Schreber, 1774) und Breitflügelfledermäuse, *Eptesicus serotinus* (Schreber, 1774). *Säugetierkundliche Mitteilungen* 23(3): 212-222.
- KNÖRNSCHILD, M. & HELVERSEN, O. VON. 2008. Nonmutual vocal mother-pup recognition in the greater sac-winged bat. *Animal Behaviour* 76: 1001-1009.
- KNÖRNSCHILD, M., HARVIEW, C., MOSELEY, R. & HELVERSEN, O. VON 2009. Remaining cryptic during motion : behavioral synchrony in the proboscis bat (*Rhynchonycteris naso*). *Acta Chiropterologica* 11(1): 208-211.
- KNÖRNSCHILD, M., HELVERSEN, O. VON & MAYER, F. 2007. Twin siblings sound alike : isolation call variation in the noctule bat, *nyctalus noctula*. *Animal Behaviour* (74): 1055-1063.
- KOFOKY, A., ANDRIAFIDISON, D., RATRIMOMANARIVO, F., RAZAFIMANAHAKA, J., RAKOTONDRAVONY, D., RACEY, P.A. & JENKINS, R.K.B. 2008. Habitat use, roost selection and conservation of bats in Tsingy de Bemaraha National Park, Madagascar. *Biodiversity and Conservation* 16(4): 1039-1053.
- KOLB, A. 1970. Das Ortungsprinzip bei Fledermäusen. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 35: 306-320.
- KOLB, A. 1972. Biologie der Mausohrfledermaus (*Myotis myotis*) In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 62-63.
- KOLB, A. 1973. Reichverhalten und Riechlaute der Mausohrfledermaus *Myotis myotis*. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 38: 277-284.
- KOLB, A. 1976. Funktion und Wirkungsweise der Riechlaute der Mausohrfledermaus, *Myotis myotis*. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 41(4): 226-236.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- KONSTANTINOV, A.I. 1972. Development of echolocation in bats in postnatal ontogenesis. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 20-21.
- KOOIJ, J. van der, OLSEN, K.M. & RIGSTAD, K. 2007. Borsteflaggermus *Myotis nattereri* i Norge - en oppsummering. *Fauna* 60(3-4): 133-141.
- KOOIJ, J. van der. 2007. Amerikanske flaggermuskasser - noe for Norge ? *Fauna* 60(3-4): 194-199.
- KOOIJ, J. van der. 2007. Bokanmeldelse : Standardverk om Europas flaggermus. *Fauna* 60(3-4): 307-309.
- KOOIJ, J. van der. 2007. Norsk Zoologisk Forenings flaggermusmottak - fem ar har gatt. *Fauna* 60(3-4): 183-189.
- KOONTZ, T. & DAVIS, W.H. 1991. Winter roosting of the red bat, *Lasiurus borealis*. *Bat Research News* 32(1): 3-4.
- KOOPMAN, K.F. 1951. Fossil bats from the Bahamas. *Journal of Mammalogy* 32(2): 229.
- KOOPMAN, K.F. 1952. The status of the bat genus *Reithronycteris*. *Journal of Mammalogy* 33(2): 255-258.
- KOOPMAN, K.F. 1972. Systematics of Indo-Australian *Pipistrellus*. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 57.
- KOOPMAN, K.F. 1982. A synopsis of the families of bats. Part II. *Bat Research News* 23(3): 26-27.
- KOOPMAN, K.F. 1984. A synopsis of the families of bats. Part VI. *Bat Research News* 25(2): 15-17.
- KOOPMAN, K.F. 1984. A synopsis of the families of bats. Part VII. *Bat Research News* 25(3/4): 25-27.
- KOOPMAN, K.F. 1997. The subspecies of *Emballonura semicaudata* (Chiroptera: Emballonuridae). *Journal of Mammalogy* 78(2): 358-360.
- KRASNOV, B. R. & KORINE, C. 2007. Between-host phylogenetic distance and feeding efficiency in hematophagous ectoparasites: rodent fleas and a bat host. *Parasitol Res*, 101: 365-371
- KRÄTTLI, H. 2009. 20 Jahre Fledermausschutz im Kanton Schaffhausen. *Fledermaus-Anzeiger* 88.
- KRAUSS, A. 1989. Weitere Chiropterenachweise aus dem Karl-Marx-Städter Raum. *Nyctalus* 3(1): 55-58.
- KRICHBAUM, K., PERKINS, S. & GANNON, M.R. 2009. Host-parasite interactions of tropical bats in Puerto Rico. *Acta Chiropterologica* 11(1): 157-162.
- KRULL, D. 1990. Foraging behavior and echolocation in the pallid bat, *Antrozous pallidus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 84.
- KRUTZSCH, P.H. 2009. The reproductive biology of the cave myotis (*Myotis velifer*). *Acta Chiropterologica* 11(1): 89-104.
- KRZANOWSKI, A. 1964. Three long flights by bats. *Journal of Mammalogy* 45(1): 152.
- KUIJPER, D.P.J., SCHUT, J., DULLEMEN, D. VAN, TOORMAN, H., GOOSSENS, N., OUWEHAND, J. & LIMPENS, H.J.G.A. 2008. Experimental evidence of light disturbance along the commuting routes of pond bats (*Myotis dasycneme*). *Lutra* 51(1): 37-49.
- KULZER, E. & MÜLLER, E. 1989. Flederermäuse im ökosystem wald. *Der Flattermann* 1: 4-5.
- KULZER, E. & MÜLLER, E. 1989. Neue gesicht sponkte beim einsatz von pyrethroidhaltigen holzschutzmitteln. *Der Flattermann* 1: 6-7.
- KULZER, E., MÜLLER, E. & MERZ, H. 1989. Die Flederermäuse des Virngrundes. *Der Flattermann* 1: 11-12.
- KULZER, E., MÜLLER, E. & MÜLLER, W. W. 1989. Arbeitsgemeinschaft Fledermauschutz Freiburg. *Der Flattermann* 1: 10.
- KULZER, E., MÜLLER, E. & MÜLLER, W.W. 1989. Zur Situation des Fledermaustollwut 1988/89. *Der Flattermann* 1: 9.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- KULZER, E., MÜLLER, E. & NAGEL, A. 1989. Bestandsentwicklung winterschlafender Fledermäuse im Winter 1988/1989. *Der Flattermann* 1: 13-14.
- KULZER, E., MÜLLER, E. & NAGEL, A. 1989. Untersuchungen zur Belastung einer Wochenstube von Zwergfledermäusen (*Pipistrellus pipistrellus*) mit Chlorkohlenwasserstoffen und die Belastung mehrerer Fledermausarten mit Schwermetallen. *Der Flattermann* 1: 7-8.
- KULZER, E., MÜLLER, E. & STUTZ, H.-P.B. 1990. Fledermauschutz in der Schweiz - Dargestellt am Beispiel der Koordinationstelle ost für Fledermauschutz. *Der Flattermann* 2: 4-5.
- KULZER, E., MÜLLER, E., & BECKER, G. 1989. Erschliessung einer "vergessenen" Sandsteinhöhle als Fledermausquartier. *Der Flattermann* 1: 16-20.
- KULZER, E., MÜLLER, E., & FRIEDLER, W. 1989. Die Halbinsel Mettnau (Bodensee) - Rastgebiet für wandernde Fledermäuse. *Der Flattermann* 1: 15.
- KULZER, E., MÜLLER, E., & ROER, H. 1989. Über Vorkommen und Wanderverhalten des Kleinen Abendseglers (*Nyctalus leisleri*) im mitteleuropäischen. *Der Flattermann* 1: 16.
- KUNZ, T.H. 1972. The Feeding ecology of an insectivorous Bat *Myotis velifer*. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 42.
- KUNZ, T.H. 1974. Reproduction, growth, and mortality of the vespertilionid bat, *Eptesicus fuscus*, in Kansas. *Journal of Mammalogy* 55(1): 1-13.
- KUNZ, T.H. 1990. Comparative energetics of postnatal growth in two bat species living in the same cave. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 84-85.
- KUNZ, T.H. & ANTHONY, E.L.P. 1977. On the efficiency of the tuttle bat trap. *Journal of Mammalogy* 58(3): 309-315.
- KUNZ, T.H. & PARSONS, S. 2009. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : XVII, 901 p.
- KUNZ, T.H. & WEISE, C.D. 2009. Chap. 2 : Methods and devices for marking bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 36-56.
- KUNZ, T.H., FUJITA, M.S., BROOKE, A.P. & MACCRACKEN, G.F. 1994. Convergence in tent architecture and tent-making behavior among Neotropical and Palearctic bats. *Journal of mammalian evolution* 2(1): 57-78.
- KUNZ, T.H., ADAMS, R.A. & WILKINSON, G.S. 2009. Chap. 14 : Methods for assessing size at birth and postnatal growth and development in bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press: 273-314.
- KUNZ, T.H., BETKE, M., HRISTOV, N. & VONHOF, M.J. 2009. Chap. 7 : Methods for assessing colony size, population size, and relative abundance of bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press: 113-133.
- KUNZ, T.H., HODGKISON, R. & WEISE, C.D. 2009. Chap. 1 : Methods of capturing and handling bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press: 3-35.
- KUO, H.-C., FANG, Y.-P., CSORBA, G. & LEE, L.-L. 2009. Three new species of *Murina* (Chiroptera : Vespertilionidae) from Taiwan. *Journal of Mammalogy* 90(4): 980-991.
- KURODA, N. 1928. The mammal fauna of Sakhalin. *Journal of Mammalogy* 9: 222-229.
- KURODA, N. 1935. Formosan mammals preserved in the collection of Marquis Yamashina. *Journal of Mammalogy* 16: 277-291.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- KURTA, A. & FOSTER, R.W. 2007. Using ultrasound to determine pregnancy in small bats in the field. *Bat Research News* 48(4): 157-158.
- KURTA, A. & LEHR, G.C. 1995. *Lasiurus ega*. *Mammalian species* 515: 1-7.
- KURTA, A. & TERAMINO, J. 1990. Bat community structure along an urban riparian corridor. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 85.
- KURTA, A., KUNZ, T.H. & NAGY, K.A. 1990. Energetics and water flux of free-ranging big brown bats (*Eptesicus fuscus*) during pregnancy and lactation. *Journal of Mammalogy* 71(1): 59-65.
- KURTA, A., WHITAKER, J.O. Jr., SOTO-CENTENO, J.A. & WRENN, W.J. 2007. Ectoparasitic assemblages on Mormoopid bats (Chiroptera : Mormoopidae) from Puerto Rico. *Journal of medical entomology* 44(6): 953-958.
- LACK, J.B. & BUSSCHE, R.A. van den 2009. A relaxed molecular clock places an evolutionary timescale on the origins of North American big-eared bats (Vespertilionidae: Corynorhinus). *Acta Chiropterologica* 11(1): 15-23.
- LACKI, M.J., COX, D.R., DODD, L.E. & DICKINSON, M.B. 2009. Response of northern bats (*Myotis septentrionalis*) to prescribed fires in Eastern Kentucky forests. *Journal of Mammalogy* 90(5): 1165-1175.
- LAUFENS, G. 1972. Einfluss der Aussentemperatur auf die Aktivitäts- und Ruhezeit von *Myotis nattereri* und *Myotis bechsteini*. In: *International Bat Research Conference* (3, 1972, Plitvice). [Abstracts]: 43-44.
- LAURENT, P. 1941. A propos de la rhinopome tunisienne. *Mammalia* 5(3/4): 99-100.
- LAURENT, P. 1941. Une addition à la faune mammalogique nord-africaine : *Rhinopoma cystops arabium* Thomas. *Mammalia* 5: 11-17.
- LAUSEN, C.L. 2008. Bats on the wing in the canadian winter. *Bats* 26(1) : 1-3.
- LAUSEN, C.L. 2009. When is a species not a species ? : genetic techniques complicate taxonomy. *Bats* 27(1): 11-13.
- LAUSEN, C.L. & BARCLAY, R.M.R. 2006. Benefits of living in a building : big brown bats (*Eptesicus fuscus*) in rocks versus buildings. *Journal of Mammalogy* 87(2): 362-370.
- LAWLOR, T.E. 1973. Aerodynamics characteristics of some Neotropical bats. *Journal of Mammalogy* 54(1): 71-78.
- LEE, Y.-F. & MACCRACKEN, G.F. 2005. Dietary variation of Brazilian free-tailed bats links to migratory populations of pest insects. *Journal of Mammalogy* 86(1): 67-76.
- LEFFLER, J.W., LEFFLER, L.T. & HALL, J.S. 1979. Effects of familiar area on the homing ability of the little brown bat, *Myotis lucifugus*. *Journal of Mammalogy* 60(1): 201-204.
- LEGAIT, H., BAUCHOT, R., STEPHAN, H. & CONTET-AUDONNEAU, J.-L. 1976. Etudes des corrélations liant le volume de l'épiphyse aux poids somatique et encéphalique chez les rongeurs, les insectivores, les chiroptères, les promisiens et les simiens. *Mammalia* 40(2): 327-337.
- LEHOTSKA, B. & LEHOTSKY, R. 2000. Prispevek k poznaniu rozsirenia netopierov v Liptovskej kotline = Contribution to the knowledge of bat distribution in the Liptovska kotlina Basin (N-Slovakia). *Vespertilio* 4: 105-110.
- LESIŃSKI, G., KOWALSKI, M., WOJTOWICZ, B., GULATOWSKA, J. & LISOWSKA, A. 2007. Bats on forest islands of different size in an agricultural landscape. *Folia Zoologica*. 2007; 56(2):153-161.
- LEUZINGER, Y., LUGON, A. & BONTADINA, F. 2008. Eoliennes en Suisse mortalité de chauves-souris. Département fédéral de l'environnement, des transports, de l'énergie et de la communication (DETEC).
- LEWIS, S.E. 1992. Polygynous groups of bats : should they be called harems? *Bat Research News* 33(1): 3-5.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- LI, G., JONES, G., ROSSITER, S.J., CHEN, S.-F., PARSONS, S. & ZHANG, S. 2006. Phylogenetics of small horseshoe bats from East Asia based on mitochondrial DNA sequence variation. *Journal of Mammalogy* 87(6): 1234-1240.
- LI, G., WANG, J., ROSSITER, S. J., JONES, G. & ZHANG, S. 2007. Accelerated FoxP2 evolution in echolocating bats. *PLoS ONE*. 2007; 2(9):1-10.
- LIERON, V., POULOUIN, E., AMEZIAN, M., QNINBA, A. & THEVENOT, M. 2008. Inventaire des Chiroptères de l'arrière-pays du port Tanger-Méditerranée (Nord-Ouest du Maroc). Rabat, Bulletin de l'Institut Scientifique, section Sciences de la Vie 53(30): 53-54.
- LIMPENS, H.J.G.A., HELMER, W., VAN WINDEN, A. & MOSTERT, K. 1989. Vleermuizen (Chiroptera) en lintvormige Landschapselementen : een overzicht van de huidige kennis van het belang van lintvormige landschapselementen voor vleermuizen. = Bats (Chiroptera) and linear landscape elements : a review of our present knowledge of the importance of linear landscape elements to bats. *Lutra* 32(1): 1-19.
- LIMPERT, D.L., BIRCH, D.L., SCOTT, M.S., ANDRE, M. & GILLAM, E. 2007. Tree selection and landscape analysis of eastern red bat day roosts. *Journal of Wildlife Management* 71(2): 478-486.
- LINA, P.H.C. 1993. Nieuwe gegevens over enkele in Nederland zeldzaam voorkomende vleermuissoorten = New records of rarely observed bat species in the Netherlands. *Lutra* 36: 89-93.
- LINARES, O.J. 1973. Présence de l'oreillard d'Amérique du Sud dans les Andes vénézuéliennes (chiroptères, Vespertilionidae). *Mammalia* 37(3): 433-438.
- LINDQUIST, E.E. & MORAZA, M.L. 2008. A new genus of flower-dwelling melicharid mites (Acari: Mesostigmata: Ascoidea) phoretic on bats and insects in Costa Rica and Brazil. *Zootaxa*. 2008 21 January; 1685:1-37.
- LINHART, S.B. 1973. Age determination and occurrence of incremental growth lines in the dental cementum of the common vampire bat (*Desmodus rotundus*). *Journal of Mammalogy* 54(2): 493-496.
- LIU, Y., JIN, L.-R., METZNER, W. & FENG, J. 2009. Postnatal growth and age estimation in big-footed myotis, *Myotis macrodactylus*. *Acta Chiropterologica* 11(1): 105-111.
- LIZER Y TRELLES, C.A. 1941. La proteccion de los murcielagos. *Revista argentina de zoogeografia* 1(3): 181-188.
- LOCKE, R. 2008. Mysterious Bat die-off triggers alarm. *Bats* 26(1) : 13-14.
- LOCKE, R. 2008. WNS : the threat grows. *Bats* 26(1): 14-15.
- LOCKE, R. 2009. Book review : *Dark Banquet : the fascinating lives of blood-feeders*. *Bats* 27(1): 15.
- LÖNNBERG, E. 1910. Mammals. In: *Wissenschaftliche Ergebnisse der schwedischen zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massasteppen Deutsch-Ostafrika 1905-1906* 1(2): 1-58.
- LOPEZ-FORMENT CONRADT, W. 1990. The barn-owl *Tyto alba* as a major predator of bats in Southern Yunnan, China. In: *North American Bat Research Symposium (21, 1990, Lincoln)*. Abstracts. *Bat Research News* 31(4): 87.
- LOPEZ-GONZALEZ, C. & TORRES-MORALES, L. 2004. Use of abandoned mines by long-eared bats, genus *Corynorhinus* (Chiroptera: Vespertilionidae) in Durango, Mexico. *Journal of Mammalogy* 85(5): 989-994.
- LOUGHRY, W.J. & MACCRACKEN, G.F. 1990. Factors influencing female-pup scent recognition in Mexican free-tailed bats. In: *North American Bat Research Symposium (21, 1990, Lincoln)*. Abstracts. *Bat Research News* 31(4): 87-88.
- LOUKASHKIN, A.S. 1937. The mammals of North Manchuria. *Journal of Mammalogy* 18: 327-332.
- LUCAN, R.K., ANDREAS, M., BENDA, P., BARTONICKA, T., BREZINOVÁ, T., HOFFMANNOVÁ, A., HULOVÁ, Š., HULVA, P., NECKÁROVÁ, J., REITER, A., SVACINA, T., ŠÁLEK, M. & HORÁČEK, I.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

2009. Alcahote bat (*Myotis alcahote*) in the Czeck Republic : distributional status, roosting and feedings ecology. *Acta Chiropterologica* 11(1): 61-69.
- MA, J., ZHANG, J.-S., LIANG, B., ZHANG, L., ZHANG, S. & METZNER, W. 2006. Dietary characteristics of *Myotis ricketti* in Beijing, North China. *Journal of Mammalogy* 87(2): 339-344.
- MACCRACKEN, G.F. 1989. Bat. *Bat Research News* 30(1): 9-13.
- MACCRACKEN, G.F. & GASSEL, M.F. 1997. Genetic structure in migratory and nonmigratory populations of Brazilian free-tailed bats. *Journal of Mammalogy* 78(2): 348-357.
- MACCRACKEN, G.F., GUFFEY, S.Z., CEVALLOS, J. & ALBUJA V., L. 1990. The Galapagos bats : what are they? In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 88-89.
- MACFARLANE, D. 1991. The species-genus relationship in Antillean bat communities. *Mammalia* 55(3): 363-369.
- MACIAS, S., MORA, E.C. & GARCIA, A. 2006. Acoustic identification of mormoopid bats : a survey during the evening exodus. *Journal of Mammalogy* 87(2): 324-330.
- MACKEAN, J.L. & CALABY, J.H. 1968. A new genus and two new species of bats from New Guinea. *Mammalia* 32: 372-378.
- MACKEAN, J.L. & PRICE, W.J. 1967. Notes on some Chiroptera from Queensland, Australia. *Mammalia* 31: 101-119.
- MACKEAN, J.L. & PRICE, W.J. 1978. *Pipistrellus* (Chiroptera: Vespertilionidae) in Northern Australia with some remarks on its systematics. *Mammalia* 42(3): 343-347.
- MACMANUS, J.J. 1974. Activity and thermal preference of the little brown bat, *Myotis lucifugus*, during hibernation. *Journal of Mammalogy* 55(4): 844-846.
- MACMURRAY, D.N. & THOMAS, M.E. 1979. Cell-mediated immunity in two species of bats. *Journal of Mammalogy* 60(3): 576-581.
- MACNAB, B.K. 1973. Energetics and the distribution of vampires. *Journal of Mammalogy* 54(1): 131-144.
- MACNAB, B.K. 1989. Temperature regulation and rate of metabolism in three Bornean bats. *Journal of Mammalogy* 70(1): 153-161.
- MACSWINEY, M.C., BOLIVAR CIME, B., CLARKE, F.M. & RACEY, P.A. 2009. Insectivorous bat activity at cenotes in the Yucatan Peninsula, Mexico. *Acta Chiropterologica* 11(1): 139-147.
- MACSWINEY, M.C., BOLIVAR CIME, B., CLARKE, F.M. & RACEY, P.A. 2009. Insectivorous bat activity at cenotes in the Yucatan Peninsula, Mexico. *Acta Chiropterologica* 11(1): 139-147.
- MACSWINEY, M.C., CLARKE, F.M. & RACEY, P.A. 2008. What you see is not what you get : the role of ultrasonic detectors in increasing inventory completeness in Neotropical bat assemblages. *Journal of Applied Ecology* (45): 1364-1371.
- MACSWINEY, M.C., VILCHIS, P. L., CLARKE, F.M. & RACEY, P.A. 2007. The importance of cenotes in conserving bat assemblages in the Yucatan, Mexico. *Biological Conservation* 136(4): 499-509.
- MADHAVAN, A. 1971. Breeding habits in the Indian vespertilionid bats, *Pipistrellus ceylonicus chrysothrix* (Wroughton). *Mammalia* 35(2): 282-306.
- MADKOUR, G. 1976. Structure of the penis in the fruit bat *Rousettus aegyptiacus* (Megachiroptera). *Journal of Mammalogy* 57(4): 769-771.
- MAEDA, K. & SATO, M. 2008. A comparison between the temperatures inside and outside of two tree hollows in Rishiri island, northern Hokkaido. The possibility of using tree hollows as bat roosts in winter. *Rishiri Studies* 27: 49-59.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- MAEDA, K., XU, H. & SUZUKI, K. 2009. Temperatures in three caves inhabited by miopterine bats at southern Kii peninsula. [Bulletin of Center for Natural Environmental Education, Nara University of Education 9: 25-32].
- MAKIN, D. & MENDELSSOHN, H. 1985. Insectivorous bats victims of Israeli campaign. *Bats* 2(4): 1-2, 4.
- MANFREDI ROMANINI, M.G. 1985. The nuclear content of desoxyribonucleic acid and some problems of mammalian phylogenesis. *Mammalia* 49(3): 369-385.
- MANLEY, G.A., IRVINE, D.R.F. & JOHNSTONE, B.M. 1972. Frequency response of bat tympanic membrane. *Nature (London)* 237: 112-113.
- MANTILLA-MELUK, H., JIMENEZ-ORTEGA, A.M. & BAKER, R.J. 2009. Phyllostomid bats of Colombia : annotated checklist, distribution, and biogeography. *Special publications / Museum Texas Tech University* 56: 1-37.
- MANVILLE, R.H. 1962. A plea for bat conservation. *Journal of Mammalogy* 43(1): 571.
- MARCHESI, P., BLANT, M. & CAPT, S. 2008. Mammifères de Suisse : clés de détermination. Neuchâtel, Centre suisse de la cartographie de la faune : 289 p. (Fauna Helvetica, 21).
- MARLOW, B.J. 1970. A record of a mastiff bat, *Tadarida plicata*, from the Cocos Keeling Islands. *Mammalia* 34(3): 544-545.
- MARSHALL, P.M., BUTLER, P.M. 1966. Molar cusp development in the bat, *Hipposideros beatus*, with reference to the ontogenetic basis of occlusion. *Archives of Oral Biology* 11: 949-965
- MARTIN, C, O. 2007. Army endangered species research program : assessment of the population status of the gray bat (*Myotis grisescens*) : status review, DoD initiatives, and results of a multi-agency effort to survey wintering populations at Major Hibernacula, 2005-2007. U S Army Corps of Engineers Engineer Research and Development Center Environmental Laboratory Technical Report.
- MARTIN, R.D. 1986. Are fruit bats primates? *Nature (London)* 320: 482-483.
- MASSON, D. & BREUIL, M. 1992. Un *Myotis* (Chiroptera, Vespertilionidae) en Guadeloupe (Petites Antilles). *Mammalia* 56(3): 473-475.
- MASSON, D. & COSSON, J.-F. 1992. *Cyttarops alecto* (Emballonuridae) et *Lasiurus castaneus* (Vespertilionidae), deux chiroptères nouveaux pour la Guyane française. *Mammalia* 56(3): 475-478.
- MASTERS, W.M., JACOBS, S.C. & SIMMONS, J.A. 1990. Signal processing implications of the sonar sounds used by big brown bats, *Eptesicus fuscus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 88.
- MATSKASI, I. 1972. The Trematode Fauna of Hungarian Bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 58.
- MATSUMURA, S. 1979. Mother-infant communication in a horseshoe bat (*Rhinolophus ferrumequinum nippon*) : development of vocalization. *Journal of Mammalogy* 60(1): 76-84.
- MATSUMURA, S. 1990. Aggressive behaviors of an old world leaf-nosed bat, *Hipposideros turpis*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 88.
- MATSUOKA, S. 2008. Use of artificial roosts by Ussuri tube-nosed bats *Murina ussuriensis*. *Shinrin Sogo Kenkyujo Kenkyu Hokoku*. 2008 March; 7(1):9-12 (No 406).
- MATTANOVICH, E., CALLEDE, U., SPIEGL, K. & BORELLA, I. 2006. Lebensraumvernetzung für Fledermäuse im Alpenraum : interreg IIIB. München, Bayerisches Staatsministerium für Umwelt : 68 p. (Gesundheit und Verbraucherschutz).
- MATTHEY, R. 1973. Les nombreux diploïdes des euthériens. *Mammalia* 37(3): 394-421.
- MAYER, F., DIETZ, C. & KIEFER, A. 2007. Molecular species identification boosts bat diversity. *Frontiers in Zoology*. 4(4):1-5.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- MCGOWAN, A.J. & DYKE, G.J. 2007. A morphospace-based test for competitive exclusion among flying vertebrates : did birds, bats and Pterosaurs get in each other's space? *Journal of Evolutionary Biology* 20(3): 1230-1236.
- MEDELLIN, R.A. 1988. Prey of *Chrotopterus auritus*, with notes on feeding behavior. *Journal of Mammalogy* 69(4): 841-844.
- MEDELLIN, R.A. 2008. Une passion pour des créatures mal aimées : sauvegarder des chauves-souris menacées d'extinction au Mexique. In : *Sources d'inspiration : dix personnes s'engagent pour un monde meilleur*. Londres, Thomas & Hudson : 100-109.
- MEDINA, A., HARVEY, C.A., SANCHEZ MERLO, D., VILCHEZ, S. & HERNANDEZ, B. 2007. Bat diversity and movement in an agricultural landscape in Matiguás, Nicaragua. *Biotropica* 39(1): 120 -128.
- MEDWAY, G.G.-H. 1973. Hypothermia in flat-headed bats (Chiroptera, Vespertilionidae : genus *Tylonycteris*). *Mammalia* 37(4): 646-653.
- MENZIES, J.I. 1973. A study of leaf-nosed bats (*Hipposideros caffer* and *Rhinolophus landeri*) in a cave in Northern Nigeria. *Journal of Mammalogy* 54(4): 930-945.
- MERRIMAN, C.B. 1990. Relative capture rates of tympanate and atympanate moths by *Lasiurus cinereus* and *Lasiurus borealis*. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 89.
- MERWE, M. van der 1973. Aspects of social behaviour of the natal clinging bat *Miniopterus schreibersi natalensis* (A. Smith, 1834). *Mammalia* 37(3): 379-389.
- MERWE, M. van der & RAUTENBACH, I.L. 1990. Spermatogenesis in Schlieffen's bat, *Nycticeius schlieffenii* (Chiroptera: Vespertilionidae). *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 55: 298-302.
- MESCHEDE, A., GÜTHLER, W. & BOYE, P. 2001. Bats in forests : information and recommendations for forest managers. *Landschaft als Lebensraum*, 4. Bonn, Deutscher Verband für Landschaftspflege : 18 p. (Bundesamt für Naturschutz).
- METZNER, W. 1989. A possible neuronal basis for doppler-shift compensation in echo-locating horseshoe bats. *Nature (London)* 341: 529-532.
- MEYER, C.F.J. 2008. Ecological correlates of vulnerability to fragmentation in Neotropical bats. *Journal of Applied Ecology*. 2008 February; 45(1):381-391.
- MICHAELSEN, T.C. 2007. Storflaggermus *Nyctalus noctula* pavis i Sogn og Fjordane. *Fauna* 60(3-4): 292-293.
- MICHAELSEN, T.C. 2007. Utflyvningstider og lystoleranse hos nord-flaggermus *Eptesicus nilssonii* og dvergflaggermus *Pipistrellus pygmaeus* ved 62 °N. *Fauna* 60(3-4): 272-279.
- MICHAELSEN, T.C., GRIMSTAD, K.J., OLSEN, O. & SOOT, K.M. 2007. Erfaringer med store flaggermuskasser. *Fauna* 60(3-4): 200-207.
- MICHAELSEN, T.C., GRIMSTAD, K.J., PILSKOG, A. & MIDTLIEN, S. 2007. Flaggermus og grønnspett *Picus viridis* deler hultre. *Fauna* 60(3-4): 283-285.
- MILLER-BUTTERWORTH, C.M., MURPHY, W.J., O'BRIEN, S.J., JACOBS, D.S., SPRINGER, M.S. & TEELING, E.C. 2007. A Family Matter : conclusive resolution of the taxonomic position of the Long-Fingered Bats, *Miniopterus*. *Molecular biology and evolution* 24(7): 1553-1561.
- MILLER, G.S. Jr. 1898. Descriptions of five new phyllostome bats. *Proceedings of the Academy of Natural Sciences of Philadelphia*: 326-337.
- MILLER, G.S. Jr. 1902. Twenty new American bats. *Proceedings of the Academy of Natural Sciences of Philadelphia* 54: 389-412.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MILLER, P.S. 1990. Bats of the Hoosier national forest, Indiana. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 89-90.
- MILLS, R.S., BARRETT, G.W. & FARRELL, M.P. 1975. Population dynamics of the big brown bat (*Eptesicus fuscus*) in Southwestern Ohio. *Journal of Mammalogy* 56(3): 591-604.
- MIRZA, Z.B. 1965. Four new mammal records for West Pakistan. *Mammalia* 29: 205-210.
- MISTRY, S. 1990. Characteristics of the visually guided escape response of the Mexican free-tailed bat, *Tadarida brasiliensis mexicana*. *Animal Behaviour* 39(2): 314-320.
- MISTRY, S. & MACCRACKEN, G.F. 1990. Behavioural response of the Mexican free-tailed bat, *Tadarida brasiliensis mexicana*, to visible and infra-red light. *Animal Behaviour* 39(3): 598-599.
- MISTRY, S. & MORENO-VALDEZ, A. 2008. Climate change and bats : vampire bats offer clues to the future. *Bats* 26(2): 8-11.
- MITCHELL-JONES, T., BIHARI, Z., MASING, M. & RODRIGUES, L. 2007. Schutz und Management unterirdischer Lebensstätten für Fledermäuse. EUROBATS Publication Series (2): 40p.
- MOESCHLER, P., NADER, I.A. & GAUCHER, P. 1990. First record of *Asellia patrizii* De Beaux, 1931 (Chiroptera: Hipposideridae) in Saudi Arabia. *Mammalia* 54(4): 654-655.
- MOHR, E. 1927. *Plecotus auritus* L. in der Gefangenschaft. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 2: 87-92.
- MOLINA, C., GARCIA, C. & OCHOA G., J. 1995. First record of *Mimon bennettii* (Chiroptera: Phyllostomidae) for Venezuela. *Mammalia* 59(2): 263-265.
- MOOSMAN, P.R. Jr., THOMAS, H. & VEILLEUX, J.P. 2007. Food habits of eastern Small-footed Bats (*Myotis leibii*) in New Hampshire. *The American midland naturalist* (158): 354-360.
- MORALES, J.C., BALLINGER, S.W., BICKHAM, J.W., GREENBAUM, I.F. & SCHLITTER, D.A. 1991. Genetic relationships among eight species of *Eptesicus* and *Pipistrellus* (Chiroptera: Vespertilionidae). *Journal of Mammalogy* 72(2): 286-291.
- MORNEAU, L. 1999. Bats = la nuit des chauves-souris [Los Angeles], Columbia Tristar: 1 DVD
- MORRISON, D.W. 1978. Influence of habitat on the foraging distances of the fruit bat, *Artibeus jamaicensis*. *Journal of Mammalogy* 59(3): 622-624.
- MORRISON, D.W. 1979. Apparent male defense of tree hollows in the fruit bat, *Artibeus jamaicensis*. *Journal of Mammalogy* 60(1): 11-15.
- MORRISON, M. L. & FOX, S. 2009. Bats associated with inactive mines in the western great basin. *Western North American Naturalist* 69(1): 134-137.
- MOSELEY, E.L. 1928. Red bat as a mother. *Journal of Mammalogy* 9: 248-249.
- MOSELEY, E.L. 1928. The number of young red bats in one litter. *Journal of Mammalogy* 9: 249.
- MUCHHALA, N. 2007. Adaptive trade-off in floral morphology mediates specialization for flowers pollinated by bats and hummingbirds. *American Naturalist*. 2007 April; 169(4):494-504.
- MUELLER, H.C. & MUELLER, N.S. 1979. Sensory basis for spatial memory in bats. *Journal of Mammalogy* 60(1): 198-201.
- MULDOON, K.M., BLIEUX, D.D. de, SIMONS, E.L. & CHATRATH, P.S. 2009. The subfossil occurrence and paleoecological significance of small mammals at Ankilitelo cave, Southwestern Madagascar. *Journal of Mammalogy* 90(5): 1111-1131.
- MÜLLER, B., GOODMAN, S.M. & PEICHL, L. 2007. Cone photoreceptor diversity in the retinas of fruit bats (Megachiroptera). *Brain Behavior and Evolution*. 2007; 70(2):90-104.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- MUMFORD, R.E. 1972. Natural history of the red bat (*Lasiurus borealis*). In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 44-45.
- MUÑOZ-ROMO, M. & KUNZ, T.H. 2009. Dorsal patch and chemical signaling in males of the long-nosed bat, *Leptonycteris curasoae* (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 90(5): 1139-1147.
- MUNZER, O.M. & KURTA, A. 2008. A leucistic little brown bat in Michigan. *Michigan birds and natural history* 15(2).
- MURAYAMA, Y., MAEDA, K. & SATO, M. 2009. Moths seemed to be left over by *Myotis macrodactylus* in Pankenai cave at Higashi-Utanobori, Esashi-Cho, Hokkaido. *Rishiri Studies* (28): 67-68.
- MURRAY, P.F. & STRICKLER, T.L. 1975. Notes on the structure and function of cheek pouches within the Chiroptera. *Journal of Mammalogy* 56(3): 673-676.
- MUTERE, F.A. 1972. On the food of *Rousettus aegyptiacus*, E. Geoffroy. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 45-46.
- MYERS, R.F. 1972. Formation of Clusters of *Myotis sodalis* in a Hibernaculum. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 46.
- NAGLOV, A. 2009. Defenders of Ukrainian bats : an unprecedented program challenges misplaced fears. *Bats* 27(1): 5-7.
- NAKAYAMA, T., MURAYAMA, Y., SATO, M. & MAEDA, K. 2009. Home range and day roost of an ussuriian tube-nosed bat *Murina ussuriensis* in northern Hokkaido. *Rishiri Studies* (28): 83-85.
- NAVARRO L., D. 1979. *Vampyrus spectrum* (Chiroptera, Phyllostomatidae) in Mexico. *Journal of Mammalogy* 60(2): 435.
- NAVO, K.W., GORE, J.A. & SKIBA, G.T. 1990. Observations on the spotted bat, *Euderma maculatum*, in Northwest Colorado. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 90.
- NEILSON, A. 1990. Population ecology of *Myotis lucifugus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 90.
- NELLIS, D.W. & EHLE, C.P. 1977. Observations on the behavior of *Brachyphylla cavernarum* (Chiroptera) in Virgin Islands. *Mammalia* 41(4): 403-409.
- NELSON, J.E. 1964. Notes on *Syconycteris australis*, Peters, 1867 (Megachiroptera). *Mammalia* 28: 429-432.
- NELSON, J.E. 1965. Behaviour of Australian Pteropodidae (Megachiroptera). *Animal Behaviour* 13(4): 544-557.
- NELSON, S.L. 2009. Chap. 29 : Nutritional ecology and analysis of the diets of plant-visiting bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 610-622.
- NERINCX, E. 1943. Contribution à l'étude des sens chez les cheiroptères. *Mammalia* 7(3/4): 110-114.
- NEUBAUM, D.J., NEUBAUM, M.A., ELLISON, L.E. & O'SHEA, T.J. 2005. Survival and condition of big brown bats (*Eptesicus fuscus*) after radiotagging. *Journal of Mammalogy* 86(1): 95-98.
- NEUBAUM, D.J., O'SHEA, T.J. & WILSON, K.R. 2006. Autumn migration and selection of rock crevices as hibernacula by big brown bats in Colorado. *Journal of Mammalogy* 87(3): 470-479.
- NEUWEILER, G. 1969. Zum Sozialverhalten von Flughunden (*Pteropus g. giganteus*). *Lynx (Praha)* 10: 61-64.
- NICHOLS, D.G. & NICHOLS, J.T. 1934. Notes on Long Island, New York, bats. *Journal of Mammalogy* 15: 156.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- NICHOLS, J.D. & POLLOCK, K.H. 1983. Estimation methodology in contemporary small mammal capture-recapture studies. *Journal of Mammalogy* 64(2): 253-260.
- NORDMARK, J. 1960. Perception of distance in animal echo-location. *Nature (London)* 188(4755): 1009-1010.
- NORDMARK, J. 1961. Perception of distance in animal echolocation. *Nature (London)* 190(4773): 363-364.
- NORTH AMERICAN BAT RESEARCH SYMPOSIUM (21, 1990, Lincoln). 1990. Abstracts of presentations at the 21st Annual North American Symposium on Bat Research, University of Nebraska, Lincoln, NE., October 22 and 23, 1990. *Bat Research News* 31(4): 69-98.
- NORTON, A.H. 1930. A red bat at sea. *Journal of Mammalogy* 11: 225-226.
- NOVICK, A. & DALE, B.A. 1971. Foraging behavior in fishing bats and their insectivorous relatives. *Journal of Mammalogy* 52(4): 817-818.
- O'DONNELL, C.F.J. 2009. Chap. 8 : Population dynamics and survivorship in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 158-176.
- O'SHEA, T.J. & JOHNSTON, J. J. 2009. Chap. 24 : Environmental contaminants and bats : investigating exposure and effects. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 500-528.
- O'SHEA, T.J. & VAUGHAN, T.A. 1977. Nocturnal and seasonal activities of the pallid bat, *Antrozous pallidus*. *Journal of Mammalogy* 58(3): 269-284.
- OBRIST, M.K., ALDRIDGE, H.D.J.N. & FENTON, M.B. 1989. Roosting and echolocation behavior of the African bat, *Chalinolobus variegatus*. *Journal of Mammalogy* 70(4): 828-833.
- OCHOA G., J., SORIANO, P.J., LEW, D. & OJEDA C., M. 1993. Taxonomic and distributional notes on some bats and rodents from Venezuela. *Mammalia* 57(3): 393-400.
- OFUSORI, D.A., ENAIBE, B.U., FALANA, B.A., ADEEYO, O.A., YUSUF, U.A. & AJAYI, S.A. 2008. A comparative morphometric analysis of the stomach in rat *Rattus orvegicus*, bat *Eidolon helvum* and pangolin *Manis tricuspis*. *Journal of Cell and Animal Biology*. 2008 March; 2(3):79-83.
- OGNEV, S.I. 1927. A synopsis of the Russian bats. *Journal of Mammalogy* 8: 140-157.
- OJASTI, J. & NARANJO, C.J. 1974. First record of *Tonatia nicaraguae* in Venezuela. *Journal of Mammalogy* 55(1): 249.
- OKIA, N.O. 1974. Breeding in Franquet's bat, *Epomops franqueti* (Tomes), in Uganda. *Journal of Mammalogy* 55(2): 462-465.
- OKON, E.E. 1974. Fruit bats at life : their roosting and food preferences (Ife fruit bat project No. 2). *The Nigerian field* 39(1): 34-40.
- OKON, E.E. 1975. Nutrition in Bats. In : *Proceedings of the Fourth International Bat Research Conference*. Nairobi, Kenya Literature Bureau : 297-308.
- OKON, E.E. 1990. *The world of Bats*. Inaugural Lecture Series 74. Nigeria, Obafemi Awolowo University Press Limited : 15 p.
- OLIVEIRA, H. & AGUIAR, L.M. de S. 2008. A new case of complete albinism in a bat from Brazil. *Chiroptera Neotropical* 14(2): 421-423.
- OLSEN, O. & MICHAELSEN, T.C. 2007. Forflytning av nordflaggermus *Eptesicus nilssonii* til holmer ytterst på kysten på sensommeren/tidlig host. *Fauna* 60(3-4): 246-254.
- OLSSON, A. 2009. Chap. 11 : Radiography. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- OLSSON, A. 2009. Chap. 12 : Blood collection and hematological values. In : BARNARD, S. M. Bats in captivity. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- OLSSON, A., BARNARD, S.M., SHEPHERD, E., RIVERA, S. & RITTLE, T. L. 2009. Chap. 6 : Common health disorders. In : BARNARD, S. M. Bats in captivity. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- ONYANGO, D.W., GACHOKA, J.M., OTIANG'A-OWITI, G.E. & HENDRICKX, A.G. 1995. Seasonally dependent testicular apoptosis in the tropical long-fingered bat (*Miniopterus inflatus*). *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 60: 206-214.
- OPPLIGER, J. 2007. Datations d'ossements du gouffre du Narcoleptique : datations d'ossements de petits rhinolophes (*Rhinolophus hipposideros*, Bechstein 1800) découverts dans le gouffre du Narcoleptique (Saint-George, VD, Suisse) = Datierungen von Knochen aus dem Gouffre du Narcoleptique : Datierungen von Knochen der Kleinen Hufeisennase (*Rhinolophus hipposideros*, Bechstein 1800) aus dem Gouffre du Narcoleptique (Saint George, VD, Schweiz). *Stalactite* 57(2): 22-28.
- OPREA, M., BRITO, D., VIEIRA, T.B., MENDES, P., LOPES, S.R., FONSECA, R.M., COUTINHO, R.Z. & DITCHFIELD, A.D. 2007. A note on the diet and foraging behavior of *Artibeus lituratus* (Chiroptera, Phyllostomidae) in an urban park in southeastern Brazil. *Biota Neotropica*. 7(2):1-4.
- ORMSBEE, P.C. 1996. Notes related to bats and foraging in the Central Oregon Cascade Range. *Bat Research News* 38(3): 69-70.
- ORMSBEE, P.C. 2008. The bat grid : a unique approach to reliable data. *Bats* 26(1): 8-9.
- OSIECK, E.R. & VERDONK, M.J. 1980. De vleermuizenstand in de Barakkengroeve. *Lutra* 22: 45-54.
- PALACIOS-VARGAS, J. D. & LABEGALINI, J. A. [s.d.] La espeleofilatelia en Mexico y notas sobre los murcielagos en la filatelia. [S.réf.]
- PARADISO, J.L. 1967. A review of the wrinkle-faced bats (*Centurio senex* Gray), with description of a new subspecies. *Mammalia* 31: 595-604.
- PARKINSON, A. 1979. Morphologic variation and hybridization in *Myotis yumanensis sociabilis* and *Myotis lucifugus carissima*. *Journal of Mammalogy* 60(3): 489-504.
- PARRY-JONES, K. & AUGEE, M.L. 1992. Insects in flying-fox diets. *Bat Research News* 33(1): 9-11.
- PARSONS, S. & SZEWCZAK, J.M. 2009. Chap. 5 : Detecting, recording, and analyzing the vocalizations of bats. In : KUNZ, T.H. & PARSONS, S. Ecological and behavioral methods for the study of bats. Baltimore, Johns Hopkins University Press : 91-111.
- PATHAK, S. 1972. Mitotic and meiotic studies with special reference to the sex chromosomes of the family Pteropidae Megachiroptera - Mammalia. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 31.
- PATTERSON, B.D., DICK, C.W. & DITTMAR, K. 2007. Roosting habits of bats affect their parasitism by bat flies (Diptera: Streblidae). *Journal of Tropical Ecology* 23(2):177-189.
- PATTERSON, B.D., DICK, C.W. & DITTMAR, K. 2008. Sex biases in parasitism of neotropical bats by bat flies (Diptera: Streblidae). *Journal of Tropical Ecology* 124:387-396.
- PEARSON, O.P., KOFORD, M.R. & PEARSON, A.K. 1952. Reproduction of the lump-nosed bat (*Corynorhinus rafinesquei*) in California. *Journal of Mammalogy* 33(3): 273-320.
- PEDERSEN, S.C. 1990. Fundamental skull shape in bats. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 90-91.
- PEENEN, P.F.D. VAN, LIGHT, R.H. & DUNCAN, J.F. 1971. Observations on mammals of Mt. Sontra, South Vietnam. *Mammalia* 35(1): 126-143.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PENNYCUICK, C.J. 1972. Wing profile shape in a fruit-bat gliding in a wind tunnel determined by photogrammetry. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]
- PEREZ-PONCE DE LEON, G., LEON-REGAGNON, V. & GARCIA-VARGAS, F. 1996. Helminth parasites of bats from the Neotropical region of México. *Bat Research News* 37(1): 3-6.
- PEREZ, G.A.A. 1972. Notes on the ecology and life history of Pteropidae on Guam. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 47.
- PERKINS, M. 1985. The plight of Plecotus Bats 2(1): 1-2.
- PERRY, R.W. & THILL, R.E. 2007. Roost characteristics of hoary bats in Arkansas. *American Midland Naturalist*. 2007 July; 158(1):132-138.
- PERRY, R.W., THILL, R.E. & LESLIE, D.M. Jr. 2007. Selection of roosting habitat by forest bats in a diverse forested landscape. *Forest Ecology and Management* 238(1-3): 156-166.
- PERRY, R.W., THILL, R.E. & LESLIE, D.M. Jr. 2008. Scale-dependent effects of landscape structure and composition on diurnal roost selection by forest bats. *Journal of Wildlife Management* 72(4): 913-925.
- PETERS, G. 1992. Imagepflege für Fledermäuse : ein Experiment im Deutschunterricht. *Dendrocopos* 19: 5-14.
- PETERSON, R.L. 1990. Systematic variation in the megachiropteran tube-nosed bats *Nyctimene cyclotis* and *N. certans*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 91.
- PIAGGIO, A.J., JOHNSTON, J. J. & PERKINS, S.L. 2008. Development of polymorphic microsatellite loci for the common vampire bat, *Desmodus rotundus* (Chiroptera : Phyllostomidae). *Molecular Ecology Resources* 8: 440-442.
- PIAGGIO, A.J., MILLER, K.E.G., MATOCQ, M.D. & PERKINS, S.L. 2009. Eight polymorphic microsatellite loci developed and characterized from Townsend's big-eared bat, *Corynorhinus townsendii*. *Molecular Ecology Resources* 9: 258-260.
- PIERCE, G.W. & GRIFFIN, D.R. 1938. Experimental determination of supersonic notes emitted by bats. *Journal of Mammalogy* 19: 454-455.
- PIERSON, E.D. 1984. Can Australia's flying foxes survive? *Bats* September: 1-4.
- PIRLOT, P. 1972. Chiroptères de moyenne Amazonie. *Mammalia* 36(1): 71-85.
- PIRLOT, P. 1972. The spiral ganglion of bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 32.
- PIRLOT, P. 1972. Ultrastructure of the organ of Corti in the vampire. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 32-33.
- POCHE, R.M. 1975. New record of *Euderma maculatum* from Arizona. *Journal of Mammalogy* 56(4): 931-933.
- POCHE, R.M. 1975. The bats of National Park W, Niger, Africa. *Mammalia* 39(1): 39-50.
- POHLE, H. 1936. Ueber die Verbreitung der Hufeisennasen in Deutschland. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 11: 344-349.
- POOLE, A.J. 1926. The number of forms of recent mammals. *Journal of Mammalogy* 7: 134-135.
- POPA-LISSEANU, A.G., BONTADINA, F. & IBAÑEZ, C. 2009. Giant noctule bats face conflicting constraints between roosting and foraging in a fragmented and heterogeneous landscape. *Journal of Zoology* (278): 126-133.
- POPA-LISSEANU, A.G., BONTADINA, F., MORA, O. & IBAÑEZ, C. 2008. Highly structured fission-fusion societies in an aerial-hawking, carnivorous bat. *Animal Behaviour* 75(2): 471-482.
- POPOV, I., KOVALEV, D.N. & OSTROVSKIJ, A. N. 2009. Zverci podzemcl'ja. *Ochrana Prirody* 9: 59-67.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- PORTER, C.A., HOOFFER, S.R., CLINE, C.A., HOFFMANN, F.G. & BAKER, R.J. 2007. Molecular phylogenetics of the phyllostomid bat genus *micronycteris* with descriptions of two new subgenera. *Journal of Mammalogy* 88(5):1205-1215.
- PORTER, F.L. 1978. Roosting patterns and social behavior in captive *Carollia perspicillata*. *Journal of Mammalogy* 59(3): 627-630.
- POTTER, R. 1997. Noctules in Ayrshire. *Scottish bats* 4: 5.
- POULET, A.R. 1970. Les Rhinopomatidae de Mauritanie. *Mammalia* 34(2): 237-243.
- POWELL-JOHNSON, G. & BARNARD, S.M. 2009. Chap. 7 : Bat vision and opthalmology. In : BARNARD, S. M. *Bats in captivity. Vol. 1 : Biological and medical aspects.* [s.l.], Logos Press : 273-282.
- PRESLEY, S.J., HIGGINS, C. L. LOPEZ-GONZALEZ, C. & STEVENS, R.D. 2009. Elements of metacommunity structure of Paraguayan bats : multiple gradients require analysis of multiple ordination axes. *Oecologia* 160: 781-793.
- PRITCHARD, J.S. 1997. The design and construction of bat boxes in houses. *Scottish bats* 4: 13-14.
- PRITHAM, E. & FESCHOTTE, C. 2007. Massive amplification of rolling-circle transposons in the lineage of the bat *Myotis lucifugus*. *Proceedings of the National Academy of Sciences of the United States of America* 104(6): 1895-1900.
- PRÖHL, T. 1995. Roland Bachmann (6.I.1950-31.XII.1994). *Nyctalus* 5(6): 608-609.
- PUECHMAILLE, S., PIYAPAN, P., YOKUBOL, M., AR GOUILH, M., MIE MIE, K., BATES, P.J.J., SATASOOK, C., NWE, T., HLA BU, S.S., MACKIE, I.J. & TEELING, E.C. 2009. Characterization and multiplex genotyping of 16 polymorphic microsatellite loci in the endangered bumble-bee bat, *Craseonycteris thonglongyai* (Chiroptera : Craseonycteridae). *Conservation genetics* 10: 1073-1076.
- PUECHMAILLE, S., SOISOOK, P., YOKUBOL, M., PIYAPAN, P., AR GOUILH, M., MIE MIE, K., MACKIE, I.J., BUMRUNGSRI, S., DEJTARADOL, A., NWE, T., HLA BU, S.S., SATASOOK, C., BATES, P.J.J., TEELING, E.C. & KYAW, K.K. 2009. Population size, distribution, threats and conservation status of two endangered bat species *Craseonycteris thonglongyai* and *Hipposideros turpis*. *Endangered species research* 8: 15-23.
- PUNT, A. 1980. Twintig jaar vleermuizenobservaties in de Sibbergroeve. *Lutra* 22: 34-44.
- PYE, D. 1972. The structure of the Cochlea in Chiroptera from Africa. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 33-34.
- PYE, J.D. 1961. Perception of distance in animal echolocation. *Nature (London)* 190(4773): 362-363.
- PYE, J.D. 1972. Echolocation in constant frequency in bats. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 22-23.
- PYE, J.D., FLINN, M. & PYE, A. 1962. Correlated orientation sounds and ear movements of horseshoe bats. *Nature (London)* 196(4860): 1186-1188.
- QUMSIYEH, M.B. & BICKHAM, J.W. 1993. Chromosomes and relationships of long-eared bats of the genera *Plecotus* and *Otonycteris*. *Journal of Mammalogy* 74(2): 376-382.
- RABINOWITZ, A. & NOTTINGHAM, B.G. Jr. 1989. Mammal species richness and relative abundance of small mammals in a subtropical wet forest of Central America. *Mammalia* 53(2): 217-226.
- RACEY, D. N., PEAKER, M. & RACEY, P.A. 2009. Galactorrhoea is not lactation. *Trends in Ecology and Evolution* 24(7): 354-355.
- RACEY, P.A. 1972. The survival of spermatozoa in hibernating Bats. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 14.
- RACEY, P.A. 2009. Chap. 12 : Reproductive assessment of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 249-264.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- RAHAINGODRAHETY, V. N., ANDRIAFIDISON, D., RATSIMBAZAFY, J.H., RACEY, P.A. & JENKINS, R.K.B. 2008. Three flying fox (Pteropodidae : *Pteropus rufus*) roosts, three conservation challenges in southeastern Madagascar. *Madagascar conservation & development* 3(1): 17-21.
- RAMOS PEREIRA, M.J., SALGUEIRO, P., RODRIGUES, L., COELHO, M.M. & PALMEIRIM, J.M. 2009. Population structure of a Cave-Dwelling Bat, *Miniopterus schreibersii* : does It reflect history and social organization? *Journal of Heredity* Advance Access published 3.
- Rancourt, S.J., Rule, M.I. & O'Connell, M.A. 2005. Maternity roost site selection of long-eared myotis, *Myotis evotis*. *Journal of Mammalogy* 86(1): 77-84.
- RANDIK, A. 1969. Ochrana netopierov na Slovensku = The protection of bats in Slovakia. *Lynx (Praha)* 10: 79-84.
- RANSOME, R.D. 1972. Factors affecting the timing of births of the greater hose-shoe bat (*Rhinolophus ferrumquinum*). In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 47-48.
- RASWEILER, J.J. IV. 1973. Care and management of the long-tongued bat, *Glossophaga soricina* (Chiroptera: Phyllostomatidae), in the laboratory, with observations on estivation induced by food deprivation. *Journal of Mammalogy* 54(2): 391-404.
- RATRIMOMANARIVO, F., GOODMAN, S.M., HOOPEN, N., TAYLOR, P.J. & LAMB, J. 2008. Morphological and molecular variation in *Mops leucostigma* (Chiroptera : Molossidae) of Madagascar and the Comoros : phylogeny, phylogeography, and geographic variation. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 105: 57-101.
- RATRIMOMANARIVO, F., GOODMAN, S.M., STANLEY, W.T., NAIDOO, T., TAYLOR, P.J. & LAMB, J. 2009. Geographic and phylogeographic variation in *Chaerephon leucogaster* (Chiroptera: Molossidae) of Madagascar and the western Indian Ocean islands of Mayotte and Pemba. *Acta Chiropterologica* 11(1): 25-52.
- RAUTENBACH, I.L. & FENTON, M.B. 1992. Bats from Mana Pools National Park in Zimbabwe and the first record of *Eptesicus rendallii* from the country. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 57: 112-115.
- RAYNER, J.M.V. 1991. The cost of being a bat. *Nature (London)* 350: 383-384.
- RAZAK, K.A. & FUZESEERY, Z.M. 2007. Development of functional organization of the pallid bat auditory cortex. *Hearing Research* 228(1-2): 69-81.
- RAZAK, K.A., SHEN, W. ZUMSTEG, T. & FUZESEERY, Z.M. 2007. Parallel thalamocortical pathways for echolocation and passive sound localization in a gleaning bat, *Antrozous pallidus*. *Journal of Comparative Neurology* 500(2): 322-338.
- RAZAK, K.A., ZUMSTEG, T. & FUZESEERY, Z.M. 2009. Development of Auditory Thalamocortical Connections in the Pallid Bat, *Antrozous pallidus*. *The Journal of Comparative Neurology* 515: 231-242
- REARDON, T., ADAMS, M., MCKENZIE, N. & JENKINS, P. 2007. A new species of Australian freetail bat *Mormopterus eleryi* sp. nov. (Chiroptera: Molossidae) and a taxonomic reappraisal of *M. norfolkensis* (Gray). *Zootaxa*. 2008 12 September; 1875:1-31.
- REDONDO, R.A.F., BRINA, L.P.S., SILVA, R.F., DITCHFIELD, A.D. & SANTOS, F. R. 2008. Molecular systematics of the genus *Artibeus* (Chiroptera : Phyllostomidae). *Molecular Phylogenetics and Evolution* 49: 44-58.
- REEDER, D.A.M. & WIDMAIER, E.P. 2009. Chap. 26 : Hormone analysis in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 554-566.
- REHN, J.A.G. 1904. A revision of the mammalian genus *Macrotus*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 56: 427-446.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- REINWALDT, E. 1940. Zur Fledermausfauna des estländischen Gebietes. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 15: 319-320.
- REYNOLDS, D.S. & KORINE, C. 2009. Chap. 33 : Body composition analysis of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 674-694.
- RICE, D.W. 1957. Life history and ecology of *Myotis austroriparius* in Florida. *Journal of Mammalogy* 38(1): 15-32.
- RICHTER, A.R., SEERLEY, D.A., COPE, J.B. & KEITH, J.H. 1978. A newly discovered concentration of hibernating Indiana bats, *Myotis sodalis*, in Southern Indiana. *Journal of Mammalogy* 59(1): 191.
- RISSLER, L. J. & WHITAKER, J.O. Jr. 1990. Winter behavior of bats at an abandoned mine in Vermillion County, Indiana. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 91-92.
- ROBBINS, L.W., ENGSTROM, M.D., WILHELM, R.B. & CHOATE, J.R. 1977. Ecogeographic status of *Myotis leibii* in Kansas. *Mammalia* 41(3): 365-367.
- ROBBINS, L.W., MURRAY, K.L. & MACKENZIE, P. M. 2008. Evaluating the effectiveness of the standart mist-netting protocol for the endangered Indiana Bat (*Myotis sodalis*). *Northeastern Naturalist* 15(2): 275-282.
- ROBERTS, A. 1914. Supplementary list of African mammals in the collection of the Transvaal Museum, with descriptions of some new species. *Annals of the Transvaal Museum* 4(4): 180-186.
- ROBERTS, A. 1915. Additions to the collection of mammals in the Transvaal Museum. *Annals of the Transvaal Museum* 5: 116-124.
- ROBERTS, A. 1932. Preliminary description of fifty-seven new forms of South African Mammals (mainly 38 from Vernay-Lang Kalahari Expedition, 1930). *Annals of the Transvaal Museum* 15(1): 1-19.
- ROBERTS, L.H. 1972. Cavity resonances in the production of orientation cries. In: *International Bat Research Conference* (3, 1972, Plitvice). [Abstracts]: 23-24.
- ROBERTS, L.H. 1975. Confirmation of the echolocation pulse production mechanism of *Rousettus*. *Journal of Mammalogy* 56(1): 218-220.
- RODHOUSE, T.J., SCOTT, S.A., ORMSBEE, P.C. & ZINCK, J.M. 2009. On differentiating *Myotis Yumanensis* and *myotis Lucifugus* in the field : a reply to carraway. *Western North American Naturalist* 69(2): 279-280.
- RODRIGUES, L., BACH, L., SAVAGE, M.-J., GOODWIN, J. & HARBUSCH, C. 2008. Guidelines for consideration of bats in wind farm projects. *EUROBATS Publication Series* (3): 51p.
- RODRIGUES, L., BACH, L., SAVAGE, M.-J., GOODWIN, J. & HARBUSCH, C. 2008. Leitfaden für die Berücksichtigung von Fledermäusen bei Windenergieprojekten. *EUROBATS Publication Series* (3): 57p.
- RODRIGUES, L., BACH, L., SAVAGE, M.-J., GOODWIN, J. & HARBUSCH, C. 2008. Lignes directrices pour la prise en compte des chauves-souris dans les projets éoliens. *EUROBATS Publication Series* (3): 55p.
- RODRIGUEZ, R.M. & AMMERMAN, L.K. 2004. Mitochondrial DNA divergence does not reflect morphological difference between *Myotis californicus* and *Myotis ciliolabrum*. *Journal of Mammalogy* 85(5): 842-851.
- ROER, H. 1968. Ergebnisse der Fledermausansiedlung im Rheinland nach dreijähriger Versuchszeit. *Myotis* 6: 8-9.
- ROER, H. 1972. Zur Bestandsentwicklung der kleinen Hufeisennase *Rhinolophus hipposideros* in Westdeutschland mit besonderer Berücksichtigung der Eife. In: *International Bat Research Conference* (3, 1972, Plitvice). [Abstracts]: 52.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- ROER, H. 1977. Zur Populationsentwicklung der Fledermäuse (Mammalia, Chiroptera) in der Bundesrepublik Deutschland unter besonderer Berücksichtigung der Situation im Rheinland. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 42: 265-278.
- ROER, H. & EGSBAEK, W. 1969. Über die Balz der Wasserfledermaus (*Myotis daubentoni*) (Chiroptera) im Winterquartier. *Lynx (Praha)* 10: 85-91.
- ROJAS, A. & GUERRERO, R. 2007. *Capillaria* sp., isolated from *Desmodus rotundus* (Chiroptera: Phyllostomidae) in Costa Rica. *Mastozoologia Neotropical* 14(1):101-102.
- ROJAS, A., JIMENEZ, A., VARGAS, M. ZUMBADO, M. & HERRERO, M.V. 2008. Ectoparasites of the common vampire bat (*Desmodus rotundus*) in Costa Rica : Parasitism rates and biogeographic trends. *Mastozoologia Neotropical* 15(2): 181-187.
- ROMAINE, T., FOST, M. & BARNARD, S.M. 2009. Chap. 16 : Care giver's guide to calculating drug doses and drug formulary. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.
- ROSENZWEIG, M.L. 1992. Species diversity gradients : we know more and less than we thought. *Journal of Mammalogy* 73(4): 715-730.
- ROSSITER, S.J. 2009. Chap. 34 : Parentage and kinship analysis in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 695-714.
- ROY, R.N. & GUHA, B.C. 1958. Species difference in regard to the biosynthesis of ascorbic acid. *Nature (London)* 182(4631): 319-320.
- RUEDAS, L.A., LEE, T.E. Jr., BICKHAM, J.W. & SCHLITZER, D.A. 1990. Chromosomes of five species of vespertilionid bats from Africa. *Journal of Mammalogy* 71(1): 94-100.
- RUEDI, M. & MACCRACKEN, G.F. 2009. Chap. 36 : Phylogeographic analysis of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 739-756.
- RUEDI, M., WALTER, S., FISCHER, M.C., SCARAVELLI, D., EXCOFFIER, L. & HECKEL, G. 2008. Italy as a major ice age refuge area for the bat *Myotis myotis* (Chiroptera: Vespertilionidae) in Europe. *Molecular Ecology*. 2008 April; 17(7):1801-1814.
- RUEMPLER, G. 1968. Gefangenschaftsbeobachtungen an Zwergfledermäusen. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 33(5): 287-288.
- RUPPRECHT, C.E. 1990. Bat rabies : new problems or rediscovered phenomena? In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 92.
- RYAN, J.R.J. & YUZINE, E. 2006. Phylogenetic analysis of Hampala Fishes (Subfamily Cyprininae) in Malaysia inferred from partial mitochondrial cytochrome b DNA sequences *Zoological science* 23: 893 - 901
- RYBAR, P. 1972. Remarks on banding and protection of bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 61.
- S.F.E.P.M. [s.d.] *Rhinolophe euryale*, *Murin de Capaccini* et *Minioptère de Schreibers* : trois espèces de chauve-souris cavernicoles menacées. SFPEM; [Nort sur Erdre]: 8 p.
- SABOL, B.M. & HUDSON, M.K. 1995. Technique using thermal infrared-imaging for estimating populations of gray bats. *Journal of Mammalogy* 76(4): 1242-1248.
- SAHLEY, C.T. 1990. Power output during commuting flight of a nectar feeding bat, *Leptonycteris curasoae*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 92-93.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- SAHLEY, C.T., HORNER, M.A. & FLEMING, T.H. 1993. Flight speeds and mechanical power outputs of the nectar-feeding bat, *Leptonycteris curasoae* (Phyllostomidae : Glossophaginae). *Journal of Mammalogy* 74(3): 594-600.
- SAINT GIRONS, H. 1972. Le cycle annuel des chiroptères en région tempérée. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 15.
- SAINT GIRONS, M.-C. & CAUBERE, B. 1966. Notes sur les mammifères de France. 5. Sur la répartition de *Rhinolophus hipposideros hipposideros* (Bechstein, 1800) et *Rhinolophus hipposideros minimus* Heuglin, 1861. *Mammalia* 30: 308-326.
- SALAS, J. Z. 2008. Murciélagos del Bosque Protector Cerro Blanco (Guayas-Ecuador). *Chiroptera Neotropical* 14(2): 397-502.
- SAMPEDRO MARÍN, A.C., MARTÍNEZ BRAVO, C.M., DE LA OSSA TÁMARA, K., OTERO FUENTES, Y.L., SANTOS ESPINOSA, L.M., OSORIO OZUNA, S. & MERCADO RICARDO, A.M. 2009. Nuevos registros de especies de Murciélagos para el departamento de Sucre y algunos datos sobre su ecología en esta región colombiana. = New registrations of species of bats for the Department of Sucre and some data about their ecology in this Colombian Region. *Caldasia* 29(2): 355-362.
- SANCHEZ H.J., OCHOA G.J. & OSPINO, A. 1992. First record of *Eumops maurus* (Chiroptera: Molossidae) for Venezuela. *Mammalia* 56(1): 151-152.
- SANCHEZ-HERNANDEZ, C. 1990. Postnatal growth and longevity in *Natalus stramineus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 93.
- SATO, M. & MOGI, M. 2008. Records of some blood-sucking flies from birds and bats of Japan (diptera: hippoboscidae, nycteribiidae and streblidae). *Rishiri Studies* 27: 41-48.
- SATO, M. & SASAKI, N. 2008. An ikonnikov's bat, *myotis ikonnikovi*, found on a mountain trail of Mt. Rishiri. *Rishiri Studies* 27: 25-26.
- SATO, M., HASEGAWA, M., MAEDA, K. & MURAYAMA, Y. 2008. Peculiar cystic nematodes parasitic in ear skin of the Japanese large-footed bats. *Rishiri Studies* 27: 17-20.
- SATO, M., MURAYAMA, Y. & MAEDA, K. 2005. Distribution of bats in Nakatonbetsu, northern Hokkaido. *Rishiri Studies* 24: 19-27.
- SATO, M., MURAYAMA, Y. & MAEDA, K. 2006. Distribution of Bats in Sarufutsu, northern Hokkaido. *Rishiri Studies* 25: 37-45.
- SATO, M., MURAYAMA, Y., MAEDA, K. & DEWA, H. 2008. Distribution of bats in Bifuka, northern Hokkaido. *Rishiri Studies* 27: 27-32.
- SATO, M., MURAYAMA, Y., MAEDA, K., SATO, R. & TAKAHASHI, M. 2009. Distribution of bats in Oumu, northeast Hokkaido. *Rishiri Studies* 28: 33-42.
- SATO, M., MURAYAMA, Y., SATO, R., MAEDA, K., KAWAI, K. & DEWA, H. 2007. Distribution of bats in Teshio and Enbetsu, northern Hokkaido. *Rishiri Studies* (26): 39-44.
- SAUGEY, D.A., HEDRICK, L.D. & HEIDT, G.A. 1990. Habitat considerations for bats : opportunities in land management planning on the Ouachita national forest. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 93-94.
- SAUNDERS, W.E. 1930. Bats in migration. *Journal of Mammalogy* 11: 225.
- SAVAGE, R.J.G. & LONG, M.R. [1986]. Gliders and fliers. In : SAVAGE, R.J.G. *Mammal evolution : an illustrated guide*. Bristol, British museum: 104-112.
- SAZIMA, I. 1976. Observations on the feeding habits of phyllostomatid bats (*Carollia*, *Anoura*, and *Vampyrops*) in Southeastern Brazil. *Journal of Mammalogy* 57(2): 381-382.



## CENTRE DE COORDINATION OUEST POUR L'ÉTUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- SAZIMA, I. 1978. Vertebrates as food items of the woolly false vampire, *Chrotopterus auritus*. *Journal of Mammalogy* 59(3): 617-618.
- SAZIMA, I. & UIEDA, W. 1978. Présence d'*Artibeus concolor* dans le nord-est du Brésil (Chiroptères, Phyllostomidae). *Mammalia* 42(2): 255-256.
- SCANLON, A.T. & PETIT, S. 2007. Biomass and biodiversity of nocturnal aerial insects in an Adelaide City park and implications for bats (Microchiroptera). *Urban Ecosystems* 11(1): 91-106.
- SCANLON, A.T. & PETIT, S. 2008. Effects of site, time, weather and light on urban bat activity and richness: considerations for survey effort. *Wildlife Research* 35: 821-834
- SCATENA, M.P. & MORIELLE-VERSUTE, E. 2008. Suitability of DNA extracted from archival specimens of fruit-eating bats of the genus *Artibeus* (Chiroptera, Phyllostomidae) for polymerase chain reaction and sequencing analysis. *Genetics and Molecular Biology* 31(1): 160-165.
- SCHAUENBERG, P., CHOULAT, R.M. & GARGUIL, P. 1987. Des ombres dans la nuit. *Animan* 25: 56-80.
- SCHEFFER, K.C., CARRIERI, M.L., ALBAS, A., DOS SANTOS, H.C.P., V & ITO, F.H. 2007. Rabies virus in naturally infected bats in the state of Sao Paulo, southeastern Brazil. *Revista de Saude Publica*. 41(3):389-395.
- SCHLOTT, M. 1932. *Pipistrellus savii* Bonaparte aus Deutschland. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 7: 263.
- SCHMIDT-FRENCH, B. & BUTLER, C. A. 2009. Do bats drink blood ? Fascinating answers to questions about bats. Londres, Rutgers University Press : 155 p.
- SCHMIDT, A. 1967. Über das Graue Langohr, *Plecotus austriacus* Fischer, 1829, in Brandenburg. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 32(4): 246-250.
- SCHMIDT, A. 1980. Zum Vorkommen der Fledermäuse im Süden des Bezirkes Frankfurt/O. *Nyctalus* 1(3): 209-226.
- SCHMIDT, A. 1988. Beobachtungen zur Lebensweise des Abendseglers, *Nyctalus noctula* (Schreber, 1774), im Süden des Bezirkes Frankfurt/O. *Nyctalus* 2(5): 389-422.
- SCHMIDT, S. 1988. Evidence for a spectral basis of texture perception in bat sonar. *Nature (London)* 331: 617-619.
- SCHMIDT, U. 1972. Olfaction in vampire Bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 48.
- SCHMIDT, U. & GREENHALL, A.M. 1972. Preliminary studies of the interactions between feeding vampire bats, *Desmodus rotundus*, under natural and laboratory conditions. *Mammalia* 36(2): 241-246.
- SCHNITZLER, H.-U. 1973. Control of Doppler shift compensation in the greater horseshoe bat *Rhinolophus ferrumequinum*. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 24.
- SCHREITMÜLLER, W. 1940. Überwinternde Fledermäuse. *Zeitschrift für Säugetierkunde* = [International journal of mammalian biology] 15: 323-325.
- SCHULLER, G. 1972. Frequency modulated sounds and echolocation in the Bat *Rhinolophus ferrumequinum*. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 25-26.
- SCHULTZ, M. 1995. Utilisation of suspended bird nests by the golden-tipped bat (*Kerivoula papuensis*) in Australia. *Mammalia* 59(2): 280-283.
- SEALANDER, J.A. & PRICE, J.F. 1964. Free-tailed bat in Arkansas. *Journal of Mammalogy* 45(1): 152.
- SEVICK, S.H. 1992. Change in forearm curvature throughout the summer in female big brown bats. *Journal of Mammalogy* 73(4): 866-870.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- SEVICK, S.H. & STUDIER, E.H. 1990. Forearm curvature throughout the summer in *Eptesicus fuscus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 94.
- SHEPHERD, M., HELLIWELL, L. M. & CRAWSHAW, G. J. 2009. Chap. 5 : Common injuries. In : BARNARD, S. M. *Bats in captivity. Vol. 1 : Biological and medical aspects.* [s.l.], Logos Press : 95-108.
- SHERMAN, H.B. 1930. Birth of the young of *Myotis austroriparius*. *Journal of Mammalogy* 11: 495-503.
- SHERMAN, H.B. 1934. The occurrence of *Myotis grisescens* in Florida. *Journal of Mammalogy* 15: 156.
- SHERMAN, H.B. 1937. Breeding habits of the free-tailed bat. *Journal of Mammalogy* 18: 176-187.
- SHI, L.-M., FENG, J., LIU, Y., YE, G.- X. & ZHU, X. 2009. Is food resource partitioning responsible for deviation of echolocation call frequencies from allometry in *Rhinolophus macrotis*? *Acta theriologica* 54(4): 371-382.
- SHORT, J. & SMITH, A. 1994. Mammal decline and recovery in Australia. *Journal of Mammalogy* 75(2): 288-297.
- SIDIYENE, E.A. & TRANIER, M. 1990. Données récentes sur les mammifères de l'Adrar des Iforas (Mali). *Mammalia* 54(3): 471-477.
- SIDNER, R.M., DAVID, R. & HOUSER, F. 1990. Lunar philia in near-feeding bats in Arizona. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 94-95.
- SIEMERS, B.M. & PAGE, R.A. 2009. Chap. 17 : Behavioral studies of bats in captivity : methodology, training, and experimental design. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 373-392.
- SIEMERS, B.M., KALKO, E.K.V. & SCHNITZLER, H.-U. 2001. Echolocation behavior and signal plasticity in the neotropical bat *Myotis nigricans* (Schinz, 1821) (Vespertilionidae) : a convergent case with European species of *Pipistrellus* ? *Behavioral Ecology and Sociobiology* 50: 317-328.
- SIMMONS, J.A., HOWELL, D.J. 1972. Multiple sonar systems in bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 26-27.
- SIMMONS, N.B. & QUINN, T.H. 1994. Evolution of the digital tendon locking mechanism in bats and dermopterans : a phylogenetic perspective. *Journal of mammalian evolution* 2(4): 231-254.
- SIMMONS, N.B. & VOSS, R. S. 2009. Chap. 42 : Collection, preparation, and fixation of bat specimens and tissues. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press: 849-867.
- SIMON, M., HÜTTENBÜGEL, S., SMIT-VIERGUTZ, J., & BOYE, P. 2004. Ecology and conservation of bats in villages and towns : results of the scientific part of the testing & development project "Creating a network of roost sites for bat species inhabiting human settlements". Bonn, Bundesamt für Naturschutz, Schriftenreihe für Landschaftspflege und Naturschutz. (77).
- SINGH, U.P., KRISHNA, A. & BHATNAGAR, K.P. 2008. Changes in serum leptin, insulin, androstenedione and luteinizing hormone during ovarian cycle in the bat, *Taphozous longimanus*. *Acta Biologica Hungarica* 59(1):1-16.
- SKOWRONSKI, M.D. & FENTON, M.B. 2009. Detecting bat calls : an analysis of automated methods. *Acta Chiropterologica* 11(1): 191-203.
- SLUITER, J.W., VOUTE, A.M. & HEERDT, P.F. van 1972. Hibernation of *Nyctalus noctula*. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 49.
- SMIRNOV, D.G., VEKHNİK, V.P., KURMAEVA, N.M., SHEPELEV, A.A. & IL'IN, V.J. Species structure and dynamics of bat communities (Chiroptera: Vespertilionidae) hibernating in artificial caves of Samara Luka. *Biology Bulletin*. 2007 October; 34(5):507-516.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- SMITH, E. 1957. Experimental study of factors affecting sex ratios in the little brown bat. *Journal of Mammalogy* 38(1): 32-39.
- SMITH, J.D. & GENOWAYS, H.H. 1969. Systematic status of the mastiff bat, *Eumops perotis renatae* Pirlot, 1965. *Mammalia* 33: 529-534.
- SMITH, P.G. & RACEY, P.A. 2009. Selection of timber mortises in a church roof by *Pipistrellus* sp. at 52°N. *Acta Chiropterologica* 11(1): 205-207.
- SODRE, M.M. 2008. Range extension for Thomas' Mastiff bat *Eumops maurus* (Chiroptera: Molossidae) in northern, central and southeastern Brazil. *Revista Brasileira de Zoologia*. 25(2):379-382.
- SOLHEIM, R. 2007. Forsok pa a fa en ynglekoloni av dvergflaggermus til a flytte. *Fauna* 60(3-4): 208-211.
- SOLHEIM, R. 2007. Studietur til Tyskland for a laere ringmerking av flaggermus. *Fauna* 60(3-4): 268-271.
- SOLICK, D.I. & BARCLAY, R.M.R. 2006. Morphological differences among western long-eared myotis (*Myotis evotis*) populations in different environments. *Journal of Mammalogy* 87(5): 1020-1026.
- SOSA, V.J., HERNÁNDEZ-SALAZAR, E., HERNÁNDEZ-CONRIQUE, D. & CASTRO-LUNA, A.A. 2008. Murciélagos. In: MANSON, R.H. [Ed]. *Agroecosistemas cafetaleros de Veracruz*. Mexico, Instituto Nacional de Ecología : 181-192.
- SPENCER, H. 1990. A flashing transmitter for bats. *Bat Research News* 31(1): 1-3.
- SPENCER, H., SAVIGLIO, F. & KIKKERT, C.J. 1992. The development of an automatic radiotracking system for bats, birds, and small mammals. In: *North American Bat Research Symposium (22, 1992, Quebec)*. Abstracts. *Bat Research News* 33(4): 76.
- SPENCER, H., SCHEDVIN, N.K. & FLICK, B.H. 1992. Rediscovery of Australia's rarest bat, *Murina florium*, the insectivorous tube-nosed bat in lowland rainforest in far North Queensland, Australia. In: *North American Bat Research Symposium (22, 1992, Quebec)*. Abstracts. *Bat Research News* 33(4): 76.
- SSYMANK, A., HAMM, A. & VISCHER-LEOPOLD, M. 2009. Caring for Pollinators : Safeguarding agrobiodiversity and wild plant diversity Results of a workshop and research project commissioned by the German Federal Agency for Nature Conservation. Bonn, Bundesamt für Naturschutz (BfN) ; Federal Agency for Nature Conservation: 191 p.
- START, A.N. 1966. A note on the occurrence of *Tadarida africana* Dobson 1876 (Chiroptera: Molossidae) in Kenya. *Mammalia* 30: 509-511.
- STEBBINGS, R.E. 1972. Clines in British Bats. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 50.
- STEGEMAN, L.C. 1956. Tooth development and wear in *Myotis*. *Journal of Mammalogy* 37(1): 58-63.
- STOECKLE, T. 2007. *Au rythme des chauves-souris*. Bourges, Société française pour l'étude et la protection des mammifères : 1 DVD.
- STOFFBERG, S., JACOBS, D.S., MACKIE, I.J. & MATTHEE, C.A. 2010. Molecular phylogenetics and historical biogeography of *Rhinolophus* bats. *Molecular Phylogenetics and Evolution* 54: 1-9.
- STONE, W. & REHN, J.A.G. 1902. A collection of mammals from Sumatra, with a review of the genera *Nycticebus* and *Tragulus*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 54: 127-142.
- STORCH, G. 1994. Spätglaziale und Holozäne Kleinsäugerfunde aus Abri-Grabungen im Raum Göttingen (Mammalia: Rodentia, Insectivora, Chiroptera). in: *Archäologische Befunde zum Leben unter Felsschutzdächern in urgeschichtlicher Zeit*. Hannover, [s.n.]: 53-69.
- STORKERSEN, O. 2007. Norge og samarbeidet med Eurobats. *Fauna* 60(3-4): 190-192.
- STRATMANN, B. 1971. Erfahrungen bei der Herstellung und beim Einsatz von Fledermausschlaf- und -fortpflanzungskästen in der Regionalgruppe Halle. *Nyctalus* 3: 69-71.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- STRAUSS, J. fils 2008. Une heure avant. : la chauve-souris: opérette en trois actes Genève, Grand Théâtre de Genève: 78 p. + 1 CD
- STRICKLER, T.L. 1978. Allometric relationships among the shoulder muscles in the Chiroptera. *Journal of Mammalogy* 59(1): 36-44.
- STUDIER, E.H., VIELE, D.P. & SEVICK, S.H. 1990. Mineral and nitrogen nutritional and roost utilization implications from guano accumulation and composition in *Eptesicus fuscus*. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 95.
- SUAREZ, R.K., WELCH, K.C. Jr., HANNA, S.K. & HERRERA M., L.G. 2009. Flight muscle enzymes and metabolic flux rates during hovering flight of the nectar bat, *Glossophaga soricina* : further evidence of convergence with hummingbirds. *Comparative Biochemistry and Physiology* (154): 136–140.
- SÜMER, S., DENZINGER, A. & SCHNITZLER, H.-U. 2009. Spatial unmasking in the echolocating Big Brown Bat, *Eptesicus fuscus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 195: 463–472.
- SUNDING, M.F. 2007. De vanligste flaggermusartene i Norge. *Fauna* 60(3-4): 104-108.
- SURLYKKE, A. & KALKO, E.K.V. 2008. Echolocating bats cry out loud to detect their prey. *PLoS ONE*. 2008; 3(4):Unpaginated.
- SUTHERS, R.A. 1967. Comparative echolocations by fishing bats. *Journal of Mammalogy* 48(1): 79-87.
- SWARTZ, S.M., BENNETT, M.B. & CARRIER, D.R. 1992. Wing bone stresses in free flying bats and the evolution of skeletal design for flight. *Nature (London)* 359: 726-729.
- SWIFT, S.M. 1997. The use of flyways by bats in Scotland. *Scottish bats* 4: 36-37.
- SYVERTSEN, P.O. & ISAKSEN, K. 2007. Sjeldne og potensielt nye flaggermusarter i Norge. *Fauna* 60(3-4): 109-119.
- SZTENCEL, A., JONES, G. & BOGDANOWICZ, W. 2009. Skull morphology of two cryptic bat species : *Pipistrellus pipistrellus* and *P. pygmaeus* : a 3D geometric morphometrics approach with landmark reconstruction. *Acta Chiropterologica* 11(1): 113-126.
- TAKADA, K. & HIRASAWA, M. 2008. *Streptococcus dentirousetti* sp. nov., isolated from the oral cavities of bats. *International Journal of Systematic and Evolutionary Microbiology*. 2008 January; 58(1):160-163.
- TAN, M., ZHU, G., HONG, T., YE, J. & ZHANG, L. 2009. New Record of a Bat Species from China, *Hipposideros cineraceus* (Blyth, 1853). *Zoological Research* 30(2): 204-208.
- TAYLOR, H., GOULD, E., FRANK, A. & WOOLF, N.K. 1974. Successful hand-raising of one week old bats, *Eptesicus* and *Antrozous*, by stomach catheter. *Journal of Mammalogy* 55(1): 228-231.
- TAYLOR, J. 1990. Doppler shift and FM bat calls. In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 95.
- TEELING, E.C. 2009. Hear, hear : the convergent evolution of echolocation in bats? *Trends in Ecology and Evolution* 24(7): 351.
- TEIXEIRA, S. & JESUS, J. 2009. Echolocation calls of bats from Madeira Island : acoustic characterization and implications for surveys. *Acta Chiropterologica* 11(1): 183-190.
- TERRASSE, J.F. 1975. Comportement de pêche d'une chauve-souris, probablement un vespertilion de Daubenton (*Myotis daubentoni* Leisler). *Mammalia* 39(1): 147.
- TEST, F.H. 1934. Records of bats from Honduras. *Journal of Mammalogy* 15: 316.
- THERY, Y. 2008. Le petit rhinolophe : un bon coin pour P'tit rhino. *L'hermine vagabonde* 39: 15 p.
- THIES, M. 1994. Die Fledermäuse im Kreis Euskirchen. *Dendrocopos* 21: 6-14.





## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: pascal.moeschler@ville-ge.ch  
<http://www.ville-ge.ch/mhng/cco>  
*Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève*

- THIES, W., KALKO, E.K.V. & SCHNITZLER, H.-U. 2006. Influence of environment and resource availability on activity patterns of *Carollia castanea* (Phyllostomidae) in Panama. *Journal of Mammalogy* 87(2): 331-338.
- THOMAS, D. 1990. Is evaporative water loss the underlying cause of winter arousals in bats and other hibernating mammals? In: North American Bat Research Symposium (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 95-96.
- THOMAS, M.E., RASWEILER, J.J. IV. & ALESSENDRO, A. 2007. Experimental transmission of the parasitic flagellates *Trypanosoma cruzi* and *Trypanosoma rangeli* between triatomine bugs or mice and captive neotropical bats. *Memorias do Instituto Oswaldo Cruz*; 102(5):559-565.
- THOMAS, O. 1921. Bats on migration. *Journal of Mammalogy* 2(3): 167.
- THOMPSON, J.E.S. 1966. Maya hieroglyphs of the bat as metaphors. *Journal of the Royal Anthropological Institute* NS 1(2): 176-184.
- THOMPSON, M.J.A. 1992. Roost philopatry in female *Pipistrellus pipistrellus*. *Journal of Zoology, London* 228(4): 673-679.
- TIMM, R.M. & GENOWAYS, H.H. 2004. The Florida bonneted bat, *Eumops floridanus* (Chiroptera: Molossidae) : distribution, morphometrics, systematics, and ecology. *Journal of Mammalogy* 85(5): 852-865.
- TIMM, R.M. & MCCLEARN, D.K. 2007. The bat fauna of Costa Rica's Reserva Natural Absoluta Cabo Blanco and its implications for bat conservation. *University of California Publications in Zoology* 134: 303-352.
- TISENKO, B.M. & GODLEVS'KA, O.B. 2008. Lersi znachidki *Vespertilio murinus* 'a *Nyctalus noctula* (Chiroptera) na. *Vestnik Zoologii* 42(3): 280 p.
- TOMASI, T.E. 1979. Echolocation by the short-tailed shrew *Blarina brevicauda*. *Journal of Mammalogy* 60(4): 751-759.
- TOPAL, G. 1972. Observations on Oriental Bats. In: International Bat Research Conference (3, 1972, Plitvice). [Abstracts]: 50-51.
- TOWNER, J.S., POURRUT, X., ALBARIÑO, C.G., NKOUE, C.N., BIRD, B.H., GRARD, G., KSIAZEK, T.G., GONZALEZ, J.P., NICHOL, S.T. & LEROY, E.M. 2007. Marburg virus infection detected in a common African bat. *PLoS ONE*. 2007; 2(8):e764
- TRACY, C. R. & KWIECINSKI, G.G. 2007. The square-eared anomaly in New World *Myotis*. *Acta Chiropterologica* 9(2): 495-501.
- TRACY, C.R., MACWHORTER, T.J., KORINE, C., WOJCIECHOWSKI, M., PINSHOW, B. & KARASOV, W.H. 2007. Absorption of sugars in the Egyptian fruit bat (*Rousettus aegyptiacus*) : a paradox explained. *Journal of Experimental Biology* 210(10): 1726-1734.
- TRAJANO, E. & VIVO, M. de 1991. *Desmodus draculae* Morgan, Linares, and Ray, 1988, reported for Southeastern Brasil, with paleoecological comments (Phyllostomidae, Desmodontinae). *Mammalia* 55(3): 456-459.
- TRUNE, D.R. & SLOBODCHIKOFF, C.N. 1976. Social effects of roosting on the metabolism of the pallid bat (*Antrozous pallidus*). *Journal of Mammalogy* 57(4): 656-663.
- TRUNE, D.R. & SLOBODCHIKOFF, C.N. 1978. Position of immatures in pallid bat clusters : a case of reciprocal altruism? *Journal of Mammalogy* 59(1): 193-195.
- TRUPKIEWICZ, J. G., BARNARD, S.M. & KEMMERER COTTRELL, D. 2009. Chap. 13 : Pathology : including necropsy technique and tissue collection for the bat rehabilitator. In : BARNARD, S. M. *Bats in captivity*. Vol. 1 : Biological and medical aspects. [s.l.], Logos Press : 109-272.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- TUCKER, P.K. & BICKHAM, J.W. 1989. Heterochromatin and sex-chromosome variation in bats of the genus *Carollia* (Chiroptera: Phyllostomidae). *Journal of Mammalogy* 70(1): 174-179.
- TUMLISON, R. 1993. Geographic variation in the lappet-eared bat, *Idionycteris phyllotis*, with description of subspecies. *Journal of Mammalogy* 74(2): 412-421.
- TUPINIER, Y. 1972. Etude de la morphologie des poils des chiroptères d'Europe occidentale au microscope électronique à balayage. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 35.
- TURBILL, C. 2006. Thermoregulatory behavior of tree-roosting chocolate wattled bats (*Chalinolobus morio*) during summer and winter. *Journal of Mammalogy* 87(2): 318-323.
- TURNI, H. & KOCK, D. 2008. Type specimens of bats (Chiroptera: Mammalia) in the collections of the Museum fuer Naturkunde, Berlin. *Zootaxa*. 2008 3 September; 1869:1-82.
- TUTTLE, M.D. 1982. Grenouille et chauve-souris. *Le Figaro*, 13 mars 1982 : 89-96.
- TUTTLE, M.D. 1984. Fruit bats exonerated. *Bats June*: 1-2.
- TUTTLE, M.D. 1990. Bat Conservation International : a progress report. In: *North American Bat Research Symposium (21, 1990, Lincoln)*. Abstracts. *Bat Research News* 31(4): 96.
- TUTTLE, M.D. & MITCHELL, J.D. 2008. Bat Conservation International : annual report 2007-2008. *Bats* 26(3): 19 p.
- TYSON, T.A., HALL, J.S. & CAMPBELL, K.A. 1990. Seasonal swarming activity at the entrance to a historic hibernaculum. In: *North American Bat Research Symposium (21, 1990, Lincoln)*. Abstracts. *Bat Research News* 31(4): 96-97.
- ULDRY, V. 2008. Recherche appliquée à la conservation de la Barbastelle, *Barbastella barbastellus* et du Grand Rhinolophe fer à cheval, *Rhinolophus ferrumequinum* dans le canton de Neuchâtel : typologie des gîtes et de l'habitat de chasse par suivi télémétrique printanier : rapport de stage. Université de Neuchâtel.
- UTTENDÖRFER, O. 1940. Fledermäuse als Raubvogel- und Eulenbeute. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 15: 317-319.
- UTZURRUM, R.C.B. 1990. Elevational zonation of fruit bats (Pteropodidae) on Mt. Talinis, Negros Island, Philippines. In: *North American Bat Research Symposium (21, 1990, Lincoln)*. Abstracts. *Bat Research News* 31(4): 97.
- VAERNESBRANDEN, P.I. 2007. Huskatt *Felis catus* som predator pa flaggermus. *Fauna* 60(3-4): 286-288.
- VALDEZ, E.W. & CRYAN, P.M. 2009. Food habits of the hoary bat (*Lasiurus cinereus*) during spring migration through New Mexico. *The Southwestern Naturalist* 54(2): 195-200.
- VAUGHAN, T.A. 1976. Nocturnal behavior of the African false vampire bat (*Cardioderma cor*). *Journal of Mammalogy* 57(2): 227-248.
- VAUGHAN, T.A. & O'SHEA, T.J. 1976. Roosting ecology of the pallid bat, *Antrozous pallidus*. *Journal of Mammalogy* 57(1): 19-42.
- VEDOVATO, S. & VERNIER, E. 2008. Osservazioni sulla storia naturale di una colonia estiva di *Vespertilio* di Daubenton, *Myotis Daubentonii* (Kuhl, 1817) nella ghiacciaia di un parco storico in comune di Dolo (Venezia). *Lavori / Società veneziana di scienze naturali* (33): 21-34.
- VELAZCO, P.M. 2008. Phylogenetics and biogeography of the broad-nosed bats, genus *Platyrrhinus* (Chiroptera: Phyllostomidae) *Molecular Phylogenetics and Evolution*; 49:749-759.
- VERBEEK, H.D.J. 1994. First record of the greater noctule, *Nyctalus lasiopterus* (Schreber, 1780) in the Netherlands. *Bat Research News* 35(2-3): 74.
- VIEIRA, T.B., MENDES, P., COUTINHO, R. Z., OPREA, M. & DITCHFIELD, A.D. 2009. New records for three species of the genus *Myotis* Kaup for the state of Espirito Santo, southeastern Brazil. *Chiroptera Neotropical* 14(2): 415-418.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- VILLAR-R., B. & COCKRUM, E.L. 1962. Migration in the guano bat *Tadarida brasiliensis mexicana* (Saussure). *Journal of Mammalogy* 43(1): 43-64.
- VLASCHENKO, A. 2008. The Hole-in-the-wall gang. *Bats* 26(3): 11-13.
- VOIGT, C.C. & CRUZ-NETO, A.P. 2009. Chap. 30 : Energetic analysis of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press: 623-645.
- VOIGT, C.C., KELM, D., BRADLEY, B. J. & ORTMANN, S. 2009. Chap. 28 : Dietary analysis of plant-visiting bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 593-609.
- VOLLETH, M. & TIDEMANN, C.R. 1991. The origin of the Australian Vespertilioninae bats, as indicated by chromosomal studies. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 56: 321-330.
- VOLLETH, M., BUSSCHE, R.A. van den & BAKER, R.J. 2009. Chap. 37 : Karyotyping and studying chromosomes of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press: 757-774.
- VOUTE, A.M. 1980. In memoriam Dr. Jan Willem Sluiter (18.III.1912-12.VIII.1977). *Lutra* 22: 3-4.
- VOUTE, A.M. 1991. Poland's unique bat reserve : a resource in trouble. *Bats* 9(1): 17-18.
- VOUTE, A.M., SLUITER, J.W. & HEERDT, P.F. van 1980. De vleermuizenstand in enige zuidlimburgse groeven sedert 1942. *Lutra* 22: 18-34.
- VOUTE, A.M., SLUITER, J.W., HEERDT, P.F. van, RIDDER, R.M., OMMEN, F. van & GLAS, G.H. 1980. De vleermuizenstand in enkele winterkwartieren in Midden-Nederland. *Lutra* 22: 70-78.
- WAKEHAM, N., BOGENSCHUTZ, R.P. & CAIRE, W. 1988. Electrophoretic investigation of urinary proteins in insectivorous bats. *Journal of Mammalogy* 69(3): 651-653.
- WALDIEN, D. 2008. Meeting the challenge in the Philippines : allies and partners spread bat conservation around the islands. *Bats* 26(1) : 4-7.
- WALKER, L.A., SIMPSON, V.R., ROCKETT, L., WIENBURG, C.L. & SHORE, R.F. 2007. Heavy metal contamination in bats in Britain. *Environmental Pollution*, 148: 483-490.
- WALKER, S. 2008. From Yoga to Bats in India. *Bats* 26(3): 4-7.
- WALLING, J.J. 1957. Présence de la barbastelle en Bretagne. *Mammalia* 21: 455.
- WALSH, A.L. & MORTON, P.A. 2009. Chap. 43 : Methods to promote bat conservation, outreach, and education through science- and research-based activities. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press: 868-886.
- WANG, Z., LIANG, B., RACEY, P.A., WANG, J.-L. & ZHANG, S. 2008. Sperm storage, delayed ovulation, and menstruation of the female rickett's big-footed bat (*Myotis ricketti*). *Zoological Studies* 47(2): 215-221.
- WATT, E.M. 1990. DNA fingerprinting of *Myotis lucifugus*. In: *North American Bat Research Symposium* (21, 1990, Lincoln). Abstracts. *Bat Research News* 31(4): 97.
- WEAVER, K.N., ALFANO, S.E., KRONQUIST, A.R. & REEDER, D.A.M. 2009. Healing rates of wing punch wounds in free-ranging little brown myotis (*Myotis lucifugus*). *Acta Chiropterologica* 11(1): 220-223.
- WEBER, M.D.M., DE ARRUDA, J.L.S. & CACERES, N.C. 2007. Ampliação da distribuição de quatro espécies de morcegos (Mammalia, Chiroptera) no Rio Grande do Sul, Brasil. *Biota Neotropica* 7(2):1-4.
- WEBSTER, F.A. & GRIFFIN, D.R. 1962. The role of the flight membranes in insect capture by bats. *Animal Behaviour* 10(3-4): 332-340.
- WEINBERGER, I. 2009. Harmlose Hausgäste schützen TEC21: Nature in der Stadt (11): 28-31.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse  
Tél: +41 22 418 63 47, Fax: +41 22 418 63 01  
E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)  
<http://www.ville-ge.ch/mhng/cco>  
Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- WEINBERGER, I., BONTADINA, F. & ARLETTAZ, R. 2009. Translocation as a conservation tool to supplement relict bat colonies: a pioneer study with endangered horseshoe bats. *Endang Species Res: Preprint*, 2009
- WEISHAAR, M. 1992. Ergebnisse der Fledermauswinterkontrollen 1991/92 im Regierungsbezirk Trier. *Dendrocopos* 19: 3-4.
- WEISHAAR, M. 1992. Landschaftsbewertung anhand von Fledermausvorkommen. *Dendrocopos* 19: 19-25.
- WEISHAAR, M. 1992. Landschaftsstrukturen, unersetzliche Elemente im Fledermausschutz. *Dendrocopos* 19: 15-18.
- WEISHAAR, M. 1995. Effizienz verschiedener Untersuchungsmethoden für die Nachweisbarkeit von Fledermausarten. *Dendrocopos* 22: 3-9.
- WEISHAAR, M. 1995. Ergebnisse der Fledermauswinterkontrollen 1994/95 im Regierungsbezirk Trier. *Dendrocopos* 22: 10-11.
- WELCH, K.C. Jr., HERRERA, L.G. & SUAREZ, P.K. 2008. Dietary sugar as a direct fuel for flight in the nectarivorous bat *Glossophaga soricina*. *Journal of Experimental Biology* 211(3): 310-316.
- WERNER, H.J. & RUTHERFORD K. 1979. Histological aspects of the facial glands of the bat, *Monophyllus redmani portoricensis*. *Journal of Mammalogy* 60(1): 229.
- WHITAKER, J.O. Jr. & BLACK, H.L. 1976. Food habits of cave bats from Zambia, Africa. *Journal of Mammalogy* 57(1): 199-204.
- WHITAKER, J.O. Jr., GARDNER, S. L. & BARNARD, S.M. 2009. Chap. 15 : Parasites. In : BARNARD, S. M. *Bats in captivity. Vol. 1 : Biological and medical aspects.* [s.l.], Logos Press : 109-272.
- WHITAKER, J.O. Jr., MACCRACKEN, G.F. & SIEMERS, B.M. 2009. Chap. 27 : Food habits analysis of insectivorous bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 567-592.
- WHITAKER, J.O. Jr., RITZI, C.M. & DICK, C.W. 2009. Chap. 40 : Collecting and preserving bat ectoparasites for ecological study. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 806-827.
- WIBBELT, G., SPECK, S. & FIELD, H. 2009. Chap. 38 : Methods for assessing diseases in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats.* Baltimore, Johns Hopkins University Press : 775-794.
- WIERSEMA, G.J. et VREUGDENHIL, A. 1975. Proposition pour la protection de la grotte des chauves-souris près d'El Haouaria en Tunisie. Emmeloord: 6 p.
- WIJNGAARDEN, A. van 1980. De vleermuizengroeven van Zuid-Limburg. *Lutra* 22: 7-18.
- WILKINSON, G.S. 1986. Social grooming in the common vampire bat, *Desmodus rotundus*. *Animal Behaviour* 34(6): 1880-1889.
- WILKINSON, G.S. & CHAPMAN, A.M. 1990. Length and sequence variation in evening bat D-Loop mtDNA. In: *North American Bat Research Symposium (21, 1990, Lincoln). Abstracts.* *Bat Research News* 31(4): 97-98.
- WILLIAMS-GUILLEN, K. 2008. Bats & birds : a potent team for coffee plantations. *Bats* 26(2): 4-5.
- WILLIG, M.R. 1985. Reproductive activity of female bats from Northeast Brazil. *Bat Research News* 26(2): 17-20.
- WILLIG, M.R. 1985. Reproductive patterns of bats from Caatingas and Cerrado biomes in Northeast Brazil. *Journal of Mammalogy* 66(4): 668-681.
- WILLIG, M.R. & MOULTON, M.P. 1989. The role of stochastic and deterministic processes in structuring Neotropical bat communities. *Journal of Mammalogy* 70(2): 323-329.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: *Route de Malagnou 1, CH-1208 Genève*

- WILLIG, M.R., CAMILO, G.R. & NOBLE, S.J. 1993. Dietary overlap in frugivorous and insectivorous bats from edaphic Cerrado habitats of Brazil. *Journal of Mammalogy* 74(1): 117-128.
- WILLIG, M.R., LYONS, S.K. & STEVENS, R.D. 2009. Chap. 11 : Spatial methods for the macroecological study of bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 216-248.
- WILLIS, C.K.R. & BRIGHAM, R.M. 2005. Physiological and ecological aspects of roost selection by reproductive female hoary bats (*Lasiurus cinereus*). *Journal of Mammalogy* 86(1): 85-94.
- WILLIS, C.K.R. & BRIGHAM, R.M. 2007. Social thermoregulation exerts more influence than microclimate on forest roost preferences by a cavity-dwelling bat. *Behavioral Ecology and Sociobiology*. 2007 November; 62(1):97-108.
- WILLIS, C.K.R. & COOPER, C. E. 2009. Chap. 31 : Techniques for studying thermoregulation and thermal biology in bats. In : KUNZ, T.H. & PARSONS, S. *Ecological and behavioral methods for the study of bats*. Baltimore, Johns Hopkins University Press : 646-658.
- WILLIS, C.K.R., VOSS, C.M. & BRIGHAM, R.M. 2006. Roost selection by forest-living female big brown bats (*Eptesicus fuscus*). *Journal of Mammalogy* 87(2): 345-350.
- WILSON, D.E. 1972. The evolution of chiropteran reproductive cycles. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 16.
- WIMSATT, W.A. 1945. Notes on breeding behavior, pregnancy, and parturition in some vespertilionid bats of the Eastern United States. *Journal of Mammalogy* 26: 23-33.
- WIMSATT, W.A., GUERRIERE, A. & HORST, G.R. 1973. An improved cage design for maintaining vampires (*Desmodus*) and other bats for experimental purposes. *Journal of Mammalogy* 54(1): 251-254.
- WINHOLD, L. & KURTA, A. 2008. Netting surveys for bats in the northeast : differences associated with habitat, duration of netting, and use of consecutive nights. *Northeastern Naturalist* 15(2): 263-274.
- WINHOLD, L., KURTA, A. & FOSTER, R.W. 2008. Long-term change in an assemblage of North American bats : are eastern red bats declining? *Acta Chiropterologica* 10(2): 359-366.
- WOLOSZYN, B.W. 1972. On the systematic Significance of the tooth Abnormalities in Bats. In: *International Bat Research Conference (3, 1972, Plitvice)*. [Abstracts]: 36-37.
- WOODMAN, N. 1993. The correct gender of mammalian generic names ending in -otis. *Journal of Mammalogy* 74(3): 544-546.
- WORTHINGTON WILMER, J. & BARRATT, E.M. 1996. A non-lethal method of tissue sampling for genetic studies of chiropterans. *Bat Research News* 37(1): 1-3.
- WRIGHT, S.J., HERNANDEZ, A. & CONDIT, R. 2007. The bushmeat harvest alters seedling banks by favoring lianas, large seeds, and seeds dispersed by bats, birds, and wind. *Biotropica* 39(3): 363-371.
- YAMASAKI, M. & MATSUMURA, S. 2007. The greater tube-nosed bat, *Murina leucogaster*, captured in the west foot of Akiyoshi-dai Plateau, Yamaguchi prefecture, Japan. *Bulletin of the Akiyoshi-dai Museum of Natural History* No. 42.
- YAMASAKI, M. & MATSUMURA, S. 2008. The tube-nosed bat, *Murina leucogaster*, captured at a house in the northern Shu-ho town, Yamaguchi pref., Japan. *Bulletin of the Akiyoshi-dai Museum of Natural History* No. 43.
- YAMASAKI, M., YOSHINOBU, S. & SUMIKO, M. 2006. Postnatal growth and development of sounds in greater tube-nosed bat, *Murina leucogaster*. *Bulletin of the Akiyoshi-dai Museum of Natural History* No. 41.
- YOM-TOV, Y., MAKIN, D. & SHALMON, B. 1992. The biology of *Pipistrellus bodenheimeri* (Microchiroptera) in the Dead Sea area of Israel. *Zeitschrift für Säugetierkunde = [International journal of mammalian biology]* 57: 65-69.



## CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: [pascal.moeschler@ville-ge.ch](mailto:pascal.moeschler@ville-ge.ch)

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

- YORK, H.A. 2007. Limiting similarity and species assemblages in the short-tailed fruit bats. *Journal of Zoology*, London vol. 273(3) : 249-256.
- YOUNGMAN, A. 1997. An unusual bat enquiry. *Scottish bats* 4: 15.
- YU, Y., MA, J., NIU, H. & WANG, Y.-M. 2008. RAPD analysis of 3 rhinolophus bats from different localities in Henan. *Journal of Guangxi Agricultural and Biological Science* 27(2): 99-103.
- ZAMBELLI, N., MORETTI, M., ROESLI, M. & BONTADINA, F. 2009. Negative consequences of forearm bands that are too small for bats. *Acta Chiropterologica* 11(1): 216-219.
- ZAVA, B. & LO VALVO, F. 1990. First record of *Suncus etruscus* and notes on the bats of Pantelleria island, Italy. *Mammalia* 54(4): 661-663.
- ZHANG, L. 2008. Conserving China's tiniest bats : sugar cane and paper threaten bamboo bats. *Bats* 26(3): 1-3.
- ZHANG, L., JONES, G., ROSSITER, S.J., ADES, G., LIANG, B. & ZHANG, S. 2005. Diet of flat-headed bats, *Tylonycteris pachypus* and *T. robustula*, in Guangxi, South China. *Journal of Mammalogy* 86(1): 61-66.
- ZHANG, L., JONES, G., ZHANG, J.-S., ZHU, G., PARSONS, S., ROSSITER, S.J. & ZHANG, S. 2009. Recent surveys of bats (Mammalia: Chiroptera) from China. I. Rhinolophidae and Hipposideridae. *Acta Chiropterologica* 11(1): 71-88.
- ZHANG, L., ZHU, G., YU, D., YE, J., ZHANG, W., HONG, T. & TAN, M. 2008. New record of *Tylonycteris robustula* (Chiroptera : Vespertilionidae) from Hainan, Guizhou, and Sichuan Province. *Acta Theriologica Sinica* (3): 316-320.
- ZHOU, Y., DONG, D., ZHANG, S. & ZHAO, H. 2009. Positive Selection Drives the Evolution of Bat Bitter Taste Receptor Genes. *Biochemical Genetics* (47): 207-215.
- ZHU, X., WANG, J.-L., KEPING, S., TINGLEI, J., YUNLEI, J. & FENG, J. 2008. Echolocation calls of *Rhinolophus ferrumequinum* in relation to habitat type and environmental factors. *Acta Ecologica Sinica* 28(11): 5248-5258.
- ZINGG, P.E. 2008. Mitteilungen des Naturforschenden Gesellschafts in Bern. Naturschutzinspektorat des Kantons Bern, Bericht 2008 : 297-306.
- ZINGG, P.E. 2009. Naturschutzinspektorat des Kantons Bern Bericht 2008. Bern, Naturschutzinspektorat des Kantons Bericht : 247-306.
- ZINN, T.L. & BAKER, W.W. 1979. Seasonal migration of the hoary bat, *Lasiurus cinereus*, through Florida. *Journal of Mammalogy* 60(3): 634-635.
- ZUBAID, A. 1993. A comparison of the bat fauna between a primary and fragmented secondary forest in Peninsular Malaysia. *Mammalia* 57(2): 201-206.
- ZUBAID, A. & FATIMAH, A.M. 1990. Hair morphology of Malaysian pteropodids. *Mammalia* 54(4): 627-632.
- ZULLINGER, E.M., RICKLEFS, R.E., REDFORD, K.H. & MACE, G.M. 1984. Fitting sigmoidal equations to mammalian growth curves. *Journal of Mammalogy* 65(4): 607-636.

*Situation au 31 décembre 2009*