



CENTRE DE COORDINATION OUEST POUR L'ETUDE ET LA PROTECTION DES CHAUVES-SOURIS

Siège: Muséum d'histoire naturelle, CP 6434, CH-1211 Genève 6, Suisse

Tél: +41 22 418 63 47, Fax: +41 22 418 63 01

E-mail: pascal.moeschler@ville-ge.ch

<http://www.ville-ge.ch/mhng/cco>

Adresse pour les colis: Route de Malagnou 1, CH-1208 Genève

Publications scientifiques reçues ou cataloguées en 2013 au Centre chauves-souris

Scientific publications received or catalogued at the Swiss bat center in 2013

La direction et la bibliothèque du Centre chauves-souris remercient chaleureusement les auteurs qui ont envoyé leurs publications sur les chauves-souris
The management and the library of Swiss Bat Center warmly thank all the authors who sent their bat publications.

- ABBOTT, I.M., BUTLER, F.T. & HARRISON, S. 2012. When flyways meet highways : the relative permeability of different motorway crossing sites to functionally diverse bat species. *Landscape and Urban Planning* 106: 293-302.
- ABBOTT, I.M., BUTLER, F.T. & HARRISON, S. 2012. When flyways meet highways : the relative permeability of different motorway crossing sites to functionally diverse bat species. *Landscape and Urban Planning* 106: 293-302.
- ABBOTT, I.M., SLEEMAN, D.P. & HARRISON, S. 2009. Bat activity affected by sewage effluent in Irish rivers. *Biological Conservation* 142: 2904-2914.
- ABUMANDOUR, M.M.A. & EL-BAKARY, R.M.A. 2013. Morphological and scanning electron microscopic studies of the tongue of the Egyptian fruit bat (*Rousettus aegyptiacus*) and their lingual adaptation for its feeding habits. *Veterinary Research Communications* 37: 229-238.
- ADAMS, A.M., JANTZEN, M.K., HAMILTON, R.M. & FENTON, M.B. 2012. Do you hear what I hear? Implications of detector selection for acoustic monitoring of bats. *Methods in Ecology and Evolution* 3: 992-998.
- ADAMS, R.A. & PEDERSEN, S.C. (Eds.) 2013. *Bat evolution, ecology, and conservation*. New York [etc.], Springer : XI, 547 p.
- ADKINS, R.M. & HONEYCUTT, R.L. 1991. Molecular phylogeny of the superorder Archonta. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 88: 10317-10321.
- AGHOMO, H.O., AKO-NAI, A.K., ODUYE, O.O., TOMORI, O. & RUPPRECHT, C.E. 1990. Detection of rabies virus antibodies in fruit bats (*Eidolon helvum*) from Nigeria. *Journal of Wildlife Diseases* 26(2): 258-261.
- AGREN, E., NILSSON, S., MATTSSON, R. & DE JONG, J. 2012. [White nose syndrome - a new threat to bats.] *Vitnossjuka - nytt hot mot fladdermoss*. *Fauna och Flora* 107(3): 34-39.
- AGUIAR, L.M. de S. & ANTONINI, Y. 2011. Descriptive ecology of bat flies (Diptera: Hippoboscoidea) associated with vampire bats (Chiroptera : Phyllostomidae) in the cerrado of central Brazil. *Mémoires do Instituto Oswaldo Cruz* 106(2): 170-176.

- AGUILAR-LÓPEZ, M., ROJAS-MARTINEZ, A., MENDOZA-VEGA, L.A., VITE-SILVA, V.D. & RAMOS-FRÍAS, J. 2012. Registros nuevos de murciélagos para el estado de Hidalgo, México. *Revista Mexicana de Biodiversidad* 83: 1249-1251.
- AGUIRRE, L.F. & BARQUEZ, R.M. 2013. Critical areas for bat conservation : Latin American conservationists build a grand strategy. *Bats* 31(1): 10-12.
- AHAMAD, M., IBRAHIM, H., BUJANG, M.K., MOHD SAH, S.A., MOHAMAD, N., MOHD NOR, S., AHMAD, A.H. & HO, T.M. 2013. A survey of acarine ectoparasites of bats (Chiroptera) in Malaysia. *Journal of medical entomology* 50(1): 140-146.
- AHMIM, M. & MOALI, A. 2011. The diet of the Maghrebian mouse-eared bat *Myotis punicus* (Mammalia, Chiroptera) in Kabylia, northern Algeria. = Régime alimentaire du Murin du Maghreb *Myotis punicus* (Mammalia, Chiroptera) en Kabylie, nord de l'Algérie. *Ecologia mediterranea* 37(1): 45-51.
- AIHARA, I., FUJIOKA, E. & HIRYU, S. 2013. Qualitative and quantitative analyses of the echolocation strategies of bats on the basis of mathematical modelling and laboratory experiments. *PLoS One* 8(7): 8 p.
- ALBRECHT, K. & GRÜNFELDER, C. 2011. Fledermäuse für die Standortplanung von Windenergieanlagen erfassen. *Naturschutz und Landschaftsplanung* 43(1): 5-14.
- ALCALDE, J.T., IBAÑEZ, C., ANTÓN, I. & NYSSSEN, P. 2013. First case of migration of a Leisler's bat (*Nyctalus leisleri*) between Spain and Belgium. *Rhinolophe* (19): 87-88.
- ALEXANDER, I.R. & GELUSO, K. 2013. Bats of Vieques National Wildlife Refuge, Puerto Rico, Greater Antilles. *Check List* 9(2): 294-297.
- ALLEGRI, B. 2012. Inventaire des chiroptères de l'île du Grand Rouveau. Note naturaliste. Initiative PIM: 9 p.
- ALLEGRI, B. & PUECHMAILLE, S. 2013. Vespertilion (*Myotis*) *latipennis* (Crespon, 1844) : un nom pour la nouvelle espèce *Myotis* sp. A du groupe *nattereri*? *Vespère* 3: 181-183.
- ALLEGRI, B., DURAND, G., DURAND, E. & PEYRE, O. 2011. On some bats recorded in the Adrar region, Mauritania. *African Bat Conservation News* 26: 2-4.
- ALLEGRI, B., DURAND, G., DURAND, E. & PEYRE, O. 2011. Scientific contribution on some bats recorded in the Adrar region, Mauritania. *African Bat Conservation News* 26: 2-4.
- ALMEIDA, J., DA SILVA, S.S.P., SERRA-FREIRE, N.M. & VALIM, M.P. 2011. Ectoparasites (insecta and acari) associated with bats in southeastern Brazil. *Journal of medical entomology* 48(4): 753-757.
- ALMENAR, D., AIHARTZA, J., GOITI UGARTE, U., SALSAMENDI PAGOLA, E. & GARIN, I. 2013. Hierarchical patch choice by an insectivorous bat through prey availability components. *Behavioral Ecology and Sociobiology* 67: 311-320.
- ALTES, R.A. 1984. Texture analysis with spectrograms. *IEEE transactions on sonics and ultrasonics* SU-31(4): 407-417.
- ALTES, R.A. & REESE, W.D. 1975. Doppler-tolerant classification of distributed targets : a bionic sonar. *IEEE transactions on aerospace and electronic systems* AES-11(5): 708-724.
- ALTES, R.A. & TITLEBAUM, E.L. 1975. Graphical derivations of radar, sonar, and communication signals. *IEEE transactions on aerospace and electronic systems* AES-11(1): 38-44.
- AMICHAÏ, E., LEVIN, E., KRONFELD-SCHOR, N., ROLL, U. & YOM-TOV, Y. 2013. Natural history, physiology and energetic strategies of *Asellia tridens* (Chiroptera). *Mammalian biology* 78: 94-103.
- AMITAI, O., HOLTZE, S., BARKAN, S., AMICHAÏ, E., KORINE, C., PINSHOW, B. & VOIGT, C.C. 2010. Fruit bats (Pteropodidae) fuel their metabolism rapidly and directly with exogenous sugars. *Journal of Experimental Biology* 213: 2693-2699.

- AMMERMAN, L.K., HICE, C.L., SCHMIDLY, D.J., BROWN, C.M. [ill.] & ALTENBACH, J.S. [photogr.]. 2012. Bats of Texas. College Station, Texas A&M Univ. Press: 305 p. (W. L. Moody Jr. Natural History Series, 43).
- AMMERSDOERFER, S., GALINSKI, S. & ESSER, K.-H. 2012. Effects of aversive experience on the behavior within a custom-made plus maze in the short-tailed fruit bat, *Carollia perspicillata*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 198: 733-739.
- AMORIM, F., REBELO, H. & RODRIGUES, L. 2012. Factors influencing bat activity and mortality at a wind farm in the Mediterranean region. *Acta Chiropterologica* 14(2): 439-457.
- AMORIM, F.W., GALETTO, L. & SAZIMA, M. 2013. Beyond the pollination syndrome : nectar ecology and the role of diurnal and nocturnal pollinators in the reproductive success of *Inga sessilis* (Fabaceae). *Plant biology* 15: 317-327.
- ANCILLOTTO, L., SERANGELI, M.T. & RUSSO, D. 2013. Curiosity killed the bat : domestic cats as bat predators. *Mammalian biology* 78: 369-373.
- ANDERA, M. & BENDA, P. 2010. Drobní savci Přírodního parku Prokopské a Dalejské údolí, Praha (Eulipotyphla, Chiroptera, Rodentia) = Small mammals of the Prokopské and Dalejské údolí Nature Park, Prague, Czech Republic (Eulipotyphla, Chiroptera, Rodentia). *Lynx (Praha)* 41: 65-81.
- ANDO, K., HARADA, M. & UCHIDA, T.A. 1987. A karyological study on five Japanese species of *Myotis* and *Pipistrellus*, with special attention to composition of their C-band materials. *Journal of the Mammalogical Society of Japan* 12(1-2): 25-29.
- ANDREAS, M., REITER, A. & BENDA, P. 2012. Dietary composition, resource partitioning and trophic niche overlap in three forest foliage-gleaning bats in central Europe. *Acta Chiropterologica* 14(2): 335-345.
- ANDRIANAIVOARIVELO, R., JENKINS, R.K.B., PETIT, E., RAMILJAONA, O., RAZAFINDRAKOTO, N. & RACEY, P.A. 2012. *Rousettus madagascariensis* (Chiroptera : Pteropodidae) shows a preference for native and commercially unimportant fruits. *Endangered Species Research* 19: 19-27.
- ANGELL, R., BUTLIN, R. & ALTRINGHAM, J. 2013. Sexual segregation and flexible mating patterns in temperate bats. *PLoS One* 8(1): 1-7.
- ANNAN, A., BALDWIN, H.J., CORMAN, V.M., KLOSE, S.M., OWUSU, M., NKRUMAH, E.E., BADU, E.K., ANTI, P., AGBENYEGA, O., MEYER, B., OPPONG, S.K., SARKODIE, Y.A., KALKO, E.K.V., LINA, P.H.C., GODLEVSKA, L.V., REUSKEN, C., SEEBENS, A., GLOZA, F., VALLO, P., TSCHAPKA, M., DROSTEN, C. & DREXLER, J.F. 2013. Human betacoronavirus 2c EMC/2012-related viruses in bats, Ghana and Europe. *Emerging Infectious Diseases* 19(3): 456-460.
- ANONYME. 2011. Recipients of the journal "Plecotus et al.". *Plecotus et al.* 14: 87-95.
- ANONYME. 2013. Going viral, one by one by one by one... *Columbia*: 46-47.
- ANTHONY, E.L.P., WESTON, P.J., MONTVILO, J.A., BRUHN T.O., NEEL, K. & KING, J.C. 1989. Dynamic aspects of the LHRH system associated with ovulation in the little brown bat (*Myotis lucifugus*). *Journal of reproduction and fertility* 87(2): 671-686.
- ANTHONY, S.J., OJEDA-FLORES, R., RICO-CHÁVEZ, O., NAVARRETE-MACIAS, I., ZAMBRANA-TORRELIO, C.M., ROSTAL, M.K., EPSTEIN, J.H., TIPPS, T., LIANG, E., SANCHEZ-LEON, M., SOTOMAYOR-BONILLA, J., AGUIRRE, A.A., AVILA-FLORES, R., MEDELLIN, R.A., GOLDSTEIN, T., SUZAN, G., DASZAK, P. & LIPKIN, W.I. 2013. Coronaviruses in bats from Mexico. *Journal of General Virology* 94: 1028-1038.
- ARAUJO SANTOS, F.C., MUNIZ CALOURO, A., FREITAS DE SOUZA, S., MORAES LAGUE, B., MARCIENTE, R., LIMA FAUSTINO, C., LEMOS SANTOS, G.J. & OLIVEIRA CUNHA, A. 2012. Ectoparasitismo em uma assembléia de morcegos em um fragmento florestal no estado do Acre, Brasil. *Acta Veterinaria Brasilica* 6(3): 211-218.
- ARBENZ, T. 2012. Cave pearls of Meghalaya : a cave inventory covering the Jaintia Hills - Meghalaya - India. Vol. 1: Pala Range and Kopili Valley. Matzendorf, Thomas Arbenz [Ed.]: 265 p.

- ARCHAUX, F., TILLON, L., FAUVEL, B. & MARTIN, H. 2013. Foraging habitat use by bats in a large temperate oak forest : importance of mature and regeneration stands. *Rhinolophe* (19): 47-58.
- ARCOS, F., REGO, E. & SALVADORES, R. 2012. Weather and geographic effects on reproductive phenology of *Rhinolophus ferrumequinum*, *Rhinolophus euryale* and *Myotis emarginatus* in Galicia (NW Spain). Implications for a monitoring programme. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 90.
- ARÉVALO, F., PÉREZ-SUÁREZ, G. & LÓPEZ-LUNA, P. 1991. Oxygen-binding properties of bat hemoglobins. *Archives internationales de physiologie et de biochimie* 99: 77-81.
- ARÉVALO, F., PÉREZ-SUÁREZ, G. & LÓPEZ-LUNA, P. 1992. Seasonal changes in blood parameters in the bat species *Rhinolophus ferrumequinum* and *Miniopterus schreibersi*. *Archives internationales de physiologie et de biochimie* 100: 385-387.
- ARONSON, J.B., THOMAS, A.J. & JORDAAN, S.L. 2013. Bat fatality at a wind energy facility in the western Cape, South Africa. *African Bat Conservation News* 31: 9-12.
- ARTHUR, C. 2013. L'évaluation de l'état de conservation des Chiroptères pour le rapportage Natura 2000 2007-2012. *L'envol des chiros* 15: 2-3.
- ARTHUR, C., LOIREAU, J.-N., URCUN, J.-P., DÉJEAN, S., NERI, F., SAVAGE, M.-J. & VINCENT, D. 2012. Dix ans de captures au filet des chauves-souris en montagne pyrénéenne : quel bilan et quels enseignements pour le parc national des Pyrénées? *Le Naturaliste Vendéen* 9: 21-41.
- ARTHUR, L. 2013. Les chauves-souris menacées par une meilleure gestion de l'énergie? Un paradoxe écologique expliqué en trois exemples. *Mammifères sauvages* 66: 16-17.
- ARTHUR, L. & MOUTOU, F. 2013. De l'éthique et du respect des chauves-souris. *L'envol des chiros* 14: 12-13.
- ARTYUSHIN, I.V., LEBEDEV, V.S., SMIRNOV, D.G. & KRUSKOP, S.V. 2012. Taxonomic position of the Bobrinski's serotine (*Eptesicus bobrinskoi*, Vespertilionidae, Chiroptera). *Acta Chiropterologica* 14(2): 291-303.
- ARZUA, M. & BOHN, K. 2012. Long-term bat surveys in a tropical cloud forest and recent effects of deforestation on bat assemblages. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 82.
- ASAN, N. & ALBAYRAK, I. 2011. Taxonomic status of *Myotis myotis* (Borkhausen, 1797) and *Myotis blythii* (Tomes, 1857) in Turkey (Mammalia : Chiroptera). *Turkish Journal of Zoology* 35(3): 357-365.
- ASHRAFI, S., BECK, A., RUTISHAUSER, M.D., ARLETTAZ, R. & BONTADINA, F. 2011. Trophic niche partitioning of cryptic species of long-eared bats in Switzerland : implications for conservation. *European Journal of Wildlife Research* 57: 843-849.
- ASHRAFI, S., BONTADINA, F., KIEFER, A., PAVLINIC, I. & ARLETTAZ, R. 2010. Multiple morphological characters needed for field identification of cryptic long-eared bat species around the Swiss Alps. *Journal of Zoology, London* 281: 241-248.
- ASHRAFI, S., RUTISHAUSER, M.D., ECKER, K., OBRIST, M.K., ARLETTAZ, R. & BONTADINA, F. 2013. Habitat selection of three cryptic *Plecotus* bat species in the European Alps reveals contrasting implications for conservation. *Biodiversity and Conservation* 22: 2751-2766.
- AUBIN, B. & VANVOLSEM, E. [ill.]. 2013. La chauve-souris. [Toulouse], Petite plume de carotte ; [Neuchâtel], La petite salamandre: 1 vol. (non paginé).
- AUDET, D., KRULL, D., MARIMUTHU, G., SUMITHRAN, S. & BALASINGH, J. 1991. Foraging behavior of the Indian false vampire bat, *Megaderma lyra* (Chiroptera : Megadermatidae). *Biotropica* 23(1): 63-67.
- AUGHNEY, T., ROCHE, N., LANGTON, S., MARNELL, F. & LYNN, D. 2012. The influence of water quality on Daubenton's bat activity on Irish rivers. In: Flaquer, C. & Puig-Montserrat, X. [Ed.]

- Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]. Granollers, Museum of Natural Sciences Edicions: 91.
- AULAGNIER, S. 2013. *Asellia patrizii*: Patrizi's trident leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 360-362.
- AULAGNIER, S. 2013. *Asellia tridens*: Geoffroy's trident leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 362-363.
- AULAGNIER, S. 2013. *Eptesicus serotinus*: common serotine. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 558-559.
- AULAGNIER, S. 2013. Family *Rhinopomatidae*: mouse-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 409-410.
- AULAGNIER, S. 2013. Genus *Asellia*: trident leaf-nosed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 360.
- AULAGNIER, S. 2013. Genus *Nyctalus*: noctules. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 589-590.
- AULAGNIER, S. 2013. Genus *Plecotus*: long-eared bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 660-661.
- AULAGNIER, S. 2013. Genus *Rhinopoma*: mouse-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 410-412.
- AULAGNIER, S. 2013. *Myotis emarginatus*: Geoffroy's myotis. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 697-699.
- AULAGNIER, S. 2013. *Myotis mystacinus*: whiskered myotis (whiskered bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 700-702.
- AULAGNIER, S. 2013. *Myotis nattereri*: Natterer's myotis (Natterer's bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 702-703.
- AULAGNIER, S. 2013. *Nyctalus leisleri*: Leisler's noctule (Leisler's bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 592-594.
- AULAGNIER, S. 2013. *Pipistrellus pipistrellus*: common pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 643-645.
- AULAGNIER, S. 2013. *Pipistrellus savii*: Savi's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 651-653.
- AULAGNIER, S. 2013. *Rhinopoma hardwickii*: lesser mouse-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 412-414.
- AULAGNIER, S. 2013. *Rhinopoma macinnesi*: MacInne's mouse-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 414-415.
- AULAGNIER, S. 2013. *Rhinopoma microphyllum*: greater mouse-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 415-417.
- AULAGNIER, S. & BENDA, P. 2013. *Pipistrellus hanaki*: Hanák's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 626-627.
- AULAGNIER, S. & COSSON, E. 2013. *Myotis capaccinii*: long-fingered myotis. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 694-696.

- AVILA CABADILLA, L.D., STONER, K.E., HENRY, M. & ALVAREZ-AÑORVE, M.Y. 2009. Composition, structure and diversity of phyllostomid bat assemblages in different successional stages of a tropical dry forest. *Forest Ecology and Management* 258: 986-996.
- AVILA-TORRESAGATON, L.G., HIDALGO-MIHART, M.C. & GUERRERO, J.A. 2012. La importancia de Palenque, Chiapas, para la conservación de los murciélagos de México. *Revista Mexicana de Biodiversidad* 83: 184-193.
- AVINA, M.M., WILLIAMS, R.A. & GEHRT, S.D. 2006. A method of quantifying forest vertical structure for the purpose of evaluating bat habitat. In: *Proceedings of the 15th Central Hardwood Forest Conference*, Knoxville Tennessee: 355-363.
- AYALA-BERDON, J. & SCHONDUBE, J.E. 2011. A physiological perspective on nectar-feeding adaptation in phyllostomid bats. *Physiological and Biochemical Zoology* 84(5): 458-466.
- AYALA-BERDON, J., GALICIA, R., FLORES-ORTIZ, C.M., MEDELLIN, R.A. & SCHONDUBE, J.E. 2013. Digestive capacities allow the Mexican long-nosed bat (*Leptonycteris nivalis*) to live in cold environments. *Comparative biochemistry and physiology. Part A : Molecular and integrative physiology* 164: 622-628.
- AYALA-BERDON, J., RODRIGUEZ-PENA, N., GARCIA-LEAL, C., STONER, K.E. & SCHONDUBE, J.E. 2013. Sugar gustatory thresholds and sugar selection in two species of Neotropical nectar-eating bats. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 164: 307-313.
- AZMY, S.N., MOHD SAH, S.A., SHAFIE, N.J., ARIFFIN, A., MAJID, Z., ISMAIL, M.N.A. & SHAMSIR, M.S. 2012. Counting in the dark : non-intrusive laser scanning for population counting and identifying roosting bats. *Scientific Reports* 524(2): 1-4.
- BADRANE, H. & TORDO, N. 2001. Host switching in Lyssavirus history from the Chiroptera to the Carnivora orders. *Journal of virology* 75(17): 8096-8104.
- BAERWALD, E.F. & BARCLAY, R.M.R. 2011. Patterns of activity and fatality of migratory bats at a wind energy facility in Alberta, Canada. *Journal of wildlife management* 75(5):1103-1114.
- BAI, Y., KOSOY, M., RECUENCO, S., ALVAREZ, D., MORAN, D., TURMELLE, A.S., ELLISON, J., GARCIA, D.L., ESTEVEZ, A., LINDBLADE, K. & RUPPRECHT, C.E. 2011. Bartonella spp. in bats, Guatemala. *Emerging Infectious Diseases* 17(7): 1269-1272.
- BAIGGER, A., PERONY, N., REUTER, M., LEINERT, V., MELBER, M., GRÜNBERGER, S., FLEISCHMANN, D. & KERTH, G. 2013. Bechstein's bats maintain individual social links despite a complete reorganisation of their colony structure. *Die Naturwissenschaften* 100: 895-898.
- BAKER, M., SCHOUNTZ, T. & WANG, L.F. 2013. Antiviral immune responses of bats : a review. *Zoonoses and Public Health* 60: 104-116.
- BALDWIN, H.J., HOGGARD, S.J., SNOYMAN, S., STOW, A.J. & BROWN, C. 2010. Non-invasive genetic sampling of faecal material and hair from the grey-headed flying-fox (*Pteropus poliocephalus*). *Australian Mammalogy* 32: 56-61.
- BAMBINI, L., KOFOKY, A., MBOHOAHY, T., RALISATA, M., MANJOAZY, T., HOSKEN, D.J. & JENKINS, R.K.B. 2011. Do bats need trees? Habitat use of two malagasy hipposiderid bats *Trienops furculus* and *T. menamena* in the dry southwest. *Hystrix* 22(1): 81-92.
- BARATAUD, M. & AULAGNIER, S. 2012. Pourquoi certaines espèces de chauves-souris s'associent-elles en essaims mixtes durant la mise bas et l'élevage des jeunes? Exemple en Limousin. *Arvicola* 20(2): 40-42.
- BARATAUD, M. & GIOSA, S. 2013. *Eptesicus guadeloupensis* : une espèce insulaire endémique en danger? *Rhinolophe* (19): 177-187.
- BARATAUD, M. & GIOSA, S. 2013. Identification et écologie acoustique des chiroptères de La Réunion. *Rhinolophe* (19): 147-175.

- BARATAUD, M. & TUPINIER, Y. 2012. Écologie acoustique des chiroptères d'Europe : identification des espèces, étude de leurs habitats et comportements de chasse. Mèze, Biotope; Paris, Publications scientifiques du Muséum: 344 p., 1 DVD (Inventaires & biodiversité).
- BARATAUD, M., DEMONTOUX, D., FAVRE, P., GIOSA, S. & GRANDADAM, J. 2013. Bioévaluation des peuplements de mélèze commun (*Larix decidua*) dans le parc national du Mercantour, par l'étude des chiroptères en activité de chasse. *Rhinolophe* (19): 59-86.
- BARATAUD, M., GIOSA, S., LEBLANC, F., RUFRAY, V., DISCA, T., TILLON, L., DELAVAL, M., HAQUART, A. & DEWYNTER, M. 2013. Identification et écologie acoustique des chiroptères de Guyane française. *Rhinolophe* (19): 103-145.
- BARATAUD, M., GRANDEMANGE, F., DURANEL, A. & LUGON, A. 2010. Etude d'une colonie de mise bas de *Myotis bechsteinii* Kuhl, 1817 - Sélection des gîtes et des habitats de chasse, régime alimentaire et implications dans la gestion de l'habitat forestier. *Le Rhinolophe* 18: 83-112.
- BARATAUD, M., JEMIN, J., GRUGIER, Y. & MAZAUD, S. 2012. Étude sur les territoires de chasse de *Rhinolophe euryale*, *Rhinolophus euryale*, en Corrèze, site Natura 2000 des Abîmes de la Fage. *Le Naturaliste Vendéen* 9: 43-55.
- BARCHI, J.R., KNOWLES, J.M. & SIMMONS, J.A. 2013. Spatial memory and stereotypy of flight paths by big brown bats in cluttered surroundings. *Journal of Experimental Biology* 216: 1053-1063.
- BARCLAY, R.M.R. 1983. Echolocation calls of emballonurid bats from Panama. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 151: 515-520.
- BARCLAY, R.M.R. 1985. Foraging behavior of the African insectivorous bat, *Scotophilus leucogaster*. *Biotropica* 17(1): 65-70.
- BARR, J.A., SMITH, C., MARSH, G.A., FIELD, H. & WANG, L.F. 2012. Evidence of bat origin for Menangle virus, a zoonotic paramyxovirus first isolated from diseased pigs. *Journal of General Virology* 93: 2590-2594.
- BARROS, M.A.S., RUI, A.M. & FABIAN, M.E. 2013. Seasonal variation in the diet of the bat *Anoura caudifer* (Phyllostomidae : Glossophaginae) at the southern limit of its geographic range. *Acta Chiropterologica* 15(1): 77-84.
- BARRY, C. & DOELLER, C.F. 2013. 3D mapping in the brain. *Science* 340: 279-280.
- BARTI, L. 2010. First record of *Pipistrellus kuhlii* (Chiroptera : Vespertilionidae) from Transylvania and a morphological approach to the *Lepidus* taxon. *Acta Siculica*: 155-168.
- BARTLETT, S.N., MACDONOUGH, M.M. & AMMERMAN, L.K. 2013. Molecular systematics of bonneted bats (Molossidae : Eumops) based on mitochondrial and nuclear DNA sequences. *Journal of Mammalogy* 94(4): 867-880.
- BARTONICKA, T. 2010. Survival rate of bat bugs (*Cimex pipistrelli*, Heteroptera) under different microclimatic conditions. *Parasitol Research* 107:827-833.
- BARTONICKA, T. & RUZICKOVA, L. 2012. Bat bugs (*Cimex pipistrelli*) and their impact on non-dwelling bats. *Parasitol Research* 111: 1233-1238.
- BARTONICKA, T. & RUZICKOVA, L. 2013. Recolonization of bat roost by bat bugs (*Cimex pipistrelli*) : could parasite load be a cause of bat roost switching? *Parasitol Research* 112: 1615-1622.
- BÄRTSCHI, D. 2001. Utilisation de l'habitat en milieu urbain, suburbain et rural en relation avec les éclairages publics par *Eptesicus nilssonii* et *Pipistrellus pipistrellus*. *Le Rhinolophe* 15: 157-165.
- BATES, P.J.J. & HARRISON, D.L. 2000. Bats of the Indian subcontinent. Amsterdam, Expert Center for Taxonomic Identification : 1 CD-ROM. (World Biodiversity Database CD-ROM Series).
- BAYLESS, M.L. 2012. Searching Texas caves for signs of WNS. *Bats* 30(3): 4-6.
- BEASLEY, L.J. & ZUCKER, I. 1984. Photoperiod influences the annual reproductive cycle of the male pallid bat (*Antrozous pallidus*). *Journal of reproduction and fertility* 70: 567-573.

- BEAUDROT, L., STRUEBIG, M.J., MEIJAARD, E., BALEN, S. van, HUSSON, S., YOUNG, C.F. & MARSHALL, A.J. 2013. Interspecific interactions between primates, birds, bats, and squirrels may affect community composition on Borneo. *American Journal of Primatology* 75: 170-185.
- BEC, J., PICQ, H. 2012. L'étude des transhumances de chauves-souris : deux points de suivis dans le Massif-Central en 2012. *L'envol des chiros* 13: 7-8.
- BECKER, N.I. & ENCARNAÇÃO, J.A. 2012. Cost-effectiveness of habitat-suitability maps using low-detailed data for elusive bat species. *European Journal of Wildlife Research* 58: 945-953.
- BECKER, N.I., ENCARNAÇÃO, J.A., TSCHAPKA, M. & KALKO, E.K.V. 2013. Energetics and life-history of bats in comparison to small mammals. *Ecological research* 28: 249-258.
- BECKER, N.I., TSCHAPKA, M., KALKO, E.K.V. & ENCARNAÇÃO, J.A. 2013. Balancing the energy budget in free-ranging male *Myotis daubentonii* bats. *Physiological and Biochemical Zoology* 86(3): 9 p.
- BEEKER, T.A., MILLENBAH, K.F., GORE, M.L. & LUNDRIGAN, B.L. 2013. Guidelines for creating a bat-specific citizen science acoustic monitoring program. *Human Dimensions of Wildlife* 18: 58-67.
- BEGUELINI, M.R., PUGA, C.C.I., MARTINS, F.F., BETOLI, A.H.S., TABOGA, S.R. & MORIELLE-VERSUTE, E. 2013. Morphological variation of primary reproductive structures in males of five families of neotropical bats. *The Anatomical Record* 296: 156-167.
- BEGUELINI, M.R., PUGA, C.C.I., TABOGA, S.R. & MORIELLE-VERSUTE, E. 2013. Annual reproductive cycle of males of the flat-faced fruit-eating bat, *Artibeus planirostris* (Chiroptera : Phyllostomidae). *General and Comparative Endocrinology* 185: 80-89.
- BELLAMY, C., SCOTT, C. & ALTRINGHAM, J. 2013. Multiscale, presence-only habitat suitability models : fine-resolution maps for eight bat species. *Journal of Applied Ecology* 50: 892-901.
- BELLO GUTIERREZ, J., SUZAN, G., HIDALGO-MIHART, M.C. & SALAS, G. 2010. Alopecia in bats from Tabasco, México. *Journal of Wildlife Diseases* 46(3): 1000-1004.
- BENDA, P. 2010. České vernakulární jmenosloví netopýru. I. Návrh úplného jmenosloví. = Czech vernacular nomenclature of bats. I. Proposal of complete nomenclature. *Vespertilio* 13-14: 263-308.
- BENDA, P. 2010. On a small collection of bats (Chiroptera) from western Sabah (North Borneo, East Malaysia). *Vespertilio* 13-14: 45-76.
- BENDA, P. & AULAGNIER, S. 2013. *Plecotus christii*: Christie's long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 663-664.
- BENDA, P. & AULAGNIER, S. 2013. *Plecotus gaisleri*: Gaisler's long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 664-666.
- BENDA, P. & CHVÁTAL, P. 2011. Výsledky monitoringu zimujících letounu (Chiroptera) v rozsedlinových jeskyních kanonu Labe v Labských pískovcích v letech 1995-2010 = Bats hibernating in fault caves of the Elbe river canyon in the Elbe sandstones in 1995-2010. *Sborník Severočeského Muzea Přírodní Vedy Scientiae Naturales* 29: 211-215.
- BENDA, P. & HANAK, V. 2003. Současný stav rozšíření netopýra brvitého (*Myotis emarginatus*) v Čechách. = Present state of distribution of the Geoffroy's bat (*Myotis emarginatus*) in Bohemia (Czech Republic). *Vespertilio* 7: 71-86.
- BENDA, P. & VALLO, P. 2012. New look on the geographical variation in *Rhinolophus clivosus* with description of a new horseshoe bat species from Cyrenaica, Libya. *Vespertilio* 16: 69-96.
- BENDA, P., ABI-SAID, M., BARTONICKA, T., BILGIN, R., FAIZOLAH, K., LUCAN, R.K., NICOLAOU, H., REITER, A., SHOHD, W.M., UHRIN, M. & HORÁČEK, I. 2011. *Rousettus aegyptiacus* (Pteropodidae) in the Palearctic : list of records and revision of the distribution range. *Vespertilio* 15: 3-36.

- BENDA, P., CERVENY, J., KONECNY, A., REITER, A., SEVCIK, M., UHRIN, M. & VALLO, P. 2010. Some new records of bats from Morocco (Chiroptera). *Lynx (Praha)* 41: 151-166.
- BENDA, P., DIETZ, C., ANDREAS, M., HOTOVY, J., LUCAN, R.K., MALTBY, A., MEAKIN, K., TRUSCOTT, J. & VALLO, P. 2008. Bats (Mammalia : Chiroptera) of the eastern Mediterranean and Middle East. Part 6. Bats of Sinai (Egypt) with some taxonomic, ecological and echolocation data on that fauna. *Acta Societatis Zoologicae Bohemicae* 72: 1-103.
- BENDA, P., HANAK, V. & CERVENY, J. 2011. Bats (Mammalia : Chiroptera) of the eastern Mediterranean and Middle East. Part 9. Bats from Transcaucasia and West Turkestan in collection of the National Museum, Prague. *Acta Societatis Zoologicae Bohemicae* 75: 159-222.
- BENDA, P., LUCAN, R.K., OBUCH, J., REITER, A., ANDREAS, M., BACKOR, P., BOHNENSTENGEL, T., EID, E.K., SEVCIK, M., VALLO & P., AMR, Z.S. 2010. Bats (Mammalia : Chiroptera) of the eastern Mediterranean and Middle East. Part 8. Bats of Jordan : fauna, ecology, echolocation, ectoparasites. *Acta Societatis Zoologicae Bohemicae* 74: 185-353.
- BENDA, P., REITER, A. & UHRIN, M. 2011. First record of *Nycteris macrotis* in Mauritania (Chiroptera : Nycteridae). *Lynx (Praha)* 42: 267-270.
- BENDA, P., REITER, A., REJL, J. & BARTA, F. 1997. Netopýři Železných hor. *Vespertilio* 2: 39-50.
- BENDA, P., VALLO, P. & REITER, A. 2011. Taxonomic revision of the genus *Asellia* (Chiroptera : Hipposideridae) with a description of a new species from southern Arabia. *Acta Chiropterologica* 13(2): 245-270.
- BENDA, P., VALLO, P., HULVA, P. & HORÁČEK, I. 2012. The Egyptian fruit bat *Rousettus aegyptiacus* (Chiroptera : Pteropodidae) in the Palaearctic : geographical variation and taxonomic status. *Biologia* 67(6): 1230-1244.
- BENDJEDDOU, M.L., BITAM, I., ABIADH, A., BOUSLAMA, Z. & AMR, Z.S. 2013 New records of arthropod ectoparasites of bats from north-eastern Algeria. *Jordan Journal of Biological Sciences* 6(4): 324-327.
- BENNETT, V. J. & ZURCHER, A.A. 2013. When corridors collide : road-related disturbance in commuting bats. *Journal of wildlife management* 77(1): 93-101.
- BENNETT, V. J., SPARKS, D.W. & ZOLLNER, P.A. 2013. Modeling the indirect effects of road networks on the foraging activities of bats. *Landscape Ecology* 28: 979-991.
- BERGMANS, W. 2013. *Epomophorus anselli*: Ansell's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 238-240.
- BERNARD, R.T.F. 2013. *Myotis tricolor*: Temminck's myotis (Temminck's hairy bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 706-708.
- BERNARD, R.T.F. 2013. *Rhinolophus capensis*: cape horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 314-316.
- BERNARD, R.T.F. & HAPPOLD, M. 2013. *Hipposideros caffer*: Sundevall's leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 375-378.
- BERNARD, R.T.F. & HAPPOLD, M. 2013. *Miniopterus fraterculus*: lesser long-fingered bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 712-714.
- BERNARD, R.T.F. & HAPPOLD, M. 2013. *Miniopterus natalensis*: natal long-fingered bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 718-721.
- BERNARD, R.T.F. & HAPPOLD, M. 2013. *Nycteris thebaica*: Egyptian slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 457-460.

- BERNARD, R.T.F. & HAPPOLD, M. 2013. *Rhinolophus clivosus*: Geoffroy's horseshoe bat (Cretzschmar's horseshoe bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 316-318.
- BERNARD, R.T.F. & HAPPOLD, M. 2013. *Tadarida aegyptiaca*: Egyptian free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 490-493.
- BESSA, T.A.F., SPICHLER, A., BERARDIS CHAPOLA, E.G., HUSCH, A.C., DE ALMEIDA, M.F., SODRE, M.M., SAVANI, E.S.M.M., SACRAMENTO, D.R.V. & VINETZ, J.M. 2010. The contribution of bats to Leptospirosis transmission in São Paulo city, Brazil. *American Journal of Tropical Medicine and Hygiene* 82(2): 315-317.
- BETTS, B.J. 2010. Thermoregulatory mechanisms used in a maternity colony of townsend's big-eared bats in northeastern Oregon. *Northwestern Naturalist* 91: 288-298.
- BICKNELL, L.J. & GILLAM, E. 2013. Survey of bat mortalities at a wind-energy facility in North Dakota. *Journal of Fish and Wildlife Management* 4(1): 139-143.
- BIEDERMANN, M., DIETZ, M. & SCHORCHT, W. 2008. From a "Plattenbau" block of flats into a tower for bats : a report with hints for planning. Laubach-Gonterskirchen, Institut für Tierökologie und Naturbildung: 26 p.
- BIEGALA, L. & RIDEAU, C. 2012. Comment étudier la migration de la Pipistrelle de Nathusius et des autres chiroptères, dans l'Ouest de la France? *Le Naturaliste Vendéen* 9: 57-60.
- BIESOLD, S.E., RITZ, D., GLOZA, F., WOLLNY, R., DREXLER, J.F., CORMAN, V.M., KALKO, E.K.V., OPPONG, S.K., DROSTEN, C. & MÜLLER, M.A. 2011. Type I interferon reaction to viral infection in interferon-competent, immortalized cell lines from the African fruit bat *Eidolon helvum*. *PLoS One* 6(11): 1-11.
- BILGIN, R., GÜRÜN, K., MARACI, O., FURMAN, A., HULVA, P., CORAMAN, E., LUCAN, R.K., BARTONICKA, T. & HORÁČEK, I. 2012. Syntopic occurrence in Turkey supports separate species status for *Miniopterus schreibersii schreibersii* and *M. schreibersii pallidus* (Mammalia : Chiroptera). *Acta Chiropterologica* 14(2): 279-289.
- BILGIN, R., KESISOGLU, A. & REBELO, H. 2012. Distribution patterns of bats in the eastern Mediterranean region through a climate change perspective. *Acta Chiropterologica* 14(2): 425-437.
- BILLETER, S., HAYMAN, D.T.S., PEEL, A.J., BAKER, K., WOOD, J.L.N., CUNNINGHAM, A.A., SUU-IRE, R., DITTMAR, K. & KOSOY, M. 2012. Bartonella species in bat flies (Diptera : Nycteribiidae) from western Africa. *Parasitology* 139: 324-329.
- BIONDI, K.M., BELANT, J.L., DEVAULT, T.L., MARTIN, J.A. & WANG, G. 2013. Bat incidents with U.S. civil aircraft. *Acta Chiropterologica* 15(1): 185-192.
- BLAES, G. 1681. *Anatome animalium, terrestrium variorum, volatilium, aquatilium, serpentum, insectorum, ovorumque, structuram naturalem*. Amstelodami, Joanis A Someren: 494 p.
- BLEHERT, D.S., LORCH, J.M., BALLMANN, A.E., CRYAN, P.M. & UPHOFF METEYER, C. 2011. Bat white-nose syndrome in North America. *Microbe* 6(6): 267-273.
- BLUMENBACH, J.F. 1821. *Handbuch der Naturgeschichte*. Göttingen, Dieterichten Buchhandlung: 813 p.
- BOBROWIEC, P.E.D. 2012. A Chiroptera preliminary survey in the middle Madeira River region of central Amazonia, Brazil. *Mammalia* 76(12): 277-283.
- BODENHAMER, R. & POLLAK, G.D. 1983. Response characteristics of single units in the inferior colliculus of mustache bats to sinusoidally frequency modulated signals. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 153: 67-79.
- BOGDANOWICZ, W., LESIŃSKI, G., SADKOWSKA-TODYS, M., GAJEWSKA, M. & RUTKOWSKI, R. 2013. Population genetics and bat rabies : a case study of *Eptesicus serotinus* in Poland. *Acta Chiropterologica* 15(1): 35-56.

- BOHMANN, K., MONADJEM, A., LEHMKUHL NOER, C., RASMUSSEN, M., ZEALE, M.R.K., CLARE, E.L., JONES, G., WILLERSLEV, E. & GILBERT, M.T.P. 2011. Molecular diet analysis of two African free-tailed bats (Molossidae) using high throughput sequencing. *PLoS One* 6(6): 11 p.
- BOHN, K.M., MOSS, C.F. & WILKINSON, G.S. 2009. Pup guarding by greater spear-nosed bats. *Behavioral Ecology and Sociobiology*. 11p.
- BOHN, K.M., SMARSH, G.C. & SMOTHERMAN, M. 2013. Social context evokes rapid changes in bat song syntax. *Animal Behaviour* 85: 1485-1491.
- BOHNENSTENGEL, T. 2012. Roost selection by the forest-dwelling bat *Myotis bechsteinii* (Mammalia : Chiroptera) : implications for its conservation in managed woodlands. *Bulletin de la Société neuchâtoise des sciences naturelles* 132: 47-62.
- BOIREAU, J. 2012. Bilan de la première année (2008) du contrat Nature Chauves-souris de Bretagne. *Le Naturaliste Vendéen* 9: 87-95.
- BOIREAU, J. & NICOLAS, N. 2001. Les chauves-souris en presqu'île de Crozon : Bilan de 10 ans d'études et de suivi par le Groupe Mammalogique Breton. *Avel Gornog* 9: 36-42.
- BOLIVAR CIME, B., CUXIM-KOYOC, A., MACSWINEY, M.C. & LABORDE, J. 2013. Ampliación de la distribución geográfica de *Lamproncyteris brachyotis* en la península de Yucatán. *Revista Mexicana de Biodiversidad* 84: 402-405.
- BONJEAN, C. 2012. Etude des gîtes et terrains de chasse de la Barbastelle en Basse-Normandie : derniers résultats en exclusivité. *L'envol des chiros* 13: 8.
- BOONMAN, M. 2011. Factors determining the use of culverts underneath highways and railway tracks by bats in lowland areas. *Lutra* 54(1): 3-16.
- BORATYNSKI, J.S., RUSINSKI, M., KOKUREWICZ, T., BERESZYNSKI, A. & WOJCIECHOWSKI, M. 2012. Clustering behavior in wintering greater mouse-eared bats *Myotis myotis* - the effect of micro-environmental conditions. *Acta Chiropterologica* 14(2): 417-424.
- BORCHERING, R.K., LIU, H., STEINHAUS, M.C., GARDNER, C.L. & KUANG, Y. 2012. A simple spatiotemporal rabies model for skunk and bat interaction in northeast Texas. *Journal of Theoretical and Experimental Biology* 314: 16-22.
- BORDIGNON, M.O. & DE OLIVEIRA FRANCA, A. 2012. Comunidade de morcegos (Mammalia, Chiroptera) no Refúgio de Vida Silvestre Mata do Junco, Sergipe, nordeste do Brasil. *Biota Neotropica* 12(4): 61-67.
- BORKIN, K.M. & PARSONS, S. 2009. Long-tailed bats' use of a *Pinus radiata* stand in Kinleith Forest : recommendations for monitoring. *New Zealand Journal of Forestry* 53(4): 38-43.
- BORKIN, K.M. & PARSONS, S. 2010. Plantation forests are used by the lesser short-tailed bat, *Mystacina tuberculata rhyacobia*. *New Zealand Journal of Zoology* 37(1): 13-17.
- BORKIN, K.M. & PARSONS, S. 2010. The importance of exotic plantation forest for the New-Zealand long-tailed bat (*Chalinolobus tuberculatus*). *New Zealand Journal of Zoology* 37(1): 35-51.
- BORKIN, K.M. & PARSONS, S. 2011. Sex-specific roost selection by bats in clearfell harvested plantation forest : improved knowledge advises management. *Acta Chiropterologica* 13(2): 373-383.
- BOSTON, E., ROUE, S.G., MONTGOMERY, W.I. & PRODÖHL, P. 2012. Kinship, parentage, and temporal stability in nursery colonies of Leisler's bat (*Nyctalus leisleri*). *Behavioral Ecology and Sociobiology* 23(5): 1015-1021.
- BOTVINKIN, A.D. 2011. Fatal human cases of rabies in Eurasia after contacts with bats. *Plecotus et al.* 14: 75-86.
- BOTVINKIN, A.D., IVUSHKIN, V.E. & IVUSHKINA, L.E. 2011. New findings of the particoloured bat in Baikal region. *Plecotus et al.* 14: 55-59.
- BOUGARIANE, B., ZOUHRI, S., OUCHAOU, B., OUJAA, A. & BOUDAD, L. 2010. Large mammals from the Upper Pleistocene at Tamaris I "Grotte des gazelles" (Casablanca, Morocco) : paleoecological and biochronological implications. *Historical biology* 22(1-3): 295-302.

- BOURRAQUI-SARRÉ, L. 2013. Première donnée d'oreillard montagnard en Ariège. *L'envol des chiros* 15: 4.
- BOUTOLLEAU, D., HOUBOU, N., DEBACK, C., AGUT, H. & BRUN-VÉZINET, F. 2010. Marburg virus in fruit bat, Kenya. *Emerging Infectious Diseases* 16(2): 352-354.
- BOWDICH, T.E. 1826. Excursions dans les isles de Madère et de Porto-Rico faites dans l'automne de 1823, pendant son troisième voyage en Afrique. Paris, F.G. Levrault: 447 p.
- BOYLE, S. & SANDERSON, K. 2011. Insectivorous bat activity in the Adelaide hills wine region. *South Australian naturalist* 85(1): 26-32.
- BOYLE, S., DELANEY, S., DELANEY, S. & SANDERSON, K. 2010. Anabat surveys at Sinclair Gully vineyard and adjacent woodland. *South Australian naturalist* 84(2): 76-79.
- BOYLES, J.G. & WILLIS, C.K.R. 2010. Could localized warm areas inside cold caves reduce mortality of hibernating bats affected by white-nose syndrome? *Frontiers in Ecology and the Environment* 8(2): 92-98.
- BOYLES, J.G., CRYAN, P.M., MACCRACKEN, G.F. & KUNZ, T.H. 2011. Economic importance of bats in agriculture. *Science* 332: 41-42.
- BRACCO, S. 2012. Protection des gîtes à chiroptères en Deux-Sèvres. *Le Naturaliste Vendéen* 9: 129-134.
- BRAUN DE TORREZ, E. 2011. Pecan orchards welcome bats : and bats return the favor. *Bats* 29(2): 2-4.
- BRAVO, A., HARMS, K.E. & EMMONS, L.H. 2010. Puddles created by geophagous mammals are potential mineral sources for frugivorous bats (Stenodermatinae) in the Peruvian Amazon. *Journal of tropical ecology* 26: 173-184..
- BRAVO, A., HARMS, K.E. & EMMONS, L.H. 2012. Keystone resource (Ficus) chemistry explains lick visitation by frugivorous bats. *Journal of Mammalogy* 93(4): 1099-1109.
- BRAY, T.C., MOHAMMED, O.B. & ALAGAILI, A.N. 2013. Phylogenetic and demographic insights into Kuhl's pipistrelle, *Pipistrellus kuhlii*, in the Middle East. *PLoS One* 8(2): 7 p.
- BREED, A.C., BREED, M.F., MEERS, J. & FIELD, H. 2011. Evidence of endemic hendra virus Infection in flying-foxes (*Pteropus conspicillatus*)—Implications for disease risk management. *PLoS One* 6(12): 1-7.
- BREED, A.C., YU, M., BARR, J.A., CRAMERI, G., THALMANN, C.M. & WANG, L.F. 2010. Prevalence of henipavirus and rubulavirus antibodies in pteropid bats, Papua New Guinea. *Emerging Infectious Diseases* 16(12): 1997-1999.
- BRENNER, J., OURA, C., ASIS, I., MAAN, S., ELAD, D., MAAN, N., FRIEDGUT, O., NOMIKOU, K., ROTENBERG, D., BUMBAROV, V., MERTENS, P., HAGAI, Y. & BATTEN, C. 2010. Rabies virus RNA in naturally infected vampire bats, northeastern Brazil. *Emerging Infectious Diseases* 16(12): 2004-2006.
- BRESSLAU, E. [1920]. *The mammary apparatus of the Mammalia : in the light of ontogenesis and phylogenesis*. London, Methuen: 145 p.
- BRIGHAM, R.M., WILLIS, C.K.R., GEISER, F. & MZILIKAZI, N. 2011. Baby in the bathwater : should we abandon the use of body temperature thresholds to quantify expression of torpor? *Journal of Thermal Biology* 36: 376-379.
- BRINKLØV, S., KALKO, E.K.V. & SURLYKKE, A. 2010. Dynamic adjustment of biosonar intensity to habitat clutter in the bat *Macrophyllum macrophyllum* (Phyllostomidae). *Behavioral Ecology and Sociobiology* 64: 1867-1874.
- BRITZKE, E.R., GILLAM, E. & MURRAY, K.L. 2013. Current state of understanding of ultrasonic detectors for the study of bat ecology. *Acta Theriologica* 58: 109-117.
- BRITZKE, E.R., LOEB, S.C., ROMANEK, C., HOBSON, K.A. & VONHOF, M.J. 2012. Variation in catchment areas of Indiana bat (*Myotis sodalis*) hibernacula inferred from stable hydrogen (d2H) isotope analysis. *Canadian journal of zoology = Revue canadienne de zoologie* 90: 1243-1250.

- BRITZKE, E.R., SLACK, B.A., ARMSTRONG, M.P. & LOEB, S.C. 2010. Effects of orientation and weatherproofing on the detection of bat echolocation calls. *Journal of Fish and Wildlife Management* 1(2): 136-141.
- BROCK, A.P., CORTÉS-HINOJOSA, G., PLUMMER, C.E., CONWAY, J.A., ROFF, S.R., CHILDRESS, A.L. & WELLEHAN, J.F.X. 2013. A novel gammaherpesvirus in a large flying fox (*Pteropus vampyrus*) with blepharitis. *Journal of Veterinary Diagnostic Investigation* 25(3): 433-437.
- BROCK, A.P., HALL, N.H., COOKE, K.L., REESE, D.J., EMERSON, J.A. & WELLEHAN, J.F.X. 2013. Diagnosis and management of atypical hypoadrenocorticism in a variable flying fox (*Pteropus hypomelanus*). *Journal of Zoo and Wildlife Medicine* 44(2): 517-519.
- BROWN, P.E., GRINNELL, A.D. & HARRISON, J.B. 1978. The development of hearing in the pallid bat, *Antrozous pallidus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 126: 169-182.
- BROWN, V.A. 2011. Pests on the menu for bat-house bats. *Bats* 29(2): 5.
- BRUNET-ROSSINI, A.K. & AUSTAD, S.N. 2004. Ageing studies on bats : a review. *Biogerontology* 5: 211-222.
- BRUNS, V. 1976. Peripheral auditory tuning for fine frequency analysis by the CF-FM bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 106: 77-86.
- BUCKLEY, D.J., LUNDY, M.G., BOSTON, E., SCOTT, D.D., GAGER, Y., PRODÖHL, P., MARNELL, F., MONTGOMERY, W.I. & TEELING, E.C. 2012. The spatial ecology of the whiskered bat (*Myotis mystacinus*) at the western extreme of its range provides evidence of regional adaptation. *Mammalian biology*.
- BUFKA, L. & CERVENY, J. 2012. Population increase of *Rhinolophus hipposideros* in the Šumava Mts. Region, SW Bohemia. *Vespertilio* 16: 115-130.
- BULLEN, R.D., MACKENZIE, N.L. & SPOELSTRA, G. 2013. Can some Australian bats take advantage of flat-plate aerodynamics? *Acta Chiropterologica* 15(1): 171-184.
- BUMRUNGSRI, S., LANG, D., HARROWER, C., SRIPAORAYA, E., KITPIPIT, K. & RACEY, P.A. 2013. The dawn bat, *Eonycteris spelaea* Dobson (Chiroptera : Pteropodidae) feeds mainly on pollen of economically important food plants in Thailand. *Acta Chiropterologica* 15(1): 95-104.
- BURNS, E.S., TÓTH, S.F. & HAIGHT, R.G. 2013. A modeling framework for life history-based conservation planning. *Biological Conservation* 158: 14-25.
- BUSSE, R. von, SWARTZ, S.M. & VOIGT, C.C. 2013. Flight metabolism in relation to speed in Chiroptera : testing the U-shape paradigm in the short-tailed fruit bat *Carollia perspicillata*. *Journal of Experimental Biology* 216: 2073-2080.
- BYRNES, D.G.P. 2012. Book reviews. *Island bats* by Theodore H. Fleming and Paul A. Racey (Eds.). *Bat Research News* 53(2): 22-24.
- CABRAL, A.D., GAMA, A.R., SODRE, M.M., SAVANI, E.S.M.M., GALVÃO-DIAS, M.A., JORDAO, L., MAEDA, M.M., YAI, L.E.O., GENNARI, S.M. & PENA, H.F.J. 2013. First isolation and genotyping of *Toxoplasma gondii* from bats (Mammalia : Chiroptera). *Veterinary Parasitology* 193: 100-104.
- CAIRE, W. & SAMANIE LOUCKS, L.M. 2010. Loss in mass by hibernating cave myotis, *Myotis velifer* (Chiroptera : Vespertilionidae) in western Oklahoma. *The Southwestern Naturalist* 55(3): 323-330.
- CAKENBERGHE, V. van & BENDA, P. 2013. *Pipistrellus deserti*: desert pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 619-621.
- CAKENBERGHE, V. van & BENDA, P. 2013. *Pipistrellus kuhlii*: Kuhl's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 633-635.

- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Eptesicus bottae*: Botta's serotine. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 552-554.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Eptesicus floweri*: horn-skinned serotine. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 554-555.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Eptesicus platyops*: Lagos serotine. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 557-558.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. Genus *Eptesicus*: serotines. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 550-552.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. Genus *Pipistrellus*: pipistrelles. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 600-608.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. Genus *Scotophilus*: house bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 672-674.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Nycteris aurita*: Andersen's slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 444-445.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus aero*: Mt Guargues pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 608-610.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus ariel*: fairy pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 611-613.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus eisentrauti*: Eisentraut's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 621-623.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus grandidieri*: yellow pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 623-624.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus guineensis*: Guinean pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 624-626.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus inexpectatus*: Aellen's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 631-633.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus musculus*: mouse-like pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 637-638.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus nanulus*: tiny pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 638-639.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus permixtus*: Dar-es-Salaam pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 642-643.

- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus rendalli*: Rendall's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 645-647.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Pipistrellus somalicus*: Somali pipistrelle (Somali serotine). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 653-655.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Scotophilus leucogaster*: white-bellied house bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 676-678.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Scotophilus nucella*: Robbin's house bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 680-681.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Scotophilus nux*: nut-coloured house bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 681-682.
- CAKENBERGHE, V. van & HAPPOLD, M. 2013. *Scotophilus viridis*: green house bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 682-684.
- CAKENBERGHE, V. van & SEAMARK, E.C.J. 2013. Recent changes in African bat taxonomy (2012-2013). Part II African Bat Conservation News 32: 2.
- CALDAS DOS SANTOS, C.L., GREGORIN, R. & MACÁRIO REBÊLO, J. M. 2012. First record of *Saccopteryx gymnura* (Chiroptera, Emballonuridae) in an ecotonal area of eastern Amazonian Brazil. *Mammalia* 76: 341-343.
- CALDERÓN, W. & PACHECO, V. 2012. First report of *Artibeus bogotensis* Andersen, 1906 (Chiroptera : Phyllostomidae) for Peru. *Check List* 8(6): 1333-1336.
- CALVERT, A.W. & NEISWENTER, S.A. 2012. Bats in riparian-restoration sites along the lower Colorado river, Arizona. *The Southwestern Naturalist* 57(3): 340-342.
- CAMPANHA, R.A. & FOWLER, H.G. 1993. Roosting assemblages of bats in arenitic caves in remnant fragments of Atlantic forest in Southeastern Brazil. *Biotropica* 25(3): 362-365.
- CAMPRODÓN, J. & GUIXÉ, D. 2012. Bats as indicators of riparian forests conservation : comparative cost -efficiency with other zoological groups. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 86.
- CANUTI, M., EIS-HUEBINGER, A.M., DEIJS, M., DE VRIES, M., DREXLER, J.F., OPPONG, S.K., MÜLLER, M.A., KLOSE, S.M., WELLINGHAUSEN, N., COTTONTAIL, V.M., KALKO, E.K.V., DROSTEN, C. & HOEK, L. van der 2011. Two novel parvoviruses in frugivorous New and Old World bats. *PLoS One* 6(12): 1-9.
- CARDIFF, S.G., RATRIMOMANARIVO, F. & GOODMAN, S.M. 2012. The effect of tourist visits on the behavior of *Rousettus madagascariensis* (Chiroptera : Pteropodidae) in the caves of Ankarana, northern Madagascar. *Acta Chiropterologica* 14(2): 479-490.
- CARRAVIERI, A. & SCHEIFLER, R. 2013. Effets des substances chimiques sur les chiroptères : synthèse bibliographique. *Rhinolophe* (19): 1-46.
- CARSON, M.K. & UHLMAN, T. [photogr.] 2010. *The bat scientists*. Boston, New York, Houghton Mifflin Harcourt (Scientists in the field): 79 p.
- CARTER, G.G. & WILKINSON, G.S. 2013. Food sharing in vampire bats : reciprocal help predicts donations more than relatedness or harassment. *Proceedings of the Royal Society of London. Series B : Biological sciences* 280: 6 p.
- CASTAÑO, J.H. & CORRALES, J.D. 2007. Primer registro de *Centronycteris centralis* (Chiroptera : emballonuridae) en los Andes colombianos. *Mastozoología Neotropical* 14(1): 69-72.

- CASTILHO, J.G., CARNIELI, P. Jr., OLIVEIRA, R.N., FAHL, W.O., CAVALCANTE, R., SANTANA, A.A., ROSA, W.L.G.A., CARRIERI, M.L. & Kotait, I. 2010. A comparative study of rabies virus isolates from hematophagous bats in Brazil. *Journal of Wildlife Diseases* 46(4): 1335-1339.
- CATENAZZI, A. & DONNELLY, M.A. 2008. Sea lion *Otaria flavescens* as host of the common vampire bat *Desmodus rotundus*. *Marine Ecology Progress Series* 360: 285-289.
- CATZEFLIS, F., DEWYNTER, M. & PINEAU, K. 2013. Liste taxonomique commentée des chiroptères de Guyane. *Rhinolophe* (19): 89-102.
- CAVALLINI-SANCHES, E.M., FERREIRO, L., PINTO DE ANDRADE, C., PACHECO, S.M., SANTURIO, J.M., LOPES ALMEIDA, L., SPANAMBERG, A. & WISSMANN, G. 2012. Real-time PCR and nested-PCR assays for detection of *Pneumocystis* sp. in lung tissues of bats. *Acta Scientiae Veterinariae* 40(4): 1070.
- CAWTHEN, L. 2013. White-striped freetail bat in Tasmania – resident, vagrant or climate change migrant? *Australian Mammalogy* : 4 p.
- CAWTHEN, L., UTESCH, M., KOCH, N. & MUNKS, S. 2012. Insectivorous bat activity in timber production forests in the headwaters of the South Esk River, North East Tasmania. *The Australian zoologist* 36(1): 1-4.
- CHAMBERS, C.L. 2012. Nicaragua : now the land of 100 bat species. *Bats* 30(3): 7-9.
- CHAPMAN, J.W. 2012. The use of radars to monitor migration strategies of moths. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 32-35.
- CHARBONNEAU, P., JULIEN, J.-R. & TREMBLAY, G. 2011. Premier inventaire de chiroptères sur l'île aux Basques. *Le naturaliste canadien* 135(1): 53-62.
- CHATTOPADHYAY, B., GARG, K.M., KUMAR, V.A.K., SWAMI DOSS, P., RAMAKRISHNAN, U. & KANDULA, S. 2012. Sibling species in South Indian populations of the rufous horse-shoe bat *Rhinolophus rouxii*. *Conservation genetics* 13: 1435-1445.
- CHATTOPADHYAY, B., SCHULLER, G., GARG, K.M. & KANDULA, S. 2010. A new phonic type of the rufous horseshoe bat *Rhinolophus rouxii* from southern India. *Current Science (Bangalore)* 99(1): 114-118.
- Chauve-Souris Auvergne. 2012. Bilan du suivi des colonies de reproduction des espèces inscrites à l'annexe II en Auvergne en 2012. *L'envol des chiros* 13: 7.
- Chauve-Souris Auvergne. 2013. Atlas des mammifères d'Auvergne : le volet chauve-souris avance! *Mammifères sauvages* 65: 14.
- Chauve-Souris Auvergne. 2013. Refuge pour les chauves-souris en Auvergne, le projet Cavarnac en route! *L'envol des chiros* 14: 9.
- CHAVERRI, G. & KUNZ, T.H. 2011. Response of a specialist bat to the loss of a critical resource. *PLoS One* 6(12): 1-10.
- CHAVERRI, G., GILLAM, E. & KUNZ, T.H. 2012. A call-and-response system facilitates group cohesion among disc-winged bats. *Behavioral Ecology*: 7 p.
- CHEN, S.-F., JONES, G. & ROSSITER, S.J. 2008. Sex-biased gene flow and colonization in the Formosan lesser horseshoe bat : inference from nuclear and mitochondrial markers. *Journal of Zoology, London* 274: 207-215.
- CHEN, Y., SHEN, B., ZHANG, J., JONES, G. & HE, G. 2013. Cloning and molecular evolution of the aldehyde dehydrogenase 2 gene (*Aldh2*) in bats (Chiroptera). *Biochemical Genetics* 51: 7-19.
- CHENAVAL, N. & LELANT, V. 2010. Première mention de la pipistrelle pygmée *Pipistrellus pygmaeus* (Leach, 1825) (Chiroptera : Vespertilionidae) en Loire-Atlantique (France). *Bulletin de la Société des sciences naturelles de l'Ouest de la France* 32(2): 73-75.

- CHIU, C., REDDY, P.V., XIAN, W., KRISHNAPRASAD, P.S. & MOSS, C.F. 2010. Effects of competitive prey capture on flight behavior and sonar beam pattern in paired big brown bats, *Eptesicus fuscus*. *Journal of Experimental Biology* 213: 3348-3356.
- CHOQUENE, G.-L. 2012. Bilan des connaissances bretonnes sur le phénomène du swarming. *Le Naturaliste Vendéen* 9: 115-122.
- CLARE, E.L., BARBER, B.R., SWEENEY, B.W., HEBERT, P.D.N. & FENTON, M.B. 2011. Eating local : influences of habitat on the diet of little brown bats (*Myotis lucifugus*). *Molecular Ecology* 20: 1772-1780.
- CLARK, D.R. Jr., WENNER, A.S. & MOORE, J.F. 1986. Metal residues in bat colonies, Jackson County, Florida, 1981-1983. *Florida Field Naturalist* 14: 38-45.
- CLEMENT, M.J. & CASTLEBERRY, S.B. 2013. Estimating density of a forest-dwelling bat: a predictive model for Rafinesque's big-eared bat. *Population Ecology* 55: 205-215.
- CLEMENT, M.J. & CASTLEBERRY, S.B. 2013. Southeastern *Myotis* (*Myotis austroriparius*) roost selection in cypress-gum swamps. *Acta Chiropterologica* 15(1): 133-141.
- COHEZ, V. 2012. Découverte en Nord-Pas-de-Calais de la première colonie de reproduction française du Murin des marais (*Myotis dasycneme*). *L'envol des chiros* 13: 5.
- COLES, R., GUPPY, A., ANDERSON, M.E. & SCHLEGEL, P. 1989. Frequency sensitivity and directional hearing in the gleaning bat, *Plecotus auritus* (Linnaeus 1758). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 165: 269-280.
- CORCORAN, A.J. & CONNER, W.E. 2012. Sonar jamming in the field : effectiveness and behavior of a unique prey defense. *Journal of Experimental Biology* 215: 4278-4287.
- CORCORAN, A.J., BARBER, J.R., HRISTOV, N. & CONNER, W.E. 2011. How do tiger moths jam bat sonar? *Journal of Experimental Biology* 214: 2416-2425.
- CORNELIS, F. 2011. First recording of the soprano pipistrelle (*Pipistrellus pygmaeus*) in the Netherlands. *Lutra* 54(2): 89-97.
- CORNELISON, C. 2013. The enemy of my enemy is my friend : a new hope in the battle against WNS? *Bats* 31(2): 2-4.
- COSTA, L.M. & ESBERARD, C.E.L. 2011. *Desmodus rotundus* (Mammalia : Chiroptera) on the southern coast of Rio de Janeiro state, Brazil. *Brazilian Journal of Biology* 71(3): 739-746.
- COTTERILL, F.P.D. 2013. *Kerivoula argentata*: Damara woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 726-727.
- COTTERILL, F.P.D. 2013. *Kerivoula lanosa*: lesser woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 730-731.
- COTTERILL, F.P.D. 2013. *Nycteris parisii*: Parisi's slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 456-457.
- COTTERILL, F.P.D. 2013. *Nycteris woodi*: Wood's slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 461-463.
- COTTERILL, F.P.D. 2013. *Rhinolophus denti*: Dent's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 322-323.
- COTTERILL, F.P.D. 2013. *Rhinolophus eloquens*: eloquent horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 323-325.
- COTTERILL, F.P.D. 2013. *Rhinolophus sakejiensis*: Sakejii horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 348-350.
- COTTERILL, F.P.D. 2013. *Rhinolophus silvestris*: forest horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 350-351.

- COTTERILL, F.P.D. 2013. *Rhinolophus swinnyi*: Swinny's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 353-355.
- COTTERILL, F.P.D. 2013. *Sauromys petrophilus*: Roberts's flat-headed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 486-487.
- COTTERILL, F.P.D. 2013. *Tadarida ansorgei*: Ansorge's free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 495-497.
- COTTERILL, F.P.D. 2013. *Tadarida bivittata*: spotted free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 499-501.
- COTTERILL, F.P.D. 2013. *Tadarida fulminans*: Madagascan free-tailed bat (Malagasy free-tailed bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 511-513.
- COTTERILL, F.P.D. 2013. *Tadarida gallagheri*: Gallagher's free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 513-515.
- COTTERILL, F.P.D. 2013. *Tadarida lobata*: big-eared free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 515-516.
- COTTERILL, F.P.D. 2013. *Tadarida niveiventer*: white-bellied free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 525-526.
- COTTERILL, F.P.D. 2013. *Tadarida ventralis*: giant free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 539-540.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Eptesicus hottentotus*: long-tailed serotine. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 555-557.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Nycteris macrotis*: large-eared slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 451-453.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Rhinolophus darlingi*: Darling's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 318-320.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Rhinolophus fumigatus*: Rüppell's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 329-331.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Rhinolophus hildebrandtii*: Hildebrandt's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 332-334.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Rhinolophus simulator*: Bushveld horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 351-353.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Tadarida midas*: Midas free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 518-520.
- COTTERILL, F.P.D. & HAPPOLD, M. 2013. *Tadarida nigeriae*: Nigerian free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 523-525.
- CPEPESC Lorraine. 2010. *Connaître et protéger les chauves-souris de Lorraine*. CEPEPESC Lorraine : 1 CD-ROM.

- CROME, F.H. & RICHARDS, G.C. 1988. Bats and gaps : microchiropteran community structure in a Queensland rain forest. *Ecology* 69(6): 1960-1969.
- CRYAN, P.M., UPHOFF METEYER, C., BOYLES, J.G. & BLEHERT, D.S. 2013. White-nose syndrome in bats : illuminating the darkness. *BMC Biology* 11(47): 4 p.
- CUEVA SALCEDO, H. de la, FENTON, M.B., HICKEY, M.B.C. & BLAKE, R.W. 1995. Energetic consequences of flight speeds of foraging red and hoary bats (*Lasiurus borealis* and *Lasiurus cinereus* ; Chiroptera : Vespertilionidae). *Journal of Experimental Biology* 198: 2245-2251.
- CUI, J., COUNOR, D., SHEN, D., SUN, G., HE, H., DEUBEL, V. & ZHANG, S. 2008. Detection of Japanese encephalitis virus antibodies in bats in southern China. *American Journal of Tropical Medicine and Hygiene* 78(6): 1007-1011.
- Cui, J., PAN, Y.-H., ZHANG, Y., JONES, G. & ZHANG, S. 2011. Progressive pseudogenization : vitamin C synthesis and its loss in bats. *Molecular biology and evolution* 28(2): 1025–1031.
- CURRAN, M., KOPP, M., BECK, J. & FAHR, J. 2012. Species diversity of bats along an altitudinal gradient on Mount Mulanje, southern Malawi. *Journal of tropical ecology* 28: 243-53.
- CUVIER, F. 1825. Des dents des mammifères considérées comme caractères zoologiques. Strasbourg [etc.], F.G. Levrault [etc.]: 258 p.
- CZAPLEWSKI, N.J., RINCON, A.D. & MORGAN, G.S. 2005. Fossil bat (Mammalia : Chiroptera) remains from Inciarte Tar Pit, Sierra de Perijá, Venezuela. *Caribbean Journal of Science* 41(4): 768-781.
- CZENZE, Z.J., PARK, A.D. & WILLIS, C.K.R. 2013. Staying cold through dinner : cold-climate bats rewarm with conspecifics but not sunset during hibernation. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 183: 859-866.
- CZENZE, Z.J., WONG, S.N.P. & WILLIS, C.K.R. 2011. Observations of eastern red bats (*Lasiurus borealis*) 160 kilometers from the coast of Nova Scotia. *Bat Research News* 52(2): 28-30.
- DA CUNHA CARVALHO, L.F.A., DA CUNHA, N.L., FISCHER, E. & FERREIRA SANTOS, C. 2011. Predation on broad-eared bat *Nyctinomops laticaudatus* by the spectacled owl *Pulsatrix perspicillata* in southwestern Brazil. *Revista Brasileira de Ornitologia* 19(3): 417-418.
- DA CUNHA, N.L., FISCHER, E. & FERREIRA SANTOS, C. 2011. Bat assemblage in savanna remnants of Sonora, central-western Brazil. *Biota Neotropica* 11(3): 197-201.
- DA ROCHA, P.A., FEIJO, J.A., RUIZ-ESPARZA, J. & FERRARI, S.F. 2011. *Uroderma magnirostrum* Davis, 1968 (Chiroptera : Phyllostomidae) : first record from the state of Sergipe, northeastern Brazil. *Check List* 7(6): 886-888.
- DA ROCHA, P.A., FEIJO, J.A., SIMANAS MIKALOUSKAS, J. & FERRARI, S.F. 2011. First records of mormoopid bats (Chiroptera, Mormoopidae) from the Brazilian Atlantic forest. *Mammalia* 75: 295-299.
- DA ROCHA, P.A., GARBINO, G.S.T. & AIRES, C.C. 2013. Update on the distribution of *Trinycteris nicefori* Sanborn, 1949 (Chiroptera : Phyllostomidae) : new record for the Amazonia of Brazil. *Check List* 9(4): 785-789.
- DA ROCHA, P.A., SIMANAS MIKALOUSKAS, J., BOCCHIGLIERI, A., FEIJO, J.A. & FERRARI, S.F. 2013. An update on the distribution of the Brazilian funneared bat, *Natalus macrourus* (Gervais, 1856) (Mammalia, Chiroptera), with new records from the Brazilian northeastern. *Check List* 9(3): 675-679.
- DAS, K.S.A., SREEKALA, L.K. & ABDURAHIMAN, O. 2012. Predation on the Kelaart's pipistrelle bat, *Pipistrellus ceylonicus* Kelaart (Chiroptera : Vespertilionidae), by the reddish parachute tarantula, *Poecilotheria rufilata* Pocock (Araneae : Theraphosidae), in Chinnar wildlife sanctuary, Kerala, India. *Tropical Natural History* 12(2): 257-260.
- DATZMANN, T., DOLCH, D., BATSAIKHAN, N., KIEFER, A., HELBIG, M., ZÖPHEL, U., STUBBE, M. & MAYER, F. 2012. Cryptic diversity in Mongolian vespertilionid bats

- (Vespertilionidae, Chiroptera, Mammalia). Results of the Mongolian-German biological expeditions since 1962, No. 299. *Acta Chiropterologica* 14(2): 243-264.
- DATZMANN, T., HELVERSEN, O. VON & MAYER, F. 2010. Evolution of nectarivory in phyllostomid bats (Phyllostomidae Gray, 1825, Chiroptera : Mammalia). *BMC Evolutionary Biology* 10(165): 14 p.
- DAVALOS, L.M. & RUSSELL, A.L. 2012. Deglaciation explains bat extinction in the Caribbean. *Ecology and Evolution* 2(12): 3045-3051.
- DAVALOS, L.M., CIRRANELLO, A.L., GEISLER, J.H. & SIMMONS, N.B. 2012. Understanding phylogenetic incongruence : lessons from phyllostomid bats. *Biological Reviews* 87: 991-1024.
- DAVIE, H.S., MURDOCH, J.D., NARAN, N.-E., ARIUNBOLD, J., BATDORJ, S. & READING, R.P. 2012. Bat diversity at Ikh Nart nature reserve, Mongolia. *Mongolian Journal of Biological Sciences* 10(1-2): 33-40.
- DAVIES, K.T.J., MARYANTO, I. & ROSSITER, S.J. 2013. Evolutionary origins of ultrasonic hearing and laryngeal echolocation in bats inferred from morphological analyses of the inner ear. *Frontiers in Zoology* 10(2): 15 p.
- DAVIS, A., JARVIS, J.A., POULIOTT, C. & RUDD, R. 2013. Rabies virus infection in *Eptesicus fuscus* bats born in captivity (naïve bats). *PLoS One* 8(5): 6 p.
- DAVIS, A., RUDD, R. & BOWEN, R. 2007. Effects of aerosolized rabies virus exposure on bats and mice. *Journal of Infectious Diseases* 195: 1144-1150.
- DAVIS, J.L., SANTANA, S.E., DUMONT, E.R. & GROSSE, I.R. 2010. Predicting bite force in mammals : two-dimensional versus three-dimensional lever models. *Journal of Experimental Biology* 213: 1844-1851.
- DAVIS, J.S., NICOLAY, C.W. & WILLIAMS, S.H. 2010. A comparative study of incisor procumbency and mandibular morphology in vampire bats. *Journal of morphology* 271: 853-862.
- DAWSON, J.W., TURNER, C., PILENG, O., FARMER, A., MACGARY, C., WALSH, C., TAMBLYN, A. & YOSI, C. 2012. The bats (Mammalia : Chiroptera) of the lower Waria Valley, Morobe Province, Papua New Guinea: a survey and comparison across habitat types using mist nets. *Australian Mammalogy*: 11 p.
- DE ALMEIDA, M.F., AGUIAR, E.A.C., MARTORELLI, L.F.A. & SODRE, M.M. 1994. Diagnóstico laboratorial de raiva em quirópteros realizado em área metropolitana na região sudeste do Brasil = Laboratory diagnosis of rabies in chiroptera carried out of a metropolitan area of South-eastern Brazil. *Revista de Saúde Pública* 28(5): 341-344.
- DE CASTRO, I.J., DOS SANTOS, E.R., MOREIRA MARTINS, A.C., DIAS, D. & PERACCHI, A.L. 2012. First record of the pale-winged dog-like bat *Peropteryx pallidoptera* (Chiroptera : Emballonuridae) for Brazil. *Mammalia* 76(4): 451-453.
- DE PAZ, O., DE LUCAS, J. & MORENO, M.J. 2012. Distribución de los quirópteros (Mammalia : Chiroptera) en el parque natural de la Serranía de Cuenca, España central. *Boletín de la Real Sociedad Española de Historia Natural. Sección Biológica* 106: 101-111.
- DE PAZ, O., PÉREZ-SUÁREZ, G., MARTINEZ-ALOS, S. & RODRIGUEZ-VIGAL, C. 2011. Inventario y estudio de los quirópteros en Quintos de Mora, Toledo. *Galemys* 23: 27-34.
- DE SOUZA, M.J. & PAIVA DE ARAUJO, M.C. 1990. Conservative pattern of the G-bands and diversity of C-banding patterns and NORs in Stenodermatinae (Chiroptera-Phyllostomatidae). *Revista brasileira de genética* 13(2): 255-268.
- DE VASCONCELOS BRITO, D. & BOCCHIGLIERI, A. 2012. Comunidade de morcegos (Mammalia, Chiroptera) no Refúgio de Vida Silvestre Mata do Junco, Sergipe, nordeste do Brasil. *Biota Neotropica* 12(3): 254-262.
- DECK, C. 2012. Des nouvelles de Picardie. *L'envol des chiros* 13: 6.

- DEFLORIAN, M.C. & PEDRINI, P. 2013. Le collezioni microteriologiche del Museo delle Scienze di Trento e il loro contributo alla descrizione della biodiversità locale. *Museologia scientifica memorie* 9: 112-117.
- DEGN, H.J. 2011. Vandflagermus (*Myotis daubentonii*) - hurtige til at finde og bruge et nyt vinterkvarter. *Fauna och Flora* 117(3-4): 83-85.
- DEKEUKELEIRE, D. 2010. First record of soprano pipistrelle (*Pipistrellus pygmaeus* Leach, 1825; Chiroptera: Vespertilionidae) in Wallonia (Belgium). *Lutra* 53(2): 105-107.
- DEMERE, K.D., LEWIS, A.M., MAYES, B., BAKER, R.J. & AMMERMAN, L.K. 2012. Noteworthy county records for 14 bats species based on specimens submitted to the Texas Department of State Health Services. *Occasional Papers Museum of Texas Tech University* 315: 1-14.
- DENYS, C., KADJO, B., MISSOUP, A.D., MONADJEM, A. & ANISKINE, V. 2013. New records of bats (Mammalia : Chiroptera) and karyotypes from Guinean Mount Nimba (West Africa). *Italian journal of zoology* 80(2): 279-290.
- DESAI, I., PANDYA, H., PRATYUSH, P. & SURESH, B. 2012. Some observations on the population of naked-rumped tomb bat (*Taphozous nudiventris* Cretzschmar) at the Maharaja Sayajirao university of Baroda campus Gujarat. *Cibtech Journal of Zoology* 1(2): 27-35.
- DEVKAR, R.V., JAYARAMAN, S., UPADHYAY, K. & PATEL, P. 2011. Albino microchiropteran, *Rhinopoma microphyllum kinneri* sighted in a bat colony inhabiting abandoned mines. *Current Science (Bangalore)* 100(2): 165-166.
- DEY, S., SINGHA ROY, U. & CHATTOPADHYAY, S. 2013. Distribution and abundance of three populations of Indian flying fox (*Pteropus giganteus*) from Purulia district of West Bengal, India. *Taprobanica* 5(1): 60-66.
- DI BELLA, C., PIRAINO, C., CARACAPPA, S., FORNASARI, L., VIOLANI, C. & ZAVA, B. 2003. Enteric microflora in Italian chiroptera. *Journal of Mountain Ecology* 7: 221-224.
- DI CECCO, J., GAUDETTE, J.E. & SIMMONS, J.A. 2013. Multi-component separation and analysis of bat echolocation calls. *Journal of the Acoustical Society of America* 133(1): 538-546.
- DIAS, D., ESBERARD, C.E.L. & MORATELLI, R. 2013. A new species of *Lonchophylla* (Chiroptera, Phyllostomidae) from the Atlantic Forest of southeastern Brazil, with comments on *L. bokermanni*. *Zootaxa* 3722 (3): 347-360.
- DIAZ, M.M. & LINARES GARCIA, V.H. 2012. Refugios naturales y artificiales de murciélagos (Mammalia :Chiroptera) en la selva baja en el noroeste de Perú. *Gayana* 76(2): 117-130.
- DIETZ, C., DIETZ, I. & SIEMERS, B.M. 2007. Growth of horseshoe bats (Chiroptera : Rhinolophidae) in temperate continental conditions and the influence of climate. *Mammalian biology* 72(3): 129-144.
- DIMICELI, C. 2012. Helping guano miners save bats : first international guidelines for sustainable guano harvests. *Bats* 30(4): 8-9.
- DINERSTEIN, E. 1986. Reproductive ecology of fruit bats and the seasonality of fruit production in a Costa Rican cloud forest. *Biotropica* 18(4): 307-318.
- DISALVO, A.F., BIGLER, W.J., AJELLO, L., JOHNSON, J.S. & PALMER, J. 1970. Bat and soil studies for sources of histoplasmosis in Florida. *Public Health Reports* 85(12): 1063-1069.
- DIXON, J. 2010. Mammalia, Chiroptera, Vespertilionidae : filling hibernacula distribution gaps for cave roosting bats from Iowa (U.S.A.). *Check List* 6(4): 511-514.
- DIXON, M.D. 2011. Post-Pleistocene range expansion of the recently imperiled eastern little brown bat (*Myotis lucifugus lucifugus*) from a single southern refugium. *Ecology and Evolution* 1(2): 191-200.
- DIXON, M.D. 2012. Relationship between land cover and insectivorous bat activity in an urban landscape. *Urban ecosystems* 15: 683-695.
- DOBSON, J. 2013. Wildlife review of the year : bats in Essex in 2012. *Essex Naturalist (New Series)* 30: 43-45.
- DODD, L.E. & JOHNSON, J.S. 2012. potential spring mating behavior in the eastern pipistrelle (*Perimyotis subflavus*). *Bat Research News* 53(3): 37-38.

- DODD, L.E. & JOHNSON, J.S. 2012. Potential spring mating behavior in the eastern pipistrelle (*Perimyotis subflavus*). *Bat Research News* 53(3): 37-38.
- DODDS, M. & BILSTON, H. 2013. A comparison of different bat box types by bat occupancy in deciduous woodland, Buckinghamshire, UK. *Conservation Evidence* 10: 24-28.
- DOLABELA FALCÃO, L.A., ALFARO, L.D., WILSON FERNANDES, G., LEITE, L.O., DE SIQUEIRA NEVES, F. & CUEVAS REYES, P. 2010. Comunidad de murciélagos filostómidos asociada a *Caryocar brasiliense* Camb. (Caryocaraceae). *Brenesia* 73-74: 150-153.
- DONDINI, G., RUTKOWSKI, T., VERGARI, S. & WOJTASZYN, G. 2012. Long distance migration of female Leisler's bat (*Nyctalus leisleri*) from Italy to Poland. *Hystrix* 23(2): 93-94.
- DOOKIA, S. 2004. Occurrence of the short-nosed fruit bat (*Cynopterus sphinx* Vahl, 1797) in the Thar desert of Rajasthan. *Zoos' Print Journal* 19(9): 1629.
- DOOL, S., PUECHMAILLE, S., DIETZ, C., JUSTE, J., IBAÑEZ, C., HULVA, P., ROUE, S.G., PETIT, E., JONES, G., RUSSO, D., TOFFOLI, R., VIGLINO, A., MARTINOLI, A., ROSSITER, S.J. & TEELING, E.C. 2013. Phylogeography and postglacial recolonization of Europe by *Rhinolophus hipposideros* : evidence from multiple genetic markers. *Molecular Ecology* 22: 4055-4070.
- DOS REIS, N.R., FREGONEZI, M.N., PERACCHI, A.L. & ROSSANEIS, B.K. 2012. Metapopulation in bats of southern Brazil. *Brazilian Journal of Biology* 72(3): 605-609.
- DOS REIS, N.R., GALLO, P.H., PERACCHI, A.L., DE LIMA, I.P. & FREGONEZI, M.N. 2012. Sensitivity of populations of bats (Mammalia : Chiroptera) in relation to human development in northern Paraná, southern Brazil. *Brazilian Journal of Biology* 72(3): 511-518.
- DOS REIS, N.R., GALLO, P.H., PERACCHI, A.L., DE LIMA, I.P. & FREGONEZI, M.N. 2012. Sensivity of populations of bats (Mammalia : Chiroptera) in relation to human development in northern Paraná, southern Brazil. *Brazilian Journal of Biology* 72(3): 511-518.
- DOTY, A.C. & MARTIN, A.P. 2012. Assessment of bat and avian mortality at a pilot wind turbine at Coega, Port Elizabeth, eastern Cape, South Africa. *New Zealand Journal of Zoology* 40(1): 75-80.
- DOWNS, C.T., MQOKELI, B.R. & SINGH, P. 2012. Sugar assimilation and digestive efficiency in Wahlberg's epauletted fruit bat (*Epomophorus wahlbergi*). *Comparative biochemistry and physiology. Part A : Molecular and integrative physiology* 161: 344-348.
- DOWNS, C.T., ZUNGU, M.M. & BROWN, M. 2012. Seasonal effects on thermoregulatory abilities of the Wahlberg's epauletted fruit bat (*Epomophorus wahlbergi*) in KwaZulu-Natal, South Africa. *Journal of Thermal Biology* 37: 144-150.
- DRIESEN, M. 2010. Recent sightings of flying-foxes in Tasmania. *Tasmanian Naturalist* 132: 35-39.
- DRIESEN, M., BRERETON, R. & PAUZA, M. 2011. Status and conservation of bats in Tasmania. In: *The Biology and Conservation of Australasian Bats*. Mosman, Royal Zoological Society of NSW.
- DRIESENS, T. & SIEMERS, B.M. 2010. Cave-dwelling bats do not avoid TMT and 2-PT – components of predator odour that induce fear in other small mammals. *Journal of Experimental Biology* 213: 2453-2460.
- DUCRUET, S., LAGUET, S. & ONF Réseau Mammifères 2013. Un exemple d'inventaire initial des Chiroptères : la RBI du Haut-Chéran - Forêt domaniale de Bellevaux - Massif des Bauges, Savoie. *L'envol des chiros* 14: 7-8.
- DUDA, R., DALAPICOLLA, J. & PIRES COSTA, L. 2012. First record of the smoky bat *Furipterus horrens* (F. Cuvier, 1828) (Mammalia : Chiroptera) in the state of Espírito Santo, southeastern Brazil. *Check List* 8(6): 1362-1364.
- DUFF, A.A. & MORRELL, T.E. 2007. Predictive occurrence models for bat species in California. *Journal of wildlife management* 71(3): 693-700.
- DUNN, J.C. 2012. Altitudinal effects on habitat selection in two sympatric pipistrelle species. *Mammalia*: 7 p.

- DUNNING, D.C. & KRUGER, M. 1995. Aposematic sounds in African moths. *Biotropica* 27(2): 227-231.
- DURÁN ALVARADO, F.J. 2012. Los mamíferos terrestres y voladores de la zona de El Rodeo, Mora, San José, Costa Rica. *Brenesia* 77: 18 p.
- DUTILLEUL, S. 2012. Inventaire des chiroptères sur le site Natura 2000 de Licques (Pas-de-Calais). *Le Naturaliste Vendéen* 9: 105-114.
- DUVAL, L., MEJEAN, C., MAGANGA, G.D., MAKANGA, B.K., MANGAMA KOUMBA, L.B., PEIRCE, M.A., ARIEY, F. & BOURGAREL, M. 2012. The chiropteran haemosporidian *Polychromophilus melanipherus* : a worldwide species complex restricted to the family *Miniopteridae*. *Infection, Genetics and Evolution* 12: 1558-1566.
- DZAL, Y. & BRIGHAM, R.M. 2013. The tradeoff between torpor use and reproduction in little brown bats (*Myotis lucifugus*). *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 183: 279-288.
- DZIKWI, A.A., KUZMIN, I.I., UMOH, J.U., KWAGA, J.K.P., AHMAD, A.A. & RUPPRECHT, C.E. 2010. Evidence of Lagos bat virus circulation among Nigerian fruit bats. *Journal of Wildlife Diseases* 46(1): 267-271.
- ECKENWEBER, M. & KNÖRNSCHILD, M. 2013. Social influences on territorial signaling in male greater sac-winged bats. *Behavioral Ecology and Sociobiology* 67: 639-648.
- ECKERLIN, R.P. 2011. The rare fluke *Urotrematulum attenuatum* (Trematoda: Digenea) in Virginia. *Comparative Parasitology* 78(2): 395-396.
- EDIRISINGHE, G.M., SUDASINGHE B.S.A.T.H. & MAPATUNA, Y. 2013. Evidence of *Saccolaimus saccolaimus* (Chiroptera) roosting in a building in Sri Lanka. *Taprobanica* 5(1): 94-96.
- EGER, J.L. 2013. *Glauconycteris curryae*: Curry's butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 567-568.
- EGER, J.L. 2013. *Miniopterus schreibersii*: Schreiber's long-fingered bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 721-723.
- EGER, J.L. & LIM, B.K. 2011. List of participants at the 41st Annual North American Symposium on bat research. *Bat Research News* 52(4): 117-123.
- EGUIARTE, L.E., MARTINEZ DEL RIO, C. & ARITA, H.T. 1987. El nectar y el polen como recursos : el papel ecologico de los visitantes a las flores de *Pseudobombax ellipticum* (H.B.K.) Dugand. *Biotropica* 19(1): 74-82.
- EHLMAN, S.M., COX, J.J. & CROWLEY, P.H. 2013. Evaporative water loss, spatial distributions, and survival in whitenose-syndrome-affected little brown myotis : a model. *Journal of Mammalogy* 94(3): 12 p.
- EJAZ, S., ASHRAF, M., SHAKIR, L. & AHMAD, N. 2012. Exploratory study using proton induced X-ray emission analysis and histopathological techniques to determine the toxic burden of environmental pollutants. *Environmental Pollution* 170: 242-253.
- ELMQVIST, T., COX, P.A., RAINEY, W.E. & PIERSON, E.D. 1992. Restricted pollination on Oceanic islands : pollination of *Ceiba pentandra* by flying foxes in Samoa. *Biotropica* 24(1): 15-23.
- ELMQVIST, T., RAINEY, W.E., PIERSON, E.D. & COX, P.A. 1994. Effects of Tropical cyclones Ofa and Val on the structure of a Samoan lowland rain forest. *Biotropica* 26(4): 384-391.
- EMURA, S., OKUMURA, T. & CHEN, H. 2012. Morphology of the lingual papillae in the Egyptian rousette bat (*Rousettus aegyptiacus*). *Okajimas Folia Anatomica Japonica* 89(3): 61-66.
- ENCABO, I., BARBA, E., BELDA, E.J. & MONRÓS, J.S. 2007. Área de campeo de quirópteros en el término municipal de Carcaixent (Valencia) : nuevas citas para el atlas de los mamíferos terrestres. *Galemys* 19: 37-44.
- ENCARNAÇÃO, J.A., OTTO, M.S. & BECKER, N.I. 2012. Thermoregulation in male temperate bats depends on habitat characteristics. *Journal of Thermal Biology* 37: 564-569.

- ERARD, C. 1983. Sur un comportement de chasse du Faucon des chauves-souris *Falco ruficularis*. L'oiseau et la revue française d'ornithologie 53: 392-393.
- ERKERT, H.G. 2004. Extremely low threshold for photic entrainment of circadian activity rhythms in molossid bats (*Molossus molossus*; Chiroptera - Molossidae). *Mammalian biology* 69(6): 361-374.
- EROKHINA, S.A., KOLCHANOVA, S.M., POLYANSKAYA, S.A., SPIROVA, E.N., IVANOVA, Y.D. & LAGEREVA, E.D. 2011. Spatial dynamics of feeding activity of bats in the area of Zvenogorskaya biostation of MSU. *Plecotus et al.* 14: 9-18.
- ESBERARD, C.E.L. 2011. Variação do tamanho de colônias de *Molossus molossus* e *Molossus rufus* no Estado do Rio de Janeiro, sudeste do Brasil = Variation in size of colony of *Molossus molossus* and *Molossus rufus* in Rio de Janeiro state, southeastern Brazil. *Neotropical Biology and Conservation* 6(2): 71-77.
- ESBERARD, C.E.L. & BERGALLO, H.G. 2005. Coletar morcegos por seis ou doze horas a cada noite? *Revista Brasileira de Zoologia* 22(4): 1095-1098.
- ESBERARD, C.E.L. & BERGALLO, H.G. 2008. Do bigger bats need more time to forage? *Brazilian Journal of Biology* 68(4): 819-822.
- ESBERARD, C.E.L., ASTUA, D., GEISE, L., COSTA, L.M. & PEREIRA, L.G. 2012. Do young *Carollia perspicillata* (Chiroptera : Phyllostomidae) present higher infestation rates of Streblidae (Diptera)? *Brazilian Journal of Biology* 72(3): 617-621.
- ESBERARD, C.E.L., BAPTISTA, M., COSTA, L.M., LUZ, J.L. & LOURENCO, E.C. 2010. Morcegos de Paraíso do Tobias, Miracema, Rio de Janeiro. *Biota Neotropica* 10(4): 249-255.
- ESBERARD, C.E.L., COSTA, L.M. & LUZ, J.L. 2013. Morcegos de Morro de São João, estado do Rio de Janeiro, sudeste do Brasil. *Bioscience Journal Universidade Federal de Uberlândia* 29(2): 449-457.
- ESCOBEDO, M. & VELAZCO, P.M. 2012. First confirmed record for Peru of *Diclidurus scutatus* Peters, 1869 (Chiroptera : Emballonuridae). *Check List* 8(3): 554-556.
- ESONA, M.D., MIJATOVIC-RUSTEMPASIC, S., CONRARDY, C., TONG, S., KUZMIN, I.V., AGWANDA, B., BREIMAN, R.F., BANYAI, K., NIEZGODA, M., RUPPRECHT, C.E., GENTSCH, J.R. & BOWEN, M.D. 2010. Reassortant group A rotavirus from straw-colored fruit bat (*Eidolon helvum*). *Emerging Infectious Diseases* 16(12): 1844-1852.
- ETIENNE, M., KERVYN, T. & DEMETER, S. 2012. Les reines de la nuit. Namur, SPW: 135 p. (Agrinature, 8).
- FABBRI, R. & GIACOMONI, R. 2010. Ecologia alimentare del Rinolofo maggiore (*Rhinolophus ferrumequinum* (Schreber, 1774)) nella riserva naturale speciale di Alfonsine (Ravenna, Emilia-Romagna). *Quaderno di studi et notizie di storia naturale della Romagna* 31: 61-87.
- FAGROUCH, Z., SARWARI, R., LAVERGNE, A., DELAVAL, M., THOISY, B. de, LACOSTE, V. & VERSCHOOR, E.J. 2012. Novel polyomaviruses in South American bats and their relationship to other members of the family Polyomaviridae. *Journal of General Virology* 93: 2652-2657.
- FAHR, J. 2013. Genus *Myotis*: winged-mouse bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 475-476.
- FAHR, J. 2013. Genus *Nanonycteris*: Veldkamp's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 277-278.
- FAHR, J. 2013. Genus *Scotonycteris*: tear-drop fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 294-295.
- FAHR, J. 2013. *Glauconycteris superba*: Pied butterfly bat (superb butterfly bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 575-576.
- FAHR, J. 2013. *Hipposideros cyclops*: cyclops leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 380-383.

- FAHR, J. 2013. *Hipposideros fuliginosus*: sooty leaf-nosed bat (Temminck's leaf-nosed bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 383-385.
- FAHR, J. 2013. *Hipposideros jonesi*: Jones's leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 387-389.
- FAHR, J. 2013. *Hipposideros lamottei*: Lamotte's leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 389-391.
- FAHR, J. 2013. *Hipposideros marisae*: Aellen's leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 391-392.
- FAHR, J. 2013. *Kerivoula cuprosa*: copper woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 727-729.
- FAHR, J. 2013. *Kerivoula phalaena*: Spurrell's woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 731-733.
- FAHR, J. 2013. *Kerivoula smithii*: Smith's woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 733-734.
- FAHR, J. 2013. *Mimetillus moloneyi*: Moloney's mimic bat (Moloney's flat-headed bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 586-589.
- FAHR, J. 2013. *Myopterus daubentonii*: Daubenton's winged-mouse bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 476-478.
- FAHR, J. 2013. *Myopterus whitleyi*: Bini winged-mouse bat (Whitley's winged-mouse bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 478-479.
- FAHR, J. 2013. *Nanonycteris veldkampii*: Veldkamp's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 278-279.
- FAHR, J. 2013. *Nycteris arge*: Bate's slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 442-444.
- FAHR, J. 2013. *Nycteris intermedia*: intermediate slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 450-451.
- FAHR, J. 2013. *Nycteris major*: Dja slit-faced bat (Ja slit-faced bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 453-455.
- FAHR, J. 2013. *Nycteris nana*: dwarf slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 455-456.
- FAHR, J. 2013. *Pipistrellus brunneus*: dark-brown pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 613-614.
- FAHR, J. 2013. *Pipistrellus crassulus*: broad-headed pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 617-619.
- FAHR, J. 2013. *Pipistrellus tenuipinnis*: white-winged pipistrelle (slender-winged pipistrelle). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 655-657.
- FAHR, J. 2013. *Rhinolophus guineensis*: Guinean horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 331-332.
- FAHR, J. 2013. *Rhinolophus hilli*: Hill's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 334-336.
- FAHR, J. 2013. *Rhinolophus hillorum*: upland horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 336-338.

- FAHR, J. 2013. *Rhinolophus maclaudi*: Maclaud's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 342-343.
- FAHR, J. 2013. *Rhinolophus ruwenzorii*: Rwenzori horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 347-348.
- FAHR, J. 2013. *Rhinolophus ziamae*: Ziamae horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 355-356.
- FAHR, J. 2013. *Saccolaimus peli*: Pel's pouched bat (giant pouched bat, black-hawk bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 425-426.
- FAHR, J. 2013. *Scotonycteris ophiodon*: Pohle's fruit bat (snake-toothed fruit bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 295-297.
- FAHR, J. 2013. *Scotonycteris zenkeri*: Zenker's fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 297-299.
- FAHR, J. 2013. *Tadarida aloysiisabaudiae*: Duke of Abruzzi's free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 493-495.
- FAHR, J. 2013. *Tadarida bemmeleni*: gland-tailed free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 497-499.
- FAHR, J. 2013. *Tadarida congica*: Congo free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 507-509.
- FAHR, J. 2013. *Tadarida demonstrator*: Mongalla free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 509-511.
- FAHR, J. & KALKO, E.K.V. 2011. Biome transitions as centres of diversity : habitat heterogeneity and diversity patterns of West African bat assemblages across spatial scales. *Ecography* 34: 177 -195.
- FAIRLEY, J.S. 2001. A basket of weasels : the weasel family in Ireland and other furred Irish beasts: bats, the rabbit, hares and some rodents. Chap.6. Irish bats. Belfast, J. Fairley: p. 146-185.
- FAIRLEY, J.S. 2001. A basket of weasels : the weasel family in Ireland and other furred Irish beasts: bats, the rabbit, hares and some rodents. Chap.7. The lesser horseshoe bats. Belfast, J. Fairley: p. 186-206.
- FAIRLEY, J.S. 2001. A basket of weasels : the weasel family in Ireland and other furred Irish beasts: bats, the rabbit, hares and some rodents. Chap.8. Leisler's bats. Belfast, J. Fairley: p. 207-236.
- FALKOVA, L. & REHAK, Z. 2012. Temporal pattern of activity of the only cave nursery colony of the greater mouse-eared bat, *Myotis myotis* in the area of the Czech Republic. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 83.
- FARCY, O. & RUBENS, F. 2012. Etude du regroupement automnal de chauves-souris (Chiroptera) dans une ancienne ardoisière du Morbihan. *Arvicola* 20(2): 47-52.
- FASULO, V., ZHANG, Z., CHEDIACK, J.G., CID, F.D., KARASOV, W.H. & CAVIEDES-VIDAL, E. 2013. The capacity for paracellular absorption in the insectivorous bat *Tadarida brasiliensis*. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 183: 289-269.
- FATTU, J.M. & SUTHERS, R.A. 1981. Subglottic pressure and the control of phonation by the echolocating bat, *Eptesicus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 143: 465-475.
- FAURE, C. 2012. Le village des chauves-souris en Provence. *L'envol des chiros* 13: 6.
- FAUVEL, B. 2012. Premiers résultats sur les arbres gîtes à chauves-souris et les surfaces des domaines vitaux en Champagne-Ardenne. *Naturelle* 4: 100-109.

- FAYED, H.M., SHAZLY, M.A.-A. & EL-MONEM, S.A. 2011. Life cycle of *Eimeria rousetti* sp. nov. (Alveolata : Apicomplexa : Eimeriidae) infecting the frugivorous bat, *Rousettus aegyptiacus* Geoffroy, 1810 (Mammalia : Chiroptera : Pteropodidae) in Egypt. *Journal of American Science* 7(12): 292-305.
- FCEN. 2012. Dossier : Chauves-souris : 2011-2012, deux années internationales en leur honneur. *La lettre des Conservatoires d'espaces naturels* 31: 5-8.
- FENTON, M.B. 1983. Roosts used by the African bat, *Scotophilus leucogaster* (Chiroptera : Vespertilionidae). *Biotropica* 15(2): 129-132.
- FENTON, M.B. 2011. Heat-thirsty bats. *Nature* 476: 40-41.
- FENTON, M.B. 2013. A perspective on bats (Chiroptera). *Koedoe* 55(1): 3 p.
- FENTON, M.B. 2013. Questions, ideas and tools : lessons from bat echolocation. *Animal Behaviour* 85: 869-879.
- FENTON, M.B. & FLEMING, T.H. 1976. Ecological interactions between bats and nocturnal birds. *Biotropica* 8(2): 104-110.
- FENTON, M.B. & FULLARD, J.H. 1979. The influence of moth hearing on bat echolocation strategies. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 132: 77-86.
- FENTON, M.B., ACHARYA, L., AUDET, D., HICKEY, M.B.C., MERRIMAN, C.B., OBRIST, M.K., SYME, D.M. & ADKINS, B. 1992. Phyllostomid bats (Chiroptera : Phyllostomidae) as indicators of habitat disruption in the Neotropics. *Biotropica* 24(3): 440-446.
- FENTON, M.B., FAURE, P.A. & RATCLIFFE, J.M. 2012. Evolution of high duty cycle echolocation in bats. *Journal of Experimental Biology* 215: 2935-2944.
- FENTON, M.B., SWANEPOEL, C.M., BRIGHAM, R.M., CEBEK, J. & HICKEY, M.B.C. 1990. Foraging behavior and prey selection by large slit-faced bats (*Nycteris grandis* : Chiroptera : Nycteridae). *Biotropica* 22(1): 2-8.
- FERREIRA DA SILVA, A. & DENSING, E. 2011. Les chauves souris - habitants des grottes fascinants et menacés = Fledermäuse - faszinierende und bedrohte Höhlenbewohner. *Stalactite* 61, 1. 63-64.
- FERREIRA FADINI, R. & BEZERRA CASTRO, A. 2013. Subterranean watercourses may "rescue" seeds dispersal by fruit-eating bats in caves. *Acta Chiropterologica* 15(1): 105-112.
- FIELD, H., DE JONG, C., MELVILLE, D., SMITH, C., SMITH, I.L., BROOS, A., KUNG, Y.H., MACLAUGHLIN, A. & ZEDDEMAN, A. 2011. Hendra virus infection dynamics in Australian fruit bats. *PLoS One* 6(12): 1-6.
- FISCHER, E. 1992. Foraging of nectarivorous bats on *Bauhinia unguolata*. *Biotropica* 24(4): 579-582.
- FLANDERS, J., JONES, G., BENDA, P., DIETZ, C., ZHANG, S., LI, G., SHARIFI, M. & ROSSITER, S.J. 2009. Phylogeography of the greater horseshoe bat, *Rhinolophus ferrumequinum* : contrasting results from mitochondrial and microsatellite data. *Molecular Ecology* 18: 306-318.
- FOLEY, J., CLIFFORD, D., CASTLE, K., CRYAN, P.M. & OSTFELD, R.S. 2011. Investigating and managing the rapid emergence of white-nose syndrome, a novel, fatal, infectious disease of hibernating bats. *Conservation Biology* 25(2): 223-231.
- FORD, W.M., BRITZKE, E.R., DOBONY, C.A., RODRIGUE, J.L. & JOHNSON, J.B. 2011. Patterns of acoustical activity of bats prior to and following white-nose syndrome occurrence. *Journal of Fish and Wildlife Management* 2(2): 125-134.
- FOSTER, M.S. 1992. Tent roosts of Macconnell's bat (*Vampyressa macconnelli*). *Biotropica* 24(3): 447-454.
- FOUERT, J. & GONZALEZ, R.-M. 2011. Radiopistage d'une Grande noctule dans les Landes. *L'envol des chiros* 10: 7-8.
- FRANCL, K., FORD, W.M., SPARKS, D.W. & BRACK, V. Jr. 2012. Capture and reproductive trends in summer bat communities in West Virginia: assessing the impact of white-nose syndrome. *Journal of Fish and Wildlife Management* 3(1): 33-42.

- FRASER, E. 2013. Isotopes of tri-colored bats : technology reveals unexpected migrations. *Bats* 31(1): 2-5.
- FREITAS, M.B., GOULART, L.S., BARROS, M.S., MORAIS, D.B., AMARAL, T.S. & MATTA, S.L.P. 2010. Energy metabolism and fasting in male and female insectivorous bats *Molossus molossus* (Chiroptera : Molossidae). *Brazilian Journal of Biology* 70(3): 617-621.
- FREITAS, M.B., QUEIROZ, J.F., DIAS GOMES, C.I., COLLARES-BUZATO, C.B., BARBOSA, H.C., BOSCHERO, A.C., GONCALVES, C.A. & PINHEIRO, E.C. 2013. Reduced insulin secretion and glucose intolerance are involved in the fasting susceptibility of common vampire bats. *General and Comparative Endocrinology* 183: 1-6.
- FREULING, C., BEER, M., CONRATHS, F.J., FINKE, S., HOFFMANN, B., KELLER, B., KLIEMT, J., METTENLEITER, T.C., MÜHLBACH, E., TEIFKE, J.P., WOHLSEIN, P. & MÜLLER, T. 2011. Novel lyssavirus in Natterer's bat, Germany. *Emerging Infectious Diseases* 17(8): 1519-1522.
- FREY- EHRENBOLD, A., BONTADINA, F., ARLETTAZ, R. & OBRIST, M.K. 2013. Landscape connectivity, habitat structure and activity of bat guilds in farmland- ominated matrices. *Journal of Applied Ecology* 50: 252-261.
- FREY, J.K. & SCHWENKE, Z.J. 2012. Mammals of Sugarite Canyon State Park, Colfax County, New Mexico. *Occasional Papers Museum of Texas Tech University* 311: 1-24.
- FRICK, W.F. 2012. Monitoring bats in caves and mines : the impact of white-nose syndrome on hibernating bats. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 42-45.
- FRICK, W.F. 2013. Acoustic monitoring of bats, considerations of options for long-term monitoring. *Therya* 4(1): 69-78.
- FRICK, W.F., PRICE, R.D., HEADY, P.A. & KAY, K.M. 2013. Insectivorous bat pollinates columnar cactus more effectively per visit than specialized nectar bat. *The American naturalist* 181(1): 137-144.
- FUENTES-MONTEMAYOR, E., GOULSON, D. & PARK, K.J. 2011. Pipistrelle bats and their prey do not benefit from four widely applied agri-environment management prescriptions. *Biological Conservation* 144: 2233-2246.
- FUENTES-MONTEMAYOR, E., GOULSON, D., CAVIN, L., WALLACE, J.M. & PARK, K.J. 2013. Fragmented woodlands in agricultural landscapes : the influence of woodland character and landscape context on bats and their insect prey. *Agriculture, Ecosystems and Environment* 172: 6-15.
- FUKUI, D. & AGETSUMA, N. 2010. Seasonal change in the diet composition of the Asian parti-coloured bat *Vespertilio sinensis*. *Mammal Study* 35: 227-233.
- FUKUI, D., AGETSUMA, N. & HILL, D.A. 2004. Acoustic identification of eight species of bat (Mammalia : Chiroptera) inhabiting forests of southern Hokkaido, Japan : potential for conservation monitoring. *Zoological science* 21: 947-955.
- FUKUI, D., MOCHIDA, M., YAMAMOTO, A. & KAWAI, K. 2013. Roost and echolocation call structure of the Alashanian pipistrelle *Hypsugo alaschanicus* : first confirmation as a resident species in Japan. *Mammal Study* 38: 61-66.
- FULLARD, J.H. 1984. External auditory structures in two species of neotropical notodontid moths. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 155: 625-632.
- FULLARD, J.H., RATCLIFFE, J.M. & JACOBS, D.S. 2008. Ignoring the irrelevant : auditory tolerance of audible but innocuous sounds in the bat-detecting ears of moths. *Die Naturwissenschaften* 95: 241-245.
- FULLER, N. & SEBESTA, K. 2012. Tracking bats on the wing : model airplanes go high-tech. *Bats* 30(4): 2-4.

- FULLER, N., REICHARD, J.D., NABHAN, M.L., FELLOWS, S.R., PEPIN, L.C. & KUNZ, T.H. 2011. Free-ranging little brown myotis (*Myotis lucifugus*) heal from wing damage associated with white-nose syndrome. *EcoHealth* 8: 154-162.
- FUNAKOSHI, K., ARAI, A. & INOUE, T. 2013. Development of sounds during postnatal growth of the eastern bent-winged bat *Miniopterus fuliginosus*. *Mammal Study* 38: 49-56.
- FUNAKOSHI, K., NOMURA, E., MATSUKUBO, M. & WAKITA, Y. 2010. Postnatal growth and vocalization development of the lesser horseshoe bat, *Rhinolophus cornutus*, in the Kyushu District, Japan. *Mammal Study* 35: 65-78.
- FUREY, N.M. 2012. Building a new generation of conservationists : Cambodia's recent history left unique challenges. *Bats* 30(2): 2-4.
- FUREY, N.M., PHAUK, S., PHEN, S., CHHEANG, S., ITH, S., BATES, P.J.J. & CSORBA, G. 2012. New country records for five bat species (Chiroptera) from Cambodia. *Cambodian Journal of Natural History* 2: 141-149.
- FURMAN, A., CORAMAN, E., NAGY, Z.L., POSTAWA, T., BILGIN, R., GAJEWSKA, M. & BOGDANOWICZ, W. 2013. Phylogeography of the large *Myotis* bats (Chiroptera : Vespertilionidae) in Europe, Asia Minor, and Transcaucasia. *Biological Journal of the Linnean Society* 108: 189-209.
- FURUSAWA, Y., HIRYU, S., KOBAYASI, K.I. & RIQUIMAROUX, H. 2012. Convergence of reference frequencies by multiple CF-FM bats (*Rhinolophus ferrumequinum nippon*) during paired flights evaluated with onboard microphones. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology*: 11 p.
- FUSZARA, E., FUSZARA, M., KOWALSKI, M., LESIŃSKI, G., CYGAN, J.P., NITKIEWICZ, T., SZARLIK, A. & WOJTOWICZ, B. 2010. Population changes in Natterer's bat *Myotis nattereri* and Daubenton's bat *M. daubentonii* in winter roosts of central Poland. *Polish Journal of Ecology* 58(4): 769-782.
- FUZESSERY, Z.M., BUTTENHOFF, P., ANDREWS, B. & KENNEDY, J.M. 1993. Passive sound localization of prey by the pallid bat (*Antrozous p. pallidus*). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 171: 767-777.
- FUZESSERY, Z.M., HARTLEY, D.J. & WENSTRUP, J.J. 1992. Spatial processing within the mustache bat echolocation system : possible mechanisms for optimization. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 170: 57-71.
- GABOR, L.J. & SRIVASTAVA, M. 2010. Polyglucosan inclusions (Lafora bodies) in a gray-headed flying fox (*Pteropus poliocephalus*). *Journal of Veterinary Diagnostic Investigation* 22: 303-304.
- GAGER, Y., KERBIRIOU, C. & JULIEN, J.-F. 2012. Vigie-Nature : programme français de suivi de la biodiversité : le suivi temporel des chauves-souris communes : premiers résultats et perspectives. *Le Naturaliste Vendéen* 9: 13-19.
- GAILLEDROT, M. & PREVOST, O. 2012. Des mesures agroenvironnementales territorialisées pour le Rhinolophe euryale dans la Vienne. *Le Naturaliste Vendéen* 9: 123-128.
- GAISLER, J. 2013. *Rhinolophus elyale*: Mediterranean horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 325-327.
- GAISLER, J. 2013. *Rhinolophus ferrumequinum*: greater horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 327-329.
- GAISLER, J. 2013. *Rhinolophus hipposideros*: lesser horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 338-340.
- GAISLER, J. 2013. *Rhinolophus mehelyi*: Méhely's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 345-347.
- GANPULE, R. 2011. Photographic record of Rufous Treepie *Dendrocitta vagabunda* feeding on Drongo *Dicrurus*, and bat (Chiroptera). *Indian Birds* 7(4): 112.

- GARBINO, G.S.T. & TEJEDOR, A. 2013. *Natalus macrourus* (Gervais, 1856) (Chiroptera : Natalidae) is a senior synonym of *Natalus espiritosantensis* (Ruschi, 1951). *Mammalia* 77(2): 237-240.
- GARBINO, G.S.T., AQUINO, C.C. & AIRES, C.C. 2013. Second record of the pale brown ghost bat *Diclidurus isabella* (Thomas, 1920) (Chiroptera, Emballonuridae) from Brazil and range extension into southwestern Brazilian Amazonia. *Mammalia* 77(2): 231-234.
- GARCIA MORALES, R., CHAPA-VARGAS, L., GALINDO-GONZALEZ, J. & BADANO, E.I. 2012. Seed dispersal among three different vegetation communities in the Huasteca region, Mexico, analyzed from bat feces. *Acta Chiropterologica* 14(2): 357-367.
- GARCÍA-DÍAZ, P. & ARÉVALO, V. 2010. Presencia del murciélago ratonero pardo *Myotis emarginatus* (E. Geoffroy, 1806) en la provincia de Salamanca. *Galemys* 22(2): 50-52.
- GARCIA, A.M., CERVERA, F. & RODRIGUEZ, A. 2005. Bat predation by long-eared owls in Mediterranean and temperate regions of southern Europe. *The journal of raptor research* 39(4): 445-453.
- GARG, K.M., CHATTOPADHYAY, B., SWAMI DOSS, P., KUMAR, V.A.K., KANDULA, S. & RAMAKRISHNAN, U. 2012. Promiscuous mating in the harem-roosting fruit bat, *Cynopterus sphinx*. *Molecular Ecology* 21: 4093-4105.
- GAZARINI, J. & PEDRO, W.A. 2013. Bats (Mammalia : Chiroptera) in urban fragments of Maringá, Paraná, Brazil. *Check List* 9(3): 524-527.
- GE, X., LI, J., PENG, C., WU, L., YANG, X., WU, Y., ZHANG, Y.-Z. & SHI, Z. 2011. Genetic diversity of novel circular ssDNA viruses in bats in China. *Journal of General Virology* 92: 2646-2653.
- GEIPEL, I., JUNG, K. & KALKO, E.K.V. 2013. Perception of silent and motionless prey on vegetation by echolocation in the gleaning bat *Micronycteris microtis*. *Proceedings of the Royal Society of London. Series B : Biological sciences* 280: 7 p.
- GEIPEL, I., KALKO, E.K.V., WALLMEYER, K. & KNÖRNSCHILD, M. 2013. Postweaning maternal food provisioning in a bat with a complex hunting strategy. *Animal Behaviour* 85: 1435-1441.
- GEISELMAN, C. 2012. Book review. *Bats of Texas* by Loren K. Ammerman, christine L. Hice, and David J. Schmidly. *Bat Research News* 53(3): 39-40.
- GELDENHUYS, M., WEYER, J., NEL, L.H. & MARKOTTER, W. 2013. Coronaviruses in South African bats. *Vector-Borne and Zoonotic diseases* 13(7): 516-519.
- GELHAUS, M. & ZAHN, A. 2010. Roosting ecology, phenology and foraging habitats of a nursery colony of *Pipistrellus nathusii* in the southwestern part of its reproduction range. *Vespertilio* 13-14: 93-102.
- GELUSO, K. 2007. Winter activity of bats over water and along flyways in New Mexico. *The Southwestern Naturalist* 52(4): 482-492.
- GEMBU TUNGALUNA, G.-C., CAKENBERGHE, V. van, MUSABA AKAWA, P., DUDU AKAIBE, B., VERHEYEN, E., DE VREE, F. & FAHR, J. 2013. Rediscovery of *Glauconycteris superba* Hayman, 1939 (Chiroptera : Vespertilionidae) after 40 years at Mbiye Island, Democratic Republic of the Congo. *European Journal of Taxonomy* 42: 1-18.
- GENOWAYS, H.H., TIMM, R.M., BAKER, R.J., PHILLIPS, C.J. & SCHLITTER, D.A. 2001. Bats of the west Indian island of Dominica : natural history, aerography, and trophic structure. *Special publications / Museum Texas Tech University* 43: 43 p.
- GENZEL, D. & WIEGREBE, L. 2012. Size does not matter : size-invariant echo-acoustic object classification. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology*: 10 p.
- GEORGIAKAKIS, P., KRET, E., CARCAMO, B., DOUTAU, B., KAFKALETOU-DIEZ, A., VASILAKIS, D. & PAPADATOU, E. 2012. Bat fatalities at wind farms in north-eastern Greece. *Acta Chiropterologica* 14(2): 459-468.

- GEORGIEV, D.G. & STOYCHEVA, S. 2006. Flight activity of *Nyctalus noctula* bats (Schreber, 1774) (Mammalia : Chiroptera) close to their winter colonies in the town area of Stara Zagora, southern Bulgaria. *Animalia* 42: 161-166.
- GERLACH, J. 2011. Conservation of the Seychelles sheath-tailed bat *Coleura seychellensis* from 1997-2011 and future prospects. *Phelsuma* 19: 54-68.
- GESSNER, B. 2012. Teichfledermaus (*Myotis dasycneme* Boie, 1825) und Nymphenfledermaus (*Myotis alcathoe* Helversen & Heller, 2001), zwei neue Fledermausarten für Luxemburg. *Bulletin de la Société des Naturalistes Luxembourgeois* 113: 137-140.
- GHANEM, S.J., RUPPERT, H., KUNZ, T.H. & VOIGT, C.C. 2013. Frugivorous bats drink nutrient- and clay-enriched water in the Amazon rain forest : support for a dual function of mineral-lick visits. *Journal of tropical ecology* 29: 1-10.
- GHASSEMI, F., KARGAR, H. & NEMATI, A. 2012. The study of bat fauna in the south part of Iran : a case study of Jahrom. *Advances in Environmental Biology* 6(10): 2720-2725.
- GILLAM, E., WESTBROOK, J.K., SCHLEIDER, P.G. & MACCRACKEN, G.F. 2011. Virtual bats and real insects : effects of echolocation on pheromone-tracking behavior of male corn earworm moths, *Helicoverpa zea*. *The Southwestern Naturalist* 56(1): 103-107.
- GILLIES, K. 2013. Protecting endangered species. *Bats* 31(2): 3-4.
- GIRARD-CLAUDON, J. 2010. Évolutions récentes des populations de chiroptères en région Rhône-Alpes : essai de synthèse. *Bulletin mensuel de la Société linnéenne de Lyon* 2 (hors-série): 43-51.
- GLASER, W. 1974. Zur Hypothese des Optimalempfangs bei der Fledermausortung. *Journal of comparative physiology* 94: 227-248.
- GOERLITZ, H.R., GEBERL, C. & WIEGREBE, L. 2010. Sonar detection of jittering real targets in a free-flying bat. *Journal of the Acoustical Society of America* 128(3): 1467-1475.
- GOMES DE SOTERO CAIO, C., DE SOUZA, M.J., CABRAL-DE-MELLO, D.C., BRASILEIRO-VIDAL, A.C. & GUERRA, M. 2011. Phosphorylation of histone H3S10 in animal chromosomes : is there a uniform pattern? *Cytogenetic and Genome Research* 135: 111-117.
- GOMES DE SOTERO CAIO, C., PIECZARKA, J.C., NAGAMACHI, C.Y., BAIA GOMES, A.J., DE CASTRO LIRA, T., O'BRIEN, P.C.M., FERGUSON-SMITH, M.A., DE SOUZA, M.J. & SANTOS, N. 2011. Chromosomal homologies among vampire bats revealed by chromosome painting (Phyllostomidae, Chiroptera). *Cytogenetic and Genome Research* 132: 156-164.
- GONÇALVES, F., FISCHER, E., DA CUNHA CARVALHO, L.F.A. & FERREIRA, C.M.M. 2012. Polydactyly in the largest New World fruit bat, *Artibeus lituratus*. *Mammal Review* 42(4): 304-309.
- GONSALVES, L., LAMB, S., WEBB, C., LAW, B.S. & MONAMY, V.. 2012. Do mosquitoes influence bat activity in coastal habitats? *Wildlife Research*: 15 p.
- GONSALVES, L., LAW, B.S., WEBB, C. & MONAMY, V. 2013. Foraging ranges of insectivorous bats shift relative to changes in mosquito abundance. *PLoS One* 8(5): 11 p.
- GONZALEZ TERRAZAS, T.P., MEDELLIN, R.A., KNÖRNSCHILD, M. & TSCHAPKA, M. 2012. Morphological specialization influences nectar extraction efficiency of sympatric nectar-feeding bats. *Journal of Experimental Biology* 215: 3989-3996.
- GOODMAN, S.M., BRADMAN, H.M., MAMINIRINA, C.P., RYAN, K.E., CHRISTIDIS, L. & APPLETON, B.R. 2008. A new species of *Miniopterus* (Chiroptera : Miniopteridae) from lowland southeastern Madagascar. *Mammalian biology* 73: 199-213.
- GOODMAN, S.M., PUECHMAILLE, S., WEYENETH, N., GERLACH, J., RUEDI, M., SCHOEMAN, C.M., STANLEY, W.T. & TEELING, E.C. 2012. Phylogeny of the Emballonurini (Emballonuridae) with descriptions of a new genus and species from Madagascar. *Journal of Mammalogy* 93(6): 1440-1455.
- GOODMAN, S.M., WEYENETH, N., IBRAHIM, Y., SAÏD, I. & RUEDI, M. 2012. De nouvelles données sur les chauves-souris insectivores. In: Charpentier, M. et Sidi, A. [Dir.]. *Etudes sur l'archipel des Comores. Mamoudzou, Naturalistes, environnement et patrimoine*, de Mayotte: 63-67.

- GOOLER, D.M. & O'NEILL, W.E. 1987. Topographic representation of vocal frequency demonstrated by microstimulation of anterior cingulate cortex in the echolocating bat, *Pteronotus parnelli parnelli*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 161: 283-294.
- GOPAL PATIL, K. 2013. Histological structure of kidney at term stage of embryonic development in leaf nosed bat *Hipposideros speoris* (Schnider), chiropteran; mammalian. *World Journal of Zoology* 8(2): 206-211.
- GOPAL PATIL, K. 2013. Morphological adaptations in the kidney and urine concentrating ability in relation to dietary habit in the three species of bats. *World Journal of Zoology* 8(2): 198-205.
- GOPAL PATIL, K. 2013. Structure of metanephros at term embryo stage of *Megaderma lyra lyra* (Geoffroy) chiropteran, mammalian. *World Journal of Zoology* 8(2): 192-197.
- GÖRFÖL, T. 2007. New record of the Schreiber's bat (*Miniopterus schreibersii* Kuhl, 1817) in the Mecsek mountains, Hungary. *Acta Naturalia Pannonica* 2: 179-181.
- GÖRFÖL, T. 2007. Savi's pipistrelle (*Hypsugo savii* Bonaparte, 1837) new species in the bat fauna of Mecsek Mountains, SW Hungary. *Acta Naturalia Pannonica* 2: 183-186.
- GÖRFÖL, T., ESTOK, P. & CSORBA, G. 2013. The subspecies of *Myotis montivagus* - taxonomic revision and species limits (Mammalia : Chiroptera : Vespertilionidae). *Acta zoologica Academiae Scientiarum Hungaricae* 59(1): 41-59.
- GOTO, K., HIRYU, S. & RIQUEMAROUX, H. 2010. Frequency tuning and latency organization of responses in the inferior colliculus of Japanese house bat, *Pipistrellus abramus*. *Journal of the Acoustical Society of America* 128(3): 1452-1459.
- GOURET, L., GAIVORT, R. & MASLAK, S. 2003. Sur les traces des chauves-souris. Boulton-aux-Bois, Fédération des clubs CPN: 83 p. (Les cahiers techniques de la Gazette des Terriers, 105).
- GOYAUD, C., SUDRAUD, J. & PAILLAT, J.-P. 2012. Vingt-six ans de suivi des cavités de Saint-Michel-le-Cloucq et de Pissotte (Vendée). *Le Naturaliste Vendéen* 9: 61-69.
- GRACHEVA, E.O., CORDERO-MORALES, J.F., GONZALEZ-CARCACIA, J.A., INGOLIA, N.T., MANNO, C., ARANGUREN, C.I., WEISSMAN, J.S. & JULIUS, D. 2011. Ganglion-specific splicing of TRPV1 underlies infrared sensation in vampire bats. *Nature* 476: 88-91.
- GRACIOLLI, G. & ARAUJO AZEVEDO, A. 2011. Ectoparasites of bats (Chiroptera, Furiferidae), with a description of a new species of *Synthesiostrebla* Townsend (Diptera, Streblidae) from Brazil. *Revista Brasileira de Zoologia* 55(4): 501-504.
- GRACIOLLI, G., ZORTEA, M. & DA CUNHA CARVALHO, L.F.A. 2010. Bat flies (Diptera, Streblidae and Nycteribiidae) in a Cerrado area of Goiás State, Brazil. *Revista Brasileira de Entomologia* 54(3): 511-514.
- GRAENING, G.O., HARVEY, M.J., PUCKETTE, W.L., STARK, R.C., SASSE, D.B., HENSLEY, S.L. & REDMAN, R.K. 2011. Conservation status of the endangered ozark big-eared bat (*Corynorhinus townsendii ingens*) - a 34 year assessment. *Publications of the Oklahoma Biological Survey* 11: 1-16.
- GREIF, S. & SIEMERS, B.M. 2010. Innate recognition of water bodies in echolocating bats. *Nature Communications* 1(107): 1-6.
- GRIFFITHS, A., GRIFFITHS, T., GRIFFITHS, M.A. & VEILLEUX, J.P. 2012. Recent literature. *Bat Research News* 53(3): 41-48.
- GRIFFITHS, M.A. 2011. Letter from the editor. *Bat Research News* 52(1): 3.
- Griffiths, R.W. 2007. Activity patterns of long-tailed bats (*Chalinolobus tuberculatus*) in a rural landscape, South Canterbury, New Zealand. *New Zealand Journal of Zoology* 34: 247-258.
- GRIFFITHS, S.R. 2013. Echolocating bats emit terminal phase buzz calls while drinking on the wing. *Behavioural Processes* 98: 58-60.
- GRIFFITHS, T.A. & KLINGENER, D. 1988. On the distribution of Greater Antillean bats. *Biotropica* 20(3): 240-251.
- GRISSER, P. 1987. Pipistrelles de *Nathusius Pipistrellus nathusii* en Vendée. *Lutroloa* 3: 21-24.

- GROL, B.P.F.E. & VOUTE, A.M. 2010. Hibernating bats in the Schenkgroeve, an artificial lime-stone cave in south Limburg, the Netherlands. *Lutra* 53(1): 29-46.
- GROL, B.P.F.E., VOUTE, A.M. & VERBOOM, B. 2011. The influence of a Christmas market on hibernating bats in a man-made limestone cave. *Lutra* 54(2): 69-88.
- Groupe Mammalogique Breton. 2013. Sept APPB Chiroptères tout frais en Loire-Atlantique. *L'envol des chiros* 14: 6.
- Groupe Mammalogique Normand. 2012. Découverte de la plus importante colonie de grands rhinolophes de Haute-Normandie et d'une grande voyageuse. *L'envol des chiros* 13: 3.
- GRZYWINSKI, W., BORATYNSKI, J.S., GORECKI, J., JAROS, R., IGNACZAK, M., KARWOWSKA, B., KMIĘCIK, A., KMIĘCIK, P., LOCHYNSKI, M., MALAK, K., POLOWY, K., WIECZOREK, M. & WOJTASZYN, G. 2012. Bats hibernating in stand-alone bunkers of the Miedzyrzecki Fortified Front in the years 2005-2012. *Vespertilio* 16: 149-157.
- GU, X., HE, S.-Y. & AO, L. 2008. Molecular phylogenetics among three families of bats (Chiroptera : Rhinolophidae, Hipposideridae, and Vespertilionidae) based on partial sequences of the mitochondrial 12S and 16S rRNA genes. *Zoological Studies* 47(3): 368-378.
- GUANO APES. 2007. Proud like a god. [S.l.], Gun Records: 1 CD.
- GUGLIELMO, C.G. 2010. Move that fatty acid : fuel selection and transport in migratory birds and bats. *Integrative and Comparative Biology* 50(3): 336-345.
- GUILLOUZOUIC, G. 2008. Les grands rhinolophes de Saint-Maurice (29) : récit de l'observation en 2004 de la colonie de reproduction de Grand rhinolophe (*Rhinolophus ferrumequinum*) de l'Abbaye Saint-Maurice (29). *Mammi'Breizh* 15: 1-6.
- GUKASOVA, A. & VLASCHENKO, A. 2011. Effectiveness of mist-netting of bats (Chiroptera, Mammalia) during the non-hibernation period in oak forests of eastern Ukraine. *Acta zoologica cracoviensia* 54A(1-2): 77-93.
- GUNNELL, K., GRANT, G. & WILLIAMS, C. 2012. Landscape and urban design for bats and biodiversity. London, Bat Conservation Trust: 35 p.
- GUPPY, A. & COLES, R. 1988. Acoustical and neural aspects of hearing in the Australian gleaning bats, *Macroderma gigas* and *Nyctophilus gouldi*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 162: 653-668.
- HABERSETZER, J. & MARIMUTHU, G. 1986. Ontogeny of sounds in the echolocating bat *Hipposideros speoris*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 158: 247-257.
- HABERSETZER, J. & VOGLER, B. 1983. Discrimination of surface-structured targets by the echolocating bat *Myotis myotis* during flight. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 152: 275-282.
- HACHE, B. & JACOB [ill.]. 2010. Paula, chauve-souris. [s.l.], Le Pré du Plain: 29 p. (Petit-Pré).
- HACKETT, T.D., KORINE, C. & HOLDERIED, M.W. 2013. The importance of acacia trees for insectivorous bats and arthropods in the Arava desert. *PLoS One* 8(2): 10 p.
- HAGE, S.R., JIANG, T.-L., BERQUIST, S.W., FENG, J. & METZNER, W. 2013. Ambient noise induces independent shifts in call frequency and amplitude within the Lombard effect in echolocating bats. *Proceedings of the National Academy of Sciences of the United States of America : PNAS* 110(10): 4063-4068.
- HAGEMANN, C., ESSER, K.-H. & KÖSSL, M. 2010. Chronotopically organized target-distance map in the auditory cortex of the short-tailed fruit bat. *Journal of Neurophysiology* 103: 322-333.
- HAGUE, D.A., BUCK, J.R. & BILIK, I. 2010. A deterministic filterbank compressive sensing model for bat biosonar. *Proceedings of 20th International Congress on Acoustics, ICA 2010. 23-27 August 2010, Sydney, Australia: 7 p.*

- HALL, N.J., UDELL, M.A.R., DOREY, N.R., WALSH, A.L. & WYNNE, C.D.L. 2011. Megachiropteran bats (*Pteropus*) utilize human referential stimuli to locate hidden food. *Journal of Comparative Psychology* 125(3): 341-346.
- HALPIN, K., HYATT, A.D., FOGARTY, R., MIDDLETON, D., BINGHAM, J., EPSTEIN, J.H., RAHMAN, S.A., HUGHES, T., SMITH, C., FIELD, H., DASZAK, P. & HENIPAVIRUS ECOLOGY RESEARCH GROUP, NEW YORK. 2011. Pteropid bats are confirmed as the reservoir hosts of henipaviruses : a omprehensive experimental study of virus transmission. *American Journal of Tropical Medicine and Hygiene* 85(5): 946-951.
- HANAK, V., ANDERA, M. & BENDA, P. 2010. Česká chiropterologická bibliografie : soupis publikovaných a diplomových prací od počátku výzkumu v českých zemích do konce roku 2009. = Czech chiropterological bibliography: List of published papers and theses from the beginning of the research in the Bohemian Lands till 2009. *Vespertilio* 13-14: 165-262.
- HANAK, V., JAHELKOVA, H. & LUCAN, R.K. 2006. Netopýři (Chiroptera) CHKO Trebonsko. *Vespertilio* 9-10: 87-125.
- HAND, S. & KIRSCH, J.A.W. 2003. Archerops, a new annectant hipposiderid genus (Mammalia : Microchiroptera) from the Australian miocene. *Journal of Paleontology* 77(6): 1139-1151.
- HAPPOLD, D.C.D. 2013. *Megaloglossus woermanni*: Woermann's long-tongued fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 266-267.
- HAPPOLD, D.C.D. & HAPPOLD, M. 2013. Genus *Megaloglossus*: Woermann's long-tongued fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 266.
- HAPPOLD, M. 2013. *Barbastella leucomelas*: eastern barbastelles. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 549-550.
- HAPPOLD, M. 2013. *Cardioderma cor*: heart-nosed bat (African false vampire bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 404-405.
- HAPPOLD, M. 2013. *Casinycteris argynnis*: short-palated fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 230-231.
- HAPPOLD, M. 2013. *Coleura afra*: African sheath-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 422-423.
- HAPPOLD, M. 2013. *Eidolon helvum*: African straw-coloured fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 232-234.
- HAPPOLD, M. 2013. *Epomophorus crypturus*: Peters's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 240-242.
- HAPPOLD, M. 2013. *Epomophorus gambianus*: Gambian epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 242-244.
- HAPPOLD, M. 2013. *Epomophorus grandis*: Sanborn's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 244-245.
- HAPPOLD, M. 2013. *Epomophorus labiatus*: little epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 245-248.
- HAPPOLD, M. 2013. *Epomophorus minimus*: least epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 248-249.

- HAPPOLD, M. 2013. *Epomophorus wahlbergi*: Wahlberg's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 249-251.
- HAPPOLD, M. 2013. *Epomops dobsonii*: Dobson's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 255-256.
- HAPPOLD, M. 2013. *Epomops franqueti*: Franquet's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 256-258.
- HAPPOLD, M. 2013. Family Emballonuridae: sheath-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 418-420.
- HAPPOLD, M. 2013. Family Hipposideridae: Old World leaf-nosed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 357-359.
- HAPPOLD, M. 2013. Family Megadermatidae: false vampire bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 401-402.
- HAPPOLD, M. 2013. Family Nycteridae: slit-faced bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 438-440.
- HAPPOLD, M. 2013. Family Pteropodidae : fruit bats (Old World fruit bats). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 223-228.
- HAPPOLD, M. 2013. Family Vespertilionidae: vesper bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 541-544.
- HAPPOLD, M. 2013. Genus *Barbastella*: barbastelles. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 546-547.
- HAPPOLD, M. 2013. Genus *Cardioderma*: heart-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 403-404.
- HAPPOLD, M. 2013. Genus *Casinycteris*: short-palated fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 229-230.
- HAPPOLD, M. 2013. Genus *Cloeotis*: Percival's trident bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 364-365.
- HAPPOLD, M. 2013. Genus *Coleura*: African sheath-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 421.
- HAPPOLD, M. 2013. Genus *Eidolon*: straw-coloured fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 231-232.
- HAPPOLD, M. 2013. Genus *Epomophorus*: epauletted fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 234-237.
- HAPPOLD, M. 2013. Genus *Epomops*: singing epauletted fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 252-253.
- HAPPOLD, M. 2013. Genus *Glauconycteris*: butterfly bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 560-563.
- HAPPOLD, M. 2013. Genus *Hipposideros* : Old World leaf-nosed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 367-372.
- HAPPOLD, M. 2013. Genus *Hypsignathus*: hammer-headed fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 259-260.
- HAPPOLD, M. 2013. Genus *Kerivoula*: woolly bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 724-725.
- HAPPOLD, M. 2013. Genus *Lavia*: yellow-winged bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 406.

- HAPPOLD, M. 2013. Genus *Lissonycteris*: Angolan soft-furred fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 262-263.
- HAPPOLD, M. 2013. Genus *Micropteropus*: lesser epauletted fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 268-269.
- HAPPOLD, M. 2013. Genus *Mimetillus*: Moloney's mimic bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 585-586.
- HAPPOLD, M. 2013. Genus *Miniopterus*: long-fingered bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 711-712.
- HAPPOLD, M. 2013. Genus *Mormopterus*: little mastiff bats and others. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 472-473.
- HAPPOLD, M. 2013. Genus *Myonycteris*: collared fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 272-273.
- HAPPOLD, M. 2013. Genus *Myotis*: myotises (mouse-eared bats, hairy bats). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 688-692.
- HAPPOLD, M. 2013. Genus *Nycteris*: slit-faced bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 440-442.
- HAPPOLD, M. 2013. Genus *Nycticeinops*: Schlieffen's twilight bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 594-595.
- HAPPOLD, M. 2013. Genus *Otomops*: giant mastiff bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 479-480.
- HAPPOLD, M. 2013. Genus *Otonycteris*: Hemprich's desert bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 597-598.
- HAPPOLD, M. 2013. Genus *Phoniscus*: trumpet-eared bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 734.
- HAPPOLD, M. 2013. Genus *Platymops*: Peter's flat-headed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 483.
- HAPPOLD, M. 2013. Genus *Plerotes*: Anchieta's broad-faced fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 280-281.
- HAPPOLD, M. 2013. Genus *Pteropus*: flying-foxes. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 282-284.
- HAPPOLD, M. 2013. Genus *Rhinolophus*: horseshoe bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 303-309.
- HAPPOLD, M. 2013. Genus *Rousettus*: rousettes. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 288-289.
- HAPPOLD, M. 2013. Genus *Saccolaimus*: pouched bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 424.
- HAPPOLD, M. 2013. Genus *Sauromys*: Roberts's flat-headed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 485-486.
- HAPPOLD, M. 2013. Genus *Scotoecus*: lesser house bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 666-667.
- HAPPOLD, M. 2013. Genus *Tadarida*: Tadarine free-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 487-490.
- HAPPOLD, M. 2013. Genus *Taphozous*: tomb bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 427-428.

- HAPPOLD, M. 2013. Genus *Triaenops*: trident bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 398-399.
- HAPPOLD, M. 2013. *Glauconycteris alboguttata*: striped butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 563-564.
- HAPPOLD, M. 2013. *Glauconycteris argentata*: common butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 564-566.
- HAPPOLD, M. 2013. *Glauconycteris beatrix*: beatrix butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 566-567.
- HAPPOLD, M. 2013. *Glauconycteris egeria*: bibundi butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 568-569.
- HAPPOLD, M. 2013. *Glauconycteris gleni*: Glen's butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 569-570.
- HAPPOLD, M. 2013. *Glauconycteris humeralis*: spotted butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 570-572.
- HAPPOLD, M. 2013. *Glauconycteris kenyacola*: kenyacola butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 572-573.
- HAPPOLD, M. 2013. *Glauconycteris machadoi*: Machado's butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 573-574.
- HAPPOLD, M. 2013. *Glauconycteris poensis*: abo butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 574-575.
- HAPPOLD, M. 2013. *Glauconycteris variegata*: variegated butterfly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 576-577.
- HAPPOLD, M. 2013. *Hipposideros abae*: Aba leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 372-373.
- HAPPOLD, M. 2013. *Hipposideros beatus*: Benito leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 373-375.
- HAPPOLD, M. 2013. *Hipposideros camerunensis*: Cameroon leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 378-379.
- HAPPOLD, M. 2013. *Hipposideros curtus*: short-tailed leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 379-380.
- HAPPOLD, M. 2013. *Hipposideros gigas*: giant leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 385-387.
- HAPPOLD, M. 2013. *Hipposideros megalotis*: large-eared leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 392-393.
- HAPPOLD, M. 2013. *Hipposideros ruber*: Noack's leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 393-395.
- HAPPOLD, M. 2013. *Hipposideros vittatus*: striped leaf-nosed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 395-397.
- HAPPOLD, M. 2013. *Hypsignathus monstrosus*: hammer-headed fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 260-261.
- HAPPOLD, M. 2013. *Kerivoula africana*: Tanzanian woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 725-726.

- HAPPOLD, M. 2013. *Lavia frons*: yellow-winged bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 406-408.
- HAPPOLD, M. 2013. *Lissonycteris angolensis*: Angolan soft-furred fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 263-265.
- HAPPOLD, M. 2013. *Micropterus intermedius*: Hayman's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 269-270.
- HAPPOLD, M. 2013. *Miniopterus inflatus*: greater long-fingered bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 714-716.
- HAPPOLD, M. 2013. *Miniopterus minor*: least long-fingered bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 716-718.
- HAPPOLD, M. 2013. *Mormopterus acetabulosus* and *M. francoismoutoui*: Mauritanian little mastiff bat and Réunion little mastiff bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 473-475.
- HAPPOLD, M. 2013. *Myotis bocagii*: Rufous myotis (Rufous mouse-eared bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 692-694.
- HAPPOLD, M. 2013. *Myotis dieteri*: Dieter's myotis. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 696-697.
- HAPPOLD, M. 2013. *Myotis weltwitschii*: Weltwitsch's myotis. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 708-710.
- HAPPOLD, M. 2013. *Nycteris gambiensis*: Gambian slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 445-446.
- HAPPOLD, M. 2013. *Nycteris grandis*: large slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 446-448.
- HAPPOLD, M. 2013. *Nycteris hispida*: hairy slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 448-450.
- HAPPOLD, M. 2013. *Nycteris vinsoni*: Vinson's slit-faced bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 460-461.
- HAPPOLD, M. 2013. *Nycticeinops schlieffeni*: Schlieffen's twilight bat (Schlieffen's bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 595-597.
- HAPPOLD, M. 2013. Order Chiroptera : bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 198-222.
- HAPPOLD, M. 2013. *Phoniscus aerosa*: dubious trumpet-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 734-735.
- HAPPOLD, M. 2013. *Pipistrellus nanus*: banana pipistrelle (banana bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 639-642.
- HAPPOLD, M. 2013. *Pipistrellus rueppellii*: Rüppell's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 647-649.
- HAPPOLD, M. 2013. *Platymops steiger*: Peter's flat-headed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 483-485.
- HAPPOLD, M. 2013. *Plerotes anchietae*: Anchieta's broad-faced fruit bat (Benguela fruit bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 281.
- HAPPOLD, M. 2013. *Pteropus seychellensis*: Seychelles flying-fox. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 284-286.

- HAPPOLD, M. 2013. *Rhinolophus adami*: Adam's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 309-311.
- HAPPOLD, M. 2013. *Rhinolophus alcyone*: Halcyon horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 311-312.
- HAPPOLD, M. 2013. *Rhinolophus blasii*: Blasius's horseshoe bat (peak-saddle horseshoe bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 312-314.
- HAPPOLD, M. 2013. *Rhinolophus deckenii*: Decken's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 320-322.
- HAPPOLD, M. 2013. *Rhinolophus landeri*: Lander's horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 340-342.
- HAPPOLD, M. 2013. *Rhinolophus maendeleo*: Maendeleo horseshoe bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 343-345.
- HAPPOLD, M. 2013. *Rousettus aegyptiacus*: Egyptian rousette. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 289-292.
- HAPPOLD, M. 2013. *Rousettus lanosus*: long-haired rousette. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 292-293.
- HAPPOLD, M. 2013. *Scotoecus albofuscus*: light-winged lesser house bats (Gambian lesser house bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 667-669.
- HAPPOLD, M. 2013. *Scotoecus hirundo*: dark-winged lesser house bat (swallow-like lesser house bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 669-672.
- HAPPOLD, M. 2013. *Scotophilus dinganii*: yellow-bellied house bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 674-676.
- HAPPOLD, M. 2013. *Scotophilus nigrita*: giant house bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 678-680.
- HAPPOLD, M. 2013. Subfamily Emballonurinae: sheath-tailed bats, sacwinged bats, ghost bats and others. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 421.
- HAPPOLD, M. 2013. Subfamily Kerivoulinae: woolly bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 723-724.
- HAPPOLD, M. 2013. Subfamily Miniopterinae: long-fingered bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 710-711.
- HAPPOLD, M. 2013. Subfamily Myotinae: wing-gland bats and myotises. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 684-685.
- HAPPOLD, M. 2013. Subfamily Taphozoinae: pouched bats and tomb bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 424.
- HAPPOLD, M. 2013. Subfamily Vespertilioninae: barbastelles, serotines, butterfly bats, long-eared bats, noctules, pipistrelles, house bats and others. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 545-546.
- HAPPOLD, M. 2013. *Tadarida brachyptera*: short-winged free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 501-503.
- HAPPOLD, M. 2013. *Tadarida condylura*: Angolan free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 505-507.

- HAPPOLD, M. 2013. *Tadarida major*: lappet-eared free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 516-518.
- HAPPOLD, M. 2013. *Tadarida nanula*: dwarf free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 520-522.
- HAPPOLD, M. 2013. *Tadarida niangarae*: Niangara free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 522-523.
- HAPPOLD, M. 2013. *Tadarida petersoni*: Peterson's free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 526-528.
- HAPPOLD, M. 2013. *Tadarida pumila*: little free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 528-530.
- HAPPOLD, M. 2013. *Tadarida russata*: russet free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 530-532.
- HAPPOLD, M. 2013. *Tadarida spurrelli*: Spurrell's free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 532-533.
- HAPPOLD, M. 2013. *Tadarida thersites*: railer free-tailed bat (railer bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 535-537.
- HAPPOLD, M. 2013. *Tadarida trevori*: Trevor's free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 537-539.
- HAPPOLD, M. 2013. *Taphozous hamiltoni*: Hamilton's tomb bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 428-429.
- HAPPOLD, M. 2013. *Taphozous hildegardae*: Hildegard's tomb bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 429-431.
- HAPPOLD, M. 2013. *Taphozous mauritanus*: Mauritanian tomb bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 431-434.
- HAPPOLD, M. 2013. *Taphozous nudiventris*: naked-rumped tomb bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 434-436.
- HAPPOLD, M. 2013. *Triaenops afer*: African trident bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 399-400.
- HAPPOLD, M. & CAKENBERGHE, V. van 2013. *Pipistrellus cf. helios*: Samburu pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 627-629.
- HAPPOLD, M. & COTTERILL, F.P.D. 2013. Family Molossidae: free-tailed bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 464-472.
- HAPPOLD, M. & COTTERILL, F.P.D. 2013. Family Rhinolophidae: horseshoe bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 300-303.
- HAPPOLD, M. & COTTERILL, F.P.D. 2013. *Tadarida chapini*: pale free-tailed bat (Chapin's free-tailed bat, long-crested free-tailed bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 503-505.
- HAPPOLD, M. & HAPPOLD, D.C.D. 2013. *Pteropus voeltzkowi*: Pemba flying-fox. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 286-287.
- HAPPOLD, M., CAKENBERGHE, V. van & KEARNEY, T.C. 2013. *Pipistrellus zuluensis*: Zulu pipistrelle (aloe bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 657-660.

- HARADA, M., ANDO, K., UCHIDA, T.A. & TAKADA, S. 1987. A karyological study on two Japanese species of *Murina* (Mammalia : Chiroptera). *Journal of the Mammalogical Society of Japan* 12(1-2): 15-23.
- HARBUSCH, C. & WEBER, D. 2013. Fledermäuse (Mammalia, Chiroptera) aus Höhlen des Großherzogtums Luxemburg. *Ferrantia* 69: 395-406.
- HARIVEL, R. 2012. Étude des conditions de températures durant l'hibernation des chiroptères dans un tunnel ferroviaire du Calvados. *Le Naturaliste Vendéen* 9: 97-103.
- HARRISON, M.E., CHEYNE, S.M., DARMA, F., RIBOWO, D.A., LIMIN, S.H. & STRUEBIG, M.J. 2011. Hunting of flying foxes and perception of disease risk in Indonesian Borneo. *Biological Conservation* 144: 2441-2449.
- HARTBAUER, M., RADSPIELER, G. & RÖMER, H. 2010. Reliable detection of predator cues in afferent spike trains of a katydid under high background noise levels. *Journal of Experimental Biology* 213: 3036-3046.
- HAYES, M. 2012. Bats, mines, and citizen science in the Rockies : volunteers make a difference in Colorado. *Bats* 30(4): 10-11.
- HAYES, M. 2013. Bats killed in large numbers at United States wind energy facilities. *Bioscience* 63(12): 975-979.
- HAYMAN, D.T.S., BOWEN, R., CRYAN, P.M., MACCRACKEN, G.F., O'SHEA, T.J., PEEL, A.J., GILBERT, A., WEBB, C.T. & WOOD, J.L.N. 2013. Ecology of zoonotic infectious diseases in bats : current knowledge and future directions. *Zoonoses and Public Health* 60: 2-21.
- HAYMAN, D.T.S., MACCREA, R., RESTIF, O., SUU-IRE, R., FOOKS, A.R., WOOD, J.L.N., CUNNINGHAM, A.A., ROWCLIFFE & J.M. 2012. Demography of straw-colored fruit bats in Ghana. *Journal of Mammalogy* 93(5): 1393-1404.
- HAYSOM, K.A., BARLOW, K.E., BRIGGS, P. & LANGTON, S. 2012. Bat monitoring programmes in the UK : achievements and perspectives. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 46-51.
- HEANEY, L.R., BALETE, D.S., ALVIOLA, P.A., RICKART, E.A. & RUEDI, M. 2012. *Nyctalus plancyi* and *Falsistrellus petersi* (Chiroptera: Vespertilionidae) from northern Luzon, Philippines : ecology, phylogeny, and biogeographic implications. *Acta Chiropterologica* 14(2): 265-278.
- HEDRICK, T.L. 2011. Damping in flapping flight and its implications for manoeuvring, scaling and evolution. *Journal of Experimental Biology* 214: 4073-4081.
- HEFFNER, R.S., KOAY, G. & HEFFNER H.E. 2010. Use of binaural cues for sound localization in large and small non-echolocating bats : *Eidolon helvum* and *Cynopterus brachyotis*. *Journal of the Acoustical Society of America* 127(6): 3837-3845.
- HEFFNER, R.S., KOAY, G. & HEFFNER H.E. 2010. Use of binaural cues for sound localization in two species of Phyllostomidae : the greater spear-nosed bat (*Phyllostomus hastatus*) and the short-tailed fruit bat (*Carollia perspicillata*). *Journal of Comparative Psychology* 124(4): 447-454.
- HEFFNER, R.S., KOAY, G. & HEFFNER H.E. 2013. Hearing in American leaf-nosed bats. IV : the common vampire bat, *Desmodus rotundus*. *Hearing research* 296: 42-50.
- HELVERSEN, D. VON. 2004. Object classification by echolocation in nectar feeding bats : size-independent generalization of shape. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 190: 515-521.
- HEMMATI, F., REZAZADEH, E., KIABI, B., HEMMATI, L., MOLAVI, G., RADD, E.K. & BURSEY, C.R. 2013. Parasites of the lesser mouse-eared myotis, *Myotis blythii* (Chiroptera, Vespertilionidae), from Zanjan province, northwest Iran. *Comparative Parasitology* 80(2): 312-313.
- HENDRICKS, P. 2012. Winter records of bats in Montana. *Northwestern Naturalist* 93: 154-162.
- HENDRICKS, P. & HENDRICKS, L.M. 2010. Water acquisition during daylight by free-ranging *Myotis* bats. *Northwestern Naturalist* 91(3): 336-338.

- HENRY, M. & STONER, K.E. 2011. Relationship between spatial working memory performance and diet specialization in two sympatric nectar bats. *PLoS One* 6(9): 1-7.
- HENSON, O.W. Jr., SCHULLER, G. & VATER, M. 1985. A comparative study of the physiological properties of the inner ear in Doppler shift compensating bats (*Rhinolophus rouxi* and *Pteronotus parnellii*). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 157: 587-597.
- HERMANSON, J.W. & WILKINS, K.T. 2008. Growth and development of two species of bats in a shared maternity roost. *Cells Tissues Organs* 187: 24-34.
- HERNANDEZ-MUÑOZ, A. & MANCINA, C.A. 2011. La dieta de la lechuza (*Tyto alba*) (Aves : Strigiformes) en hábitats naturales y antropogénicos de la región central de Cuba. *Revista Mexicana de Biodiversidad* 82: 309-318.
- HERNOUT, B.V., SOMERWILL, K.E., ARNOLD K.E., MACCLEAN, C.J. & BOXALL, A.B.A. 2013. A spatially-based modeling framework for assessing the risks of soil-associated metals to bats. *Environmental Pollution* 173: 110-116.
- HERREL, A., DE SMET, A., AGUIRRE, L.F. & AERTS, P. 2008. Morphological and mechanical determinants of bite force in bats : do muscles matter? *Journal of Experimental Biology* 211: 86-91.
- HERRERA M., L.G., OSORIO, J.M. & MANCINA, C.A. 2011. Ammonotely in a neotropical frugivorous bat as energy intake decreases. *Journal of Experimental Biology* 214: 3775-3781.
- HERRERA MONTALVO, L.G., RODRÍGUEZ-GALINDO, M. & IBARRA LÓPEZ, P. 2013. Asymmetric contribution of isotopically contrasting food sources to vertebrate consumers in a subtropical semi-arid ecosystem. *Biotropica* 45(3): 357-364.
- HERZIG, L. 2012. Erste Funde der Zweifarbfledermaus (*Vespertilio murinus*) im Landkreis Fulda. *Beiträge zur Naturkunde in Ostthessen* 49: 63-66.
- HEYS, J.G., MACLEOD, K.M., MOSS, C.F. & HASSELMO, M.E. 2013. Bat and rat neurons differ in theta-frequency resonance despite similar coding of space. *Science* 340: 363-367.
- HIZEM, M.W. & ALLEGRINI, B. 2009. Contribution à la connaissance des chiroptères du Parc National de Bou Hedma (Tunisie). *Poiretia* 1: 5-9.
- HO, Y.-Y., FANG, Y.-P., CHOU, C.-H., CHENG, H.C. & CHANG, H.-W. 2013. High duty cycle to low duty cycle : echolocation behaviour of the hipposiderid bat *Coelops frithii*. *PLoS One* 8(5): 7 p.
- HODGKISON, R., BALDING, S.T., ZUBAID, A. & KUNZ, T.H. 2003. Fruit bats (Chiroptera : Pteropodidae) as seed dispersers and pollinators in a lowland Malaysian rain forest. *Biotropica* 35(4): 491-502.
- HOLLAND, R.A. & WATERS, D.A. 2007. The effect of familiarity on echolocation in the megachiropteran bat *Rousettus aegyptiacus*. *Behaviour* 144: 1053-1064.
- HOLLAND, R.A., WATERS, D.A. & RAYNER, J.M.V. 2004. Echolocation signal structure in the megachiropteran bat *Rousettus aegyptiacus* Geoffroy 1810. *Journal of Experimental Biology* 207: 4361-4369.
- HOOD, W.R., OFTEDAL, O.T. & KUNZ, T.H. 2006. Variation in body composition of female big brown bats (*Eptesicus fuscus*) during lactation. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 176: 807-819.
- HOOFFER, S.R. & BAKER, R.J. 2006. Molecular systematics of vampyressine bats (Phyllostomidae : Stenodermatinae) with comparison of direct and indirect surveys of mitochondrial DNA variation. *Molecular phylogenetics and evolution* 39: 424-438.
- HORÁČEK, D. 2010. Výskyt netopýru rodu *Pipistrellus* v Libereckém kraji = Occurrence of bats of the genus *Pipistrellus* in the Liberec region. *Sborník Severočeského Muzea Přírodní Vedy Scientiae Naturales* 28: 171-181.
- HORÁČEK, I. 2013. *Otonycteris hemprichii*: Hemprich's desert bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 598-600.

- HORÁČEK, I., HANAK, V., BENDA, P., CERVENY, J., HANZAL, V., PRUCHA, M., VESELY, J., WEINFURTOVA, D. & ZIMA, J. 2001. Nejvýznamnější zimoviště netopýru ve středních Čechách. *Vespertilio* 5: 121-145.
- HUBEL, T.Y., RISKIN, D.K., SWARTZ, S.M. & BREUER, K.S. 2010. Wake structure and wing kinematics : the flight of the lesser dog-faced fruit bat, *Cynopterus brachyotis*. *Journal of Experimental Biology* 213: 3427-3440.
- HUFFMAN, R.F. & HENSON, O.W. Jr. 1993. Labile cochlear tuning in the mustached bat. I. Concomitant shifts in biosonar emission frequency. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 171: 725-734.
- HUFFMAN, R.F. & HENSON, O.W. Jr. 1993. Labile cochlear tuning in the mustached bat. II. Concomitant shifts in neural tuning. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 171: 735-748.
- HULL, C.L. & CAWTHEN, L. 2013. Bat fatalities at two wind farms in Tasmania, Australia : bat characteristics, and spatial and temporal patterns. *New Zealand Journal of Zoology* 40(1): 5-15.
- HULVA, P., BENDA, P., HANAK, V., EVIN, A. & HORÁČEK, I. 2007. New mitochondrial lineages within the *Pipistrellus pipistrellus* complex from Mediterranean Europe. *Folia Zoologica* 56(4): 378-388.
- HULVA, P., FORNUSKOVA, A., CHUDÁRKOVÁ, A., EVIN, A., ALLEGRINI, B., BENDA, P. & BRYJA, J. 2010. Mechanisms of radiation in a bat group from the genus *Pipistrellus* inferred by phylogeography, demography and population genetics. *Molecular Ecology* 19: 5417-5431.
- HULVA, P., HORÁČEK, I. & BENDA, P. 2007. Molecules, morphometrics and new fossils provide an integrated view of the evolutionary history of *Rhinopomatidae* (Mammalia : Chiroptera). *BMC Evolutionary Biology* 7(165): 23 p.
- HULVA, P., MARESOVA, T., DUNDAROVA, H., BILGIN, R., BENDA, P., BARTONICKA, T. & HORÁČEK, I. 2012. Environmental margin and island evolution in Middle eastern populations of the Egyptian fruit bat. *Molecular Ecology* 21: 6104-6116.
- HUMPHRY, G.M. 1869. The myology of the limbs of *Pteropus*. *Journal of anatomy and physiology* 3: 294-334.
- HURLEY, S. & FENTON, M.B. 1980. Ineffectiveness of fenthion, zinc phosphide, DDT and two ultrasonic rodent repellents for control of populations of little brown bats (*Myotis lucifugus*). *Bulletin of environmental contamination and toxicology* 25: 503-507.
- HUTTON, F.W. 1872. On the bats of New Zealand. *Transactions of the New Zealand Institute* 4: 184-186.
- IBAÑEZ, C. 2013. *Nyctalus lasiopterus*: giant noctule. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 590-592.
- IBAÑEZ, C. & ARLETTAZ, R. 2013. *Tadarida teniotis*: European free-tailed bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 533-535.
- IIDA, E.G., IDANI, G. & OGAWA, H. 2012. Mammalian fauna of the Miombo forest in the Ugalla area, western Tanzania. *African Study Monographs* 33(4): 253-270.
- ILLIGER, J.K.W. 1811. *Prodromus systematis Mammalium et Avium : additis terminis zoographicis utriusque classis, eorumque versione germanica*. Berolini, C. Salfeld: 301 p.
- INKSTER-DRAPER, T.E., SHEAVES, M., JOHNSON, C.N. & ROBSON, S. 2013. Prescribed fire in eucalypt woodlands : immediate effects on a microbat community of northern Australia. *Wildlife Research*: 7 p.
- ISAAC, S.S. 2012. Roosting behaviour of the Indian flying fox, *Pteropus giganteus* : a bioindicator of wetland ecosystem. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 88.

- ISHIDA, M., EGUCHI, K., MIYAKE, K., YAMAUCHI, K. & MATSUMURA, S. 2011. Nocturnal activity of Hilgendorf's tube-nosed bat *Murina hilgendorfi* camera-trapped in the Akiyoshi-dai plateau, Yamaguchi, Japan. *Journal of the Speleological Society of Japan* 36: 1-10.
- ISHIDA, M., MATSUMURA, S., KINUGASA, M. & YAMANAKA, A. 2010. Usage frequency of night roosts and diet preference of the greater horseshoe bat *Rhinolophus ferrumequinum* in the Akiyoshi-dai plateau, Yamaguchi, Japan. *Journal of the Speleological Society of Japan* 35: 11-17.
- ISHIDA, M., SAKAMOTO, Y., HASHIMOTO, A. & MATSUMURA, S. 2012. Population dynamics and long-term survival of Hilgendorf's tube-nosed bat *Murina hilgendorfi* in the Akiyoshi-dai karst area, Yamaguchi, Japan. *Mammal Study* 37: 249–253.
- ISLAM, N. 2013. A first for bats in Bangladesh. *Bats* 31(1): 13-14.
- ISSARTEL, G. 2001. Inventaire des chiroptères du parc national des Abruzzes (Italie). *Le Rhinolophe* 15: 141-156.
- ITINO, T., KATO, M. & HOTTA, M. 1991. Pollination ecology of the two wild bananas, *Musa acuminata* subsp. *halabanensis* and *M. salaccensis* : chiropterophily and ornithophily. *Biotropica* 23(2): 151-158.
- JACOBS, D.S. 2013. *Cloeotis percivali*: Percival's trident bat (short-eared trident bat). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 365-366.
- JACOBS, D.S., BARCLAY, R.M.R. & WALKER, M.H. 2007. The allometry of echolocation call frequencies of insectivorous bats : why do some species deviate from the pattern? *Oecologia* 152: 583-594.
- JAKOBSEN, L., KALKO, E.K.V. & SURLYKKE, A. 2012. Echolocation beam shape in emballonurid bats, *Saccopteryx bilineata* and *Cormura brevirostris*. *Behavioral Ecology and Sociobiology*: 10 p.
- JAKOBSEN, L., RATCLIFFE, J.M. & SURLYKKE, A. 2013. Convergent acoustic field of view in echolocating bats. *Nature* 493: 93-96.
- JAMESON, J.W. & WILLIS, C.K.R. 2012. Bat mortality at a wind power facility in central Canada. *Northwestern Naturalist* 93(3): 194-202.
- JAN, C.M.I., DAWSON, D.A., ALTRINGHAM, J., BURKE, T. & BUTLIN, R. 2012. Development of conserved microsatellite markers of high cross-species utility in bat species (Vespertilionidae, Chiroptera, Mammalia). *Molecular Ecology Resources* 12: 532-548.
- JANTZEN, M.K. & FENTON, M.B. 2013. The depth of edge influence among insectivorous bats at forest–field interfaces. *Canadian journal of zoology = Revue canadienne de zoologie* 91: 287-292.
- JARRIN-V., P. & CLARE, E.L. 2013. Systematics of *Sturnira* (Chiroptera : Phyllostomidae) in Ecuador, with comments on species boundaries. *Zootaxa* 3630(1): 165-183.
- JARRIN-V., P. & COELLO, D. 2012. Quantification of morphological variation within species of *Anoura* from Ecuador, with an emphasis on *A. fistulata* (Chiroptera : Phyllostomidae). *Acta Chiropterologica* 14(2): 317-333.
- JAVID, A., MAHMOOD-UL-HASSAN, M., AFZAL, M., NADEEM, M.S. & HUSSAIN, S.M. 2012. Recent record of least pipistrelle (*Pipistrellus tenuis*) (Vespertilionidae: Chiroptera) from Islamabad. *Journal of Animal & Plant Sciences* 22(4): 1042-1047.
- JAVID, A., MAHMOOD-UL-HASSAN, M., NADEEM, M.S., RANA, N. & KHAN, N. 2012. First record of the lesser mouse-tailed bat *Rhinopoma hardwickii* (Rhinopomatidae: Chiroptera) from southern Punjab, Pakistan. *Journal of Animal & Plant Sciences* 22(2): 278-282.
- JEFFCOTT, D. & BRACK, V. Jr. 2008. Anomalous coloring of a big brown bat, *Eptesicus fuscus*. *Bat Research News* 49(4): 89-92.
- JEMIN, J. 2013. Chauves-souris et sylviculture : partager la forêt? *Mammifères sauvages* 65: 13.
- JENNINGS, J.F.G. & HOEHN, L.A. [ill.] 1996. *Bats : a creativity book for young conservationists*. Austin, University of Texas Press: 31 p.

- JENYNS, L. 1835. A manual of British vertebrate animals : or descriptions of all the animals belonging to the classes, Mammalia, Aves, Reptilia, Amphibia, and Pisces, which have been hitherto observed in the British Islands : including the domesticated, naturalized, and estirpated species : the whole systematically arranged. Cambridge, University: 559 p.
- JI, W., SUGA, N. & GAO, E. 2005. Effects of agonists and antagonists of NMDA and ACh receptors on plasticity of bat auditory system elicited by fear conditioning. *Journal of Neurophysiology* 94: 1199–1211.
- JIANG, T.-L., LU, G., SUN, K., LUO, J.-H. & FENG, J. 2013. Coexistence of *Rhinolophus affinis* and *Rhinolophus pearsoni* revisited. *Acta Theriologica* 58: 47-53.
- JIANG, T.-L., YOU, Y.-Y., LIU, S., LU, G., WANG, L., WU, H., BERQUIST, S.W., HO, J., PUECHMAILLE, S. & FENG, J. 2013. Factors affecting geographic variation in echolocation calls of the endemic *Myotis davidii* in China. *Ethology* 119: 881-890.
- JIMÉNEZ-TREJO, F., LEON-GALVAN, M.A., MARTÍNEZ-MÉNDEZ, L.A., TAPIA- RPDRÍGUEZ, M., MENDOZA-RODRÍGUEZ, C.A., GONZÁLEZ-SANTOYO, I., LOPEZ-WILCHIS, R., VELA-HINOJOSA, C., BARANDA-AVILA, N. & CERBÓN, M. 2013. Serotonin in testes of bat *Myotis velifer* during annual reproductive cycle : expression, localization, and content variations. *The Journal of experimental Zoology* 319A: 249-258.
- JIN, L.-R., WANG, J., ZHANG, Z.-Z., SUN, K., KANWAL, J.S. & FENG, J. 2012. Postnatal development of morphological and vocal features in Asian particolored bat, *Vespertilio sinensis*. *Mammalian biology* 77: 339-344.
- JOERMANN, G. 1984. Recognition of spatial parameters by echolocation in the vampire bat, *Desmodus rotundus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 155: 67-74.
- JOHNSON, J.B. & GATES, J.E. 2009. Observations of Indiana myotis roosting and foraging behavior in Carroll County, Maryland. *Maryland Naturalist* 50(1): 11-30.
- JOHNSON, J.B., FORD, W.M., RODRIGUE, J.L., EDWARDS, J.W. & JOHNSON, C.M. 2010. Roost selection by male Indiana *Myotis* following forest fires in central Appalachian hardwood forests. *Journal of Fish and Wildlife Management* 1(2): 111-121.
- JOHNSON, J.S. & LACKI, M.J. 2013. Habitat associations of Rafinesque's big-eared bats (*Corynorhinus rafinesquii*) and their lepidopteran prey in bottomland hardwood forests. *Canadian journal of zoology = Revue canadienne de zoologie* 91: 94-101.
- JOHNSON, J.S., KISER, J.D., WATROUS, K.S. & PETERSON, T. 2011. Day-roosts of *Myotis leibii* in the Appalachian ridge and valley of West Virginia. *Northeastern Naturalist* 18(1): 95–106.
- JOHNSON, J.S., KROPCZYNSKI, J.N. & LACKI, M.J. 2013. Social network analysis and the study of sociality in bats. *Acta Chiropterologica* 15(1): 1-17.
- JOHNSON, L.J.A.N., MILLER, A.N., MACCLEERY, R., MACCLANAHAN, R., KATH, J.A., LUESCHOW, S. & PORRAS-ALFARO, A. 2013. Psychrophilic and psychrotolerant fungi on bats and the presence of *geomyces* spp. on bat wings prior to the arrival of white nose syndrome. *Applied and environmental microbiology* 79(18): 5465-5471.
- JONASSON, K.A. & WILLIS, C.K.R. 2011. Changes in body condition of hibernating bats support the thrifty female hypothesis and predict consequences for populations with white-nose syndrome. *PLoS One* 6(6): 1-8.
- JONASSON, K.A. & WILLIS, C.K.R. 2012. Hibernation energetics of free-ranging little brown bats. *Journal of Theoretical and Experimental Biology* 215: 2141-2149.
- JONASSON, K.A., TIMONIN, M.E., NORQUAY, K., MENZIES, A.K., DUBOIS, J. & WILLIS, C.K.R. 2010. Case study : a little brown bat (*Myotis lucifugus*) survives in the wild with only one foot. *Journal of Wildlife Rehabilitation* 30(3): 27-29.
- JONES, G. 2012. What bioindicators are and why they are important. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 18-19.

- JONES, K.E., BININDA-EMONDS, O.R.P. & GITTLEMAN, J.L. 2004. Bats, clocks and rocks : diversification patterns in Chiroptera. *Evolution* 59(10): 2243-2255.
- JONES, P.L., FARRIS, H.E., RYAN, M.J. & PAGE, R.A. 2013. Do frog-eating bats perceptually bind the complex components of frog calls? *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 199: 279-283.
- JOSHI, D.S. & CHANDRASHEKARAN, M.K. 1985. Spectral sensitivity of the photoreceptors responsible for phase shifting the circadian rhythm of activity in the bat, *Hipposideros speoris*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 156: 189-198.
- JOSHI, D.S. & VANLALNGHAKA, C. 2005. Non-parametric entertainment by natural twilight in the microchiropteran bat, *Hipposideros speoris* inside a cave. *Chronobiology international* 22(4): 631-640.
- JOURDE, P. 2012. Les chauves-souris de Charente-Maritime : bilan de quatorze années d'inventaire, d'étude et de protection. *Le Naturaliste Vendéen* 9: 71-85.
- JUBERTHIE, C. 1995. Les habitats souterrains et leur protection. Strasbourg, Ed. du Conseil de l'Europe: 100 p. (Sauvegarde de la nature, 72).
- JUBERTHIE, C. 1995. Underground habitats and their protection. Strasbourg, Council of Europe Press: 158 p. (Nature and environment, 72)
- JUDY, D., WHITAKER, J.O. Jr., SPARKS, D.W. & RITZI, C.M. 2010. Unusual migratory behavior by an Indiana bat (*Myotis sodalis*). *Proceedings of the Indiana Academy of Science* 119(1): 99-100.
- JULIEN, J.-F. 2011. Le SM2 et les nouveaux détecteurs. *L'envol des chiros* 10: 5-6.
- JUNG, T.S. & SLOUGH, B.G. 2005. Mortality of little brown bats, *Myotis lucifugus*, in a rodent trap in the Boreal forest. *The Canadian field-naturalist* 119: 589-590.
- JUNG, T.S. & SLOUGH, B.G. 2011. Body condition of a free-ranging little brown bat (*Myotis lucifugus*) with a broken humerus. *The American midland naturalist* 166: 234-238.
- JUSTE, J., BENDA, P., GARCIA-MUDARRA, J.L. & IBAÑEZ, C. 2013. Phylogeny and systematics of Old World serotine bats (genus *Eptesicus*, Vespertilionidae, Chiroptera) : an integrative approach. *Zoologica scripta : an international journal* 42(5): 441-457.
- KALCOUNIS, M.C. 2012. Book reviews. Bats of the United States and Canada by Michael J. Harvey, J. Scott Altenbach, and Troy L. Best. *Bat Research News* 53(2): 19-20.
- KANAGARAJ, C., MARIMUTHU, G. & RAJAN, K.E. 2010. Genetic analysis on three South Indian sympatric hipposiderid bats (Chiroptera, Hipposideridae). *Animal Biodiversity and Conservation* 33(2): 187-194.
- KANG, C. & REEP, R.L. 2013. Post-cranial hairs in four families of bats. *Acta Chiropterologica* 15(1): 153-161.
- KAPFER, G., RIGOT, T., HOLSBEEK, L. & ARON, S. 2008. Roost and hunting site fidelity of female and juvenile Daubenton's bat *Myotis daubentonii* (Kuhl, 1817) (Chiroptera : Vespertilionidae). *Mammalian biology* 73: 267-275.
- KARAMI, M., HUTTERER, R., BENDA, P., SIAHSARVIE, R. & KRYSTUFEK, B. 2008. Annotated check-list of the mammals of Iran. *Lynx (Praha)* 39(1): 63-102.
- KARATAS, A., SÖZEN, M. & MATUR, F. 2006. Karyology of some bat species (Chiroptera : Rhinolophidae, Molossidae) from Turkey. *Mammalian biology* 71(3): 159-163.
- KARUPPUDURAI, T., SRIPATHI, K., GOPUKUMAR NAIR, N., ELANGO VAN, V. & ARIVARIGNAN, G. 2008. Transition of nonharem male to harem male status in the short-nosed fruit bat *Cynopterus sphinx*. *Mammalian biology* 73: 138-146.
- KEARNEY, T.C. 2013. *Cistugo lesueuri*: Lesueur's wing-gland bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 685-687.
- KEARNEY, T.C. 2013. *Cistugo seabrae*: Angolan wing-gland bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 687-688.

- KEARNEY, T.C. 2013. Genus *Cistugo*: wing-gland bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 685.
- KEARNEY, T.C. 2013. Genus *Laephotis*: African long-eared bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 578-580.
- KEARNEY, T.C. 2013. *Laephotis angolensis*: Angolan long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 580-581.
- KEARNEY, T.C. 2013. *Laephotis botswanae*: Bostwanan long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 581-583.
- KEARNEY, T.C. 2013. *Laephotis namibensis*: Namibian long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 583-584.
- KEARNEY, T.C. 2013. *Laephotis wintoni*: Winton's long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 584-585.
- KEARNEY, T.C. 2013. *Pipistrellus anchietae*: Anchieta's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 610-611.
- KEARNEY, T.C. 2013. *Pipistrellus capensis*: cape pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 614-617.
- KEARNEY, T.C. 2013. *Pipistrellus cf. melckorum*: Melck's pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 635-637.
- KEARNEY, T.C. 2013. *Pipistrellus hesperidus*: dusk pipistrelle. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 629-631.
- KEARNEY, T.C. 2013. *Pipistrellus rusticus*: rustic pipistrelle (rusty pipistrelle). In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 649-651.
- KEARNEY, T.C. & TAYLOR, P.J. 2011. Selection of cranial and mandible measurements for traditional morphometric analyses of southern African vesper bats of the genera *Eptesicus*, *Hypsugo*, *Neoromicia*, and *Pipistrellus* (Mammalia : Chiroptera : Vespertilionidae). *Annals of the Ditsong National Museum of Natural History* 1: 53–61.
- KEATING, A.W., HENSON, O.W. Jr., HENSON, M.M., LANCASTER, W.C. & XIE, D.-H. 1994. Doppler-shift compensation by the mustached bat : quantitative data. *Journal of Experimental Biology* 188: 115-129.
- KELLEHER, C. 2004. Thirty years, six counties, one species - an update on the lesser horseshoe bat *Rhinolophus hipposideros* (Bechstein) in Ireland. *Irish Naturalists' Journal* 27(10): 387-392.
- KELLEHER, C. 2006. Brandt's bat *Myotis brandtii*, new bat species to Co Tipperary. *Irish Naturalists' Journal* 28(8): 345.
- KELLEHER, C. 2006. International bat fieldcraft workshop held in Killarney, Co Kerry. *Irish Naturalists' Journal* 28(6): 264-266.
- KELLEHER, C. 2006. Lesser horseshoe bat *Rhinolophus hipposideros* and other bat species : post-glacial arrivals in Ireland. *Irish Naturalists' Journal* 28(6): 259.
- KELLEHER, C. 2006. *Nathusius'* pipistrelle *Pipistrellus nathusii* and Brandt's bat *Myotis brandtii*, new bat species to Co Kerry. *Irish Naturalists' Journal* 28(6): 258.
- KELLEHER, C. 2006. New eastern boundary record for lesser horseshoe bat *Rhinolophus hipposideros* in Co. Cork. *Irish Naturalists' Journal* 28(8): 344.
- KELLEHER, C. 2006. Observation on infant and adult mortality at a Natterer's bat *Myotis nattereri* nursery roost in West Cork. *Irish Naturalists' Journal* 28(8): 345-346.
- KELLEHER, C. 2006. Observation on the dangers of discarded fishing hooks to bats. *Irish Naturalists' Journal* 28(7): 302-303.

- KELLEHER, C. 2006. Summer roost preferences of lesser horseshoe bat *Rhinolophus hipposideros* in Ireland. *Irish Naturalists' Journal* 28(6): 229-231.
- KELLEHER, C. 2007. Are there situations where lesser horseshoe bats *Rhinolophus hipposideros* (Bechstein) are more tolerant of disturbance than generally accepted? *Irish Naturalists' Journal* 28(11): 447-448.
- KELLEHER, C. 2007. Observation of an energy-saving foraging strategy by a lesser horseshoe bat *Rhinolophus hipposideros* at a disused lime kiln in south Kerry. *Irish Naturalists' Journal* 28(11): 469.
- KELLEHER, C. 2008. A review of the highest recorded altitudes of lesser horseshoe bat (*Rhinolophus hipposideros* (Bechstein)) roosts in Ireland. *Irish Naturalists' Journal* 29(2): 142-143.
- KELLEHER, C. 2008. An account of the largest bat roost yet discovered in Ireland. *Irish Naturalists' Journal* 29(2): 143-144.
- KELLEHER, C. 2008. An easy method to manufacture a cone trap for use in bat surveys and scientific study at roosting sites. *Irish Naturalists' Journal* 29(2): 144-145.
- KELLEHER, C. 2008. New eastern boundary record for lesser horseshoe bat (*Rhinolophus hipposideros* (Bechstein, 1800)) in Co. Cork. *Irish Naturalists' Journal* 29(1): 57.
- KELLEHER, C. 2008. Observation of bat predation at a Soprano Pipistrelle (*Pipistrellus pygmaeus* (Leach 1825)) roost by a sparrowhawk (*Accipiter nisus* L. 1758) in West Cork. *Irish Naturalists' Journal* 29(1): 57.
- KELLEHER, C. 2009. Bats in forests: a discussion document presented at the All-Ireland Mammal Symposium : Mammals and forests workshop, 8 November 2009. *Irish Naturalists' Journal All-Ireland Mammal Symposium 2009*: 79-84.
- KELLEHER, C. 2010. An account of the largest soprano pipistrelle (*Pipistrellus pygmaeus* Leach, 1825) hibernation roost yet discovered in Ireland. *Irish Naturalists' Journal* 31(2): 153-154.
- KELM, D., POPA-LISSEANU, A.G., DEHNHARD, M. & IBÁÑEZ, C. 2012. Non-invasive monitoring of stress hormones in *Eptesicus isabellinus*. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 88.
- KENDALL, R. & GUILFORD, T. 2011. On the occurrence and distribution of bats in Ogof Draenen. *Cave and Karst Science* 38(1): 17-22.
- KEPLER, T.B., SAMPLE, C., HUDAK, K., ROACH, J., HAINES, A., WALSH, A.L. & RAMSBURG, E.A. 2010. Chiropteran types I and II interferon genes inferred from genome sequencing traces by a statistical gene-family assembler. *BMC Genomics* 11:444.
- KERVYN, T., GODIN, M.-C., JOCQUE, R., GROOTAERT, P. & LIBOIS, R. 2012. Web-building spiders and blood-feeding flies as prey of the notch-eared bat (*Myotis emarginatus*). *Belgian journal of zoology* 142(1): 59-67.
- KERVYN, T., LAMOTTE, S., NYSSSEN, P. & VERSCHUREN, J. 2009. Major decline of bat abundance and diversity during the last 50 years in southern Belgium. *Belgian Journal of Zoology* 139(2): 124-132.
- KHALAFALLA, S.M. & IUDICA, C.A. 2012. Barn owl (*Tyto alba*) predation on big brown bats (*Eptesicus fuscus*) in Pennsylvania. *The Canadian field-naturalist* 126: 38-40.
- KILGOUR, R.J. & BRIGHAM, R.M. 2013. The relationships between behavioural categories and social influences in the gregarious big brown bat (*Eptesicus fuscus*). *Ethology* 119: 189-198.
- KIM, H.C., HAN, S.H., DICK, C.W., CHOI, Y.G., CHONG, S.T., KLEIN, T.A. & RUEDA, L.M. 2012. Geographical distribution of bat flies (Diptera : Nycteribiidae and Streblidae), including two new records, *Nycteribia allotopa* and *N. formosana*, collected from bats (Chiroptera : Rhinolophidae and Vespertilionidae) in the Republic of Korea. *Journal of vector ecology* 37(2): 333-337.
- KIM, S., ALLEN, R. & ROWAN, D. 2012. Range dependent characteristics in the head-related transfer functions of a bat-head cast : part 1. Monaural characteristics. *Bioinspiration & Biomimetics*: 14 p.

- KIM, S., ALLEN, R. & ROWAN, D. 2012. Range dependent characteristics in the head-related transfer functions of a bat-head cast : part 2. Binaural characteristics. *Bioinspiration & Biomimetics* 7: 16p.
- KINGSTON, T. 2010. Research priorities for bat conservation in Southeast Asia : a consensus approach. *Biodiversity and Conservation* 19: 471-484.
- KINGSTON, T., JULIANA, S., NURUL-AIN, E., HASHIM, R. & ZUBAID, A. 2012. The Malaysian bat conservation research unit : from a national model to an international network. *Malaysian applied biology* 41(2): 1-10.
- KLUG, B.J. & BARCLAY, R.M.R. 2013. Thermoregulation during reproduction in the solitary, foliage-roosting hoary bat (*Lasiurus cinereus*). *Journal of Mammalogy* 94(2): 477-487.
- KNÖRNSCHILD, M., JUNG, K., NAGY, M., METZ, M. & KALKO, E.K.V. 2012. Bat echolocation calls facilitate social communication. *Proceedings of the Royal Society of London. Series B : Biological sciences*: 9 p.
- KNÖRNSCHILD, M., NAGY, M., METZ, M., MAYER, F. & HELVERSEN, O. VON 2012. Learned vocal group signatures in the polygynous bat *Saccopteryx bilineata*. *Animal Behaviour* 84: 761-769.
- KNÖRNSCHILD, M., UEBERSCHAER, K., HELBIG, M. & KALKO, E.K.V. 2011. Sexually selected infanticide in a polygynous bat. *PLoS One* 6(9): 1-8.
- KOBAYASHI, K.I., HIRYU, S., SHIMOZAWA, R. & RIQUEMAROUX, H. 2012. Vocalization of echolocation-like pulses for interindividual interaction in horseshoe bats (*Rhinolophus ferrumequinum*). *Journal of the Acoustical Society of America* 132(5): 417-422.
- KOBLITZ, J.C., STILZ, P. & SCHNITZLER, H.-U. 2010. Source levels of echolocation signals vary in correlation with wingbeat cycle in landing big brown bats (*Eptesicus fuscus*). *Journal of Experimental Biology* 213: 3263-3268.
- KOBLITZ, J.C., STILZ, P., PFLÄSTERER, W., MELCON, M.L. & SCHNITZLER, H.-U. 2011. Source level reduction and sonar beam aiming in landing big brown bats (*Eptesicus fuscus*). *Journal of the Acoustical Society of America* 130(5): 3090–3099.
- KOCVARA, R. 2010. Prehled výsledku sledování mortality ptáku a netopýru v souvislosti s provozem VTE na území ČR v letech 2006-2010. *Casopis Slezského Zemského Muzea - serie A* 59: 256-262.
- KONDO, N., FUKUI, D., KURANO, S. & KUROSAWA, H. 2012. A maternity colony of *Vespertilio murinus* in Ozora, Abashiri District, Hokkaido. *Honyurui Kagaku* 52(1): 63-70.
- KOPSINIS, Y., ABOUTANIOS, E., WATERS, D.A. & MACLAUGHLIN, S. 2010. Time-frequency and advanced frequency estimation techniques for the investigation of bat echolocation calls. *Journal of the Acoustical Society of America* 127(2): 1124-1134.
- KORAD, V.S., RAUT, R.N. & PRADHAN, M.S. 2010. Morphometrics of the genus *Hipposideros* from northern western ghats of Maharashtra. *Biosystematica* 4(1): 31-38.
- KORSTIAN, J.M., HALE, A.M., BENNETT, V. J. & WILLIAMS, D.A. 2013. Advances in sex determination in bats and its utility in wind-wildlife studies. *Molecular Ecology Resources* 13: 776-780.
- KOSCHNICKE, S. 2011. Bats in captivity : an unseen potential? *International Zoo News* 58(4): 228-233.
- KOSELJ, K., SCHNITZLER, H.-U. & SIEMERS, B.M. 2011. Horseshoe bats make adaptive preyselection decisions, informed by echo cues. *Proceedings of the Royal Society of London. Series B : Biological sciences* 278: 3034-3041.
- KOSOY, M., LYNCH, T., KUZMIN, I.V., NIEZGODA, M., FRANKA, R., AGWANDA, B., BREIMAN, R.F. & RUPPRECHT, C.E. 2010. *Bartonella* spp. in bats, Kenya. *Emerging Infectious Diseases* 16(12): 1874-1881.
- KÖSSL, M. & VATER, M. 1990. Resonance phenomena in the cochlea of the mustache bat and their contribution to neuronal response characteristics in the cochlear nucleus. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 166: 711-720.

- KOUBÍNOVÁ, D., IRWIN, N.R., HULVA, P., KOUBEK, P. & ZIMA, J. 2013. Hidden diversity in Senegalese bats and associated findings in the systematics of the family Vespertilionidae. *Frontiers in Zoology* 10(48): 16 p.
- KOUDELKA, M. & BARTONICKA, T. 2006. Výskyt letounu (Chiroptera) na území Javorícko-Mladecského krasu v mimohibernacním období = Occurrence of bats (Chiroptera) in the surroundings of the Javorícko and Mladec Caves outside the hibernation season. *Vespertilio* 9-10: 137-150.
- KOVATS, D. 2010. A nimfadenevér (*Myotis alcathoe* Helversen & Heller 2001) első megkerülése a Gerecsében. *Folia historico naturalia Musei Matraensis* 34: 197-199.
- KRAKER-CASTAÑEDA C. & PÉREZ-CONSUEGRA, S.G. 2011. Contribución de los cafetales bajo sombra en la conservación de murciélagos en la antigua Guatemala, Guatemala. *Acta Zoológica Mexicana* (n.s.) 27(2): 291-303.
- KRAMER, S.A. 1967. Doppler and acceleration tolerances of high-gain, wideband linear FM correlation sonars. *Proceedings of the IEEE* 55(5): 627-636.
- KRÜGER, F., HARMS, I., FICHTNER, A., WOLZ, I. & SOMMER, R. 2012. High trophic similarity in the sympatric North European trawling bat species *Myotis daubentonii* and *Myotis dasycneme*. *Acta Chiropterologica* 14(2): 347-356.
- KRUSKOP, S.V. 2011. First record of the groove-toothed bat (*Phoniscus jagorii*, Vespertilionidae) in the south of Vietnam. *Plecotus et al.* 14: 3-8.
- KRUSKOP, S.V. 2013. Bats of Vietnam : checklist and an identification manual. 2e éd. revue et augm. Moscou, Russian academy of sciences: 299 p. (Biodiversity of Vietnam).
- KUC, R. 2010. Morphology suggests noseleaf and pinnae cooperate to enhance bat echolocation. *Journal of the Acoustical Society of America* 128(5): 3190-3199.
- KUC, R. 2011. Bat noseleaf model : echolocation function, design considerations, and experimental verification. *Journal of the Acoustical Society of America* 129(5): 3361-3366.
- KUC, R. 2011. Echolocation with bat buzz emissions : model and biomimetic sonar for elevation estimation. *Journal of the Acoustical Society of America* 131(1): 561-568.
- KUC, R. & KUC, V. 2012. Bat wing air pressures may deflect prey structures to provide echo cues for detecting prey in clutter. *Journal of the Acoustical Society of America* 132(3): 1776-1779.
- KUDO, K., KOJI, S., MATEUS, S., ZUCCHI, R. & TSUCHIDA, K. 2011. Worker demography in a large-colony, swarm-founding wasp. *Population Ecology* 53: 297-306.
- KULEMZINA, A.I., NIE, W., TRIFONOV, V.A., STAROSELEC, Y., VASENKOV, D.A., VOLLETH, M., YANG, F. & GRAPHODATSKY, A.S. 2011. Comparative chromosome painting of four siberian vespertilionidae species with *aselliscus stoliczkanus* and human probes. *Cytogenetic and Genome Research* 134: 200-205.
- KUNZ, T.H. & DIAZ, C.A. 1995. Folivory in fruit-eating bats, with new evidence from *Artibeus jamaicensis* (Chiroptera : Phyllostomidae). *Biotropica* 27(1): 106-120.
- KUSCH, J. & SCHMITZ, A. 2013. Environmental factors affecting the differential use of foraging habitat by three sympatric species of *Pipistrellus*. *Acta Chiropterologica* 15(1): 57-67.
- KUZMIN, I.V., NIEZGODA, M., FRANKA, R., AGWANDA, B., MARKOTTER, W., BEAGLEY, J.C., YU URAZOVA, O., BREIMAN, R.F. & RUPPRECHT, C.E. 2008. Lagos bat virus in Kenya. *Journal of Clinical Microbiology* 46(4): 1451-1461.
- KWIECINSKI, G.G., BONACCORSO, F.J. & GRIFFITHS, M.A. 2011. Abstracts of papers presented at the 41st Annual North American Symposium on bat research, Toronto, Ontario. *Bat Research News* 52(4): 55-116.
- KWIECINSKI, G.G., MISTRY, S., BONACCORSO, F.J. & GRIFFITHS, M.A. 2012. Abstracts of papers presented at the 42nd Annual North American Symposium on bat research, San Juan, Porto Rico. *Bat Research News* 53(4): 61-114.

- LACKI, M.J. 2011. Book review : Bats of Ohio by Virgil Brack, Jr., Dale W. Sparks, John O. Whitaker, Jr., Brianne L. Walters, and Angela Boyer. *Bat research news* 51(4): 1-2.
- LACKI, M.J., BAKER, M.D. & JOHNSON, J.S. 2010. Geographic variation in roost-site selection of long-legged *Myotis* in the Pacific northwest. *Journal of wildlife management* 74(6): 1218-1228.
- LACKI, M.J., JOHNSON, J.S. & BAKER, M.D. 2013. Temperatures beneath bark of dead trees used as roosts by *Myotis volans* in forests of the Pacific Northwest, USA. *Acta Chiropterologica* 15(1): 143-151.
- LADLE, R.J., FIRMINO, J.V.L., MALHADO, A.C.M. & RODRIGUEZ-DURAN, A. 2012. Unexplored diversity and conservation potential of neotropical hot caves. *Conservation Biology* : 5 p.
- LAFORGE, A. 2013. La noctule de Leisler en Corse : synthèse des connaissances acquises en 2013. *L'envol des chiros* 15: 6-7.
- LAMB, J., NAIDOO, T., TAYLOR, P.J., NAPIER, M., RATRIMOMANARIVO, F. & GOODMAN, S.M. 2012. Genetically and geographically isolated lineages of a tropical bat (Chiroptera : Molossidae) show demographic stability over the late Pleistocene. *Biological Journal of the Linnean Society* 106: 18-40.
- LAMBRECHTS, J., JACOBS, M., LEFEVRE, A., HERREMANS, M., STRUYVE, T., JACOBS, I. & CLAESSENS, F. 2011. Voedselkeuze van de Ingekorven vleermuis en de invloed van het gebruik van ontwormingsmiddelen op de ontwikkeling van coprofiele fauna : Rapport Natuurpunt Studie 2011. *Natuurpunt Studie* 18: 120 p.
- LANE, A.C. 2011. First records of Leisler's bat *Nyctalus leisleri* in the east riding of Yorkshire (VC61). *Naturalist (Sheffield)* 136(1076): 47-48.
- LANE, A.C. 2011. The particoloured bat *Vespertilio murinus* found in the east riding of Yorkshire (VC61). *Naturalist (Sheffield)* 136(1076): 46.
- LANE, J.E., FORREST, M.N.K. & WILLIS, C.K.R. 2011. Anthropogenic influences on natural animal mating systems. *Animal Behaviour* 81: 909-917.
- LANZA, B. 2012. *Mammalia V : Chiroptera*. Bologna, Calderini: 786 p. (Fauna d'Italia, XLVII).
- LARCHER, G. 2013. Des chauves-souris et des virus. *L'envol des chiros* 15: 8-15.
- LAVRENCHEKOV, L.A. 2013. *Plecotus balensis*: Bale long-eared bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 661-663.
- LAW, B.S. & LAW, P.R. 2011. Early responses of bats to alternative silvicultural treatments in wet eucalypt forests of Tasmania. *Pacific Conservation Biology* 17: 36-47.
- LAW, B.S., CHIDEL, M. & PENMAN, T. 2011. Do young eucalypt plantations benefit bats in an intensive agricultural landscape? *Wildlife Research* 38: 173-187.
- LE RESTE, G. & DELATTRE, C. 2012. Inventaires des chiroptères en forêt de Perseigne (Sarthe) en 2007-2008. *Le Naturaliste Vendéen* 9: 5-12.
- LEE, T.E. Jr., BURNEO, S., COCHRAN, T.J & CHAVEZ, D. 2010. Small mammals of Santa Rosa, Southwestern Imbabura Province, Ecuador. *Occasional Papers Museum of Texas Tech University* 290: 1-16.
- LEHMKUHL NOER, C., DABELSTEEN, T., BOHMANN, K. & MONADJEM, A. 2012. Molossid bats in an African agro-ecosystem select sugarcane fields as foraging habitat. *African Zoology* 47(1): 1-11.
- LEIGHTON REID, J. & CASALLAS-PABON, D. 2012. Designing homes for tropical bats : scientists explore artificial roosts for rebuilding forests. *Bats* 30(2): 7-9.
- LELANT, V. & CHENAVAL, N. 2012. Note on a meeting with a marabout from Fadiol, Senegal, western Africa, who uses bats in his medicine. *African Bat Conservation News* 28: 15-16.
- LENHART, P.A., MATA-SILVA, V. & JOHNSON, J.D. 2010. Foods of the pallid bat, *Antrozous pallidus* (Chiroptera : Vespertilionidae) in the Chihuahuan desert of western Texas. *The Southwestern Naturalist* 55(1): 110-142.

- LEONG, T.M., SHUNARI, M. & LIM, K.K.P. 2010. The narrow winged pipistrelle, *Pipistrellus stenopterus* (Dobson) in Singapore (Mammalia : Chiroptera : vespertilionidae). *Nature in Singapore* 3: 159–165.
- LESIŃSKI, G., KASPRZYK, K. & GRYZ, J. 2012. Bats taken by the tawny owl in relation to its roosting site. *North-western journal of zoology* 8(2): 247-251.
- LESIŃSKI, G., OLSZEWSKI, A. & POPCZYK, B. 2011. Forest roads used by commuting and foraging bats in edge and interior zones. *Polish Journal of Ecology* 59(3): 611-616.
- LESIŃSKI, G., SIKORA, A. & OLSZEWSKI, A. 2011. Bat casualties on a road crossing a mosaic landscape. *European Journal of Wildlife Research* 57: 217-223.
- LESSON, R.-P. 1827. *Manuel de mammalogie, ou histoire naturelle des mammifères*. Paris, Roret: 437 p.
- LEVIN, E., BARNEA, A., YOVEL, Y. & YOM-TOV, Y. 2006. Have introduced fish initiated piscivory among the long-fingered bat? *Mammalian biology* 71(3): 139-143.
- LEVIN, E., ROLL, U., DOLEV, A., YOM-TOV, Y. & KRONFELD-SCHOR, N. 2013. Bats of a gender flock together : sexual segregation in a subtropical bat. *PLoS One* 8(2): 7 p.
- LEVIN, E., YOM-TOV, Y., HEFETZ, A. & KRONFELD-SCHOR, N. 2013. Changes in diet, body mass and fatty acid composition during pre-hibernation in a subtropical bat in relation to NPY and AgRP expression. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 183: 157-166.
- LI, Y.-B., FUREY, N.M. & WEI, L.-T. 2010. A new chiroptera record in Guangxi, China : *Murina aurata*. *Journal of Guangxi Normal University: Natural Science Edition* 28(4): 114-115.
- LILLEY, T., RUOKOLAINEN, L., MEIERJOHANN, A., KANERVA, M., STAUFFER, J., LAINE, V.N., ATOSUO, J., LILIUS, E.-M. & NIKINMAA, M. 2013. Resistance to oxidative damage but not immunosuppression by organic tin compounds in natural populations of Daubenton's bats (*Myotis daubentonii*). *Comparative biochemistry and physiology. Part C. Pharmacology, toxicology & endocrinology* 157: 298-305.
- LIM, B.K., ENGSTROM, M.D., REID, F.A., SIMMONS, N.B., VOSS, R.S. & FLECK, D.W. 2010. A new species of *Peropteryx* (Chiroptera : Emballonuridae) from western Amazonia with comments on phylogenetic relationships within the genus. *American Museum Novitates* 3686: 1-20.
- LIMA, L., MAIA DA SILVA, F., NEVES, L., ATTÍAS, M., TAKATA, C.S.A., CAMPANER, M., DE SOUZA, W., HAMILTON, P.B. & TEIXEIRA, M.M.G. 2012. Evolutionary insights from bat trypanosomes : morphological, developmental and phylogenetic evidence of a new species, *Trypanosoma* (*Schizotrypanum*) *erneyi* sp. nov., in African bats closely related to *Trypanosoma* (*Schizotrypanum*) *cruzi* and allied species. *Protist* 163: 856-872.
- LIN, A.-Q., JIN, L.-R., LIU, Y., SUN, K. & FENG, J. 2010. Postnatal Growth and Age Estimation in Horsfield's Leaf-Nosed Bat *Hipposideros larvatus*. *Zoological Studies* 49(6): 789-796.
- LINDECKE, O. & SCHEFFLER, I. 2011. Zur Ektoparasitenfauna der Fledermäuse in Sachsen-Anhalt. *Hercynia* 44: 241-251.
- LINDNER, D.L., GARGAS, A., LORCH, J.M., BANIK, M.T., GLAESER, J., KUNZ, T.H. & BLEHERT, D.S. 2011. DNA-based detection of the fungal pathogen *Geomyces destructans* in soils from bat hibernacula. *Mycologia* 103(2): 241-246.
- LINNE, C. von. 1793. *Système de la nature. Classe première du règne animal, contenant les quadrupèdes vivipares & les cétacées*. Bruxelles, Lemaire: 314 p.
- LISON, F. 2012. Datos biométricos de cinco especies de murciélagos (Mammalia : Chiroptera) de la Región de Murcia (SE España). *Anales de Biología* 34: 37-42.
- LISON, F. & CALVO, J.F. 2013. Ecological niche modelling of three pipistrelle bat species in semiarid Mediterranean landscapes. *Acta Oecologica* 47: 68-73.
- LISON, F., ALEDO, E. & CALVO, J.F. 2011. Los murciélagos (Mammalia : Chiroptera) de la Región de Murcia (SE España) : distribución y estado de conservación. *Anales de Biología* 33: 79-92.

- LISON, F., PICAZO, J. & LÓPEZ, M. 2012. Primera cita del murciélago ratonero patudo *Myotis capaccinii* (Bonaparte, 1837) en el Parque Natural Lagunas de Ruidera (Castilla-La Mancha). *Galemys* 24: 65-66.
- LISON, F., YELO, N.D., HAZ, A. & CALVO, J.F. 2010. Contribución al conocimiento de la distribución de la fauna quiropterológica de la región de Murcia. *Galemys* 22(1): 11-28.
- LIU, Y., METZNER, W. & FENG, J. 2013. Vocalization during copulation behavior in greater horseshoe bats, *Rhinolophus ferrumequinum*. *Chinese Science Bulletin* 58(18): 2179-2184.
- LIU, Z., LI, S., WANG, W., XU, D., MURPHY, R.W. & SHI, P. 2011. Parallel Evolution of KCNQ4 in Echolocating Bats. *PLoS One* 6(10): 1-7.
- LOCKE, R. 2011. BCI's birthday : three decades of bat conservation. *Bats* 29(4): 2-3.
- LOCKE, R. 2013. "Bat conservation Africa" : a collaboration that spans the continent. *Bats* 31(1): 6-9.
- LOEB, S.C. & WALDROP, T.A. 2008. Bat activity in relation to fire and fire surrogate treatments in southern pine stands. *Forest Ecology and Management* 255: 3185-3192.
- LOEB, S.C. & WINTERS, E.A. 2013. Indiana bat summer maternity distribution : effects of current and future climates. *Ecology and Evolution* 3(1): 103-114.
- LOLLAR, A. & CHAPMAN, D. [ill.] 2010. Standards and medical management for captive insectivorous bats. Mineral Wells, Bat World Sanctuary: 206 p., 1 DVD.
- LOMASCOLO, S.B., LEVEY, D.J., KIMBALL, R.T., BOLKER, B.M. & ALBORN, H.T. 2010. Dispersers shape fruit diversity in *Ficus* (Moraceae). *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 107(33): 14668-14672.
- LOPES DE OLIVEIRA, S., DA SILVA, J.M., DE SOUSA, R.F. & FARIA, K. de C. 2013. Mammalia, Chiroptera, Phyllostomidae, *Mimon crenulatum* (Geoffroy St.-Hilaire, 1803) : first record for the Cerrado Biome in the state of Mato Grosso, Brazil. *Check List* 9(3): 692-695.
- LÓPEZ-GARCÍA, J.M., BLAIN, H.-A., PAGANO, E., OLLÉ, A., VERGÈS, J.M. & FORGIA, V. 2013. The small mammals (insectivores, bats and rodents) from the holocene archaeological site of Vallone Inferno (Scillato, lower Imera valley, northwestern Sicily). *Rivista Italiana di Paleontologia e Stratigrafia* 119(2): 229-244.
- LOPEZ-HOFFMAN, L., VARADY, R.G., FLESSA, K.W. & BALVANERA, P. 2010. Ecosystem services across borders : a framework for transboundary conservation policy. *Frontiers in Ecology and the Environment* 8(2): 84-91.
- LOPEZ-WILCHIS, R., GUEVARA-CHUMACERO, M. en B.L.M., ANGELES PEREZ, N., JUSTE B., J., IBAÑEZ, C. & BARRIGA-SOSA, I.D.L.A. 2012. Taxonomic status assessment of the Mexican populations of funnel-eared bats, genus *Natalus* (Chiroptera : Natalidae). *Acta Chiropterologica* 14(2): 305-316.
- LORENTE, L., ALBERO, J.C., RIVAS, J.L. & JATO, R. 2010. Nuevas observaciones de murciélago bivolor (*Vespertilio murinus* L., 1758) en el Pirineo aragonés. *Galemys* 22(1): 53-54.
- LUCAN, R.K. 2000. Netopýr i Hostýnských vrchu. *Vespertilio* 4: 111-116.
- LUCAN, R.K. 2006. První nález vrápence malého (*Rhinolophus hipposideros*) v Ceskobudejovické pánvi. *Vespertilio* 9-10: 227-228.
- LUCAN, R.K. 2006. Relationships between the parasitic mite *Spinturnix andegavinus* (Acari : Spinturnicidae) and its bat host, *Myotis daubentonii* (Chiroptera : Vespertilionidae): seasonal, sex- and age-related variation in infestation and possible impact of the parasite on the host condition and roosting behaviour. *Folia parasitologica* 53: 147-152.
- LUCAN, R.K. 2007. New findings of the northern Bat (*Eptesicus nilssonii*) in Romania. *Lynx (Praha)* 38: 107-108.
- LUCAN, R.K. 2009. Effect of colony size and reproductive period on the emergence behaviour of a maternity colony of Daubenton's Bat (*Myotis daubentonii*) occupying an artificial roost (Chiroptera : Vespertilionidae). *Lynx (Praha)* 40: 71-81.

- LUCAN, R.K. & HANAK, V. 2010. Bats in tree cavities : a long term study 1968-2007. In: Horáček I. & M. Uhrin (eds.). A tribute to bat: 311-312.
- LUCAN, R.K. & HANAK, V. 2011. Population ecology of *Myotis daubentonii* (Mammalia : Chiroptera) in South Bohemia : summary of two long-term studies : 1968-1984 and 1999-2009. *Acta Societatis Zoologicae Bohemicae* 75: 67-85.
- LUCAN, R.K. & HANAK, V. 2011. Population structure of Daubenton's bats is responding to microclimate of anthropogenic roosts. *Biologia* 66(4): 690-695.
- LUCAN, R.K. & JIROUŠ, M. 2001. Netopýři zimujících du lním díle Hosín-Orty. *Vespertilio* 5: 171-172.
- LUCAN, R.K. & MOKRYCKI, M. 2012. A house-dwelling maternity colony of *Nyctalus leisleri* : first record from the Czech Republic. *Vespertilio* 16: 191-195.
- LUCAN, R.K. & RADIL, J. 2010. Variability of foraging and roosting activities in adult females of Daubenton's bat (*Myotis daubentonii*) in different seasons. *Biologia* 65(6): 1072-1080.
- LUCAN, R.K. & ŠÁLEK, M. 2013. Observation of successful mobbing of an insectivorous bat, *Taphozous nudiventris* (Emballonuridae), on an avian predator, *Tyto alba* (Tytonidae). *Mammalia* 77(2): 235-236.
- LUCAN, R.K. & SVACINA, T. 2001. Prehled zimoviš tnetopýru v Hostýnských vrš ích a jejich predhu rí. *Vespertilio* 5: 173-174.
- LUCAN, R.K., BENDA, P., REITER, A. & ZIMA, J. 2011. Reliability of field determination in three cryptic whiskered bats (*Myotis alcaethoe*, *M. mystacinus*, *M. brandtii*) and basic biometric characters : evidence from the Czech Republic. *Vespertilio* 15: 55-62.
- LUCAN, R.K., BURGER, P. & HANAK, V. 2007. Netopýři (Chiroptera) Ceskobudejovicka. *Vespertilio* 11: 65-102.
- LUCAN, R.K., HANAK, V. & HORÁČEK, I. 2009. Long-term re-use of tree roosts by European forest bats. *Forest Ecology and Management* 258: 1301-1306.
- LUCAN, R.K., HORÁČEK, I., HULVA, P. & BENDA, P. 2007. První doklad rozmnožování netopýra pobřežního (*Myotis dasycneme*) v České republice a nový letní nález netopýra východního (*Myotis blythii*) na jihovýchodní Morave. *Lynx (Praha)* 38: 109-112.
- LUCAN, R.K., WEISER, M. & HANAK, V. 2013. Contrasting effects of climate change on the timing of reproduction and reproductive success of a temperate insectivorous bat. *Journal of Zoology, London* 290: 151-159.
- LUFT, S., CURIO, E. & TACUD, B. 2003. The use of olfaction in the foraging behaviour of the golden-mantled flying fox, *Pteropus pumilus*, and the greater musky fruit bat, *Ptenochirus jagori* (Megachiroptera: Pteropodidae). *Die Naturwissenschaften* 90: 84-87.
- LUIS, A.D., HAYMAN, D.T.S., O'SHEA, T.J., CRYAN, P.M., GILBERT, A.T., PULLIAM, J., MILLS, J.N., TIMONIN, M.E., WILLIS, C.K.R., CUNNINGHAM, A.A., FOOKS, A.R., RUPPRECHT, C.E., WOOD, J.L.N. & WEBB, C.T. 2013. A comparison of bats and rodents as reservoirs of zoonotic viruses : are bats special? *Proceedings of the Royal Society of London. Series B : Biological sciences* 280: 9 p.
- LUNDY, M.G., HARRISON, A., BUCKLEY, D.J., BOSTON, E., SCOTT, D.D., TEELING, E.C., MONTGOMERY, W.I. & HOUGHTON, J.D.R. 2012. Prey field switching based on preferential behaviour can induce Lévy flights. *Journal of the Royal Society Interface* 20120489. 11p.
- LUNDY, M.G., TEELING, E.C., BOSTON, E., SCOTT, D.D., BUCKLEY, D.J., PRODÖHL, P., MARNELL, F. & MONTGOMERY, I. 2011. The shape of sound : elliptic fourier descriptors (EFD) discriminate the echolocation calls of *Myotis* bats (*M. daubentonii*, *M. nattereri* and *M. mystacinus*). *Bioacoustics* 20: 101-116.
- LUO, B., JIANG, T.-L., LIU, Y., WANG, J., LIN, A.-Q., WEI, X. & FENG, J. 2013. Brevity is prevalent in bat short-range communication. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 199: 325-333.

- LUO, J.-H., LU, G. & FENG, J. 2012. Diurnal capture reduces the colony size of *Hipposideros armiger* (Chiroptera : Hipposideridae). *Mammalia* 76(4): 447-449.
- LUO, J., KOSELJ, K., ZSEBÖK, S., SIEMERS, B.M. & GOERLITZ, H.R. 2012. Functional impacts of global warming on the prey detection ability of echolocating bats. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 89.
- LUSTRAT, P. 2001. Les territoires de chasse des chiroptères de la forêt de Fontainebleau (France). *Le Rhinolophe* 15: 167-173.
- LÜTHJE, E. 2010. Was fressen Fledermäuse? - Untersuchungen von Kotproben. *Mikrokosmos* 99(4): 224-228.
- LYX, D., AZAM, C., FONDERFLICK, J., QUEKENBORN, D. & COSSON, E. 2012. Is foraging greater horseshoe bat predictable in the Camargue area? In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 84.
- MA, J., LIANG, B., ZHANG, S. & METZNER, W. 2008. Dietary composition and echolocation call design of three sympatric insectivorous bat species from China. *Ecological research* 23: 113-119.
- MA, X. & SUGA, N. 2001. Corticofugal modulation of duration-tuned neurons in the midbrain auditory nucleus in bats. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 98(24): 14060-14065.
- MAAS, A.C.S., DIAS, D., POL, A., ALMEIDA MARTINS, M., MIRANDA DE ARAÚJO, R., BRET GIL, B., SCHUTTE, M. & PERACCHI, A.L. 2013. New records of bats for the state of Piauí, northeastern Brazil (*Mammalia* : Chiroptera). *Check List* 9(2): 445-449.
- MACALLISTER, C.T., SEVILLE, R.S. & ROEHRS, Z.P. 2012. A new species of *Eimeria* (Apicomplexa : Eimeriidae) from the northern myotis, *Myotis septentrionalis* (Chiroptera : Vespertilionidae), in Oklahoma. *The Journal of parasitology* 98(5): 1003-1005.
- MACCAIN, C.M. & BRACY KNIGHT, K. 2013. Elevational Rapoport's rule is not pervasive on mountains. *Global ecology and biogeography* 22: 750-759.
- MACCARTNEY, J., STRINGER I.A.N. & POTTER M.A. 2007. Feeding activity in captive New Zealand lesser short-tailed bats (*Mystacina tuberculata*). *New Zealand Journal of Zoology* 34(3): 227-238.
- MACCONVILLE, A., LAW, B.S. & MAHONY, M.J. 2013. Mangroves as maternity roosts for a colony of the rare east-coast free-tailed bat (*Mormopterus norfolkensis*) in south-eastern Australia. *Wildlife Research*: 10 p.
- MACCUE, J.J.G. & BERTOLINI, A. 1964. A portable receiver for ultrasonic waves in air. *IEEE transactions on sonics and ultrasonics* SU 11: 41-49.
- MACCULLOCH, E.S. & STEVENS, R.D. 2011. Rapid development and screening of microsatellite loci for *Artibeus lituratus* and their utility for six related species within Phyllostomidae. *Molecular Ecology Resources* 11(5): 903-913.
- MACCULLOCH, E.S., TELLO, J.S., WHITEHEAD, A., RÓLON-MENDOZA, C.M.J., MALDONADO-RODRIGUEZ, M.C.D. & STEVENS, R.D. 2013. Fragmentation of Atlantic forest has not affected gene flow of a widespread seed-dispersing bat. *Molecular Ecology* 22: 4619-4633.
- MACGUIRE, L.P., FENTON, M.B. & GUGLIELMO, C.G. 2013. Seasonal upregulation of catabolic enzymes and fatty acid transporters in the flight muscle of migrating hoary bats, *Lasiurus cinereus*. *Comparative biochemistry and physiology. Part B : Biochemical, systemic and environmental physiology* 165: 138-143.
- MACIAS, S., MORA, E.C., HECHAVARRIA, J.C. & KÖSSL, M. 2011. Duration tuning in the inferior colliculus of the mustached bat. *Journal of Neurophysiology* 106: 3119-3128.
- MACKIE, J.T., LACASSE, C. & SPRATT, D.M. 2013. Patent *Angiostrongylus mackerrasae* infection in a black flying fox (*Pteropus alecto*). *Australian Veterinary Journal* 91(9): 366-367.

- MADRID-LÓPEZ, S.M., CASTRO-LUNA, A.A. & GALINDO-GONZALEZ, J. 2013. First report of a hard fruit in the diet of *Centurio senex* (Chiroptera : Phyllostomidae) in Mexico. *Journal of Mammalogy* 94(3): 628-631.
- MAEKAWA, M., WONG, D. & PASCHAL, W.G. 1992. Spectral selectivity of FM-FM neurons in the auditory cortex of the echolocating bat, *Myotis lucifugus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 171: 513-522.
- MAGHANJO MWAMIDI, D. 2012. Banishing "evil" myths in Kenya : conservationists challenge attitudes on bats and witchcraft. *Bats* 30(4): 5-7.
- MAHATO, A.K.R., KUMAR, V.V. & PATEL, N. 2012. Indian flying fox in Hamirsir Lake, Bhuj city needs conservation attention. *Current Science (Bangalore)* 103(4): 354-355.
- MAKARIKOVA, T.A. & MAKARIKOV, A.A. 2012. First report of *Potorolepis Spassky, 1994* (Eucestoda : Hymenolepididae) from China, with description of a new species in bats (Chiroptera : Rhinolophidae). *Folia parasitologica* 59(4): 272-278.
- MAKARIKOVA, T.A. & MAKARIKOV, A.A. 2013. *Sawadalepis prima* n. g., n. sp. (Cestoda : Cyclophyllidae) from the Schreiber's bent-winged bat *Miniopterus schreibersii* Kuhl (Chiroptera : Vespertilionidae) from China. *Systematic parasitology* 86: 59-68.
- MALTAGLIATI, G., AGNELLI, P. & CANNICCI, S. 2013. Where and at what time? Multiple roost use and emergence time in greater horseshoe bats (*Rhinolophus ferrumequinum*). *Acta Chiropterologica* 15(1): 113-120.
- MANCINA, C.A., GARCIA-RIVERA, L. & MILLER, B.W. 2012. Wing morphology, echolocation, and resource partitioning in syntopic Cuban mormoopid bats. *Journal of Mammalogy* 93(5): 1308-1317.
- MANGOLIN, R., MOTTA, A.G., ESBERARD, C.E.L. & BERGALLO, H.G. 2007. Novos registros de *Lophostoma brasiliensis* Peters para o sudeste do Brasil (Mammalia, Chiroptera, Phyllostomidae). *Revista Brasileira de Zoociências* 9(2): 225-228.
- MANIAKAS, I. & YOULATOS, D. 2012. Myological adaptations to fast enduring flight in European free-tailed bats, *Tadarida teniotis* (Molossidae, Chiroptera). *Italian journal of zoology* 79(4): 574-581.
- MANTANI, S., HIRYU, S., FUJIOKA, E., MATSUTA, N., RIKUIMAROUX, H. & WATANABE, Y. 2012. Echolocation behavior of the Japanese horseshoe bat in pursuit of fluttering prey. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 198: 741-751.
- MAO, X., HE, G., HUA, P., JONES, G., ZHANG, S. & ROSSITER, S.J. 2013. Historical introgression and the persistence of ghost alleles in the intermediate horseshoe bat (*Rhinolophus affinis*). *Molecular Ecology* 22: 1035-1050.
- MAO, X., NIE, W., WANG, J., SU, W., AO, L., FENG, Q., WANG, Y.-X., VOLLETH, M. & YANG, F. 2007. Karyotype evolution in *Rhinolophus* bats (Rhinolophidae, Chiroptera) illuminated by cross-species chromosome painting and G-banding comparison. *Chromosome Research* 15: 835-847.
- MAO, X., NIE, W., WANG, J., SU, W., FENG, Q., WANG, Y.-X., DOBIGNY, G. & YANG, F. 2008. Comparative cytogenetics of bats (Chiroptera) : the prevalence of Robertsonian translocations limits the power of chromosomal characters in resolving interfamily phylogenetic relationships. *Chromosome Research* 16: 155-170.
- MARIAPPAN, S., BOGDANOWICZ, W., MARIMUTHU, G. & RAJAN, K.E. 2013. Distress calls of the greater short-nosed fruit bat *Cynopterus sphinx* activate hypothalamic-pituitary-adrenal (HPA) axis in conspecifics. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 199: 775-783.
- MARMET, J. 2013. De l'insolite dans les filets. *L'envol des chiros* 15: 3.
- MARNELL, F. & PRESETNIK, P. 2010. Protection des gîtes épiques de chauves-souris. *EUROBATS Publication Series* 4, 2e éd.: 59 p.

- MARQUARDT, S. R., CHOATE, J.R. & ROTH, S.D.Jr. 2005. Continued range expansion by the cave myotis. *The Prairie Naturalist* 37(1): 51-52.
- MARQUES, M.A., ORTENCIO FILHO, H., GONCALVES, D.D. & KASHIWAQUI, E.A. 2012. Rainfall and temperature influence on the reproduction of *Molossus rufus* (Chiroptera, Molossidae) in Cianorte, Paraná, south of Brazil. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]. Granollers, Museum of Natural Sciences Edicions: 84.
- MARTIN, T.G., NALLY, S., BURBRIDGE, A.A., ARNALL, S., GARNETT, S., HAYWARD, M.W., LUMSDEN, L.F., MENKHORST, P., MACDONALD-MADDEN, E. & POSSINGHAM, H.P. 2012. Acting fast helps avoid extinction. *Conservation Letters* 5(4): 274-280.
- MARTORELLI, L.F.A., AGUIAR, E.A.C., DE ALMEIDA, M.F., SODRE, M.M. & NOVAES, E.C.R. 1995. Isolamento do vírus rábico de morcego insetívoro *Myotis nigricans* = Isolation of the rabies virus in a specimen of the insectivorous bat *Myotis nigricans*. *Revista de Saúde Pública* 29(2). 140-141.
- MARUTHUPANDIAN, J. & MARIMUTHU, G. 2013. Cunnilingus apparently increases duration of copulation in the Indian flying fox, *Pteropus giganteus*. *PLoS One* 8(3): 3 p.
- MARYANTO, I., YANI, M., PRIJONO, S.N. & WIANTORO, S. 2012. A new species of fruit bat (Megachiroptera : Pteropodidae : Thoopterus) from Sulawesi and adjacent islands, Indonesia. *Records of the western Australian Museum* 27: 68-84.
- MASSON, D. & SAGOT, F. 1987. Contribution à l'étude des chauves-souris du sud-ouest de la France. II. Biométrie alaire de *Myotis nattereri* et *Pipistrellus pipistrellus*. *Lutreola* 3: 11-20.
- MASSON, D. & SAGOT, F. 1987. Synthèse des observation sur les chiroptères du sud-ouest de la France : mars 1985 à février 1986. *Lutreola* 3: 25-41.
- MATHESON, A.L., CAMPBELL, K.L. & WILLIS, C.K.R. 2010. Feasting, fasting and freezing : energetic effects of meal size and temperature on torpor expression by little brown bats *Myotis lucifugus*. *Journal of Theoretical and Experimental Biology* 213: 2165-2173.
- MATOS, M., LOPES-PINTO, N. & FONSECA, C. 2011. Os morcegos da Mata Nacional do Bussaco, centro de Portugal. *Galemys* 23: 55-60.
- MEDARD, P. & SAGOT, F. 1986. Contribution à la connaissance de la morphologie, de la biologie et du comportement de la pipistrelle de Savi *Pipistrellus savii* (Bonaparte 1837). *Le Guêpier* 4: 49-59.
- MEDELLIN, R.A., ARITA, H.T. & SANCHEZ, O. 2008. Identificación de los murciélagos de México : clave de campo. 2e éd. México, Instituto de Ecología, UNAM: 78 p.
- MEDINAS, D., MARQUES, T.J. & MIRA, A. 2013. Assessing road effects on bats : the role of landscape, road features, and bat activity on road-kills. *Ecological research* 28: 227-237.
- MEHR, M., BRANDL, R., KNEIB, T. & MÜLLER, J. 2012. The effect of bark beetle infestation and salvage logging on bat activity in a national park. *Biodiversity and Conservation* 21: 2775-2786.
- MEIER, F. & TRAPPMANN, C. 2011. Telemetrische Untersuchungen zur Habitatnutzung der Fransenfledermaus *Myotis nattereri* (Kuhl 1817) (Chiroptera : Vespertilionidae) in den Westfälischen Bucht. *Abhandlungen aus dem Westfälischen Museum für Naturkunde* 73(3): 3-35.
- MEIJ, T. van der. 2012. Calculating a European bat indicator : following birds and butterflies. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators. Granollers, Museum of Natural Sciences Edicions: 54-57.
- MELBER, M., FLEISCHMANN, D. & KERTH, G. 2013. Female Bechstein's bats share foraging sites with maternal kin but do not forage together with them : results from a long-term study. *Ethology* 119: 793-801.
- MELCON, M.L., YOVEL, Y., DENZINGER, A. & SCHNITZLER, H.-U. 2011. How greater mouse-eared bats deal with ambiguous echoic scenes. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 197: 505-514.

- MELLO, M.A.R., DARCIE MARQUITTI, F.M., GUIMARAES, P.R. Jr., KALKO, E.K.V., JORDANO, P. & DE AGUIAR, M.A.M. 2011. The missing part of seed dispersal networks : structure and robustness of bat-fruit interactions. *PLoS One* 6(2): 1-10.
- MELVILLE, D., JOHNSTON, S. & MILLER, R.R. Jr. 2012. Flying-fox (*Pteropus* spp.) sperm membrane fatty acid composition, its relationship to cold shock injury and implications for cryopreservation success. *Cryobiology* 65: 224-229.
- MÊME-LAFOND, B. 2012. Le plan d'actions Chiroptères Pays de la Loire : état d'avancement et perspectives. *Le Naturaliste Vendéen* 9: 135-137.
- MERETSKY, V.J., BRACK, V. Jr., CARTER, T.C., CLAWSON, R.L., CURRIE, R.R., HEMBERGER, T.A., HERZOG, C.J., HICKS, A.C., KATH, J.A., MACGREGOR, J.R., KING, R.A. & GOOD, D.H. 2010. Digital photography improves consistency and accuracy of bat counts in Hibernacula. *Journal of wildlife management* 74(1): 166–173.
- MERWE, M. van der & RAUTENBACH, I.L. 1987. Reproduction in Schlieffen's bat, *Nycticeius schlieffenii*, in the eastern Transvaal lowveld, South Africa. *Journal of reproduction and fertility* 81: 41-50.
- MESCHÉDE, A., GÜTHLER, W. & BOYE, P. 2001. Fledermäuse im Wald : Informationen und Empfehlungen für den Waldbewirtschafter. *Landschaft als Lebensraum*, 4. Bonn, Deutscher Verband für Landschaftspflege : 18 p. (Bundesamt für Naturschutz).
- MESTDAGH, X., BALTUS, H., HOFFMANN, L. & TITEUX, N. 2012. Découverte de chauves-souris au nez blanc au Luxembourg. *Bulletin de la Société des Naturalistes Luxembourgeois* 113: 141-149.
- METHENY, J.D., KALCOUNIS, M.C., WILLIS, C.K.R., KOLAR, K.E. & BRIGHAM, R.M. 2008. Genetic relationships between roost-mates in a fission-fusion society of tree-roosting big brown bats (*Eptesicus fuscus*). *Behavioral Ecology and Sociobiology* 62: 1043-1051.
- MEYER, C.F.J. 2012. Tropical bats : suitable candidates for long-term monitoring? In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 28-31.
- MILLET DE LA TURTAUDIÈRE, P.-A. 1864. Indicateur de Maine et Loire : ou indication par communes de ce que chacune d'elles renferme. Tome premier. Angers, Librairie de Cosnier et Lachèse : 749 p.
- MILLS, S.C., ADAMS, A.M. & PHOENIX, R.D. 2013. Bat species diversity in the boreal forest of northeastern Ontario, Canada. *Northeastern Naturalist* 20(2): 309-324.
- MINDERMAN, J., PENDLEBURY, C.J., PEARCE-HIGGINS, J.W. & PARK, K.J. 2012. Experimental evidence for the effect of small wind turbine proximity and operation on bird and bat activity. *PLoS One* 7(7): 7 p.
- MIRANDA, J.M.D. & RUBIO, M.B.G. 2011. Ampliação da distribuição de *Phyllostomus latifolius* (Thomas, 1901) para o sul da Amazônia, Mato Grosso, Brasil (Chiropter: Phyllostomidae). *Chiroptera Neotropical* 17(2): 1013-1016.
- MIRANDA, J.M.D., AZEVEDO-BARROS, M.F.M. & PASSOS, F.C. 2007. First record of *Histiotus laeophotis* Thomas (Chiroptera, Vespertilionidae) from Brazil. *Revista Brasileira de Zoologia* 24(4): 1188–1191.
- MISRA, V., DUMONCEAUX, T., DUBOIS, J., WILLIS, C.K.R., NADIN-DAVIS, S.A., SEVERINI, A., WANDELER, A.I., LINDSAY, R. & ARTSOB, H. 2009. Detection of polyoma and corona viruses in bats of Canada. *Journal of General Virology* 90: 2015-2022.
- MITRA, R., LI, X., KAPUSTA, A., MAYHEW, D., MITRA, R.D., FESCHOTTE, C. & CRAIG, N.L. 2013. Functional characterization of piggyBat from the bat *Myotis lucifugus* unveils an active mammalian DNA transposon. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 110(1): 234-239.
- MLÍKOVSKÝ, J. & BENDA, P. 2005. Taxonomic and nomenclatural status of vertebrate species described by Franz Wilibald Schmidt in 1795. *Journal of the National Museum. Natural history series* 174(1-4): 75-86.

- MLÍKOVSKÝ, J., BENDA, P., MORAVEC, J. & SANDA, R. 2011. Type specimens of recent vertebrates in the collections of the National Museum, Prague, Czech Republic. *Journal of the National Museum. Natural history series* 180(10): 133-164.
- MOESCHLER, P., ROUE, S.Y. & ZBINDEN, K. 2010. Protection des colonies de minioptères (chauves-souris) par fermeture des grottes : une démarche inadéquate? *Le Rhinologue* 18: 113-128.
- MOGDANS, J., SCHNITZLER, H.-U. & OSTWALD, J. 1993. Discrimination of two-wavefront echoes by the big brown bat, *Eptesicus fuscus* : behavioral experiments and receiver simulations. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 172: 309-323.
- MOGENSEN, F. & MOHL, B. 1979. Sound radiation patterns in the frequency domain of cries from a vespertilionid bat. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 134: 165-171.
- MOLINA, J.I. 1789. *Essai sur l'histoire naturelle du Chili*. Paris, Née de la Rochelle: 351 p.
- MONADJEM, A., RAABE, T., DICKERSON, B., SILVY, N. & MACCLEERY, R. 2010. Roost use by two sympatric species of *Scotophilus* in a natural environment. *South African journal of Wildlife Research* 40(1): 73-76.
- MONADJEM, A., RASMUSSEN, M. & MADE, D.C. van der 2011. Echolocation calls and wing morphology of selected bats in western Uganda. *Durban Natural Science Museum Novitates* 34: 29-34.
- MONROY, J.A., CARTER, M.E., MILLER, K.E. & COVEY, E. 2011. Development of echolocation and communication vocalizations in the big brown bat, *Eptesicus fuscus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 197: 459-467.
- MONSALVE, M.-A., CASTELLO MONSORIU, A.J., ALCOCER CORDELLAT, A., CERVERA, F., SARZO, B., BARTOLOMÉ, M.A., VILALTA, M., PRADILLO, A., BATALLER, J.V. & ALMENAR, D. 2012. Monitoring of cave-dwelling bats in the Comunidad Valenciana region. Spain. Period 2003-2011. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 87.
- MONTEIRO, L.R. & NOGUEIRA, M.R. 2009. Adaptive radiations, ecological specialization, and the evolutionary integration of complex morphological structures. *Evolution* 64-3: 724-744.
- MOORE, J. 2013. An overview of parasite-induced behavioral alterations – and some lessons from bats. *Journal of Theoretical and Experimental Biology* 216: 11-17.
- MOORE, M.S., REICHARD, J.D., MURTHA, T.D., NABHAN, M.L., PIAN, R.E., FERREIRA, J.S. & KUNZ, T.H. 2013. Hibernating little brown myotis (*Myotis lucifugus*) show variable Immunological responses to white-nose syndrome. *PLoS One* 8(3): 9 p.
- MORA, E.C. & MACIAS, S. 2007. Echolocation calls of Poey's flower bat (*Phyllonycteris poeyi*) unlike those of other phyllostomids. *Die Naturwissenschaften* 94: 380-383.
- MORAIS, D.B., COUTINHO DE OLIVEIRA, L., DO CARMO CUPERTINO, M., MOURA DE FREITAS, K., DUCA DE FREITAS, M.B., REGO DE PAULA, T.A. & MATTA, S.L.P. 2013. Organization and seasonal quantification of the Intertubular compartment in the bat *Molossus molossus* (Pallas, 1776) Testis. *Microscopy Research and Technique* 76: 94-101.
- MORAIS, D.B., REGO DE PAULA, T.A., BARROS, M.S., BALARINI, M.K., DUCA DE FREITAS, M.B. & MATTA, S.L.P. 2013. Stages and duration of the seminiferous epithelium cycle in the bat *Sturnira lilium*. *Journal of anatomy* 222: 372-379.
- MORAIS, D.B., REGO DE PAULA, T.A., MOURA DE FREITAS, K. & MATTA, S.L.P. 2012. Cycle of the seminiferous epithelium of the bat *Molossus molossus*, characterized by tubular morphology and acrosomal development. *Asian Pacific Journal of Reproduction* 1(4): 303-307.
- MORATELLI, R. & WILSON, D.E. 2013. Distribution and natural history of *Myotis lavalii* (Chiroptera, Vespertilionidae). *Journal of Mammalogy* 94(3): 650-656.

- MORATELLI, R., GARDNER, A.L., DE OLIVEIRA, J.A. & WILSON, D.E. 2013. Review of *Myotis* (Chiroptera, Vespertilionidae) from northern South America, including description of a new species. *American Museum Novitates* 3780: 1-36.
- MORIELLE-VERSUTE, E., TADDEI, V.A. & VARELLA-GARCIA, M. 1992. Chromosome banding studies of *Chrotopterus auritus* (Chiroptera : Phyllostomidae). *Revista brasileira de genética* 15(3): 569-573.
- MORRIS, A., MILLER, D.A. & CONNER, L.M. 2011. Home-range size of evening bats (*Nycticeius humeralis*) in southwestern Georgia. *Southeastern Naturalist* 10(1): 85–94.
- MORSE, S.F., DICK, C.W., PATTERSON, B.D. & DITTMAR, K. 2012. Some like it hot : evolution and ecology of novel endosymbionts in bat flies of cave-roosting bats (Hippoboscoidea, Nycterophiliinae). *Applied and environmental microbiology* 78(24): 8639-8649.
- MORSE, S.F., OLIVAL, K.J., KOSOY, M., BILLETER, S., PATTERSON, B.D., DICK, C.W. & DITTMAR, K. 2012. Global distribution and genetic diversity of *Bartonella* in bat flies (Hippoboscoidea, Streblidae, Nycteribiidae). *Infection, Genetics and Evolution* 12: 1717-1723.
- MOSS, C.F. & SCHNITZLER, H.-U. 1989. Accuracy of target ranging in echolocating bats : acoustic information processing. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 165: 383-393.
- MOSS, C.F. & SURLYKKE, A. 2010. Probing the natural scene by echolocation in bats. *Frontiers in behavioral neuroscience* 4(33): 1-16.
- MOULD, A. 2012. Cave bats of the central west coast and southern section of the Northwest Panay Peninsula, Panay Island, the Philippines. *Journal of Threatened Taxa* 4(11): 2993–3028.
- MOUTOU, F. 2013. Mise au point : la rage dans le monde : importance relative de la rage des Chiroptères. *L'envol des chiros* 14: 12.
- MQOKELI, B.R. & DOWNS, C.T. 2013. Palatal and lingual adaptations for frugivory and nectarivory in the Wahlberg's epauletted fruit bat (*Epomophorus wahlbergi*). *Zoomorphology* 132: 111-119.
- MUCHHALA, N. & THOMSON, J. D. 2010. Fur versus feathers : pollen delivery by bats and hummingbirds and consequences for pollen production. *The American naturalist* 175(6): 717-726.
- MÜHLDORFER, K. 2013. Bats and bacterial pathogens : a review. *Zoonoses and Public Health* 60: 99-103.
- MÜHLDORFER, K., SPECK, S., KURTH, A., LESNIK, R., FREULING, C., MÜLLER, T., KRAMER-SCHADT, S. & WIBBELT, G. 2011. Diseases and causes of death in European bats : dynamics in disease susceptibility and infection rates. *PLoS One* 6(12): 1-12.
- MULLER, S., SCHWAAB, F., SCHWAAB, M. & DREAL Lorraine [coord.]. 2011. *Natura 2000 en Lorraine : les habitats naturels*. [S.l.], DREAL Lorraine; Région Lorraine; Agence de l'Eau Rhin-Meuse: 184 p.
- MÜLLER, T., JOHNSON, N., FREULING, C., FOOKS, A.R., SELHORST, T. & VOS, A. 2007. Epidemiology of bat rabies in Germany. *Archives of Virology* 152: 273-288.
- MUNOZ-GARCIA, A., BEN-HAMO, M., PINSHOW, B., WILLIAMS, J.B. & CARMİ, K. 2012. The relationship between cutaneous water loss and thermoregulatory state in Kuhl's Pipistrelle *Pipistrellus kuhlii*, a Vespertilionid bat. *Physiological and Biochemical Zoology* 85(5): 516–525.
- MUÑOZ-ROMO, M., BURGOS, J.F. & KUNZ, T.H. 2011. Smearing behaviour of male *Leptonycteris curasoae* (Chiroptera) and female responses to the odour of dorsal patches. *Behaviour* 148: 461-483.
- MURPHY, S.E., GREENAWAY, F. & HILL, D.A. 2012. Patterns of habitat use by female brown long-eared bats presage negative impacts of woodland conservation management. *Journal of Zoology, London* 288: 177-183.
- Myslajek, R.W., NOWAK, S. & HENEL, K. 2007. Community structure and activity levels of bats above waters in the Lezczok Reserve, southern Poland. *Vespertilio* 11: 103-107.
- NAGATO, T., TANDLER, B. & PHILLIPS, C.J. 1998. Ultrastructure of the binary parotid glands in the free-tailed bat, *Tadarida thersites*. 2. Accessory parotid gland. *Anatomical Record* 251 (1): 122-135.

- NAGORSEN, D.W. & PATERSON, B. 2012. An update on the status of red bats, *Lasiurus blossevillii* and *Lasiurus borealis*, in British Columbia. *Northwestern Naturalist* 93: 235-237.
- NAGY, M., GÜNTHER, L., KNÖRNSCHILD, M. & MAYER, F. 2013. Female-biased dispersal in a bat with a female-defence mating strategy. *Molecular Ecology* 22: 1733-1745.
- NAIDOO, S., MACKEY, R.L. & SCHOEMAN, C.M. 2011. Foraging ecology of insectivorous bats (Chiroptera) at a polluted and an unpolluted river in an urban landscape. *Durban Natural Science Museum Novitates* 34: 21-28.
- NAKAMOTO, A., KINJO, K. & IZAWA, M. 2012. Ranging patterns and habitat use of a solitary flying fox (*Pteropus dasymallus*) on Okinawa-jima Island, Japan. *Acta Chiropterologica* 14(2): 387-399.
- NAKAMOTO, A., SATO, A., KINJO, K. & IZAWA, M. 2011. Population growth of Orii's flying fox, *Pteropus dasymallus inopinatus*, on Okinawa-jima Island. *Japanese Journal of Conservation Ecology* 16: 45-53.
- NAPAL, M., GARIN, I. & AIHARTZA, J. 2012. What do bioindicators (bio)indicate? In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 89.
- NAVA, S., VENZAL, J.M., TERASSINI, F.A., MANGOLD, A.J., CAMARGO, L.M.A. & LABRUNA, M. 2010. Description of a new argasid tick (Acari: Ixodida) from bat caves in Brazilian Amazon. *The Journal of parasitology* 96(6):1089-1101.
- NELSON, J., BARNHART, P. & GILLAM, E. 2012. Development of the over-water mist net support system : a novel ecological research tool. *Acta Chiropterologica* 14(2): 491-495.
- NELSON, J.E., CHRISTIAN, K.A. & BAUDINETTE, R.V. 2007. Anatomy of the nasal passages of three species of Australian bats in relation to water loss. *Australian journal of zoology* 55: 57-62.
- NERKAR, A.A., KUBDE, Y.T. & GADEGONE, M.M. 2009. Cytological study of the hypophysis pars anterior of the Indian emballonurid bat *Taphozous kachhensis* (Dobson). *Journal of Endocrinology and Reproduction* 2: 57-62.
- NESI, N., KADJO, B., POURRUT, X., LEROY, E.M., PONGOMBO SHONGO, C., CRUAUD, C. & HASSANIN, A. 2013. Molecular systematics and phylogeography of the tribe Myonycterini (Mammalia, Pteropodidae) inferred from mitochondrial and nuclear markers. *Molecular phylogenetics and evolution* 66: 126-137.
- NEUBAUM, M.A., SHANKAR, V., DOUGLAS, M.E., O'SHEA, T.J. & RUPPRECHT, C.E. 2008. An analysis of correspondence between unique rabies virus variants and divergent big brown bat (*Eptesicus fuscus*) mitochondrial DNA lineages. *Archives of Virology* 153: 1139-1142.
- NEUWEILER, G. 1970. Neurophysiologische Untersuchungen zum Echoortungssystem der Grossen Hufeisennase *Rhinolophus ferrum equinum* Schreber, 1774. *Zeitschrift für vergleichende Physiologie* 67: 273-306.
- NEUWEILER, G. & VATER, M. 1977. Response patterns to pure tones of cochlear nucleus units in the CF-FM bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 115: 119-133.
- NEWMAN, S.H., FIELD, H., EPSTEIN, J.H. & DE JONG, C. 2011. Investigating the role of bats in emerging zoonoses : balancing ecology, conservation and public health interest. Rome, Food and Agriculture Organization of the United Nations: 169 p. (FAO animal production and health manual, 12).
- NISSEN, H., KRÜGER, F., FICHTNER, A. & SOMMER, R. 2013. Local variability in the diet of Daubenton's bat (*Myotis daubentonii*) in a lake landscape of northern Germany. *Folia Zoologica* 62(1): 36-41.
- NOBLET, J.-F. 2013. Le courrier des lecteurs. *L'envol des chiros* 14: 5.
- NOGA, M. 2007. Osteologické nálezy netopierov z územia Malých Karpát. *Vespertilio* 11: 109-118.
- NORQUET, A. de. 1867. Catalogue des mammifères du département du Nord. *Mémoires de la Société des Sciences, de l'Agriculture et des Arts de Lille* 3e série, 3: 145-171.

- NORQUAY, K., MARTINEZ-NUNEZ, F., DUBOIS, J.E., MONSON, K.M. & WILLIS, C. K. R. 2013. Long-distance movements of little brown bats (*Myotis lucifugus*). *Journal of Mammalogy* 94(2): 10 p.
- NORQUAY, K., MENZIES, A.K., MACKIBBIN, C.S., TIMONIN, M.E., BALOUN, D.E. & WILLIS, C.K.R. 2010. Silver-haired bats (*Lasionycteris noctivagans*) found ensnared on burdock (*Arctium minus*). *Northwestern Naturalist* 91(3): 339-342.
- NORUM, U., BRINKLOV, S. & SURLYKKE, A. 2012. New model for gain control of signal intensity to object distance in echolocating bats. *Journal of Experimental Biology* 215: 3045-3054.
- NOTARNICOLA, J., JIMÉNEZ-RUIZ, A. & GARDNER, S.L. 2010. Litomosoides (Nemata: filarioidea) of bats from Bolivia with records for three known species and the description of a new species. *The Journal of parasitology* 96(4): 775-782.
- NOVAES, R.L.M., DE FRANCA SOUZA, R., FELIX, S., SAUWEN, C., JACOB, G. & DOS SANTOS AVILLA, L. 2012. New record of *Furipterus horrens* (Cuvier, 1828) (Mammalia, Chiroptera) from the Cerrado of Tocantins state with a compilation of the known distribution within Brazil. *Check List* 8(6): 1359-1361.
- NOVAES, R.L.M., DE SOUZA LAURINDO, R., BRITO OLIVEIRA, M. de, DE REZENDE BARRETO, C. & DOS SANTOS AVILLA, L. 2013. First record of two molossid bats (Chiroptera : Molossidae) from Piauí state and distributional review for Brazil. *Check List* 9(3): 610-613.
- NUNES, H.L., FEIJO, J.A., BELTRÃO, M., SERRAMO LOPEZ, L.C. & FRACASSO, M.P. de A. 2013. First and easternmost record of *Molossops temminckii* (Burmeister, 1854) (Chiroptera : Molossidae) for the state of Paraíba, northeastern Brazil. *Check List* 9(2): 436-439.
- NYFFELER, M. & KNÖRNSCHILD, M. 2013. Bat predation by spiders. *PLoS One* 8(3): 15 p.
- O'BRIEN, J. 2011. Bats of the western Indian Ocean islands. *Animals* 1: 259-290.
- O'KEEFE, J.M. & LAVOIE, M. 2010. Maternity colony of eastern small-footed *Myotis* (*Myotis leibii*) in a historic building. *Southeastern Naturalist* 10(2): 381-383.
- O'NEILL, W.E. 1985. Responses to pure tones and linear FM components of the CF - FM biosonar signal by single units in the inferior colliculus of the mustached bat. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 157: 797-815.
- O'SHEA, T.J., CRYAN, P.M., SNIDER, E.A., VALDEZ, E.W., ELLISON, L.E. & NEUBAUM, D.J. 2011. Bats of Mesa Verde National Park, Colorado : composition, reproduction, and roosting habits. *Monographs of the Western North American Naturalist* 5(1): 1-19.
- O'SHEA, T.J., NEUBAUM, D.J., NEUBAUM, M.A., CRYAN, P.M., ELLISON, L.E., STANLEY, T.R., RUPPRECHT, C.E., PAPE, W.M.J. & BOWEN, R. 2011. Bat ecology and public health surveillance for rabies in an urbanizing region of Colorado. *Urban ecosystems* 14: 665-697.
- OBRIST, M.K., RATHEY, E., BONTADINA, F., MARTINOLI, A., CONEDERA, M., CHRISTE, P. & MORETTI, M. 2011. Response of bat species to sylvo-pastoral abandonment. *Forest Ecology and Management* 261: 789-798.
- OBUCH, J. & BENDA, P. 2009. Food of the Barn Owl (*Tyto alba*) in the Eastern Mediterranean. *Slovak Raptor Journal* 3: 41-50.
- OCHOA G., J. 2000. Efectos de la extracción de maderas sobre la diversidad de mamíferos pequeños en bosques de tierras bajas de la Guayana Venezolana. *Biotropica* 32(1): 146-164.
- ODEGARD, D. 2013. Neighbors save Austin bats. *Bats* 31(1): 16.
- OH, Y.K., MORI, T. & UCHIDA, T.A. 1985. Prolonged survival of the Graafian follicle and fertilization in the Japanese greater horseshoe bat, *Rhinolophus ferrumequinum nippon*. *Journal of reproduction and fertility* 73: 121-126.
- OLEKSY, R. 2013. Flying foxes rebuild Madagascar's tattered forests : do seeds do better when they pass through bats? *Bats* 31(2): 9-11.
- OLIVEIRA, R.L., CAMPOLINA-SILVA, G.H., NOGUEIRA, J.C., MAHECHA, G.A.B. & OLIVEIRA, C.A. 2013. Differential expression and seasonal variation on aquaporins 1 and 9 in the

- male genital system of big fruit-eating bat *Artibeus lituratus*. *General and Comparative Endocrinology* 186: 116-125.
- OLIVEIRA, R.L., NOGUEIRA, J.C., MAHECHA, G.A.B. & OLIVEIRA, C.A. 2012. Seasonal variation in estrogen receptor ER[alpha], but not ER[bêta], androgen receptor and aromatase, in the efferent ductules and epididymis of the big fruit-eating bat *Artibeus lituratus*. *General and Comparative Endocrinology* 179: 1-13.
- OLSON, C.R. & BARCLAY, R.M.R. 2013. Concurrent changes in group size and roost use by reproductive female little brown bats (*Myotis lucifugus*). *Canadian journal of zoology = Revue canadienne de zoologie* 91: 149-155.
- ONF Réseau Mammifères. 2013. La Barbastelle enfin recontactée en Picardie! *L'envol des chiros* 14: 6.
- OPREA, M., ESBERARD, C.E.L., VIEIRA, T.B., MENDES, P., PIMENTA, V.T., BRITO, D. & DITCHFIELD, A.D. 2009. Bat community species richness and composition in a restinga protected area in Southeastern Brazil. *Brazilian Journal of Biology* 69(4): 1073-1079.
- OPREA, M., PEIXOTO, F.P., RESENDE, L.V., COLLEVATTI, R.G. & TELLES, M.P.C. 2012. Isolation and characterization of 10 microsatellite loci for Pallas' long-tongued bat *Glossophaga soricina* (Phyllostomidae). *Genetics and Molecular Research* 11(3): 3518-3521.
- ORLOVA, M.V. & ZAPART, A. 2012. Interaction of ectoparasites in cohabitating colonies of pond bats *Myotis dasycneme* (Boie, 1825) and species of genus *Pipistrellus* from northern Poland. *Annals of Parasitology* 58(4): 211-215.
- ORLOVA, M.V., ORLOV, O.L., KRUSKOP, S.V. & BERNIKOV, K.A. 2013. Possibilities for identification of cryptic species of Chiroptera using host-specific ectoparasites. *Biology Bulletin* 40(1): 111-113.
- OROZCO-LUGO, C.L., VALENZUELA-GALVAN, D., LAVALLE-SÁNCHEZ, A., MORADELGADO, A. & OCAMPO-RAMÍREZ, C. 2013. Primer registro del murciélago platanero *Musonycteris harrisoni* (Chiroptera : Phyllostomidae) en Puebla, México. *Revista Mexicana de Biodiversidad* 84: 709-712.
- OSAWA, Y., ISHII, K., OSAWA, K., OKUMURA, M., USUI, T. & SATO, A. 2012. New wintering spots of *Vespertilio sinensis* in Saitama, Japan. *Bulletin of the Saitama Museum of Natural History [New Series]* 6: 53-58.
- OTTOU, R. 2011. Battling myths : to conserve the bats of Ghana. *Bats* 29(2): 9-10.
- OTUBANJO, O.A. 1985. *Concinnum epomopsis* Sandground, 1937 (Dicrocoeliidae) from the pancreas on the West African fruit bat *Eidolon helvum* in Nigeria. *Zeitschrift für Parasitenkunde* 71: 485-494.
- OWEN, J.G. & GIRON, L. 2012. Revised checklist and distributions of land mammals of El Salvador. *Occasional Papers Museum of Texas Tech University* 310: 1-32.
- PACKIRY, K. 2012. Une collection unique au monde. *La Liberté* 23 août 2012: 8.
- PAGE, R.A. 2011. The passing of friends : Elisabeth Kalko. *Bats* 29(4): 14.
- PAGE, R.A., MERTEN, S. VON & SIEMERS, B.M. 2012. Associative memory or algorithmic search : a comparative study on learning strategies of bats and shrews. *Animal Cognition*: 10 p.
- PALMEIRIM, J.M. & ETHERIDGE, K. 1985. The influence of man-made trails on foraging by tropical frugivorous bats. *Biotropica* 17(1): 82-83.
- PANNKUK, E.L., GILMORE, D.F., SAVARY, B.J. & RISCH, T.S. 2012. Triacylglyceride (TAG) profiles of integumentary lipids isolated from three bat species determined by matrix-assisted laser desorption-ionization time-of-flight mass spectrometry (MALDI-TOF MS). *Canadian journal of zoology = Revue canadienne de zoologie* 90: 1117-1127.
- PANYUTINA, A.A., KUZNETSOV, A.N. & KORZUN, L.P. 2013. Kinematics of chiropteran shoulder girdle in flight. *The Anatomical Record* 296: 382-394.
- PAPENFUSS, A.T., BAKER, M., FENG, Z.-P., TACHEDJIAN, M., CRAMERI, G., COWLED, C., NG, J., JANARDHANA, V., FIELD, H. & WANG, L.F. 2012. The immune gene repertoire of an important viral reservoir, the Australian black flying fox. *BMC Genomics* 13(261): 1-17.

- PARADISO, J.L. 1971. A new subspecies of *Cynopterus sphinx* (Chiroptera : Pteropodidae) from Serasan (South Natuna) Island, Indonesia. *Proceedings of the Biological Society of Washington* 84(36): 293-300.
- PARAMANATHA SWAMIDOSS, D., SUDHAKARAN, M.R. & PARVATHIRAJ, P. 2012. Habitat preference of microchiropteran bats in three districts of Tamilnadu, South India. *International Research Journal of Biological Sciences* 1(5): 24-30.
- PARK, K.J., MOCHAR, F. & FUENTES-MONTEMAYOR, E. 2012. Urban biodiversity : successes and challenges : bat activity in urban green space. *The Glasgow Naturalist* 25(4): 9 p.
- PARSONS, S. & BATTLE, P. F. 2013. Impacts of wind energy developments on wildlife : a southern hemisphere perspective. *New Zealand Journal of Zoology* 40(1): 1-4.
- PATRIQUIN, K.J., LEONARD, M.L., BRODERS, H.G. & GARROWAY, C.J. 2010. Do social networks of female northern long-eared bats vary with reproductive period and age? *Behavioral Ecology and Sociobiology* 64:899-913.
- PATRIQUIN, K.J., PALSTRA, F., LEONARD, M.L. & BRODERS, H.G. 2013. Female northern myotis (*Myotis septentrionalis*) that roost together are related. *Behavioral Ecology*: 6 p.
- PATTERSON, B.D. & WEBALA, P. 2012. Keys to the bats (Mammalia : Chiroptera) of East Africa. *Fieldiana : Life and Earth Sciences* 6: 1-60.
- PATTERSON, B.D. & WEBALA, P. 2012. Keys to the bats (Mammalia : Chiroptera) of East Africa. *Fieldiana : Life and Earth Sciences* 6.
- PATTISELANNO, F. 2003. Some fruit bats (Chiroptera, Pteropodidae) of the Mamberamo River Basin, West Papua, Indonesia. *Asia Life Sciences* 12(1): 45-56.
- PAVAN, A.C., MARTINS, F. de M. & MORGANTE, J.S. 2013. Evolutionary history of bulldog bats (genus *Noctilio*): recent diversification and the role of the Caribbean in Neotropical biogeography. *Biological Journal of the Linnean Society* 108: 210-224.
- PAVANELLO, R., PISAPIA, B. [ill.] & BÉHAR, J.-C. [trad.]. 2011. La valse du vampire. Paris, Albin Michel Jeunesse: 116 p. (Bat Pat, 4).
- PAVANELLO, R., PISAPIA, B. [ill.] & BÉHAR, J.-C. [trad.]. 2011. Le fantôme du cimetière. Paris, Albin Michel Jeunesse: 118 p. (Bat Pat, 1).
- PAVANELLO, R., PISAPIA, B. [ill.] & BÉHAR, J.-C. [trad.]. 2012. Le mammouth frileux. Paris, Albin Michel Jeunesse: 118 p. (Bat Pat, 5).
- PAVANELLO, R., PISAPIA, B. [ill.] & BÉHAR, J.-C. [trad.]. 2012. Le monstre des égoûts Paris, Albin Michel Jeunesse: 114 p. (Bat Pat, 7).
- PAVANELLO, R., PISAPIA, B. [ill.] & DIDOT, B. [trad.] 2011. La sorcière de minuit. Paris, Albin Michel Jeunesse: 125 p. (Bat Pat, 2).
- PAVANELLO, R., PISAPIA, B. [ill.] & DIDOT, B. [trad.] 2011. Le pirate à la dent d'or. Paris, Albin Michel Jeunesse: 120 p. (Bat Pat, 3).
- PAVANELLO, R., PISAPIA, B. [ill.] & DIDOT, B. [trad.]. 2012. Le monstre des égoûts Paris, Albin Michel Jeunesse: 92 p. (Bat Pat, 6).
- PAVISSE, R. 2012. Colles pour émetteurs de radiopistage : retours d'expériences et discussion. *L'envol des chiros* 13: 10-11.
- PAVISSE, R. 2012. Visite d'un souterrain artificiel en Lorraine : compte-rendu. *L'envol des chiros* 13: 9.
- PAVISSE, R. 2013. Chiroptères et infrastructures de transport terrestres : bref bilan de la journée technique. *L'envol des chiros* 14: 3-4.
- PAVISSE, R. 2013. Compte-rendu des Rencontres Chiroptères Grand Sud. *Mammifères sauvages* 66: 14.
- PAVISSE, R. 2013. Des nouvelles du côté éolien. *L'envol des chiros* 14: 4.
- PAVISSE, R. 2013. Evaluation de l'état de conservation des espèces Natura 2000 : exercice 2012 finalisé pour la SFPEM. *Mammifères sauvages* 65: 12.

- PAVISSE, R. 2013. Evaluation Natura 2000 : de belles avancées et des carences. L'envol des chiros 14: 3.
- PAVISSE, R. 2013. Note sur l'importance relative de la prédation des Chiroptères par les chats domestiques. L'envol des chiros 14: 14-15.
- PAVISSE, R. 2013. Nuit de la chauve-souris : nouveau site web et communication revue. L'envol des chiros 14: 3.
- PAVLINIC, I. & DAKOVIC, M. 2012. Bats activity in uncut and partially cut beech-fir forests in Croatia. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]. Granollers, Museum of Natural Sciences Edicions: 83.
- PAVLINIC, I., TVRTKOVIC, N. & PODNAR, M. 2012. Preliminary data on genetics and morphometrics of *Myotis alcathoe* (Chiroptera, Vespertilionidae) in Croatia. *Mammalia* 76: 331-334.
- PEARCE, H. & WALTERS, C.L. 2012. Do green roofs provide habitat for bats in urban areas? *Acta Chiropterologica* 14(2): 469-478.
- PEARCE, R.D. & O'SHEA, T.J. 2007. Ectoparasites in an urban population of big brown bats (*Eptesicus fuscus*) in Colorado. *The Journal of parasitology* 93(3): 518-530.
- PEEL, A.J., BAKER, K.S., CRAMERI, G., BARR, J.A., HAYMAN, D.T.S., WRIGHT, E., BRODER, C.C., FERNÁNDEZ-LORAS, A., FOOKS, A.R., WANG, L.F., CUNNINGHAM, A.A. & WOOD, J.L.N. 2012. Henipavirus neutralising antibodies in an isolated island population of African fruit bats. *PLoS One*.
- PEEREBOOM, D., LIESHOUT, S., JEFFERY, K.J. & BERGMANS, W. 2012. First record and echolocation call of *Glauconycteris argentata* (Dobson, 1875) from Gabon. *African Bat Conservation News* 27: 3-5.
- PEIRCE, M.A. 1984. Parasites of Chiroptera in Zambia. *Journal of Wildlife Diseases* 20(2): 153-154.
- PERON, G., HINES, J.E., NICHOLS, J.D., KENDALL, W.L., PETERS, K.A. & MIZRAHI, D.S. 2013. Estimation of bird and bat mortality at wind-power farms with superpopulation models. *Journal of Applied Ecology* 50: 902-911.
- PERRY, R.W. 2011. Fidelity of bats to forest sites revealed from mist-netting recaptures. *Journal of Fish and Wildlife Management* 2(1): 112-116.
- PERRY, R.W., THILL, R.E. & CARTER, S.A. 2007. Sex-specific roost selection by adult red bats in a diverse forested landscape. *Forest Ecology and Management* 253: 48-55.
- PERVUSHINA, E. 2010. Spatial and biotopic distribution of bats (Chiroptera, Vespertilionidae) in the southern forest zone of the middle Urals. *Russian Journal of Ecology* 41(2): 183-185.
- PERVUSHINA, E. & PERVUSHIN, A.A. 2011. New information on bats (Chiroptera, Vespertilionidae) of Sverdlov region. *Plecotus et al.* 14: 19-25.
- PETERSONS, G., VINTULIS, V. & ŠUBA, J. 2012. Long-term bat monitoring programmes in Latvia. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]. Granollers, Museum of Natural Sciences Edicions: 87.
- PETIT, S. 1995. The pollinators of two species of columnar cacti on Curacao, Netherlands Antilles. *Biotropica* 27(4): 538-541.
- PETIT, S. & FREEMAN, C.E. 1997. Nectar production of two sympatric species of columnar cacti. *Biotropica* 29(2): 175-183.
- PETROV, B. 2006. Distribution and status of *Myotis bechsteinii* in Bulgaria (Chiroptera : Vespertilionidae). *Lynx (Praha)* 37: 179-195.
- PETROV, B. & HELVERSEN, O. VON. 2012. Bats (Mammalia : Chiroptera) of the western Rhodopes mountain (Bulgaria and Greece). In: Beron P. [Ed.]. Biodiversity of Bulgaria 4. Biodiversity of western Rhodopes (Bulgaria and Greece) II. Pensoft & Nat. Mus. Natur. Hist., Sofia: 525-581.

- PFEIFFER, B.S. & MAYER, F. 2013. Spermatogenesis, sperm storage and reproductive timing in bats. *Journal of Zoology, London* 289: 77-85.
- PHILLIPS, C.J. 1968. Systematics of megachiropteran bats in the Solomon Islands. University of Kansas Publications Museum of Natural History 16(8): 777-837.
- PIECHOWSKI, D., DOTTERL, S. & GOTTSBERGER, G. 2010. Pollination biology and floral scent chemistry of the Neotropical chiropterophilous *Parkia pendula*. *Plant biology* 12: 172-182.
- PIECZARKA, J.C., BAIA GOMES, A.J., NAGAMACHI, C.Y., ROCHA, D.C.C., RISSINO, J.D., O'BRIEN, P.C.M., YANG, F. & FERGUSON-SMITH, M.A. 2013. A phylogenetic analysis using multidirectional chromosome painting of three species (*Uroderma magnirostrum*, *U. bilobatum* and *Artibeus obscurus*) of subfamily Stenodermatinae (Chiroptera-Phyllostomidae). *Chromosome Research* 21: 383-392.
- PIERCE, M.W. & KEITH, M. 2011. Healing rates of wing membranes in two species of Vespertilionid bats. *African Bat Conservation News* 25: 2-4.
- PIERCE, M.W., KEARNEY, T.C., SEAMARK, E.C.J., CURRAN, M., KOPP, M. & KEITH, M. 2011. New records and echolocation information of *Laephotis botswanae* (Chiroptera, Vespertilionidae) from southern Africa. *Durban Natural Science Museum Novitates* 34: 39-44.
- PIETSCH, G. & SCHULLER, G. 1987. Auditory self-stimulation by vocalization in the CF-FM bat, *Rhinolophus rouxi*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 160: 635-644.
- PIKSA, K. & NOWAK, J. 2013. The bat fauna hibernating in the caves of the Polish Tatra Mountains, and its long-term changes. *Central European Journal of Biology* 8(5): 448-460.
- PIKSA, K., GÓRZ, A., NOWAK-CHMURA, M. & SIUDA, K. 2013. Mass occurrence of *Ixodes vespertilionis* (Acari : Ixodidae) in caves, on bats roosting in caves and in a nursery colony. *International Journal of Acarology* 39(3): 257-262.
- PIKSA, K., NOWAK, J., ZMIHORSKI, M. & BOGDANOWICZ, W. 2013. Nonlinear distribution pattern of hibernating bats in baves along an elevational gradient in mountain (Carpathians, southern Poland). *PLoS One* 8(7): 10 p.
- PILOSOFF, S., DICK, C.W., KORINE, C., PATTERSON, B.D. & KRASNOV, B.R. 2012. Effects of anthropogenic disturbance and climate on patterns of bat fly parasitism. *PLoS One* 7(7): 7 p.
- PINTO, C.M., MARCHÁN-RIVADENEIRA, M.R., TAPIA, E.E., CARRERA, J.P. & BAKER, R.J. 2013. Distribution, abundance and roosts of the fruit bat *Artibeus fraterculus* (Chiroptera : Phyllostomidae). *Acta Chiropterologica* 15(1): 85-94.
- PLETCHER, L. & KLEOPFER, J.D. 2012. Survey and assessment of man-made structures used by Rafinesque's big-eared bats (*Corynorhinus rafinesquii*) in Southeastern Virginia. *Banisteria* 39: 46-50.
- PODANY, M. 1986. Zum Schutz der Fledermäuse (Chiroptera) in der Nordwestlichen Nieder-Lausitz (DDR). *Lounais-Hämeen Luonto* 73: 30-32.
- PODTURKIN, A.A. 2011. Effect of group size on the intensity of exploratory behaviour in Egyptian rousettes (*Rousettus aegyptiacus*). *Plecotus et al.* 14: 60-74.
- POINAR, G.O.Jr. 2011. *Vetufebrus ovatus* n. gen., n. sp. (Haemospororida: Plasmodiidae) vectored by a streblid bat fly (Diptera: Streblidae) in Dominican amber. *Parasites & Vectors* 229(4): 1-5.
- POISSANT, J.A. & BRODERS, H.G. 2010. Differentiation of two *Myotis* species (Chiroptera : Vespertilionidae) at Hayes Cave, Nova Scotia, based on echolocation call characteristics. *Proceedings of the Nova Scotian Institute of Science* 45(2): 55-63.
- POISSANT, J.A., BRODERS, H.G. & QUINN, G.M. 2010. Use of lichen as a roosting substrate by *Perimyotis subflavus*, the tricolored bat, in Nova Scotia. *EcoScience* 17(4): 372-378.
- POPE, C.R. 2011. Bats (Chiroptera) - 2009. *Proceedings of the Isle of Wight Natural History and Archaeological Society* 25: 186-188.

- POPE, C.R. 2011. Bats (Chiroptera) - 2010. Proceedings of the Isle of Wight Natural History and Archaeological Society 25: 189-190.
- POPE, C.R. 2012. Bats (Chiroptera) - 2011. Proceedings of the Isle of Wight Natural History and Archaeological Society 26: 124-126.
- POPPE, S.A. 1881. Zur Säugethier-Fauna des nordwestlichen Deutschland. Abhandlungen / hrsg. vom Naturwissenschaftlichen Verein zu Bremen 7: 301-310.
- PORTER, C.A., HEWETT-EMMETT, D. & TASHIAN, R.E. 2013. Carbonic anhydrase-related protein XI : structure of the gene in the greater false vampire bat (*Megaderma lyra*) compared with human and domestic pig. *Biochemical Genetics* 51: 474-481.
- POSTAWA, T., ZAGORODNIUK, I. & BACHANEK, J. 2012. Patterns of cranial size variation in two sibling species *Plecotus auritus* and *P. austriacus* (Chiroptera : Vespertilionidae) in a contact zone. *Journal of Zoology, London* 288: 294-302.
- POURRUT, X., SOURIS, M., TOWNER, J.S., ROLLIN, P.E., NICHOL, S.T., GONZALEZ, J.-P. & LEROY, E.M. 2009. Large serological survey showing cocirculation of Ebola and Marburg viruses in Gabonese bat populations, and a high seroprevalence of both viruses in *Rousettus aegyptiacus*. *BMC Infectious Diseases* 9(159): 10 p.
- POUSSIN, C. & SCHLEGEL, P. 1984. Directional sensitivity of auditory neurons in the superior colliculus of the bat, *Eptesicus fuscus*, using free field sound stimulation. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 154: 253-261.
- POWERS, L.V., KANDARIAN, S.C. & KUNZ, T.H. 1991. Ontogeny of flight in the little brown bat, *Myotis lucifugus* : behavior, morphology, and muscle histochemistry. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 168: 675-685.
- PRESETNIK, P. 2012. First record of a cave maternity roost of *Rhinolophus hipposideros* (Bechstein, 1800) in Slovenia. *Natura Sloveniae* 14(1): 31-34.
- PRESETNIK, P. 2012. Opis prvih najdb nimfnega netopirja (*Myotis alcaethoe*) v Sloveniji. *Natura Sloveniae* 14(1): 5-13.
- PRESLEY, S.J. 2010. Interspecific aggregation of ectoparasites on bats : importance of hosts as habitats supersedes interspecific interactions. *Oikos*: 10 p.
- PRESLEY, S.J., CISNEROS, L.M., PATTERSON, B.D. & WILLIG, M.R. 2012. Vertebrate metacommunity structure along an extensive elevational gradient in the tropics : a comparison of bats, rodents and birds. *Global ecology and biogeography* 21: 968-976.
- PREVOST, O., DUCEPT, S., GAILLED RAT, M. & TRANCHANT, N. 2011. A propos d'un Grand rhinolophe albinos dans la Vienne. *L'envol des chiros* 10: 10.
- PRICE, E.R., BRUN, A., FASULO, V., KARASOV, W.H. & CAVIEDES-VIDAL, E. 2013. Intestinal perfusion indicates high reliance on paracellular nutrient absorption in an insectivorous bat *Tadarida brasiliensis*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 164: 351-355.
- PRINS, B. & LOEWEN, K. 1988. Bat rabies in British Columbia 1971-1985. *La revue vétérinaire canadienne = The Canadian veterinary journal* 29: 41-44.
- PRO NATURA. 2012. Les chauves-souris. *Croc'nature*, mars 2012.
- PROKOFEV, I. 2013. Grassroots help for Russia's forgotten bats : citizens science and education push conservation. *Bats* 31(2): 6-8.
- PRONE, B., ZANON, C.M.V. & BENEDITO, E. 2012. Bats (Chiroptera, Phyllostomidae) in the urbanized area in South of Brazil. *Maringá* 34(2): 155-162.
- PRUD'HOMME, F. & ARTHUR, L. [ill.]. 2013. Les chauves-souris ont-elles peur de la lumière? 100 clés pour comprendre les chauves-souris. [Paris], Quae: 207 p. (Clés pour comprendre).
- PUECHMAILLE, S., HIZEM, M.W., ALLEGRINI, B. & ABIADH, A. 2012. Bat fauna of Tunisia : review of records and new records, morphometrics and echolocation data. *Vespertilio* 16: 211-239.

- PYBUS, M.J. 1986. Rabies in insectivorous bats of western Canada, 1979 to 1983. *Journal of Wildlife Diseases* 22(3): 307-313.
- QUETGLAS, J., BALVIN, O., LUCAN, R.K. & BENDA, P. 2012. First records of the bat bug *Cacodmus vicinus* (Heteroptera : Cimicidae) from Europe and further data on its distribution. *Vespertilio* 16: 243-248.
- QUMSIYEH, M.B., OWEN, R.D. & CHESSER, R.K. 1988. Differential rates of genic and chromosomal evolution in bats of the family Rhinolophidae. *Genome = Génome* 30: 326-335.
- RACEY, P.A. 1970. The breeding, care and management of vespertilionid bats in the laboratory. *Laboratory Animals* 4: 171-183.
- RACEY, P.A. 1972. Viability of bat spermatozoa after prolonged storage in the epididymis. *Journal of reproduction and fertility* 28: 309-311.
- RACEY, P.A. 1974. The reproductive cycle in male noctule bats, *Nyctalus noctula*. *Journal of reproduction and fertility* 41: 169-182.
- RACEY, P.A. & SWIFT, S.M. 1981. Variations in gestation length in a colony of pipistrelle bats (*Pipistrellus pipistrellus*) from year to year. *Journal of reproduction and fertility* 61: 123-129.
- RACEY, P.A., HUTSON, A.M. & LINA, P.H.C. 2013. Bat rabies, public health and European bat conservation. *Zoonoses and Public Health* 60: 58-68.
- RACEY, P.A., SPEAKMAN, J.R. & SWIFT, S.M. 1987. Reproductive adaptations of heterothermic bats at the northern borders of their distribution. *South African journal of science = Suid-Afrikaanse joernaal van wetenskap = Suid-Afrikaanse tydskrif vir wetenskap* 83: 635-638.
- RACEY, P.A., UCHIDA, T.A., MORI, T., AVERY, M.I. & FENTON, M.B. 1987. Sperm-epithelium relationships in relation to the time of insemination in little brown bats (*Myotis lucifugus*). *Journal of reproduction and fertility* 80: 445-454.
- RADULET, N. 2007. Description of the inner side of the mandible in ten bat species (Mammalia : Chiroptera) from Brazil (South America). *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* 50: 363-370.
- RAGHURAM, H. & MARIMUTHU, G. 2007. Development of prey capture in the Indian false vampire bat *Megaderma lyra*. *Ethology* 113: 555-561.
- RAGHURAM, H., PRIYA, E.Y.S., MARIMUTHU, G. & ELANGO VAN, V. 2012. Effect of reproduction and nutritional qualities of fruits on food choice and voluntary food intake of Indian fulvous fruit bat, *Rousettus leschenaulti* (Desmarest 1820). *Proceedings of the Indian Academy of Sciences* 78(1): 1-7.
- RAICES, D.S.L., PESSOA, F.S., LUZ, J.L., NOGUEIRA, T.J., ESBERARD, C.E.L. & BERGALLO, H.G. 2008. Feeding behaviour of the bat *Phyllostomus hastatus* (Pallas 1767) in jackfruit *Artocarpus heterophyllus* Lamarck (Moraceae), in Ilha Grande, Rio de Janeiro State, Brazil. *Revista Brasileira de Zootecias* 10(3): 265-267.
- RAINHO, A. & PALMEIRIM, J.M. 2012. Prioritizing conservation areas around multispecies bat colonies using spatial modeling. *Animal Conservation* 16: 438-448.
- RAJAN, K.E., RAJKUMAR, R., LIAO, C.-C. & MARIMUTHU, G. 2010. Light-induced COP9 signalosome expression in the Indian false vampire bat *Megaderma lyra*. *Journal of Physiological Sciences* 60: 43-49.
- RAJAN, K.E., SUNDARI, A.A. & MARIMUTHU, G. 2009. Isolation and characterization of microsatellite loci in the Indian false vampire bat *Megaderma lyra*. *Conservation Genetics Resources* 1: 369-371.
- RAJKUMAR, S.S., LI, X., RUDD, R., OKONIEWSKI, J.C., XU, J., CHATURVEDI, S. & CHATURVEDI, V. 2011. Clonal genotype of *geomyces destructans* among bats with white nose syndrome, New York, USA. *Emerging Infectious Diseases* 17(7): 1273-1276.

- RAMASINDRAZANA, B. & GOODMAN, S.M. 2012. Bio-écologie des chauves-souris du Parc National de Tsimanampetsotsa. 1. Identification bioacoustique et habitat préférentiel. *Malagasy Nature* 6: 103-116.
- RAMASINDRAZANA, B., RAJEMISON, B. & GOODMAN, S.M. 2012. Bio-écologie des chauves-souris du Parc National de Tsimanampetsotsa. 2. Variation interspécifique et saisonnière du régime alimentaire. *Malagasy Nature* 6: 117-124.
- RAMIREZ, J., MUNGUIA-VEGA, A. & CULVER, M. 2011. Isolation of microsatellite loci from the lesser long-nosed bat (*Leptonycteris yerbabuenae*). *Conservation Genetics Resources* 3: 327-329.
- RAO, K.T., SRINIVASULU, C., RAJ, R.P., JAVED, S.M.M. & KRISHNA, I.S.R. 2004. Second record of *Rhinolophus beddomei* in eastern Ghats, India. *Zoos' Print Journal* 19(4): 1446.
- RASWEILER, J.J. IV., BADWAIK, N.K. & MECHINENI, K.V. 2010. Selectivity in the transport of spermatozoa to oviductal reservoirs in the menstruating fruit bat, *Carollia perspicillata*. *Reproduction* 140: 743-757.
- RATCLIFFE, J.M., ELEMANS, C.P.H., JAKOBSEN, L. & SURLYKKE, A. 2013. How the bat got its buzz. *Biology Letters* 9(2): 4 p.
- RAUT, C.G., YADAV, P.D., TOWNER, J.S., AMMAN, B.R., ERICKSON, B.R., CANNON, D.L., SIVARAM, A., BASU, A., NICHOL, S.T., MISHRA, A.C. & MOURYA, D.T. 2012. Isolation of a novel adenovirus from *Rousettus leschenaultii* bats from India. *Intervirology*: 3 p.
- RAVEL, A., MARIVAUX, L., TABUCE, R., BEN HAJ ALI, M., ESSID, E.M. & VIANEY-LIAUD, M. 2012. A new large philisid (Mammalia, Chiroptera, Vespertilionoidea) from the late early Eocene of Chambi, Tunisia. *Palaeontology* 55(5): 1035-1041.
- RAZGOUR, O., CLARE, E.L., ZEALE, M.R.K., HANMER, J., BAERHOLM SCHNELL, I., RASMUSSEN, M., GILBERT, M.T.P. & JONES, G. 2011. High-throughput sequencing offers insight into mechanisms of resource partitioning in cryptic bat species. *Ecology and Evolution* 1(4): 556-570.
- RAZGOUR, O., JUSTE, J., IBAÑEZ, C., KIEFER, A., REBELO, H., PUECHMAILLE, S., ARLETTAZ, R., BURKE, T., DAWSON, D.A., BEAUMONT, M. & JONES, G. 2013. The shaping of genetic variation in edge-of-range populations under past and future climate change. *Ecology Letters* 16: 1258-1266.
- REBELO, H., AMORIM, F. & JONES, G. 2012. Using spatial modeling to study the impact of climate change on the distributions of bats. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 60-64.
- REEDER, D.A.M., HELGEN, K.M., VODZAK, M.E., LUNDE, D.P. & EJOTRE, I. 2013. A new genus for a rare African vespertilionid bat : insights from South Sudan. *ZooKeys* 285: 89-115.
- REEVES, W.K., LOFTIS, A.D. & BECK, J. 2013. A new species of *Nycterophilia* (Diptera : Streblidae) from the Antillean fruit-eating bat, *Brachyphylla cavernarum* (Chiroptera : Phyllostomidae). *Journal of entomological Science* 48(2): 114-117.
- REID, A.K., HILL, T.J., CLARKE, R.S., GWILLIAM, J.C. & KREBS, J.W. 2010. Roosting ecology of femal townsend's big-eared bats (*Corynorhinus townsendii*) in sout-eastern British Columbia : implications for conservation management. *Northwestern Naturalist* 91:215–218.
- REIMER, J.P., BAERWALD, E.F. & BARCLAY, R.M.R. 2010. Diet of Hoary (*Lasiurus cinereus*) and silver-haired (*Lasionycteris noctivagans*) bats while migrating through southwestern Alberta in late summer and autumn. *The American midland naturalist* 164:230–237.
- REIMER, K. 1991. Auditory properties of the superior colliculus in the horseshoe bat, *Rhinolophus rouxi*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 169: 719-728.
- REITER, A., BARTONICKA, T., LUCAN, R.K. & REHAK, Z. 2010. New records of *Hypsugo savii* in the Czech Republic. *Vespertilio* 13-14: 121-125.

- REITER, A., BENDA, P. & BARCIOVA, L. 2001. Zimovište netopýru na jihozápadní Morave. *Vespertilio* 5: 209-251.
- REITER, A., BENDA, P. & HOTOVY, J. 2007. First record of the Kuhl's pipistrelle, *Pipistrellus kuhlii* (Kuhl, 1817), in the Czech Republic. *Lynx (Praha)* 38: 47-54.
- REITER, G., PÖLZER, E., MIXANIG, H., BONTADINA, F. & HÜTTMEIR, U. 2013. Impact of landscape fragmentation on a specialised woodland bat, *Rhinolophus hipposideros*. *Mammalian biology* 288: 283-289.
- RESTIF, O., HAYMAN, D.T.S., PULLIAM, J., PLOWRIGHT, R., GEORGE, D.B., LUIS, A.D., CUNNINGHAM, A.A., BOWEN, R., FOOKS, A.R., O'SHEA, T.J., WOOD, J.L.N. & WEBB, C.T. 2012. Model-guided fieldwork : practical guidelines for multidisciplinary research on wildlife ecological and epidemiological dynamics. *Ecology Letters* 15: 1083-1094.
- REUSKEN, C., LINA, P.H.C., PIELAAT, A., DE VRIES, A., DAM-DEISZ, C., ADEMA, J., DREXLER, J.F., DROSTEN, C. & KOOI, E.A. 2010. Circulation of group 2 coronaviruses in a bat species common to urban areas in western Europe. *Vector-Borne and Zoonotic diseases* 10(8): 785-791.
- REX, K., KELM, D., WIESNER, K., KUNZ, T.H. & VOIGT, C.C. 2008. Species richness and structure of three neotropical bat assemblages. *Biological Journal of the Linnean Society* 94: 617-629.
- REZBANYAI-RESER, L. & WIPRÄCHTIGER, P. 2004. Nachtfalterflügel als Nahrungsreste von Fledermäusen aus Schötz, Kanton Luzern (Lepidoptera : Macroheterocera & Mammalia : Chiroptera). *Entomologische Berichte Luzern* 51: 29-34.
- RIBEIRO SARTORE, E. & DOS REIS, N.R. 2013. Trophic niche of two sympatric frugivorous bat species in a periurban area of southern Brazil. *Mammalia* 77(2): 141-148.
- RICCUCCI, M. 2012. Bats as materia medica : an ethnomedical review and implications for conservation. *Vespertilio* 16: 249-270.
- RICHARDS, G., HALL, L.S. & PARISH, S. [photogr.]. 2012. A natural history of Australian bats : working the night shift. Collingwood, CSIRO: 184 p.
- RIEGER, J.F. & JAKOB, E.M. 1988. The use of olfaction in food location by frugivorous bats. *Biotropica* 20(2): 161-164.
- RIEK, A., KÖRTNER, G. & GEISER, F. 2010. Thermobiology, energetics and activity patterns of the eastern tube-nosed bat (*Nyctimene robinsoni*) in the Australian tropics : effect of temperature and lunar cycle. *Journal of Experimental Biology* 213: 2557-2564.
- ROBIN, H.A. 1881. Diagnoses de deux chiroptères nouveaux de la collection du Muséum d'histoire naturelle. *Bulletin de la Société philomatique* 5(1): 90-91.
- ROBIN, H.A. 1881. Sur l'époque de l'accouplement des chauves-souris. *Bulletin de la Société philomatique* 5(1): 88-90.
- ROBIN, H.A. 1881. Sur les enveloppes foetales des chiroptères du groupe des molossiens. *Bulletin de la Société philomatique* 5(1): 142-143.
- ROBINSON, J.E., BELL, D., SALEH, F.M., SULEIMAN, A.A. & BARR, I. 2010. Recovery of the vulnerable Pemba flying fox *Pteropus voeltzkowi* : population and conservation status. *Oryx* 44(3): 416-423.
- ROCHE, N., AUGHNEY, T., LANGTON, S., KINGSTON, N., LYNN, D. & MARNELL, F. 2012. Monitoring schemes reveal impacts of street lighting on bats. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 85.
- RODHOUSE, T.J., ORMSBEE, P.C., IRVINE K.M., VIERLING, L.A., SZEWCZAK, J.M. & VIERLING, K.T. 2012. Assessing the status and trend of bat populations across broad geographic regions with dynamic distribution models. *Ecological Applications* 22(4): 1098-1113.
- RODHOUSE, T.J., VIERLING, K.T. & IRVINE K.M. 2011. A practical sampling design for acoustic surveys of bats. *Journal of wildlife management* 75(5): 1094-1102.

- RODRIGUES FRANCA, F.G. & AMORIM DE LIMA, R. 2012. First record of predation on the bat *Carollia perspicillata* by the false coral snake *Oxyrhopus petolarius* in the Atlantic Rainforest. *Biotemas* 25(4): 307-309.
- RODRIGUEZ-DURAN, A. 2011. List of participants at the 42nd Annual North American Symposium on bat research. *Bat Research News* 53(4): 115-118.
- RODRIGUEZ-PENA, N., STONER, K.E., AYALA-BERDON, J., FLORES-ORTIZ, C.M., DURAN, A. & SCHONDUBE, J.E. 2013. Nitrogen and amino acids in nectar modify food selection of nectarivorous bats. *The journal of animal ecology* 82: 1106-1115.
- RODRIGUEZ-POSADA, M.E. & RAMIREZ-CHAVES, H. E. 2012. Distribución, morfología y reproducción del murciélago rayado de orejas amarillas *Vampyriscus nymphaea* (Mammalia : Chiroptera) en Colombia. *Acta Zoológica Mexicana (n.s.)* 28(2): 341-352.
- RODRÍGUEZ-SAN PEDRO, A. & SIMONETTI, J.A. 2013. Acoustic identification of four species of bats (Order Chiroptera) in central Chile. *Bioacoustics*: 8 p.
- ROJAS, D., MANCINA, C.A., FLORES-MARTINEZ, J.J. & NAVARRO, L. 2013. Phylogenetic signal, feeding behaviour and brain volume in neotropical bats. *Journal of evolutionary biology* 26: 1925-1933.
- ROJAS, D., VALE, A., FERRERO, V. & NAVARRO, L. 2012. The role of frugivory in the diversification of bats in the Neotropics. *Journal of Biogeography* 39: 1948-1960.
- ROLFE, A.K. & KURTA, A. 2012. Diet of mormoopid bats on the Caribbean island of Puerto Rico. *Acta Chiropterologica* 14(2): 369-377.
- ROMELING, S., ALLEN, C.R. & ROBBINS, L.W. 2012. Acoustically detecting Indiana bats : how long does it take? *Bat Research News* 53(4): 51-58.
- ROSATTE, R.C. 1987. Bat rabies in Canada : history, epidemiology and prevention. *La revue vétérinaire canadienne = The Canadian veterinary journal* 28(12): 754-756.
- ROSCIONI, F., RUSSO, D., DI FEBBRARO, M., FRATE, L., CARRANZA, M.L. & LOY, A. 2013. Regional-scale modelling of the cumulative impact of wind farms on bats. *Biodiversity and Conservation* 22(8): 1821-1835.
- ROSINA, V.V. & RUMMEL, M. 2012. The bats (Chiroptera, Mammalia) from the Early Miocene of Petersbuch (Bavaria, southern Germany). *Geobios* 45: 463-478.
- ROSS, L.S. & POLLAK, G.D. 1989. Differential ascending projections to aural regions in the 60 kHz contour of the mustache bat's inferior colliculus. *Journal of Neuroscience* 9(8): 2819-2834.
- ROSSITER, S.J., ZHANG, S. & LIU, Y. 2011. Prestin and high frequency hearing in mammals. *Communicative & Integrative Biology* 4(2): 236-239.
- ROSWAG, A., BECKER, N.I. & ENCARNACAO, J.A. 2012. Inter- and intraspecific comparisons of retention time in insectivorous bat species (Vespertilionidae). *Journal of Zoology, London* 288: 85-92.
- ROUX, D.S. Le. 2012. Bats in the backyard : learning to protect urban bats in New Zealand. *Bats* 30(3): 10-11.
- ROVERUD, R.C. 1994. Complex sound analysis in the lesser bulldog bat : evidence for a mechanism for processing frequency elements of frequency modulated signals over restricted time intervals. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 174: 559-565.
- ROVERUD, R.C. & GRINNELL, A.D. 1985. Discrimination performance and echolocation signal integration requirements for target detection and distance determination in the CF/FM bat, *Noctilio albiventris*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 156: 447-456.
- ROVERUD, R.C. & GRINNELL, A.D. 1985. Echolocation sound features processed to provide distance information in the CF/FM bat, *Noctilio albiventris* : evidence for a gated time window utilizing both CF and FM components. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 156: 457-469.

- ROVERUD, R.C. & GRINNELL, A.D. 1985. Frequency tracking and doppler shift compensation in response to an artificial CF/FM echolocation sound in the CF/FM bat, *Noctilio albiventris*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 156: 471-475.
- ROVERUD, R.C. & RABITTOY, E.R. 1994. Complex sound analysis in the FM bat *Eptesicus fuscus*, correlated with structural parameters of frequency modulated signals. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 174: 567-573.
- ROY, V.K. & KRISHNA, A. 2011. Regulation of leptin synthesis during adipogenesis in males of a vespertilionid bat, *Scotophilus heathi*. *Journal of Experimental Biology* 214: 1599-1606.
- ROY, V.K. & KRISHNA, A. 2013. The expression pattern of the glucose transporter GLUT-5 in the testis during the spermatogenic cycle of the vespertilionid bat *Scotophilus heathi*. *General and Comparative Endocrinology* 191: 59-64.
- RUBSAMEN, R. & BETZ, M. 1986. Control of echolocation pulses by neurons of the nucleus ambiguus in the rufous horseshoe bat, *Rhinolophus rouxi*. I. Single unit recordings in the ventral motor nucleus of the laryngeal nerves in spontaneously vocalizing bats. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 159: 675-687.
- RUBSAMEN, R. & SCHULLER, G. 1981. Laryngeal nerve activity during pulse emission in the CF-FM bat, *Rhinolophus ferrumequinum*. II. The recurrent laryngeal nerve. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 143: 323-327.
- RUBSAMEN, R. & SCHWEIZER, H. 1986. Control of echolocation pulses by neurons of the nucleus ambiguus in the rufous horseshoe bat, *Rhinolophus rouxi*. II. Afferent and efferent connections of the laryngeal nerves. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 159: 689-699.
- RUBSAMEN, R., NEUWEILER, G. & MARIMUTHU, G. 1989. Ontogeny of tonotopy in inferior colliculus of a hipposiderid bat reveals postnatal shift in frequency-place code. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 165: 755-769.
- RUBSAMEN, R., NEUWEILER, G. & SRIPATHI, K. 1988. Comparative collicular tonotopy in two bat species adapted to movement detection, *Hipposideros speoris* and *Megaderma lyra*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 163: 271-285.
- RUCZYNSKI, I. & SIEMERS, B.M. 2011. Hibernation does not affect memory retention in bats. *Biology Letters* 7: 153-155.
- RUEDI, M. & ARLETTAZ, R. 2013. *Myotis punicus*: Maghreb *myotis*. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 703-705.
- RUEDI, M., BISWAS, J., CHACHULA, O. & ARBENZ, T. 2012. A winter survey of bats from the Jaintia Hills : with a synopsis of their diversity in Meghalaya. In: Matzendorf, Thomas Arbenz [Ed.]. *Cave pearls of Meghalaya : a cave inventory covering the Jaintia Hills - Meghalaya - India*. Vol. 1: Pala Range and Kopili Valley: 86-105.
- RUEDI, M., STADELMANN, B., GAGER, Y., DOUZERY, E.J.P., FRANCIS, C.M., LIN, L.-K., GUILLEN SERVENT, A. & CIBOIS, A. 2013. Molecular phylogenetic reconstructions identify East Asia as the cradle for the evolution of the cosmopolitan genus *Myotis* (Mammalia, Chiroptera). *Molecular phylogenetics and evolution* 69: 437-449.
- RUEDI, M., WEYENETH, N., TEELING, E.C., PUECHMAILLE, S. & GOODMAN, S.M. 2012. Biogeography of Old World emballonurine bats (Chiroptera : Emballonuridae) inferred with mitochondrial and nuclear DNA. *Molecular phylogenetics and evolution* 64: 204-211.
- RUIZ-GUTIÉRREZ, F., LÓPEZ-DAMIÁN, L.J., ARROYO-CABRALES, J., CHÁVEZ-CATALÁN, Y.E. & FLORES SÁNCHEZ, L.A. 2011. Nuevos registros de molósidos (Chiroptera : Molossidae) para el estado de Guerrero, México. *Chiroptera Neotropical* 17(2): 1022-1028.
- RUIZ-SANCHEZ, F.J., MURELAGA, X., FREUDENTHAL, M., LARRASOANA, J.C., FURIÓ, M., GARCÉS, M., GONZÁLEZ-PARDOS & M., SUÁREZ-HERNANDO, M. 2012. Rodents and insectivores from the Lower Miocene (Agenian and Ramblian) of the Tudela formation (Ebro Basin, Spain). *Journal of Iberian Geology* 38(2): 349-372.

- RUIZ, E.A., VARGAS-MIRANDA, B. & ZÚÑIGA, G. 2013. Late-Pleistocene phylogeography and demographic history of two evolutionary lineages of *Artibeus jamaicensis* (Chiroptera : Phyllostomidae) in Mexico. *Acta Chiropterologica* 15(1): 19-33.
- RUSS, J., BARLOW, K.E., BRIGGS, P. & SOWLER, S. 2012. *British bats calls : a guide to species identification*. Exeter, Pelagic: 192 p.
- RUSSO, D. 2012. Bats and forest degradation. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 65-70.
- RUSSO, D. & JONES, G. 2002. Identification of twenty-two bat species (Mammalia : Chiroptera) from Italy by analysis of time-expanded recordings of echolocation calls. *Journal of Zoology. Series A : Proceedings of the Zoological Society of London* 258: 91-103.
- RUSSO, D., CISTRONE, L. & JONES, G. 2007. Emergence time in forest bats : the influence of canopy closure. *Acta Oecologica* 31: 119-126.
- RUSSO, D., CISTRONE, L., GARONNA, A.P. & JONES, G. 2010. Reconsidering the importance of harvested forests for the conservation of tree-dwelling bats. *Biodiversity and Conservation* 19: 2501-2515.
- RUSSO, D., MAGLIO, G., RAINHO, A., MEYER, C.F.J. & PALMEIRIM, J.M. 2011. Out of the dark : diurnal activity in the bat *Hipposideros ruber* on São Tomé island (West Africa). *Mammalian biology* 76: 701-708.
- RUTISHAUSER, M.D., BONTADINA, F., BRAUNISCH, V., ASHRAFI, S. & ARLETTAZ, R. 2012. The challenge posed by newly discovered cryptic species : disentangling the environmental niches of long-eared bats. *Diversity and Distributions* 18: 1107-1119.
- RYDELL, J. & EKLÖF, J. 2003. Vision complements echolocation in an aerial-hawking bat. *Die Naturwissenschaften* 90: 481-483.
- RYDELL, J., ARITA, H.T., SANTOS, M. & GRANADOS, J. 2002. Acoustic identification of insectivorous bats (order Chiroptera) of Yucatan, Mexico. *Journal of Zoology, London* 357: 27-36.
- SÁ-NETO, R.J. & MARINHO-FILHO, J. 2013. Bats in fragments of xeric woodland caatinga in Brazilian semiarid. *Journal of Arid Environments* 90: 88-94.
- SACHANOWICZ, K. & WOWER, A. 2013. Assemblage structure and use of anthropogenic roosts by bats in the eastern Carpathians : case study in the Bieszczady National Park (SE Poland). *The Italian journal of zoology* 80(1): 139-148.
- SACHANOWICZ, K., MLECZEK, T., GOTTFRIED, T., IGNACZAK, M. & PISKORSKI, M. 2013. Winter records of *Myotis alcaethoe* in southern Poland and comments on identification of the species during hibernation. *Acta zoologica cracoviensia* 55(1): 97-101.
- SAGOT, M., RODRIGUEZ-HERRERA, B. & STEVENS, R.D. 2013. Macro and microhabitat associations of the Peter's tent-roosting bat (*Uroderma bilobatum*) : human-induced selection and colonization? *Biotropica* 45(4): 511-519.
- SAIKIA, U. & RAM BORO, A. 2013. Bat fauna of the western Himalaya of India : a zoogeographic perspective. *Taprobanica* 5(1): 50-59.
- SALDANA-VAZQUEZ, R.A. & SCHONDUBE, J.E. 2013. Food intake changes in relation to food quality in the Neotropical frugivorous bat *Sturnira ludovici*. *Acta Chiropterologica* 15(1): 69-75.
- SALDANA-VAZQUEZ, R.A., SOSA, V.J., IÑIGUEZ-DAVALOS, L.I. & SCHONDUBE, J.E. 2013. The role of extrinsic and intrinsic factors in neotropical fruit bat-plant interactions. *Journal of Mammalogy* 94(3): 8 p.
- SALEHIPOUR, H. & WILLIS, D.J. 2013. A coupled kinematics-energetics model for predicting energy efficient flapping flight. *Journal of Theoretical and Experimental Biology* 318: 173-196.
- SALICINI, I., IBAÑEZ, C. & JUSTE, J. 2013. Deep differentiation between and within Mediterranean glacial refugia in a flying mammal, the *Myotis nattereri* bat complex. *Journal of Biogeography* 40: 1182-1193.

- SAMANIE LOUCKS, L.M. & CAIRE, W. 2007. Sex ratio variation of *Myotis velifer* (Chiroptera : Vespertilionidae) in Oklahoma. *The Southwestern Naturalist* 52(1): 67-74.
- SANCHEZ, F., KORINE, C., KOTLER, B.P. & PINSHOW, B. 2008. Ethanol concentration in food and body condition affect foraging behavior in Egyptian fruit bats (*Rousettus aegyptiacus*). *Die Naturwissenschaften* 95: 561-567.
- SANCHEZ, F., KOTLER, B.P., KORINE, C. & PINSHOW, B. 2008. Sugars are complementary resources to ethanol in foods consumed by Egyptian fruit bats. *Journal of Experimental Biology* 211: 1475-1481.
- SANCHEZ, M.S., CARRIZO, L.V., GIANNINI, N.P. & BARQUEZ, R.M. 2012. Seasonal patterns in the diet of frugivorous bats in the subtropical rainforests of Argentina. *Mammalia* 76: 269-275.
- SANDERSON, K., NAPIER, G. & JOHNSTON, G.R. 2010. Observations of a large colony of bats roosting in a church. *Australian Mammalogy* 32: 161-163.
- SANDOVAL, L. & BARQUEZ, R.M. 2013. The Chacoan bat fauna identity : patterns of distributional congruence and conservation implications. *Revista Chilena de Historia natural* 86: 75-94.
- SANTANA, S.E., GEIPEL, I., DUMONT, E.R., KALKA, M. & KALKO, E.K.V. 2011. All you can eat: high performance capacity and plasticity in the common big-eared bat, *Micronycteris microtis* (Chiroptera : Phyllostomidae). *PLoS One* 6(12): 1-7.
- SANTANA, S.E., GROSSE, I.R. & DUMONT, E.R. 2012. Dietary hardness, loading behavior, and the evolution of skull form in bats. *Evolution* 66(8): 2587-2598.
- SANTOS-MORENO, A., GARCIA OROZCO, S. & PÉREZ CRUZ, E.E. 2010. Records of bats from Oaxaca, Mexico. *The Southwestern Naturalist* 55(3): 454-456.
- SANTOS, H., RODRIGUES, L., JONES, G. & REBELO, H. 2013. Using species distribution modelling to predict bat fatality risk at wind farms. *Biological Conservation* 157: 178-186.
- SASTRY, M.S. & MADHAVAN, A. 1984. Early development, implantation and amniogenesis in the microchiropteran bat, *Scotophilus heathi* (Horsfield). *Proceedings of the National Academy of Sciences India Section B (Biological Sciences)* 54(B): 9-20.
- SASTRY, M.S. & MASRAM, A. 2007. Correlative changes in the body weight, testicular weight, testis size and serum testosterone concentration in the Indian flying fox, *Rousettus leschenaulti* (Desmarest) during reproductive cycle. *Flora and fauna* 13(1): 107-114.
- SASTRY, M.S. & PILLAI, S.B. 2005. Cyclical changes in the epithelial cords of the ovary of a microchiropteran bat, *Hipposideros speoris* (Schneider). *Journal of Endocrinology and Reproduction* 91(1)(2): 37-42.
- SASTRY, M.S. & PILLAI, S.B. 2008. Variations in the epithelial cords of ovaries of microchiropteran bat, *Hipposideros speoris* (Schneider) during reproductive cycle : an enzymatic approach. *Journal of Theoretical and Experimental Biology* 4(3): 95-101.
- SASTRY, M.S. & TEMBHARE, D. 2008. Some histochemical observations of the ovarian stromal interstitial cells during anoestrous and oestrous in Indian leaf-nosed bat *Hipposideros speoris* (Schneider). *The Bioscan* 3(2): 139-146.
- SASTRY, M.S., PILLAI, S.B. & TEMBHARE, D. 2010. Histochemical analysis of the thecal interstitial gland in the ovaries of the microchiropteran bat, *Hipposideros speoris* (Schneider) during the reproductive cycle. *Journal of Endocrinology and Reproduction* 14(2): 65-72.
- SATO, M. 2010. Record of the northern bat captured at the fishing port of Shinminato, western Rishiri Island, northern Hokkaido. *Rishiri Studies* 29: 35-36.
- SATÔ, M. & SATO, R. 2013. Distribution of bats in Wakkanai (2). *Rishiri Studies* 32: 11-14.
- SATO, M., KAWAI, K., MURAYAMA, Y. & MAEDA, K. 2013. The northernmost record of a maternal colony of Ussuri whiskered bat in Japan. *Rishiri Studies* 32: 53-60.
- SATÔ, M., MURAYAMA, Y. & SATO, R. 2013. Distribution of bats in Obira, northern Hokkaido. *Rishiri Studies* 23: 29-35.

- SATO, T.M., PASSOS, F.C. & NOGUEIRA, A.C. 2008. Frugivoria de morcegos (Mammalia, Chiroptera) em *Cecropia pachystachya* (Urticaceae) e seus efeitos na germinação das sementes. *Papéis Avulsos de Zoologia* 48(3): 19-26.
- SAUGEY, D.A., HEATH, D., EFAW, C., HEIDT, G.A. & BEGGS, T.E. 1983. First report of Brazilian free-tailed bat maternity colonies in Arkansas. *Proceedings of the Arkansas Academy of Science* 37: 98-99.
- SAVAGE, M.-J. 2012. Large scale bat monitoring programmes and policies. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 52-54.
- SAVAGE, M.-J. 2013. Réunion du 30 janvier 2013 à la DGALN sur l'éolien. *Mammifères sauvages* 65: 12-13.
- SAVAGE, M.-J., BEC, J. & GACHES, L. 2012. Premières données de reproduction pour la Grande noctule (*Nyctalus lasiopterus*) en France. *Arvicola* 20(2): 37-40.
- SAVAGE, M.-J., GACHES, L. & BEC, J. 2012. La Grande noctule (*Nyctalus lasiopterus*) en Midi-Pyrénées : une opiniâtreté qui paie. *L'envol des chiros* 13: 4.
- SAZIMA, M., BUZATO, S. & SAZIMA, I. 1999. Bat-pollinated flower assemblages and bat visitors at two Atlantic forest sites in Brazil. *Annals of Botany* 83: 705-712.
- SBRAGIA, I.A. & PESSOA, L.M. 2008. New record of a vulnerable bat, *Myotis ruber* (E. Geoffroy, 1806) (Chiroptera : Vespertilionidae) in the Caatinga biome, northeastern Brazil. *Mammalian biology* 73: 233-237.
- SCARAVELLI, D., PRIORI, P. & ZACCARONI, A. 2012. Bats as pollution indicators : heavy metal studies in Italy. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 82.
- SCHATZ, J., FOOKS, A.R., MACELHINNEY, L., HORTON, D., ECHEVARRIA, J.E., VÁZQUEZ-MORÓN, S., KOOI, E.A., RASMUSSEN, T.B., MÜLLER, T. & FREULING, C. 2013. Bat rabies surveillance in Europe. *Zoonoses and Public Health* 60: 22-34.
- SCHEFFLER, I., DOLCH, D., BATSAIKHAN, N., ABRAHAM, A. & THIELE, K. 2010. Ectoparasites of bats in Mongolia (Ischnopsyllidae, Nycteribiidae, Cimicidae and Spinturnicidae). *Erforschung biologischer Ressourcen der Mongolei* 11: 367-381.
- SCHINNERL, M., AYDINONAT, D., SCHWARZENBERGER & F., VOIGT, C.C. 2011. Hematological survey of common neotropical bat species from Costa Rica. *Journal of Zoo and Wildlife Medicine* 42(3):382-391.
- SCHIRMACHER, M.R. 2011. Wind, bats & giraffes. *Bats* 29(4): 9.
- SCHMIDT, U., SCHLEGEL, P., SCHWEIZER, H. & NEUWEILER, G. 1991. Audition in vampire bats, *Desmodus rotundus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 168: 45-51.
- SCHMIEDER, D.A., KINGSTON, T., HASHIM, R. & SIEMERS, B.M. 2010. Breaking the trade-off : rainforest bats maximize bandwidth and repetition rate of echolocation calls as they approach prey. *Biology Letters* 6: 604-609.
- SCHMIEDER, D.A., KINGSTON, T., HASHIM, R. & SIEMERS, B.M. 2012. Sensory constraints on prey detection performance in an ensemble of vespertilionid understorey rain forest bats. *Functional Ecology* 26: 1043-1053.
- SCHNEIDER, H. & MÖHRES, F.P. 1960. Die Ohrbewegungen der Hufeisenfledermäuse (Chiroptera, Rhinolophidae) und der Mechanismus des Bildhörens. *Zeitschrift für vergleichende Physiologie* 44: 1-40.
- SCHNITZLER, H.-U. 1970. Echoortung bei der Fledermaus *Chilonycteris rubiginosa*. *Zeitschrift für vergleichende Physiologie* 68: 25-38.

- SCHNITZLER, H.-U. & GRINNELL, A.D. 1977. Directional sensitivity of echolocation in the horseshoe bat, *Rhinolophus ferrumequinum*. I. Directionality of sound emission. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 116: 51-61.
- SCHNITZLER, H.-U., HACKBARTH, H., HEILMANN, U. & HERBERT, H. 1985. Echolocation behavior of rufous horseshoe bats hunting for insects in the flycatcher-style. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 157: 39-46.
- SCHNITZLER, H.-U., MOSS, C.F. & DENZINGER, A. 2003. From spatial orientation to food acquisition in echolocating bats. *Trends in Ecology and Evolution* 18(8): 386-394.
- SCHNITZLER, H.-U., SUGA, N. & SIMMONS, J.A. 1976. Peripheral auditory tuning for fine frequency analysis by the CF-FM bat, *Rhinolophus ferrumequinum*. III. Cochlear microphonics and auditory nerve responses. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 106: 99-110.
- SCHOEMAN, C.M. & GOODMAN, S.M. 2012. Vocalizations in the Malagasy cave-dwelling fruit bat, *Eidolon dupreanum* : possible evidence of incipient echolocation? *Acta Chiropterologica* 14(2): 409-416.
- SCHOEMAN, C.M., COTTERILL, F.P.D., TAYLOR, P.J. & MONADJEM, A. 2013. Using potential distributions to explore environmental correlates of bat species richness in southern Africa : effects of model selection and taxonomy. *Current Zoology* 59(3): 279-293.
- SCHÖNER, C.R. & SCHÖNER, M.G. 2012. Living inside a deadly trap : woolly bats use carnivorous pitcher plants as roosts. *Bats* 30(3): 2-3.
- SCHÖNER, C.R., SCHÖNER, M.G., KERTH, G. & GRAFE, T.U. 2013. Supply determines demand : influence of partner quality and quantity on the interactions between bats and pitcher plants. *Oecologia* 173: 191-202.
- SCHORR, K. 2010. Erstfund des Nymphenfledermaus - *Myotis alcathoe* Helvesen & Heller, 2001 - (Mammalia : Chiroptera) in Rheinland-Pfalz. *Fauna und Flora in Rheinland-Pfalz* 11(4): 1433-1434.
- SCHORR, K. 2010. Zum Einfluss von Unwettern auf den Auszug juveniler Fledermäuse (Mammalia : Chiroptera) aus einem Wochenstubenquartier. *Fauna und Flora in Rheinland-Pfalz* 11(4): 1397-1402.
- SCHORR, K. 2010. Zwergenglan im Verhör (Mammalia : Chiroptera : *Pipistrellus* spp.). *Fauna und Flora in Rheinland-Pfalz* 11(4): 1403-1410.
- SCHOWALTER, D.B., GUNSON, J.R. & HARDER, L.D. 1979. Life history characteristics of little brown bats (*Myotis lucifugus*) in Alberta. *The Canadian field-naturalist* 93(3): 243-251.
- SCHROEDER, M.R. 1975. Models of hearing. *Proceedings of the IEEE* 63(9): 1332-1350.
- SCHULLER & SUGA, N. 1976. Laryngeal mechanisms for the emission of CF-FM sounds in the doppler-shift compensating bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 107: 253-262.
- SCHULLER & SUGA, N. 1976. Storage of doppler-shift information in the echolocation system of the "CF-FM"-bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 105: 9-14.
- SCHULLER, G. 1974. The role of overlap of echo with outgoing echolocation sound in the bat *Rhinolophus ferrumequinum*. *Die Naturwissenschaften* 61: 171-172.
- SCHULLER, G. 1977. Echo delay and overlap with emitted orientation sounds and doppler-shift compensation in the bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 114: 103-114
- SCHULLER, G. 1979. Vocalization influences auditory processing in collicular neurons of the CF-FM-bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 132: 39-46.
- SCHULLER, G. 1980. Hearing characteristics and doppler shift compensation in South Indian CF-FM bats. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 139: 349-356.

- SCHULLER, G. 1984. Natural ultrasonic echoes from wing beating insects are encoded by collicular neurons in the CF-FM bat, *Rhinolophus ferrumequinum*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 155: 121-128.
- SCHULLER, G. 1986. Influence of echolocation pulse rate on doppler shift compensation control system in the greater horseshoe bat. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 158: 239-246.
- SCHULLER, G. & POLLAK, G.D. 1979. Disproportionate frequency representation in the inferior colliculus of doppler-compensating greater horseshoe bats : evidence for an acoustic fovea. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 132: 47-54.
- SCHULLER, G. & RUBSAMEN, R. 1981. Laryngeal nerve activity during pulse emission in the CF-FM bat, *Rhinolophus ferrumequinum*. I. Superior laryngeal nerve (external motor branch). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 143: 317-321.
- SCHULLER, G., BEUTER, K.J. & SCHNITZLER, H.-U. 1974. Response to frequency shifted artificial echoes in the bat *Rhinolophus ferrumequinum*. *Journal of comparative physiology* 89 : 275-286.
- SCHWAAB, F., SCHWAAB, M., FRANCOIS, J., MULLER, Y., MULLER, S. & DREAL Lorraine [coord.]. 2011. *Natura 2000 en Lorraine : les espèces [S.I.]*, DREAL Lorraine; Région Lorraine; Agence de l'Eau Rhin-Meuse: 312 p.
- SCHWAAB, F., SCHWAAB, M., MULLER, S., LEMOINE, M., MIGEON, J.-L. & DREAL Lorraine [coord.]. 2011. *Natura 2000 en Lorraine : les sites. [S.I.]*, DREAL Lorraine; Région Lorraine; Agence de l'Eau Rhin-Meuse: 384 p.
- SCHWARTZ, C. & SMOTHERMAN, M. 2011. Mapping vocalization-related immediate early gene expression in echolocating bats. *Behavioural Brain Research* 224: 358-368.
- SCRIMGEOUR, J., BEATH, A. & SWANNEY, M. 2012. Cat predation of short-tailed bats (*Mystacina tuberculata rhyocobia*) in Rangataua Forest, Mount Ruapehu, central North Island, New Zealand. *New Zealand Journal of Zoology* 39(3): 257-260.
- SEARS, K.E. 2008. Molecular determinants of bat wing development. *Cells Tissues Organs* 187: 6-12.
- SEDLACEK, O., HORAK, D., RIEGERT, J., REIF, J. & HORÁČEK, I. 2006. Comments on Welwitsch's mouse-eared bat (*Myotis welwitschii*) with the first record from Cameroon. *Mammalian biology* 71(2): 120-123.
- SEDLACK, J.L., INGLE, N.R., BALETE, D.S. 2011. Enhanced sampling of bat assemblages : a field test on Mount Banahaw, Luzon. *Fieldiana : Life and Earth Sciences* 2: 97-103.
- SEIBOLD, S., BUCHNER, J., BÄSSLER, C. & MÜLLER, J. 2013. Ponds in acidic mountains are more important for bats in providing drinking water than insect prey. *Journal of Zoology, London* 290: 302-308.
- SEIDLER, F. 2010. Fledermäuse in der Region Augsburg. *Berichte des Naturwissenschaftlichen Vereins für Schwaben e.V.* 114: 74-85.
- SELTZER, C.E., NDANGALASI, H.J. & COREDIRO, N.J. 2013. Seed dispersal in the dark : shedding light on the role of fruit bats in Africa. *Biotropica* 45(4): 450-456.
- SENTHILKUMAR, K. & MARIMUTHU, G. 2012. Tree roosting fruit bats (Chiroptera : Pteropodidae) in southern Tamil Nadu. *International Journal of Applied Bioresearch* 14: 4-10.
- SEVCIK, M., BENDA, P. & LUCAN, R.K. 2013. Diptera Pupipara from bats of two large eastern Mediterranean islands, Crete and Cyprus. *Turkish Journal of Zoology* 37: 31-37.
- SEVCIK, M., BENDA, P. & UHRIN, M. 2011. First records of the bat fly *Phthiridium biarticulatum* (Diptera : Nycteribiidae) in Crimea. *Vespertilio* 15: 159-160.
- SHAI, D., CARMI, K. & PINSHOW, B. 2010. The use of torpor in reproductive female Hemprich's long-eared bats (*Otonycteris hemprichii*). *Physiological and Biochemical Zoology* 83(1):142-148.
- SHARIFI, M. & VAISSI, S. 2012. The impact of body mass at birth on postnatal growth in captive Kuhl's pipistrelle, *Pipistrellus kuhlii* (Chiroptera, Vespertilionidae). *Mammalia*: 6 p.

- SHARIFI, M. & VAISSI, S. 2013. Postnatal growth in the long-fingered bat, *Miniopterus schreibersii pallidus*, in Iran (Chiroptera : Miniopteridae). *Zoology in the Middle East* 59(1): 1-5.
- SHI, H., LIU, H., WU, Y. & HU, J. 2008. Postnatal growth and age estimation in *villus noctule* (*Nyctalus velutinus*). *Acta Theriologica Sinica* 28(1): 42-48.
- SHI, Z. 2013. Emerging infectious diseases associated with bat viruses. *Science China Life Sciences* 56(8): 678-682.
- SIERRO, A. 2013. *Barbastella barbastellus*: western barbastelles. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 547-549.
- SIJPE, M. van de. 2011. Differentiating the echolocation calls of Daubenton's bats, pond bats and long-fingered bats in natural flight conditions. *Lutra* 54(1): 17-38.
- SILES, L., BROOKS, D.M., ARANIBAR, H., TARIFA, T., VARGAS M., R.J., ROJAS, J.M. & BAKER, R.J. 2013. A new species of *Micronycteris* (Chiroptera : Phyllostomidae) from Bolivia. *Journal of Mammalogy* 94(4): 881-896.
- SILVA-ITURRIZA, A., NASSAR, J.M., GARCÍA-RAWLINS, A.M., ROSALES, R. & MIJARES, A. 2013. *Trypanosoma evansi* kDNA minicircle found in the Venezuelan nectar-feeding bat *Leptonycteris curasoae* (Glossophaginae), supports the hypothesis of multiple origins of that parasite in South America. *Parasitology International* 62: 95-99.
- SILVA, J.R.R. da, ORTENCIO FILHO, H., LACHER, T.E. Jr. & MAGALHAES, C.A.O. Jr. 2012. Species richness and edge effects on bat communities from Perobas biological reserve, Paraná, south Brazil. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 86.
- SIMMONS, J.A., FERRAGAMO, M.J. & MOSS, C.F. 1998. Echo-delay resolution in sonar images of the big brown bat, *Eptesicus fuscus*. *Proceedings of the National Academy of Sciences, USA* 95: 12647-12652.
- SIMMONS, J.A., FERRAGAMO, M.J., MOSS, C.F., STEVENSON, S.B. & ALTES, R.A. 1990. Discrimination of jittered sonar echoes by the echolocating bat, *Eptesicus fuscus* : the shape of target images in echolocation. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 167: 589-616.
- SIMON, R., HOLDERIED, M.W., KOCH, C. & HELVERSEN, O. VON 2011. Floral acoustics : conspicuous echoes of a dish-shaped leaf attract bat pollinators. *Science* 333: 631-633.
- SINGH, A. & KRISHNA, A. 2012. Effects of adiponectin on ovarian folliculogenesis and steroidogenesis in the vespertilionid bat, *Scotophilus heathi*. *General and Comparative Endocrinology* 178: 502-510.
- SIRAMI, C., JACOBS, D.S. & CUMMING, G.S. 2013. Artificial wetlands and surrounding habitats provide important foraging habitat for bats in agricultural landscapes in the western Cape, South Africa. *Biological Conservation* 164: 30-38.
- SITI-TAFZILMERIAM, S.A.K., AZILA, M.Y.R., SHARENA, S., KAMIS, A.B. & ZUBAID, A. 2006. A preliminary assessment of sperm abnormalities in insectivorous bats from peninsular Malaysia. *Malaysian applied biology* 35(1): 75-78.
- SKLIBA, J., SUMBERA, R. & BENDA, P. 2007. Bocage's fruit bat (*Lissonycteris angolensis*), a new species for Malawi. *Nyala* 24: 61-63.
- SMAERS, J.B., DECHMANN, D.K.N., GOSWAMI, A., SOLIGO, C. & SAFI, K. 2012. Comparative analyses of evolutionary rates reveal different pathways to encephalization in bats, carnivorans, and primates. *Proceedings of the National Academy of Sciences of the United States of America : PNAS* : 6 p.
- SMALLWOOD, K.S. 2013. Comparing bird and bat fatality-rate estimates among North American wind-energy projects. *Wildlife Society Bulletin*: 15 p.

- SMIRNOV, D.G. & VEKHNİK, V.P. 2013. Trophic ecology and predation of the greater noctule bat (*Nyctalus lasiopterus*) in Russia. *Biology Bulletin* 40(2): 206-212.
- SMITH, D.A. & GEHRT, S.D. 2010. Bat response to woodland restoration within urban forest fragments. *Restoration Ecology* 18(6): 914-923.
- SMITH, P. 2012. Notes on the diet of *Toniata bidens* (Phyllostomidae) in Paraguay. *Bat Research News* 53(4): 59-60.
- SMOTHERMAN, M. & METZNER, W. 2003. Effects of echo intensity on doppler-shift compensation behavior in horseshoe bats. *Journal of Neurophysiology* 89: 814-821.
- SNOYMAN, S. & BROWN, C. 2010. Microclimate preferences of the grey-headed flying fox (*Pteropus poliocephalus*) in the Sydney region. *Australian journal of zoology* 58: 376-383.
- SNOYMAN, S., MUNICH, J. & BROWN, C. 2012. Nursing females are more prone to heat stress : demography matters when managing flying-foxes for climate change. *Applied Animal Behaviour Science* 142: 90-97.
- SOCIETE FRANCAISE D'ETUDES ET DE PROTECTION DES MAMMIFERES. 2013. Revue de presse. *L'envol des chiros* 14: 2.
- SOLICK, D.I., GRUVER, J., CLEMENT, M.J., MURRAY, K.L. & COURAGE, Z. 2012. Mating eastern red bats found dead at a wind-energy facility. *Bat Research News* 53(2): 15-18.
- SOLOMAS, D. & FRONTERA, J.-E. 2013. Participez à la 17ème Nuit Internationale de la chauve-souris : 24 et 25 août 2013. *Mammifères sauvages* 65: 14.
- SOLOMAS, D. & FRONTERA, J.-E. 2013. Record battu pour la 17ème Nuit Internationale de la chauve-souris : 24 et 25 août 2013. *Mammifères sauvages* 66: 15.
- SOLOMON RAJU, A.J., PURNACHANDRA RAO, S. & RANGAIAH, K. 2005. Pollination by bats and birds in the obligate outcrosser *Bombax ceiba* L. (Bombacaceae), a tropical dry season flowering tree species in the eastern Ghats forests of India. *Ornithological Science* 4: 81-87.
- SON, S.W., YOON, M.H., MORI, T. & UCHIDA, T.A. 1987. Sperm storage in the reproductive tract and prolonged survival of the graafian follicle in the female orange whiskered bat, *Myotis formosus tsuensis*, of Korea. *Journal of the Mammalogical Society of Japan* 12(1-2): 1-14.
- SPARKS, D.W., FRANCL, K. & BRACK, V. Jr. 2011. Indexing at different scales : a response to Reichard et al. *Journal of Wildlife Diseases* 47(4): 1-3.
- SPEAKMAN, J.R., ANDERSON, M.E. & RACEY, P.A. 1989. The energy cost of echolocation in pipistrelle bats (*Pipistrellus pipistrellus*). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 165: 679-685.
- SPERR, E., CABALLERO MARTINEZ, L.A., MEDELLIN, R.A. & TSCHAPKA, M. 2011. Seasonal changes in species composition, resource use and reproductive patterns within a guild of nectar-feeding bats in a west Mexican dry forest. *Journal of tropical ecology* 27: 133-145.
- ŠPOUTIL, F., VLCEK, V. & HORÁČEK, I. 2010. Enamel microarchitecture of a tribosphenic molar. *Journal of morphology* 271: 1204-1218.
- SPRONG, L., KEITH, M. & SEAMARK, E.C.J. 2012. Assessing the effect of waterproofing on three different bat detectors. *African Bat Conservation News* 28: 4-14.
- SRINIVASULU, C. & SRINIVASULU, B. 2004. Highway development affects the population of the Indian flying fox *Pteropus giganteus* (Brunnich, 1782). *Zoos' Print Journal* 19(1): 1329.
- SRINIVASULU, C., SRINIVASULU, B., KAUR, H., VENKATESHWARLU, P. & KUMAR, G.C. 2013. New distribution record and a review on *Hipposideros fulvus* Gray, 1838 (Mammalia : Chiroptera : Hipposideridae) distribution from Andhra Pradesh, India. *Check List* 9(1): 139-141.
- SRIVASTAVA, R.K. & KRISHNA, A. 2008. Seasonal adiposity, correlative changes in metabolic factors and unique reproductive activity in a vespertilionid bat, *Scotophilus heathi*. *Journal of Experimental Zoology* 309A: 94-110.
- STARR, C.K. 2012. *Swartzia pinnata* (Fabaceae) seeds are dispersed by bats. *Brenesia* 78: 84-85.

- STATON, T. & POULTON, S. 2012. Seasonal variation in bat activity in relation to detector height : a case study. *Acta Chiropterologica* 14(2): 401-408.
- STEFANESCU, C. & HERRANDO, S. 2012. Responses of butterflies and birds to climate change in the Mediterranean region. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators. Granollers, Museum of Natural Sciences Edicions: 35-39.
- STEVENS, R.D. 2005. Functional morphology meets macroecology : size and shape distributions of New World bats. *Evolutionary Ecology Research* 7: 837-851.
- STEVENS, R.D., JOHNSON, M.E. & MACCULLOCH, E.S. 2013. Absolute and relative secondary-sexual dimorphism in wing morphology : a multivariate test of the "Big Mother" hypothesis. *Acta Chiropterologica* 15(1): 163-170.
- STOECKLE, T. 2011. En PACA : programme "Le Petit rhinolophe et les hommes". *L'envol des chiros* 10: 8-9.
- STOFFBERG, S., SCHOEMAN, C.M. & MATTHEE, C.A. 2012. Correlated genetic and ecological diversification in a widespread southern African horseshoe bat. *PLoS One* 7(2): 11 p.
- STONE, E.L., JONES, G. & HARRIS, S. 2009. Street lighting disturbs commuting bats. *Current biology* : CB 19: 1123-1127.
- STONE, E.L., JONES, G. & HARRIS, S. 2012. Conserving energy at a cost to biodiversity? Impacts of LED lighting on bats. *Global Change Biology* 18: 2458-2465.
- STOYCHEVA, S., GEORGIEV, D.G., PANDOURSKI, I. & TILOVA, E. 2009. Bat diversity in two large towns of the Upper Thrace, Bulgaria (Chiroptera). *Lynx (Praha)* 40: 83-93.
- STRAUSS, M., HELVERSEN, O. VON & KNÖRNSCHILD, M. 2010. The ontogeny of courtship behaviours in bat pups (*Saccopteryx bilineata*). *Behaviour* 147: 661-676.
- STREICKER, D.G., ALTIZER, S., VELASCO-VILLA, A. & RUPPRECHT, C.E. 2012. Variable evolutionary routes to host establishment across repeated rabies virus host shifts among bats. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 109(48): 19715-19720.
- STREICKER, D.G., FRANKA, R., JACKSON, F.R. & RUPPRECHT, C.E. 2013. Anthropogenic roost switching and rabies virus dynamics in house-roosting big brown bats. *Vector-Borne and Zoonotic diseases* 13(7): 498-504.
- STREICKER, D.G., RECUENCO, S., VALDERRAMA, W., GOMEZ BENAVIDES, J., VARGAS, I., PACHECO, V., CONDORI CONDORI, R.E., MONTGOMERY, J., RUPPRECHT, C.E., ROHANI, P. & ALTIZER, S. 2012. Ecological and anthropogenic drivers of rabies exposure in vampire bats : implications for transmission and control. *Proceedings of the Royal Society of London. Series B : Biological sciences* 279: 3384-3392.
- STRUEBIG, M.J. 2011. Sanctuaries in dwindling rainforests : proving the bat-conservation value of forest fragments. *Bats* 29(2): 11-13.
- STRUEBIG, M.J., BOZEK, M., HILDEBRAND, J., ROSSITER, S.J. & LANE, D.J.W. 2012. Bat diversity in the lowland forests of the heart of Borneo. *Biodiversity and Conservation* 21: 3711-3727.
- STRUEBIG, M.J., TURNER, A., GILES, E., LASMANA, F., TOLLINGTON, S., BERNARD, H. & BELL, D. 2013. Quantifying the biodiversity value of repeatedly logged rainforests : gradient and comparative approaches from Borneo. *Advances in Ecological Research* 48: 183-223.
- STULOV, A. 2013. Mathematical model of echolocation of fish-catching bats. *Wave Motion* 50: 579-585.
- SUAREZ, R.K., HERRERA M., L.G. & WELCH, K.C. Jr. 2011. The sugar oxidation cascade : aerial refueling in hummingbirds and nectar bats. *Journal of Experimental Biology* 214: 172-178.
- SUAREZ, W. & DIAZ-FRANCO, S. 2003. A new fossil bat (Chiroptera : Phyllostomidae) from a quaternary cave deposit in Cuba. *Caribbean Journal of Science* 39(3): 371-377.

- ŠUBA, J., PETERSONS, G. & RYDELL, J. 2012. Fly-and-forage strategy in the bat *Pipistrellus nathusii* during autumn migration. *Acta Chiropterologica* 14(2): 379-385.
- SUGA, N., NEUWEILER, G. & MÖLLER, J. 1976. Peripheral auditory tuning for fine frequency analysis by the CF-FM bat, *Rhinolophus ferrumequinum*. IV. Properties of peripheral auditory neurons. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 106: 111-125.
- SUN, D., SUN, X. & JEN, P.H.-S. 1990. The influence of the auditory cortex on acoustically evoked cerebellar responses in the CF-FM bat, *Rhinolophus pearsoni* chinese. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 166: 477-487.
- SUN, K., LUO, L., ZHANG, Z.-Z., LIU, S. & FENG, J. 2013. Molecular characteristics and evolution of the mitochondrial control region in three genera (*Hipposideridae* : *Hipposideros*, *Aselliscus* and *Coelops*) of leaf-nosed bats. *Mitochondrial DNA* 24(4): 451-461.
- SUPANUAM, P., TANOMTONG, A., KHUNSOOK, S., KAEWSRI, S., PINTHONG, K. & SANOAMUANG, L.-O. 2012. Karyological analysis and morphometrics of the lesser Asiatic house bat, *Scotophilus kuhlii* (*Chiroptera*, *Vespertilionidae*). *Cytologia : international journal of cytology* 77(3): 401-411.
- SUPANUAM, P., TANOMTONG, A., KHUNSOOK, S., KAEWSRI, S., PINTHONG, K. & SANOAMUANG, L.-O. 2013. Karyological analysis and morphometrics of horsfield's bat, *Myotis horsfieldii* (*Chiroptera*, *Vespertilionidae*). *Cytologia : international journal of cytology* 78(1): 15-24.
- SURLYKKE, A. 1992. Target ranging and the role of time-frequency structure of synthetic echoes in big brown bats, *Eptesicus fuscus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 170: 83-92.
- SURLYKKE, A. & BOJESEN, O. 1996. Integration time for short broad band clicks in echolocating FM-bats (*Eptesicus fuscus*). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 178: 235-241.
- SURLYKKE, A. & MILLER, L.A. 1985. The influence of arctiid moth clicks on bat echolocation ; jamming or warning ? *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 156: 831-843.
- SUTHERS, R.A. & FATTU, J.M. 1982. Selective laryngeal neurotomy and the control of phonation by the echolocating bat, *Eptesicus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 145: 529-537.
- SUTHERS, R.A. & HECTOR, D.H. 1982. Mechanism for the production of echolocating clicks by the grey swiftlet, *Collocalia spodiopygia*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 148: 457-470.
- SUTHERS, R.A., HARTLEY, D.J. & WENSTRUP, J.J. 1988. The acoustic role of tracheal chambers and nasal cavities in the reproduction of sonar pulses by the horseshoe bat, *Rhinolophus hildebrandti*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 162: 799-813.
- SUTTON, R.H. & WILSON, P.D. 1983. Lead poisoning in grey-headed fruit bats (*Pteropus poliocephalus*). *Journal of Wildlife Diseases* 19(3): 294-296.
- SUZUKI, T. 2012. Mobbing to death of a Japanese Long-eared Bat *Plecotus sacrimontis* by two species of tit. *Forktail* 28: 171-172.
- SWARTZ, S.M. & MIDDLETON, K. 2008. Biomechanics of the bat limb skeleton : scaling, material properties and mechanics. *Cells Tissues Organs* 187: 59-84.
- SZENTKUTI, S., BONTADINA, F., SPADA, M., MORETTI, M., ZAMBELLI, N., MARTINOLI, A. & ARLETTAZ, R. 2013. Factors underlying migratory bat aggregations in chestnut groves. *Endangered Species Research* 21: 105-114.
- SZTENCEL, A. & BOGDANOWICZ, W. 2012. Population genetics study of common (*Pipistrellus pipistrellus*) and soprano (*Pipistrellus pygmaeus*) pipistrelle bats from central Europe suggests interspecific hybridization. *Canadian journal of zoology = Revue canadienne de zoologie* 90: 1251-1260.

- TAKUMI, K., LINA, P.H.C., POEL, W.H.M. van der, KRAMPS, J.A. & GIESSEN, J.W.B. van der 2009. Public health risk analysis of European bat lyssavirus infection in The Netherlands. *Epidemiology and Infection* 137: 803-809.
- TANAKA, H., WONG, D. & TANIGUCHI, I. 1992. The influence of stimulus duration on the delay tuning of cortical neurons in the FM bat, *Myotis lucifugus*. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 171: 29-40.
- TANIGUCHI, I. 1985. Echolocation sounds and hearing of the greater Japanese horseshoe bat (*Rhinolophus ferrumequinum nippon*). *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 156: 185-188.
- TAO, Y., SHI, M., CONRARDY, C., KUZMIN, I.V., RECUENCO, S., AGWANDA, B., ALVAREZ, D., ELLISON, J., GILBERT, A.T., MORAN, D., NIEZGODA, M., LINDBLADE, K., HOLMES, E.C., BREIMAN, R.F., RUPPRECHT, C.E. & TONG, S. 2013. Discovery of diverse polyomaviruses in bats and the evolutionary history of the Polyomaviridae. *Journal of General Virology* 94: 738-748.
- TATE, G.H.H. 1934. Bats from the Pacific Islands, including a new fruit bat from Guam. *American Museum Novitates* 713: 1-3.
- TATE, G.H.H. 1941. Results of the Archbold expeditions. No. 36. Remarks on some Old World leaf-nosed bats. *American Museum Novitates* 1140: 1-11.
- TATE, G.H.H. 1941. Results of the Archbold expeditions. No. 37. Notes on Oriental Taphozous and allies. *American Museum Novitates* 1141: 1-5.
- TATE, G.H.H. 1941. Results of the Archbold expeditions. No. 38. Molossid bats of the Archbold collections. *American Museum Novitates* 1142: 1-4.
- TATE, G.H.H. 1942. An apparently undescribed member of the *Pteropus pselaphon* group from New Caledonia. *American Museum Novitates* 1213: 1-2.
- TATE, G.H.H. 1946. Geographical distribution of the bats in the Australian Archipelago. *American Museum Novitates* 1323: 1-21.
- TATE, G.H.H. 1951. *Harpyionycteris*, a genus of rare fruit bats. *American Museum Novitates* 1522: 1-9.
- TATE, G.H.H. & ARCHBOLD, R. 1939. Results of the Archbold expeditions. No. 23. A revision of the genus *Emballonura* (Chiroptera). *American Museum Novitates* 1035: 1-12.
- TATE, G.H.H. & ARCHBOLD, R. 1939. Results of the Archbold expeditions. No. 24. Oriental *Rhinolophus*, with special reference to material from the Archbold collections. *American Museum Novitates* 1036: 1-12.
- TAVARES, V. da C., BOBROWIEC, P.E.D. & GOMES FARIAS, S. 2012. First record of the rare bat *Cyttarops alecto* (Thomas, 1913) (Chiroptera : Emballonuridae) for the western Brazilian Amazonia, with comments on the type locality. *Mammalia* 76: 345-349.
- TAYLOR, D. 2012. Restoring native American waters : tribal partners boost water for wildlife. *Bats* 30(2): 12-14.
- TAYLOR, D.J., DITTMAR, K., BALLINGER, M.J. & BRUENN, J.A. 2011. Evolutionary maintenance of filovirus-like genes in bat genomes. *BMC Evolutionary Biology* 11(336).
- TAYLOR, P.D., BRZUSTOWSKI, J.M., MATKOVICH, C., PECKFORD, M.L. & WILSON, D. 2010. radR : an open-source platform for acquiring and analysing data on biological targets observed by surveillance radar. *BMC Ecology* 10:22.
- TAYLOR, P.J. 2013. *Epomophorus angolensis*: Angolan epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 237-238.
- TAYLOR, P.J. 2013. *Myonycteris relicta*: Bergmans's collared fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 273-275.
- TAYLOR, P.J. 2013. *Taphozous perforatus*: Egyptian tomb bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 436-437.

- TENCATE, L.N., TÁPARO, C.V., CARVALHO, C., MORAES, S., BOSCO, G., QUEIROZ, L.H., DA SILVA, D.C., PERRI, S.H.V. & MARINHO, M. 2012. Estudo da microbiota fúngica gastrintestinal de morcegos (Mammalia, Chiroptera) da região noroeste do estado de São Paulo : potencial zoonótico. *Brazilian Journal of Veterinary Research and Animal Science* 49(2): 146-152.
- TEREBA, A., CIZKOVA, D., SUNDARI, A.A., RAJAN, K.E. & BOGDANOWICZ, W. 2011. New polymorphic microsatellite markers in the greater false vampire bat *Megaderma lyra* (Chiroptera : Megadermatidae). *Conservation Genetics Resources* 3(4): 749-751.
- THAPA, S.B., SHRESTHA, S., DANIEL, B.A. & SINGH, N.B. 2012. Monitoring and conservation of bats in the Kathmandu Valley, Nepal. *Asian Journal of Conservation Biology* 1(1): 1-4.
- THEPAUT, E. & HURSTEL, S. 2013. Histoire de noctules à Strasbourg... L'envol des chiros 14: 10-11.
- THEUBET, M. 2012. Etude des chiroptères dans les grottes de Réclère. Travail de biologie / Lycée cantonal de Porrentruy: 44 p.
- THIES, M.L. 2011. Extreme periodontal disease in a Brazilian free-tailed bat (*Molossidae: tadarida brasiliensis*) from eastern Texas. *The Southwestern Naturalist* 56(1): 112–115.
- THIRY, L., COGNIAUX-LECLERC, J., OLISLAGER, R., SPRECHER-GOLDBERGER, S. & BUEKENS, P. 1983. Cell receptors for baboon endogenous virus recognized by monoclonal antibodies. *Journal of virology* 48(3): 697-708.
- THOGMARTIN, W.E. 2011. Substitutability of bats in agricultural systems : why ecosystem valuation is not likely to sway agricultural interests. *Bat Research News* 52(3): 41-44.
- THOGMARTIN, W.E., KING, R.A., MACKANN, P.C., SZYMANSKI, J.A. & PRUITT, L. 2012. Population-level impact of white-nose syndrome on the endangered Indiana bat. *Journal of Mammalogy* 93(4): 1086-1098.
- THOGMARTIN, W.E., KING, R.A., SZYMANSKI, J.A. & PRUITT, L. 2012. Space-time models for a panzootic in bats, with a focus on the endangered Indiana bat. *Journal of Wildlife Diseases* 48(4): 876-887.
- THOGMARTIN, W.E., SANDERS-REED, C.A., SZYMANSKI, J.A., MACKANN, P.C., PRUITT, L., KING, R.A., RUNGE, M.C. & RUSSELL, R.E. 2013. White-nose syndrome is likely to extirpate the endangered Indiana bat over large parts of its range. *Biological Conservation* 160: 162-172.
- THOLLESON, M. & NORBERG, U.M. 1991. Moments of inertia of bat wings and body. *Journal of Experimental Biology* 158: 19-35.
- THOMAS, A.J. & JACOBS, D.S. 2013. Factors influencing the emergence times of sympatric insectivorous bat species. *Acta Chiropterologica* 15(1): 121-132.
- THOMAS, D. & HENRY, M. 2013. *Eidolon helvum*: African straw-coloured fruit bats. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 232-234.
- THOMAS, D. & HENRY, M. 2013. *Micropterus pusillus*: Peters's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 270-271.
- THOMAS, D. & HENRY, M. 2013. *Myonycteris torquata*: little collared fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 275-276.
- THOMAS, D.W. & HENRY, M. 2013. *Epomops buettikoferi*: Büttikofer's epauletted fruit bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 253-255.
- THOMAS, H., MOOSMAN, P.R. Jr., VEILLEUX, J.P. & HOLT, J. 2012. Foods of bats (family *Vespertilionidae*) at five locations in New Hampshire and Massachusetts. *The Canadian field-naturalist* 126: 117-124.
- THOMAS, J., SCHAACK, S. & PRITHAM, E.J. 2010. Pervasive horizontal transfer of rolling-circle transposons among animals. *Genome Biology Evolution* 2: 656–664.

- THOMAS, J.M., MORSE, C., KISHLINE, L., O'BRIEN-LAMBERT, A., SIMONTON, A., MILLER, K.E. & COVEY, E. 2012. Stimulus-specific adaptation in specialized neurons in the inferior colliculus of the big brown bat, *Eptesicus fuscus*. *Hearing research* 291: 34-40.
- THOMAS, N.M., DUCKWORTH, J.W., DOUANGBOUBPHA, B., WILLIAMS, M. & FRANCIS, C.M. 2013. A checklist of bats (Mammalia : Chiroptera) from Lao PDR. *Acta Chiropterologica* 15(1): 193-260.
- THOMAS, O. 1893. A preliminary list of the mammals of Trinidad. *Journal of the Trinidad Field Naturalists' Club* 1: 158-168.
- THOMAS, O. 1916. List of Microchiroptera, other than leaf-nose bats, in the collection of the Federated Malay States Museums. *Journal of the Federated Malay States Museums* 7: 1-6.
- THOMAS, P.R. 2012. Book reviews. Bats in captivity, volume three : diet and feeding - environment and housing by Susan M. Barnard (Ed.). *Bat Research News* 53(2): 21.
- THOMAS, S.P. 2013. An unusual home for mother bats : remodeling a tourist site for bats, educators and scientists. *Bats* 31(2): 14-16.
- THONG, V.D. 2012. A remarkable discovery : a new species highlights bat diversity in Vietnam.. *Bats* 30(2): 5-6.
- THONG, V.D., DIETZ, C., DENZINGER, A., BATES, P.J.J., PUECHMAILLE, S., CALLOU, C. & SCHNITZLER, H.-U. 2012. Resolving a mammal mystery : the identity of *Paracoelops megalotis* (Chiroptera : Hipposideridae). *Zootaxa*: 11 p.
- THONG, V.D., PUECHMAILLE, S., DENZINGER, A., BATES, P.J.J., DIETZ, C., CSORBA, G., SOISOOK, P., TEELING, E.C., MATSUMURA, S., FUREY, N.M. & SCHNITZLER, H.-U. 2012. Systematics of the *Hipposideros turpis* complex and a description of a new subspecies from Vietnam. *Mammal Review* 42(2): 166-192.
- THONG, V.D., PUECHMAILLE, S., DENZINGER, A., DIETZ, C., CSORBA, G., BATES, P.J.J., TEELING, E.C. & SCHNITZLER, H.-U. 2012. A new species of *Hipposideros* (Chiroptera : Hipposideridae) from Vietnam. *Journal of Mammalogy* 93(1): 1-11.
- THRELFALL, C.G., LAW, B.S. & BANKS, P.B. 2013. Roost selection in suburban bushland by the urban sensitive bat *Nyctophilus gouldi*. *Journal of Mammalogy* 94(2): 307-319.
- THRELFALL, C.G., LAW, B.S. & BANKS, P.B. 2013. The urban matrix and artificial light restricts the nightly ranging behaviour of Gould's long-eared bat (*Nyctophilus gouldi*). *Austral Ecology*: 10 p.
- TILOVA, E., STOYCHEVA, S. & GEORGIEV, D.G. 2005. New information on the distribution of some bat species (Mammalia : Chiroptera) from Bulgaria. *Animalia* 41: 135-144.
- TILOVA, E., STOYCHEVA, S., KMETOVA, E., NEDYALKOV, N. & GEORGIEV, D.G. 2008. Discovery of a big hibernacula of noctule bats, *Nyctalus noctula* (Schreber, 1774) (Chiroptera : Vespertilionidae) in the town of Plovdiv, Bulgaria. *Historia naturalis bulgarica* 19: 129-136.
- TIMONIN, M.E., CARRIERE, C.J., DUDYCH, A.D., LATIMER, J.G.W., UNRUH, S.T. & WILLIS, C.K.R. 2011. Individual differences in the behavioural responses of meadow voles to an unfamiliar environment are not correlated with variation in resting metabolic rate. *Journal of Zoology, London* 284: 198-205.
- TIRPUDE, J. 2012. Electrolytes, proteins and osmolality in the amniotic fluid of microchiropteran bat *Hipposideros speoris* (Schneider). *The Bioscan* 7(3): 433-435.
- TISSOT, A. & SEN-GUPTA, S. [ill.]. 2010. *Le bal de Vampirito*. La Chaux-de-Fonds, Association Edouard l'oreillard: [32 p.].
- TOELCH, U. & WINTER, Y. 2007. Psychometric function for nectar volume perception of a flower-visiting bat. *Journal of comparative physiology. A : Sensory, neural and behavioral physiology* 193: 265-269.
- TOMMASI MORESCHINI, C.O. 2011. Bats in Greco-Roman Antiquity : the literary creation of "demon bats". *Bats* 29(2): 6-8.

- TORRES FLORES, J.W., LOPEZ-WILCHIS, R. & SOTO-CASTRUITA, A. 2012. Dinámica poblacional, selección de sitios de percha y patrones reproductivos de algunos murciélagos cavernícolas en el oeste de México. *Revista de Biología Tropical* 60(3): 1369-1389.
- TOSTAIN, O. 1986. Adaptation du mode de chasse chez le Faucon des chauves-souris (*Falco ruficularis*) en Guyane. *Alauda* 54: 66-67.
- TOTH, C.A. & PARSONS, S. 2013. Is lek breeding rare in bats? *Journal of Zoology, London* 291: 3-11.
- TOURNANT, P., AFONSO, E., ROUE, S.Y., GIRAUDOUX, P. & FOLTÊTE, J.-C. 2013. Evaluating the effect of habitat connectivity on the distribution of lesser horseshoe bat maternity roosts using landscape graphs. *Biological Conservation* 164: 39-49.
- TOUSSAINT, D. & MACKECHNIE, A.E. 2012. Interspecific variation in thermoregulation among three sympatric bats inhabiting a hot, semi-arid environment. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 182: 1129-1140.
- TOUSSAINT, D., BRIGHAM, R.M. & MACKECHNIE, A.E. 2013. Thermoregulation in free-ranging *Nycteris thebaica* (Nycteridae) during winter : no evidence of torpor. *Mammalian biology* 78: 365-368.
- TOWNS, D.R., ATKINSON, I.A.E. & DAUGHERTY, C.H. 2006. Have the harmful effects of introduced rats on islands been exaggerated? *Biological Invasions* 8: 863-891.
- TREITLER, J.T., HEIM, O., KALKO, E.K.V. & JUNG, K. 2012. Divergent response of bats and insects to land use and soil types in agricultural grassland systems. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 85.
- TRESSLER, J., SCHWARTZ, C., WELLMAN, P., HUGHES, S. & SMOTHERMAN, M. 2011. Regulation of bat echolocation pulse acoustics by striatal dopamine. *Journal of Experimental Biology* 214: 3238-3247.
- TREVELIN, L., SILVEIRA, M., PORT-CARVALHO, M., HOMEM, D.H. & CRUZ-NETO, A.P. 2013. Use of space by frugivorous bats (Chiroptera : Phyllostomidae) in a restored Atlantic forest fragment in Brazil. *Forest Ecology and Management* 291: 136-143.
- TRIBLEHORN, J.D. & YAGER, D.D. 2005. Acoustic interactions between insects and bats : a model for the interplay of neural and ecological specializations. In: Barbosa, P. and Castellanos, I. [Ed.]. *Ecology of predator-prey interactions*. Oxford, Oxford University Press: 77-102.
- TRIZIO, I., PREATONI, D.G., CHIRICHELLA, R., MATTIROLI, S., NODARI, M., CREMA, S., TOSI, G. & MARTINOLI, A. 2005. First record of the alpine long-eared bat (*Plecotus macrobullaris* Kuzjakin, 1965) in Lombardy (northern Italy) revealed by DNA analysis. *Natura Bresciana* 34: 171-175.
- TROUSDALE, A.W. & BECKETT, D.C. 2005. Characteristics of tree roosts of Rafinesque's big-eared bat (*Corynorhinus rafinesquii*) in southeastern Mississippi. *The American midland naturalist* 154: 442-449.
- TRUJILLO, D., BARONE, R. & GARCIA, D.L. 2012. Estatus y distribución del murciélago montañero *Hypsugo savii* (Bonaparte, 1837) en Gran Canaria, islas Canarias (Chiroptera : Vespertilionidae). *Vieraea* 40: 155-158.
- TUPINIER, Y. 2001. Historique de la description des espèces européennes de Chiroptères. *Le Rhinolophe* 15: 1-140.
- TURBILL, C. & GEISER, F. 2008. Hibernation by tree-roosting bats. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 178: 597-605.
- TURMELLE, A.S. & OLIVAL, K.J. 2009. Correlates of viral richness in bats (order Chiroptera). *EcoHealth* 6: 522-539.
- TURMELLE, A.S., ALLEN, L., SCHMIDT-FRENCH, B., JACKSON, F.R., KUNZ, T.H., MACCRACKEN, G.F. & RUPPRECHT, C.E. 2010. Response to vaccination with a commercial

- inactivated rabies vaccine in a captive colony of Brazilian free-tailed bats (*Tadarida brasiliensis*). *Journal of Zoo and Wildlife Medicine* 41(1): 140-143.
- TURNER, G.G., REEDER, D.A.M. & COLEMAN, J.T.H. 2011. A five-year assessment of mortality and geographic spread of white-nose syndrome in North American bats and a look to the future. *Bat Research News* 52(2): 13-27.
- TUTTLE, M.D. 2011. Beginnings. *Bats* 29(4): 4.
- ÜBERNICKEL, K., TSCHAPKA, M. & KALKO, E.K.V. 2013. Selective eavesdropping behaviour in three neotropical bat species. *Ethology* 119: 66-76.
- UHRIN, M., BENDA, P., AMBROS, M., BALÁŽ, I., DUDICH, A., HAPL, E., REITER, A. & STOLLMANN, A. 2009. K faune hmyzožravcov (Erinaceomorpha, Soricomorpha) a hlodavcov (Rodentia) Národného parku Muránska planina a blízkeho okolia (stredné Slovensko). = On the fauna of insectivores (Erinaceomorpha, Soricomorpha) and rodents (Rodentia) of the Muránska planina National Park and its surroundings (central Slovakia). *Lynx (Praha)* 40: 95-114.
- UHRIN, M., CEL'UCH, M., KANUCH, P. & MIKOVÁ, E. 2012. Bat monitoring in Slovakia : conception and reality. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 91.
- UHRIN, M., GAZARYAN, S.V. & BENDA, P. 2009. Does *Tadarida teniotis* really occur in Crimea? (Chiroptera : Molossidae). *Lynx (Praha)* 40: 115-126.
- UHRIN, M., MIKOVÁ, E., RENDOS, M., LEHOTSKA, B., LEHOTSKY, R., ESTOK, P., DANKO, S., BÜCS, S., JERE, C., CSOSZ, I., BARTI, L., SZODORAY-PARADI, A. & POCORA, I. 2012. Patterns of *Hypsugo savii* (Mammalia : Chiroptera : Vespertilionidae) range changes in the frame of the Pannonian basin and the Carpathians. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators [Abstracts]*. Granollers, Museum of Natural Sciences Edicions: 90.
- UPHOFF METEYER, C., BLEHERT, D.S. & CRYAN, P.M. 2012. Confirmation of white-nose syndrome in bats of Europe and implications of this discovery toward understanding the disease in bats in North America. *Bat Research News* 53(1): 1-4.
- UPHOFF METEYER, C., VALENT, M., KASHMER, J., BUCKLES, E.L., LORCH, J.M., BLEHERT, D.S., LOLLAR, A., BERNDT, D., WHEELER, E., WHITE C.L. & BALLMANN, A.E. 2011. Recovery of little brown bats (*Myotis lucifugus*) from natural infection with *geomyces destructans*, white-nose syndrome. *Journal of Wildlife Diseases* 47(3): 618-626.
- VALDEZ, E.W., RITZI, C.M. & WHITAKER, J.O. Jr. 2009. Ectoparasites of the occult bat, *Myotis occultus* (Chiroptera : Vespertilionidae). *Western North American Naturalist* 69(3): 364-370.
- VALLO, P., BENDA, P. & REITER, A. 2011. Yellow-bellied or white-bellied? Identity of Arabian house bats (Vespertilionidae : Scotophilus) revealed from mitochondrial DNA and morphology. *African Zoology* 46(2): 350-361.
- VALLO, P., BENDA, P., CERVENY, J. & KOUBEK, P. 2013. Conflicting mitochondrial and nuclear parphyly in small-sized West African house bats (Vespertilionidae). *Zoologica scripta : an international journal* 42(1): 1-12.
- VANDERELST, D., REIJNIERS, J., STECKEL, J. & PEREMANS, H. 2011. Information generated by the moving pinnae of *Rhinolophus rouxi* : tuning of the morphology at different harmonics. *PLoS One* 6(6): 11 p.
- VANDERWOLF, K.J., MACALPINE, D.F., FORBES, G.J. & MALLOCH, D. 2012. Bat populations and cave microclimate prior to and at the outbreak of white-nose syndrome in New Brunswick. *The Canadian field-naturalist* 126: 125-134.
- VANDERWOLF, K.J., MACALPINE, D.F., MALLOCH, D. & FORBES, G.J. 2013. Ectomycota associated with hibernating bats in eastern Canadian caves prior to the emergence of white-nose syndrome. *Northeastern Naturalist* 20(1): 115-130.

- VATANDOOST, H., TELMADARRAIY, Z., SHARIFI, M., MORADI, A., KAMALI, M. & TARAN, M. 2010. Ectoparasites of lesser mouse eared bat, *Myotis blythii* from Kermanshah Iran. *Asian Pacific Journal of Tropical Medicine*: 371-373.
- VÁZQUEZ-MORÓN, S., JUSTE B., J., IBAÑEZ, C., BERCIANO, J.M. & ECHEVARRIA, J.E. 2010. Phylogeny of European bat lyssavirus 1 in *Eptesicus isabellinus* bats, Spain. *Emerging Infectious Diseases* 17(3): 520-523.
- VEILLEUX, J.P. 2010. Recent literature. *Bat research news* 51(4): 199.
- VEILLEUX, J.P. 2011. Recent literature. *Bat Research News* 52(1): 4-10.
- VEILLEUX, J.P. 2011. Recent literature. *Bat Research News* 52(3): 45-50.
- VEILLEUX, J.P. 2011. Recent literature. *Bat Research News* 52(4): 124-129.
- VEILLEUX, J.P. 2012. Recent literature. *Bat Research News* 53(2): 25-33.
- VEILLEUX, J.P. 2012. Recent literature. *Bat Research News* 53(4): 119-127.
- VELAZCO, P.M. & PATTERSON, B.D. 2013. Diversification of the yellow-shouldered bats, Genus *Sturnira* (Chiroptera, Phyllostomidae), in the New World tropics. *Molecular phylogenetics and evolution* 68: 683-698.
- VENZAL, J.M., NAVA, S., TERASSINI, F.A., OGRZEWALSKA, M., CAMARGO, L.M.A. & LABRUNA, M. 2013. *Ornithodoros peropteryx* (Acari : Argasidae) in Bolivia : an argasid tick with a single nymphal stage. *Experimental and Applied Acarology* 61: 231-241.
- VERBOOM, B. & HUITEMA, H. 2010. The influence of treeline structure and wind protection on commuting and foraging common pipistrelles (*Pipistrellus pipistrellus*). *Lutra* 53(2): 63-80.
- VERGARI, S., BARILI, A., CORVETTI, S., D'ALLESTRO, V., PIVOTTI, I., RONCA, F., BURATTINI, R. & FUSCO, G. 2007. A preliminary survey of cave-dwelling bats in a regional natural park of central Italy. *Hystrix* 18(1): 69-75.
- VIEIRA, T.B., MENDES, P. & OPREA, M. 2012. Áreas prioritárias para conservação de morcegos do Espírito Santo sob cenários atuais e futuros. *Neotropical Biology and Conservation* 7(2): 88-96.
- VILLEGAS-PATRACA, R., MACÍAS-SÁNCHEZ, S., MACGREGOR-FORS, I. & MUNOZ-ROBLES, C. 2012. Scavenger removal : bird and bat carcass persistence in a tropical wind farm. *Acta Oecologica* 43: 121-125.
- VIVIER, L. & MERWE, M. van der 2007. The incidence of torpor in winter and summer in the Angolan free-tailed bat, *Mops condylurus* (Microchiroptera: Molossidae), in a subtropical environment, Mpumalanga, South Africa. *African Zoology* 42(1): 50-58.
- VLASCHENKO, A. 2011. Research history and list of records of bats (Chiroptera) in the Kharkov region in the XIX and XX centuries. *Plecotus et al.* 14: 26-54.
- VOIGT-HEUCKE, S.L., TABORSKY, M. & DECHMANN, D.K.N. 2010. A dual function of echolocation : bats use echolocation calls to identify familiar and unfamiliar individuals. *Animal Behaviour*: 9 p.
- VOIGT, C.C. 2013. Bat flight with bad wings : is flight metabolism affected by damaged wings? *Journal of Experimental Biology* 216: 1516-1521.
- VOIGT, C.C. & LEWANZIK, D. 2012. 'No cost of echolocation for flying bats' revisited. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 182: 831-840.
- VOIGT, C.C., BORRISOV, I.M. & HEUCKE, S.L. 2012. Terrestrial locomotion imposes high metabolic requirements on bats. *Journal of Experimental Biology* 215: 4340-4344.
- VOIGT, C.C., GRASSE, P., REX, K., HETZ, S.K. & SPEAKMAN, J.R. 2008. Bat breath reveals metabolic substrate use in free-ranging vampires. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 178(1): 9-16.
- VOIGT, C.C., POPA-LISSEANU, A.G., NIERMANN, I. & KRAMER-SCHADT, S. 2012. The catchment area of wind farms for European bats : a plea for international regulations. *Biological Conservation* 153: 80-86.

- VOIGT, C.C., SCHNEEBERGER, K. & LUCKNER, A. 2013. Ecological and dietary correlates of stable hydrogen isotope ratios in fur and body water of syntopic tropical bats. *Ecology* 94(2): 346-355.
- VOIGT, C.C., SORGEL, K. & DECHMANN, D.K.N. 2010. Refueling while flying : foraging bats combust food rapidly and directly to power flight. *Ecology* 91(10): 2908-2917.
- VOIGT, C.C., SORGEL, K., ŠUBA, J., KEISS, O. & PETERSONS, G. 2012. The insectivorous bat *Pipistrellus nathusii* uses a mixed-fuel strategy to power autumn migration. *Proceedings of the Royal Society of London. Series B : Biological sciences* 279: 3772-3778.
- VOIGT, F.A., FARWIG, N. & JOHNSON, S.D. 2011. Interactions between the invasive tree *Melia azedarach* (Meliaceae) and native frugivores in South Africa. *Journal of tropical ecology* 27: 355-363.
- VOLLETH, M. & EICK, G.N. 2012. Chromosome evolution in bats as revealed by FISH : the ongoing search for the ancestral chiropteran karyotype. *Cytogenetic and Genome Research* 137: 165-173.
- VOLLETH, M. & HELLER, K.-G. 2012. Variations on a theme : karyotype comparison in Eurasian *Myotis* species and implications for phylogeny. *Vespertilio* 16: 329-350.
- VOLLETH, M., BIEDERMANN, M., SCHORCHT, W. & HELLER, K.-G. 2013. Evidence for two karyotypic variants of the lesser horseshoe bat (*Rhinolophus hipposideros*, Chiroptera, Mammalia) in central Europe. *Cytogenetic and Genome Research*: 7 p.
- VOLLETH, M., HELLER, K.-G. & FAHR, J. 2006. Phylogenetic relationships of three "Nycticeiini" genera (Vespertilionidae, Chiroptera, Mammalia) as revealed by karyological analysis. *Mammalian biology* 71(1): 1-12.
- VOYTENKO, S.V. & GALAZYUK, A.V. 2007. Intracellular recording reveals temporal integration in inferior colliculus neurons of awake bats. *Journal of Neurophysiology* 97: 1368-1378.
- WALTERS, C.L., FREEMAN, R., COLLEN, A., DIETZ, C., FENTON, M.B., JONES, G., OBRIST, M.K., PUECHMAILLE, S., SATTLER, T., SIEMERS, B.M., PARSONS, S. & JONES, K.E. 2012. A continental-scale tool for acoustic identification of European bats. *Journal of Applied Ecology* 49: 1064-1074.
- WANG X., DEMARIA, A., SMOLE, S., BROWN, C.M. & HAN, L. 2010. Bat Rabies in Massachusetts, USA, 1985–2009. *Emerging Infectious Diseases* 16(8): 1285-1288.
- WARNECKE, L., TURNER, J.M., BOLLINGER, T.K., MISRA, V., CRYAN, P.M., BLEHERT, D.S., WIBBELT, G. & WILLIS, C.K.R. 2013. Pathophysiology of white-nose syndrome in bats : a mechanistic model linking wing damage to mortality. *Biology Letters* 9: 5 p.
- WARNKE, M. & REICHENBACH, M. 2012. Die Anwendung des Artenschutzrechts in der Praxis der Genehmigungsplanung : Möglichkeiten und Grenzen. *Naturschutz und Landschaftsplanung* 44(8): 247-252.
- WAWROCKA, K., BARTONICKA, T. & REITER, A. 2012. *Pipistrellus kuhlii*, a bat species breeding and hibernating in the Czech Republic. *Vespertilio* 16: 351-356.
- WEBALA, P., CRAIG, M.D., LAW, B.S., WAYNE, A.F. & BRADLEY, J.S. 2010. Roost site selection by southern forest bat *Vespadelus regulus* and Gould's long-eared bat *Nyctophilus gouldi* in logged jarrah forests; south-western Australia. *Forest Ecology and Management* 260: 1780-1790.
- WEBER, M. de M. & GRELLE, C.E.V. 2012. Does environmental suitability explain the relative abundance of the tailed tailless bat, *Anoura caudifer*? *Natureza & Conservação* 10(2): 221-227.
- WEINBEER, M. & KALKO, E.K.V. 2007. Ecological niche and phylogeny : the highly complex echolocation behavior of the trawling long-legged bat, *Macrophyllum macrophyllum*. *Behavioral Ecology and Sociobiology* 61: 1337-1348.
- WEISS, S., NOWAK, K., FAHR, J., WIBBELT, G., MOMBOULI, J.-V., PARRA, H.-J., WOLFE, N.D., SCHNEIDER, B.S. & LEENDERTZ, F.H. 2012. Henipavirus-related sequences in fruit bat bushmeat, Republic of Congo. *Emerging Infectious Diseases* 18(9): 1536-1537.

- WELBERGEN, J.A. 2012. The impacts of extreme events on biodiversity – lessons from die-offs in flying-foxes. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators. Granollers, Museum of Natural Sciences Edicions: 70-75.
- WERMUNDSSEN, T. & SIIVONEN, Y. 2008. Foraging habitats of bats in southern Finland. *Acta Theriologica* 53(3): 229-240.
- WERMUNDSSEN, T. & SIIVONEN, Y. 2010. A comparison of the hibernation patterns of seven bat species in Estonia. *Lutra* 53(2): 51-62.
- WHITAKER, J.O. Jr., KURTA, A. & CARTER, T.C. 2011. Retention of the common name eastern pipistrelle for *Perimyotis subflavus*. *Bat Research News* 52(4): 53-54.
- WIBBELT, G., KURTH, A., HELLMANN, D., WEISHAAR, M., BARLOW, A., VEITH, M., PRÜGER, J., GÖRFÖL, T., GROSCHE, L., BONTADINA, F., ZÖPHEL, U., SEIDL, H.-P., CRYAN, P.M. & BLEHERT, D.S. 2010. White-nose syndrome fungus (*Geomyces destructans*) in bats, Europe. *Emerging Infectious Diseases* 16(8): 1237-1242.
- WIBBELT, G., MOORE, M.S., SCHOUNTZ, T. & VOIGT, C.C. 2010. Emerging diseases in Chiroptera : why bats? *Biology Letters* 6: 438-440.
- WIEGREBE, L. 2008. An autocorrelation model of bat sonar. *Biological Cybernetics* 98: 587-595.
- WILES, G.J. & JOHNSON, N.C. 2004. Population size and natural history of Mariana fruit bats (Chiroptera : Pteropodidae) on Sarigan, Mariana Islands. *Pacific science* 58(4): 585-596.
- WILLIAMS, A.J. & FUZESEY, Z.M. 2010. Facilitatory mechanisms shape selectivity for the rate and direction of FM sweeps in the inferior colliculus of the pallid bat. *Journal of Neurophysiology* 104: 1456-1471.
- WILLIG, M.R. 2012. A bat monitoring network for global change in the anthropocene : now or never. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] Proceedings of the International Symposium on the importance of bats as bioindicators. Granollers, Museum of Natural Sciences Edicions: 20-25.
- WILLIS, C.K.R. 2007. An energy-based body temperature threshold between torpor and normothermia for small mammals. *Physiological and Biochemical Zoology* 80(6): 643-651.
- WILLIS, C.K.R. & BRIGHAM, R.M. 2003. New records of the eastern red bat, *Lasiurus borealis*, from Cypress Hills Provincial Park, Saskatchewan : a response to climate change? *The Canadian field-naturalist* 117: 651-654.
- WILLIS, C.K.R. & BRIGHAM, R.M. 2004. Roost switching, roost sharing and social cohesion : forest-dwelling big brown bats, *Eptesicus fuscus*, conform to the fission-fusion model. *Animal Behaviour* 68: 495-505.
- WILLIS, C.K.R., BARCLAY, R.M.R., BOYLES, J.G., BRIGHAM, R.M., BRACK, V. Jr., WALDIEN, D. & REICHARD, J.D. 2010. Bats are not birds and other problems with Sovacool's (2009) analysis of animal fatalities due to electricity generation. *Energy Policy* 38: 2067-2069.
- WILLIS, C.K.R., BRIGHAM, R.M. & GEISER, F. 2006. Deep, prolonged torpor by pregnant, free-ranging bats. *Die Naturwissenschaften* 93: 80-83.
- WILLIS, C.K.R., GOLDZIEHER, A. & GEISER, F. 2005. A non-invasive method for quantifying patterns of torpor and activity under semi-natural conditions. *Journal of Thermal Biology* 30: 551-556.
- WILLIS, C.K.R., JAMESON, J.W., FAURE, P.A., BOYLES, J.G., BRACK, V. Jr. & CERVONE, T.H. 2009. Thermocron iButton and iBBat temperature dataloggers emit ultrasound. *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 179: 867-874.
- WILLIS, C.K.R., TURBILL, C. & GEISER, F. 2005. Torpor and thermal energetics in a tiny Australian vespertilionid, the little forest bat (*Vespadelus vulturnus*). *Journal of comparative physiology. B : Biochemical, systemic and environmental physiology* 175: 479-486.
- WITKOWSKI, M. 2007. Energy sharing for swarms modeled on the common vampire bat. *Adaptive Behavior* 15(3): 307-328.

- WOMACK, K.M., AMELON, S.K. & THOMPSON, F.R. 2013. Resource selection by Indiana bats during the maternity season. *Journal of wildlife management* 77(4):707-715.
- WOOD, J.L.N., LEACH, M., WALDMANN, L., MACGREGOR, H., FOOKS, A.R., JONES, K.E., RESTIF, O., DECHMANN, D.K.N., HAYMAN, D.T.S., BAKER, K.S., PEEL, A.J., KAMINS, A.O., FAHR, J., NTIAMOA-BAIDU, Y., SUU-IRE, R., BREIMAN, R.F., EPSTEIN, J.H., FIELD, H. & CUNNINGHAM, A.A. 2012. A framework for the study of zoonotic disease emergence and its drivers : spillover of bat pathogens as a case study. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences* 367: 2881-2892.
- WOOD, R., WEYENETH, N. & APPLETON, B.R. 2011. Development and characterisation of 20 microsatellite loci isolated from the large bent-wing bat, *Miniopterus schreibersii* (Chiroptera : Miniopteridae) and their cross-taxa utility in the family Miniopteridae. *Molecular Ecology Resources* 11: 675-685.
- WU, J. & PEI, J. 2011. Bats (Chiroptera) and their zoogeographic distribution characteristics in the Qinling and Daba mountain ranges. *Acta Theriologica Sinica* 31(4): 358-370.
- WU, Y., MOTOKAWA, M., LI, Y.-C., HARADA, M., CHEN, Z. & YU, W.-H. 2010. Karyotype of Harrison's tube-nosed bat *Murina harrisoni* (Chiroptera : Vespertilionidae: Murininae) based on the second specimen recorded from Hainan Island, China. *Mammal Study* 35: 277-279.
- WÜNSCHMANN, A., WELLEHAN, J.F.X., ARMIEN, A., BEMRICK, W.J., BARNES, D., AVERBECK, G.A., ROBACK, R., SCHWABENLANDER, M., D'ALMEIDA, E., JOKI, R., CHILDRESS, A.L., CORTINAS, R., GARDINER, C.H. & GREINER, E.C. 2010. Renal infection by a new coccidian genus in big brown bats (*Eptesicus fuscus*). *The Journal of parasitology* 96(1): 178-183.
- XIAO, Z. & SUGA, N. 2004. Reorganization of the auditory cortex specialized for echo-delay processing in the mustached bat. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 101(6): 1769-1774.
- XU, H., LIU, Y., MENG, F., HE, B.-B., HAN, N., LI, G., ROSSITER, S.J. & ZHANG, S. 2013. Multiple bursts of pancreatic ribonuclease gene duplication in insect-eating bats. *Gene* 526: 112-117.
- YALDEN, D.W. 2013. *Kerivoula eriophora*: Heuglin's woolly bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 729-730.
- YALDEN, D.W. 2013. *Myotis morrisoni*: Morris's myotis. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 699-700.
- YALDEN, D.W. 2013. *Myotis scottii*: Scott's myotis. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 705-706.
- YALDEN, D.W. & HAPPOLD, M. 2013. *Otomops martiensseni*: large-eared giant mastiff bat. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa, vol. 4: Hedgehogs, shrews and bats*. London [etc.], Bloomsbury: 480-483.
- YAMAUCHI, T. 2010. Records of Nycteribiidae and Streblidae from Oita and Kumamoto prefectures, Japan. *Hana Abu* 29: 35-36.
- YAO, L., BROWN, J.-P., STAMPANONI, M., MARONE, F., ISLER, K. & MARTIN, R.D. 2012. Evolutionary change in the brain size of bats. *Brain Behavior and Evolution* 80: 15-25.
- YAO, Q., ZHU, G., FLANDERS, J. & ZHANG, L. 2012. Dextrocardia in short-nosed fruit bats (*Cynopterus sphinx*) and their relative heart masses. *Acta Chiropterologica* 14(2): 497-499.
- YARTSEV, M.M. & ULANOVSKY, N. 2013. Representation of three-dimensional space in the hippocampus of flying bats. *Science* 340: 367-372.
- YODER, A.D., OLSON, L., HANLEY, C., HECKMAN, K.L., RASOLOARISON, R., RUSSELL, A.L., RANIVO, J., SOARIMALALA, V., KARANTH, K.P., RASELIMANANA, A.P. & GOODMAN, S.M. 2005. A multidimensional approach for detecting species patterns in Malagasy vertebrates. *Proceedings of the National Academy of Sciences of the United States of America* : PNAS 102(1): 6587-6594.

- YOON, K.B., KIM, J.Y., KIM, H.R., CHO, J.Y. & PARK, Y.C. 2013. The complete mitochondrial DNA genome of a greater horseshoe bat subspecies, *Rhinolophus ferrumequinum quelpartis* (Chiroptera : Rhinolophidae). *Mitochondrial DNA* 24(1): 22-24.
- YOVEL, Y., FALK, B., MOSS, C.F. & ULANOVSKY, N. 2011. Active control of acoustic field-of-view in a biosonar system. *PLoS One* 9(9): 10 p.
- YUAN, J., HON, C.-C., LI, Y., WANG, D., XU, G., ZHANG, H., ZHOU, P., POON, L.L.M., LAM, T.T.-Y., LEUNG, F.C.-C. & SHI, Z. 2010. Intraspecies diversity of SARS-like coronaviruses in *Rhinolophus sinicus* and its implications for the origin of SARS coronaviruses in humans. *Journal of General Virology* 91: 1058-1062.
- YUAN, L., ZHAO, X., LIN, B., ROSSITER, S.J., HE, L., ZUO, X., HE, G., JONES, G., GEISER, F. & ZHANG, S. 2011. Adaptive evolution of Leptin in heterothermic bats. *PLoS One* 6(11): 9 p.
- YUAN, Z.-G., LUO, S.-J., DUBEY, J.P., ZHOU, D.-H., ZHU, Y.-P., HE, Y., HE, X.-H., ZHANG, X.-X. & ZHU, X.-Q. 2013. Serological evidence of toxoplasma gondii infection in five species of bats in China. *Vector-Borne and Zoonotic diseases* 13(6): 422-424.
- YUKIO MAEDA, F., MELATTO ALVES, R., CORTEZ, C., MITSUO LIMA, F. & YOSHIDA, N. 2011. Characterization of the infective properties of a new genetic group of *Trypanosoma cruzi* associated with bats. *Acta Tropica* 120: 231-237.
- ZAGMAJSTER, M., QUADRACCI, A. & FILACORDA, S. 2012. New records of bats in the province of Trieste (Friuli Venezia Giulia region), northeastern Italy. *Atti del Museo Civico di Storia Naturale di Trieste* 55: 13-23.
- ZAGORODNIUK, I.V. 1998. Bats in the Lviv Natural History Museum : description and comparative analysis of the collection. *Proceedings of the State National History Museum, National Academy of Sciences of Ukraine, Lviv* 14: 77-82.
- ZAGORODNIUK, I.V. 1998. Whiskered bats (*Myotis* ex gr. *mystacinus*) in Ukraine. In: M. Uhrin [Eds.]. *Abstracts: 2nd Intern. Conf. on Carpathian Bats* (28 aug. - 1 sept. 1998). Narodny park Poloniny & Nova Sedlica: 13-14.
- ZAGORODNIUK, I.V. 2001. Samples of *Plecotus* from Algeria in the National Museum of Natural History of Ukraine. *Vestnik Zoologii* 35(2): 102.
- ZAGORODNIUK, I.V. & KOROBCHENKO, M. 2009. *Myotis brandtii* (Chiroptera, Vespertilionidae) in eastern Ukraine : the first identification for the fauna of Luhansk region. *Vestnik Zoologii* 43(2): 140.
- ZAGORODNIUK, I.V. & POSTAWA, T. 2007. Spatial and ecomorphological divergence of *Plecotus* sibling species (Mammalia) in sympatry zone in eastern Europe. *Proceedings of the State National History Museum, L'viv* 23: 215-224.
- ZAGORODNIUK, I.V. & ZAIKA, S. 2009. New data on the distribution of rare bat and rodent species (Chiroptera et Rodentia) in Luhansk region, eastern Ukraine. *Vestnik Zoologii* 43(6): 564.
- ZAGORODNIUK, I.V. & ZIZDA, J. 2007. Records of three rare *Myotis* species (Vespertilionidae) in transcarpathian Ukraine. *Vestnik Zoologii* 41(3): 226.
- ZEALE, M.R.K., DAVIDSON-WATTS, I. & JONES, G. 2012. Home range use and habitat selection by barbastelle bats (*Barbastella barbastellus*) : implications for conservation. *Journal of Mammalogy* 93(4): 1110-1118.
- ZHOU, P., COWLED, C., WANG, L.F. & BAKER, M. 2013. Bat Mx1 and Oas1, but not Pkr are highly induced by bat interferon and viral infection. *Developmental and Comparative Immunology* 40: 240-247.
- ZHU, X., YANG, H., GUO, Z., YU, W., CARNEY, P.J., LI, Y., CHEN, L.-M., PAULSON, J.C., DONIS, R.O., TONG, S., STEVENS, J. & WILSON, I.A. 2012. Crystal structures of two subtype N10 neuraminidase-like proteins from bat influenza A viruses reveal a diverged putative active site.

- Proceedings of the National Academy of Sciences of the United States of America : PNAS 109(46): 18903-18908.
- ZHUANG, Q., WANG, X.-M., LI, M.-X., MAO, J. & WANG, F.-X. 2012. Noseleaf pit in Egyptian slit-faced bat as a doubly curved reflector. *EPL* 97: 6 p.
- ZÖCKLER, C. 2011. Mass exodus of bats and dragonflies : the measurement and conservation of biodiversity. *Biodiversity* 12(2): 116-118.
- ZORTEA, M., SAMPAIO MORAIS ZENHA, F. & ARAÚJO CARRIJO, V. 2013. The occurrence of *Eptesicus chiroquinus* Thomas, 1920 (Chiroptera : Vespertilionidae) in the Brazilian Atlantic forest with comments on the species' distribution. *Check List* 9(3): 672-674.
- ZUKAL, J., PIKULA, J. & BANDOUCHOVA, H. 2012. Bats and toxic pollutants. In: Flaquer, C. & Puig-Montserrat, X. [Ed.] *Proceedings of the International Symposium on the importance of bats as bioindicators*. Granollers, Museum of Natural Sciences Edicions: 75-79.
2011. Announcements and future meetings. *Bat Research News* 52(1): 11-12.
2011. Announcements and future meetings. *Bat Research News* 52(2): 36-37.
2011. Announcements and future meetings. *Bat Research News* 52(3): 51-52.
2011. Announcements and future meetings. *Bat Research News* 52(4): 130.
2011. Education : the power of knowledge. *Bats* 29(4): 10.
2011. International conservation : alliances for bats around the world. *Bats* 29(4): 13-15.
2011. North American conservation : evolving to meet new challenges. *Bats* 29(4): 6-9.
2011. Recent literature. *Bat Research News* 52(2): 30-35.
2012. Announcements and future meetings. *Bat Research News* 53(1): 13-14.
2012. Announcements and future meetings. *Bat Research News* 53(2): 35.
2012. Announcements and future meetings. *Bat Research News* 53(3): 50.
2012. Announcements and future meetings. *Bat Research News* 53(4): 128.
2012. Book reviews. *Acta Chiropterologica* 14(2): 501-503.
2012. Index. *Acta Chiropterologica* 14(2): 505-513.
2012. Reviewers. *Acta Chiropterologica* 14(2): 514.
2013. African Bat Conservation News 33.
2013. Appendix: new taxa 2005-2010. In: Happold, M. & Happold, D. [Eds]. *Mammals of Africa*, vol. 4: Hedgehogs, shrews and bats. London [etc.], Bloomsbury: 736.
2013. Book reviews. *Acta Chiropterologica* 15(1): 263-266.
2013. De nouveaux timbres chauves-souris. *L'envol des chiros* 14: 5.
2013. Observation d'un Minioptère de Schreibers (*Miniopterus schreibersii*) en hibernation en Auvergne. *L'envol des chiros* 14: 8.
2013. Opération Refuge pour les chauves-souris : aménagement d'un ancien réservoir d'eau en Lorraine. *Mammifères sauvages* 66: 15.
2013. Premier bilan de la quatorzième campagne de comptages hivernaux de Chiroptères en Auvergne. *L'envol des chiros* 14: 9.
2013. The 16th International Bat Research Conference and the 43rd north American Symposium on Bat Research, San Jose, Costa Rica, (11-15 August 2013). *Acta Chiropterologica* 15(1): 267-269.

Décembre / December 2013